

Index of Authors

- ADAMS, B. W. and MEAD, G. C. Incidence and properties of *Staphylococcus aureus* associated with turkeys during processing and further-processing operations, 479
- ADEBAYO, J. O. *see* OLUSANYA O.
- ADESIYUN, A. A. *see* UMOH, J. U.
- ADEKEYE, J. O. *see* UMOH, J. U.
- AITKEN, M. M. *see* JONES, P. W.
- AITKEN, M. M., BROWN, G. T. H., JONES, P. W. and COLLINS, P. *Salmonella saint-paul* infection in calves, 259
- ALI E. A. *see* HINTON, M.
- ALLEN, VIVIEN *see* HINTON, M.
- ANAND, C. M., SKINNER, A. R., MALIC, A. and KURTZ, J. B. Interaction of *L. pneumophila* and a free living amoeba (*Acanthamoeba palestinensis*), 167
- ANDERSSON, P.-A., HAMBRAEUS, A., ZETTERSTEN, U., LJUNGQVIST, B., NEIKTER, K. and RAN-SJÖ, U. A comparison between tracer gas and tracer particle techniques in evaluating the efficiency of ventilation in operating theatres, 509
- ANDREWS, R. V. and BELKNAP, R. W. Efficacy of alpha-chlorhydrin in sewer rat control, 359
- ARANGIO-RUIZ, G. *see* MANCINI, G.
- ARAYA, M. *see* FIGUEROA, G.
- ASHCROFT, J. and POMEROY, N. P. The generation of aerosols by accidents which may occur during plant-scale production of micro-organisms, 81
- BARTZOKAS, C. A., CORKILL, J. E., MAKIN, T. and PINDER, D. C. Assessment of the remanent antibacterial effect of a 2% triclosan-detergent preparation on the skin, 521
- BEAMAN, B. L. and SUGAR, A. M. *Nocardia* in naturally acquired and experimental infections in animals, 393
- BELKNAP, R. W. *see* ANDREWS, R. V.
- BLACK, L. *see* FRANCIS, M. J.
- BROWN, G. T. H. *see* JONES, P. W. *and see* AITKEN, M. M.
- BRUN, Y. *see* MELCONIAN, A. K.
- BRUNSER, O. *see* FIGUEROA, G.
- BUTTERFIELD, J., COULSON, J. C., KEARSEY, S. V., MONAGHAN, P., MCCOY, J. H. and SPAIN, G. E. The herring gull *Larus argentatus* as a carrier of salmonella, 429
- BUTTERFIELD, J. *see* COULSON, J. C.
- CAUL, E. O. *see* PETHER, J. V. S.
- CHAHAL, R. S. *see* SUGAR, A. M.
- CLEGG, F. G. *see* WRIGHT, E. P.
- COHEN, B. J., MORTIMER, P. P. and PEREIRA, M. S. Diagnostic assays with monoclonal antibodies for the human serum parvovirus-like virus (SPLV), 113
- COHEN, D. R., PORTER, I. A., REID, T. M. S., SHARP, J. C. M., FORBES, G. I. and PATERSON, G. M. A cost benefit study of milk-borne salmonellosis, 17
- COLLINS, P. *see* JONES, P. W. *and see* AITKEN, M. M.
- CORKILL, J. E. *see* BARTZOKAS, C. A.
- COULSON, J. C., BUTTERFIELD, J. and THOMAS, C. The herring gull *Larus argentatus* as a likely transmitting agent of *Salmonella montevideo* to sheep and cattle, 437
- COULSON, J. C. *see* BUTTERFIELD, J.
- CULSHAW, J. A. *see* WRIGHT, E. P.
- DADD, A. H., STEWART, CELIA M. and TOWN, MARGARET M. A standardized monitor for the control of ethylene oxide sterilization cycles, 93
- DARNELL, R. *see* WRIGHT, E. P.
- DEGENER, J. E., SMIT, A. C. W., MICHEL, M. F., VALKENBURG, H. A. and MULLER, L. Resistance of *Escherichia coli* in faeces and the use of antimicrobial agents in the treatment of hospital patients, 491

DENISOV, G. M. *see* NAIKHIN, A. N.
 DENNIS, P. J. *see* FITZGEORGE, R. B.
 DONATELLI, I. *see* MANCINI, G.
 DYKE, K. G. H. *see* NAIDOO, JAY.

EBISAWA, I. *see* OHARA, H.
 EISNER, R. J. *see* MOVICAR, J. W.
 ESPINOZA, J. *see* FIGUEROA, G.

FARKAS, G. *see* MANSFIELD, J. M.

FENLON, D. R. A comparison of salmonella serotypes found in the faeces of gulls feeding at a sewage works with serotypes present in the sewage, 47

FIGUEROA, G., TRONCOSO, M., ARAYA, M., ESPINOZA, J. and BRUNSER, O. Enteropathogen carriage by healthy individuals living in an area with poor sanitation, 490

FITZGEORGE, R. B. and DENNIS, P. J. Isolation of *Legionella pneumophila* from water supplies: comparison of methods based on the guinea-pig and culture media, 179

FLEURETTE, J. *see* MELCONIAN, A. K.

FORBES, G. I. *see* COHEN, D. R.

FRANCIS, M. J. and BLACK, L. Antibody response in pig nasal fluid and serum following foot-and-mouth disease infection or vaccination, 329

FRICKER, C. R., GIRDWOOD, R. W. A. and MUNRO, D. A comparison of enrichment media for the isolation of salmonella from seagull cloacal swabs, 53

FRICKER, C. R., GIRDWOOD, R. W. A. and MUNRO, D. A comparison of procedures for the isolation of campylobacters from seagull faeces, 445

GILBERT, R. J. *see* MANSFIELD, J. M.

GILL, J. E. and REDFERN, R. Laboratory tests of seven rodenticides for the control of *Meriones shawi*, 351

GIRDWOOD, R. W. A. *see* FRICKER, C. R.

GRILLI, E. A. and SMITH, A. J. The use of a radial haemolysis test for neuraminidase antibodies in the diagnosis of influenza A infection, 147

GROHMANN, G. S. *see* MURPHY, A. M.

HAGUE, J. T. *see* WRIGHT, E. P.

HAMBRAEUS, A. *see* ANDERSSON, P.-A.

HARVEY, R. W. S. and PRICE, T. H. A comparison of two modifications of Rappaport's enrichment medium (R25 and RV) for the isolation of salmonellas from sewage polluted natural water, 451

HARVEY R. W. S. and PRICE, T. H. Effect of stool storage at room temperature on salmonella isolation from faeces, 267

HARVEY, R. W. S. and PRICE, T. H. Salmonella isolation from reptilian faeces: A discussion of appropriate cultural techniques, 25

HAY, R. J. Nocardial infection of the skin, 385

HEAD, M. *see* NDIRITU, C. G.

HINTON, M., ALI, E. A., ALLEN, VIVIEN and LINTON, A. H. The excretion of *Salmonella typhimurium* in the faeces of calves fed milk substitute, 33

HOPE-SIMPSON, R. E. Recognition of historic influenza epidemics from parish burial records: a test of prediction from a new hypothesis of influenza epidemiology, 293

HUDSON, W. R., ROBERTS, T. A. and WHELEHAN, O. P. A minimal apparatus method for counting bacteria: comparison with reference method in surveying beef carcasses at three commercial abattoirs, 459

HYLÉN, A.-K., KARLSSON, E., SVANBERG, L. and WALDER, M. Hygiene for the newborn - to bath or to wash? 529

ISPAHANI, P. Bacterial meningitis in Nottingham, 189

JOHNSON, D. R. *see* SKJOLD, S. A.

JONES, P. W., COLLINS, P., BROWN, G. T. H. and AITKEN, M. M. *Salmonella saint-paul* infection in two dairy herds, 243

JONES, P. W. *see* AITKEN, M. M.

- KARLSSON, E. *see* HYLÉN, A.-M.
 KATILA, M.-L. *see* OJANEN, T. H.
 KEARSEY, S. V. *see* BUTTERFIELD, J.
 KOLAWOLE, D. O. Evaluation and use of the drug inhibition method of measuring intracellular killing in differentiating between staphylococci grown *in vivo* and *in vitro*, 211
 KORCHANOVA, N. L. *see* NAIKHIN, A. N.
 KRAJINOVIC S. *see* VLANJINAC, H.
 KURTZ, J. B. *see* ANAND, C. M.
 KUUSISTO, P. *see* OJANEN, T. H.
- LINTON, A. H. *see* HINTON, M.
 LJUNGGVIST, B. *see* ANDERSSON, P. A.
- MACCHIA, T. *see* MANCINI, G.
 MCCOY, J. H. *see* BUTTERFIELD, J.
 McVICAR, J. W. and EISNER, R. J. Aerosol exposure of cattle to foot-and-mouth disease virus, 319
 MAKIN, T. *see* BARTZOKAS, C. A.
 MALIC, A. *see* ANAND, C. M.
 MANCINI, G., DONATELLI, I., ARANGIO-RUIZ, G., ROZERA, C. and MACCHIA, T. Comparison of haemagglutination-inhibition and single radial haemolysis techniques for detecting antibodies to influenza A and B viruses, 157
 MANSFIELD, J. M., FARKAS, G., WIENEKE, A. A. and GILBERT, R. J. Studies on the growth and survival of *Staphylococcus aureus* in corned beef, 467
 MÄNTYJÄRVI R. *see* OJANEN, T. H.
 MARGOLIS, H. S. *see* SKJOLD, S. A.
 MAYON-WHITE, R. T. *see* PERKS, ELIZABETH M.
 MEAD, G. C. *see* ADAMS, B. W.
 MELCONIAN, A. K., BRUN, Y. and FLEURETTE, J. Enterotoxin production, phage typing and serotyping of *Staphylococcus aureus* strains isolated from clinical materials and food, 235
 MICHEL, M. F. *see* DEGENER, J. E.
 MONAGHAN, P. *see* BUTTERFIELD, J.
 MORTIMER, P. P. *see* COHEN, B. J.
 MUITTARI, A. *see* OJANEN, T. H.
 MULLER, L. *see* DEGENER, J. E.
 MUNRO, D. *see* FRICKER, C. R.
 MURPHY, A. M., GROHMANN, G. S. and SEXTON, M. F. H. Infectious gastroenteritis in Norfolk Island and recovery of viruses from drinking water, 139
 NADARAJAH, M. *see* UMOH, J. U.
 NAIDOO, JAY, NOBLE, W. C., WEISSMANN, A. and DYKE, K. G. H. Gentamicin-resistant staphylococci: genetics of an outbreak in a dermatology department, 7
 NAIKHIN, A. N., TSARITSINA, I. M., OLEINIKOVA, E. V., SYRODOEVA, L. G., KORCHANOVA, N. L., DENISOV, G. M. and SHVARTSMAN, YA. S. The importance of antineuraminidase antibodies in resistance to influenza A and immunologic memory of their synthesis, 131
 NARUTO, H. *see* OHARA, H.
 NDIRITU, C. G., OULDRIDGE, E. J., HEAD, M. and RWEYEMAMU, M. M. A serological evaluation of 1979-1982 Kenyan foot-and-mouth disease type SAT 2 viruses, 335
 NEIKTER, K. *see* ANDERSSON, P.-A.
 NOBLE, W. C. The new hospital epidemiology. 1
 NOBLE, W. C. *see* NAIDOO, JAY.
 NOCARD, E.-I.-E., 367
 NOTERMANS, S. *see* OOSTEROM, J.
- OHARA, H., NARUTO, H., WATANABE, W. and EBISAWA, I. An outbreak of hepatitis A caused by consumption of raw oysters, 163
 OJANEN, T. H., KATILA, M.-L., MÄNTYJÄRVI, R., SEPPÄNEN, H., MUITTARI, A., KUUSISTO, P. and VIRTANEN, P. Exposure of water consumers to mesophilic actinomycetes, 535
 OLEINIKOVA, E. V. *see* NAIKHIN, A. N.
 OLUSANYA, O., ADEBAYO, J. O. and WILLIAMS, BOLANLE. *Campylobacter jejuni* as a bacterial cause of diarrhoea in Ile-Ife, Nigeria, 77

- OOSTEROM, J. and NOTERMANS, S. Further research into the possibility of salmonella-free fattening and slaughter of pigs, 59
- OULDRIDGE, E. J. *see* NDIRITU, C. G.
- PAQUETTE, G. *see* SIMARD, CAROLE
- PATERSON, G. M. *see* COHEN, D. R.
- PAYMENT, P. *see* SIMARD, CAROLE
- PEREIRA, M. S. *see* COHEN, B. J.
- PERKS, ELIZABETH M. and MAYON-WHITE, R. T. The incidence of scarlet fever, 203
- PETHER, J. V. S. and CAUL, E. O. An outbreak of food-borne gastroenteritis in two hospitals associated with a Norwalk-like virus, 343
- PINDER, D. C. *see* BARTZOKAS, C. A.
- POMEROY, N. P. *see* ASHCROFT, J.
- PORTER, I. A. *see* COHEN, D. R.
- PRICE, T. H. *see* HARVEY, R. W. S.
- RANSJÖ, U. *see* ANDERSSON, P.-A.
- REDFERN, R. *see* GILL, J. E.
- REID, T. M. S. *see* COHEN, D. R.
- ROBERTS, T. A. *see* HUDSON, W. R.
- ROZERA, C. *see* MANCINI, G.
- RWEYEMAMU, M. M. *see* NDIRITU, C. G.
- SEPPÄNEN, H. *see* OJANEN, T. H.
- SEXTON, M. F. H. *see* MURPHY, A. M.
- SHARP, J. C. M. *see* COHEN, D. R.
- SHVARTSMAN, YA.S. *see* NAIKHIN, A. N.
- SIMARD, CAROLE, TRUDEL, M., PAQUETTE, G. and PAYMENT, P. Microbial investigation of the air in an apartment building, 277
- SKINNER, A. R. *see* ANAND, C. M.
- SKJOLD, S. A., WANNAMAKER, L. W., JOHNSON, D. R. and MARGOLIS, H. S. Type 49 *Streptococcus pyogenes*: Phage subtypes as epidemiological markers in isolates from skin sepsis and acute glomerulonephritis, 71
- SMIT, A. C. W. *see* DEGENER, J. E.
- SMITH, A. J. *see* GRILLI, E. A.
- SORRELL, J. A. *see* WRIGHT, E. P.
- SPAIN, G. E. *see* BUTTERFIELD, J.
- STANFORD, J. L. A simple view of nocardial taxonomy, 369
- STEVENS, D. A. Clinical and clinical laboratory aspects of nocardial infection, 377
- STEVENS, D. A. *see* SUGAR, A. M.
- STEWART, CELIA M. *see* DADD, A. H.
- SUGAR, A. M., CHAHAL, R. S. and STEVENS, D. A. A cephalosporin active *in vitro* against *Nocardia*: efficacy of cefotaxime in murine model of acute pulmonary nocardiosis, 421
- SUGAR, A. M. *see* BEAMAN, B. L.
- SVANBERG, L. *see* HYLÉN, A.-M.
- SYRODOEVA, L. G. *see* NAIKHIN, A. N.
- THOMAS, C. *see* COULSON, J. C.
- TILLET, H. E. *see* WRIGHT, E. P.
- TOWN, MARGARET M. *see* DADD, A. H.
- TRONCOSO, M. *see* FIGUERO, G.
- TRUDEL, M. *see* SIMARD, CAROLE
- TSARITSINA, I. M. *see* NAIKHIN, A. N.
- UMOH, J. U., ADESIYUN, A. A., ADEKEYE, J. O. and NADARAJAH, M. Epidemiological features of an outbreak of gastroenteritis/cholera in Katsina, Northern Nigeria, 101
- VALKENBURG, H. A. *see* DEGENER, J. E.
- VAN NIEUWSTADT, A. P. and VERHOEFF, J. Epidemiology of BHV 1 virus infections in dairy herds, 309

- VERHOEFF, J. *see* VAN NIEUWSTADT, A. P.
VIRTANEN, P. *see* OJANEN, T. H.
VLAJINAC, H. and KRAJINOVIC, S. Colicine production as an epidemiological marker for *Shigella sonnei*, 273
- WALDER, M. *see* HYLÉN, A.-M.
WANNAMAKER, L. W. *see* SKJOLD, S. A.
WATANABE, W. *see* OHARA, H.
WEISSMANN, A. *see* NAIDOO, JAY.
WHELEHAN, O. P. *see* HUDSON, W. R.
WIENEKE, A. A. *see* MANSFIELD, J. M.
WILLIAMS, BOLANLE *see* OLUSANYA, O.
WRIGHT, E. P. The isolation of *Campylobacter jejuni* from flies, 223
WRIGHT, E. P., TILLET, H. E., HAGUE, J. T., CLEGG, F. G., DARNELL, R., CULSHAW, J. A. and
SORRELL, J. A. Milk-borne campylobacter enteritis in a rural area, 227
WRIGHT, R. C. The sterilizing capacity of propylene oxide and chlorhexidine diacetate solutions upon pre-injection swabs saturated with propan-2-ol, 287
- ZETTERSTEN, U. *see* ANDERSSON, P.-A.