

The Journal of Laryngology and Otology

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

Contents

SUPPURATIVE DISEASE OF THE UPPER NASAL SINUSES	E. MUSGRAVE WOODMAN	
THE RELATION OF VISUAL DISTURBANCES TO AFFECTIONS OF THE POSTERIOR SINUSES	A. LOGAN TURNER	
THE SPHENOIDAL SINUS AND THE OPTIC NERVE	W. S. SYME	
RETROBULBAR NEURITIS OF SINUS ORIGIN	GAVIN YOUNG	
THE VALUE OF VISUAL CHANGES IN THE DIAGNOSIS OF OPTIC NERVE DISEASE DUE TO LATENT MORBID CONDITIONS OF THE NASAL ACCESSORY SINUSES	H. M. TRAQUAIR	
THE FREQUENCY OF SPHENOIDAL SINUS OPERATIONS	J. S. FRASER	
CASES OF OCULAR DISTURBANCE ATTRIBUTED TO NASAL DISEASE, WITH RECOVERY OR IMPROVEMENT FOLLOWING INTRANASAL OPERATIVE MEASURES	Sir JAMES DUNDAS-GRANT	
THE PATHOLOGY OF INFLAMMATION OF THE SPHENOIDAL AIR SINUS	F. E. REYNOLDS	
CLINICAL RECORD:—		
OSTEOMYELITIS OF THE FRONTAL BONE. (Sir WILLIAM MILLIGAN	
OPERATION—RECOVERY	FRANK WRIGLEY	
SOCIETIES' PROCEEDINGS:—		
ROYAL SOCIETY OF MEDICINE—SECTION OF LARYNGOLOGY.		
SCOTTISH SOCIETY OF OTOTOLOGY AND LARYNGOLOGY		
ABSTRACTS:—		
THE EAR.	NOSE AND ACCESSORY SINUSES.	LARYNX.
TUBERCULOSIS OF THE LARYNX	Sir ST CLAIR THOMSON	
GENERAL NOTES.		

Edinburgh: Oliver and Boyd

London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa, occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

1. Original Articles are accepted on the condition that they have not been published elsewhere.
2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.
4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."
7. The Annual Subscription is Forty Shillings, post free, and is payable in advance.
8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings each.
9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings each.


UNITED STATES OF AMERICA

Orders for this Journal, for single parts or yearly subscriptions, can be sent either through a local bookseller, or to Messrs G. E. STECHERT & Co., 31-33 East 10th Street, New York.

GRANDS PRIX:
Paris, 1900. Brussels, 1910. Buenos Aires, 1910.



Gold Medal, Allahabad, 1910.




A NEW TRACHEOTOMY TUBE

(Pilot permits breathing during introduction)

By Dr A. CUBLEY

Vide *Journal of Laryngology and Otology*, March 1922.



**Needle for Suturing the Pillars of the Fauces,
and Forceps for Carrying the Suture.**

By Mr THOS. GUTHRIE, F.R.C.S.

Vide *Journal of Laryngology and Otology*, April 1920.

Manufactured only by

DOWN BROS., LTD.

Surgical Instrument Makers

21 and 23 ST THOMAS'S STREET, LONDON, S.E. 1

Telegrams
"DOWN, LONDON."

(OPPOSITE GUY'S HOSPITAL)

Telephone
HOP 4400 (4 lines).

JUST PUBLISHED. Demy 8vo, 424 pp. With 222 Text Illustrations and 12 Plates, of which 8 are in Colour. 20s. net, Postage 9d.

DISEASES OF THE NOSE, THROAT, AND EAR

FOR PRACTITIONERS AND STUDENTS

Edited by

A. LOGAN TURNER, M.D., F.R.C.S. (Ed.)

Senior Lecturer on Diseases of the Ear, Nose, and Throat, University of Edinburgh

With the collaboration of

J. S. FRASER, M.B., F.R.C.S. (Ed.)

J. D. LITHGOW, M.B., F.R.C.S. (Ed.)

W. T. GARDINER, M.C., M.B., F.R.C.S. (Ed.)

G. EWART MARTIN, M.B., F.R.C.S. (Ed.)

Lecturers on Diseases of the Ear, Nose, and Throat, University of Edinburgh

and

DOUGLAS GUTHRIE, M.D., F.R.C.S. (Ed.)

Lecturer on Diseases of the Ear, Nose, and Throat, School of Medicine of the Royal Colleges, Edinburgh

FOR a number of years, the volume on *Diseases of the Throat, Nose, and Ear*, written by the late Dr W. G. PORTER, supplied a much-felt want, and the fact that it passed through three editions in a comparatively short space of time, was sufficient testimony of its popularity.

Seven years have now elapsed since Dr Porter fell in the service of his country, and the present volume, dedicated to his memory, is produced as the joint work of those engaged in the teaching and practice of the speciality in the Edinburgh Medical School.

While the writers have endeavoured to preserve the main object underlying Dr Porter's original book, the subject matter has been expanded along new lines, which may be justly regarded as increasing the usefulness of the volume. For this purpose, an illustrated description of the clinical anatomy of the various regions has been introduced. A further addition will be found in the detailed account given of many of the minor and major operations. A section on Endoscopy has also been added.

A special feature has been made of the illustrations, and no trouble has been spared to make these at once informative and exhaustive. It has been found necessary to almost treble them in number. Student and Practitioner alike should find it a practical, comprehensive, and up-to-date guide.

BRISTOL: JOHN WRIGHT & SONS LTD. LONDON: SIMPKIN & CO. LTD.

Central London Throat, Nose, and Ear Hospital

GRAY'S INN ROAD

(Near King's Cross Stations)

DAILY CLINICS.

OVER 11,000 NEW PATIENTS LAST YEAR. 50,000 ATTENDANCES.

IN-PATIENT DEPARTMENT, 43 BEDS.

CLINICAL ASSISTANTS

Are appointed from among those gentlemen who have enrolled themselves for attendance on the practice of the Hospital.

ATTENDANCE OF STAFF

		O.-P. CLINIC.	I.-P. OPERATIONS.
Dr ABERCROMBIE	Thursday, 2 P.M.	Wednesday, 2 P.M.
Dr WYLIE	Wednesday, 2 P.M.	Thursday, 2.30 P.M.
Dr DAN M'KENZIE	Monday, 2 P.M.	Tuesday, 2.30 P.M.
Mr HAROLD KISCH	Friday, 2 P.M.	Monday, 2 P.M.
Mr NICOL RANKIN	Tuesday, 5 P.M.
Mr ARCHER RYLAND	Saturday, 2 P.M.
Mr WATKYN-THOMAS	Thursday, 2 P.M.
Mr GILL-CAREY	Wednesday, 2 P.M.
Mr ARMOUR BROWN	Monday, 2 P.M.

FEES

For attendance on the practice of the Hospital—

Three months 5 guineas | Six months 8 guineas
Perpetual ticket 10 guineas

Further particulars on application to

HAROLD KISCH, F.R.C.S.,
Dean.

RICHARD KERSHAW,
Secretary-Superintendent.

CONTENTS

	PAGE
SUPPURATIVE DISEASE OF THE UPPER NASAL SINUSES. E. Musgrave Woodman, F.R.C.S.	365
THE RELATION OF VISUAL DISTURBANCES TO AFFECTIONS OF THE POSTERIOR SINUSES. A. Logan Turner, M.D., F.R.C.S.Edin.	371
THE SPHENOIDAL SINUS AND THE OPTIC NERVE. W. S. Syme, M.D.	375
RETROBULBAR NEURITIS OF SINUS ORIGIN. Gavin Young, M.B.	381
THE VALUE OF VISUAL CHANGES IN THE DIAGNOSIS OF OPTIC NERVE DISEASE DUE TO LATENT MORBID CONDITIONS OF THE NASAL ACCESSORY SINUSES. H. M. Traquair, F.R.C.S.Ed.	384
THE FREQUENCY OF SPHENOIDAL SINUS OPERATIONS. J. S. Fraser, M.B., F.R.C.S.E.	393
CASES OF OCULAR DISTURBANCE ATTRIBUTED TO NASAL DISEASE, WITH RECOVERY OR IMPROVEMENT FOLLOWING INTRANASAL OPERATIVE MEASURES. Sir James Dundas-Grant, K.B.E., M.D., F.R.C.S.	397
THE PATHOLOGY OF INFLAMMATION OF THE SPHENOIDAL AIR SINUS. F. E. Reynolds, M.B.	399
CLINICAL RECORD:—	
Osteomyelitis of the Frontal Bone. Operation—Recovery. Sir William Milligan, M.D., and Frank Wrigley, M.D.	401
SOCIETIES' PROCEEDINGS: Royal Society of Medicine—Section of Laryngology. Scottish Society of Otology and Laryngology	403
ABSTRACTS: The Ear. Nose and Accessory Sinuses. Larynx.	413, 414, 418
TUBERCULOSIS OF THE LARYNX. Sir St Clair Thomson, M.D., F.R.C.P.	421
GENERAL NOTES	425

Hydrogen Peroxide SOLUTION, P. D. & CO.

MADE IN ENGLAND

retains its germicidal power so much longer than most commercial preparations do, and is of such exceptional purity, that it is recognised all over the world as

**THE MOST RELIABLE AND MOST EFFECTIVE
FOR MEDICAL AND SURGICAL USES**

“P., D. & Co.” HYDROGEN PEROXIDE SOLUTION contains 3% by weight of absolute hydrogen peroxide, corresponding to about 10 volumes of available oxygen, as required by the British Pharmacopœia.

*Supplied in
bottles of
4, 8, 16 & 80
fluid ounces.*

PLEASE SPECIFY “P., D. & Co.” WHEN ORDERING

*Prices and
literature
will be
forwarded on
request.*

PARKE, DAVIS & Co., 50-54 Beak St., Regent St., **LONDON, W**