

## CORRIGENDUM

### Effects of some poorly digestible carbohydrates on bile acid bacterial transformations in the rat

BY CLAUDE ANDRIEUX, DANIELE GADELLE, CHRISTINE LEPRINCE AND E. SACQUET

Vol. 62 (1989), no. 1

Page 109, Figs 4 and 5

Figs 4 and 5 have been incorrectly labelled and should appear as follows:




Fig. 4.




Fig. 5.

Fig. 4. Expt 1. Variations in caecal volatile fatty acid (VFA) concentrations during a 24 h period in rats fed on the highest levels of poorly digestible carbohydrates. (□—□), Maize-starch diet; (●—●), 480 g lactose/kg diet; (○···○), 160 g lactulose/kg diet; (▲—▲), 480 g amylo maize starch/kg diet; (△—△), 480 g potato starch/kg diet. For detail of diets, see p. 104.

Fig. 5. Expt 1. Variations in caecal lactic concentrations during a 24 h period in rats fed on the highest levels of poorly digestible carbohydrates. (□—□), Maize-starch diet; (●—●), 480 g lactose/kg; (○···○), 160 g lactulose/kg diet; (▲—▲), 480 g amylo maize starch/kg diet; (△—△), 480 g potato starch/kg diet. For details of diets, see p. 104.