

BSAP OCCASIONAL PUBLICATION

Number 14

## NEW DEVELOPMENTS IN SHEEP PRODUCTION

Proceedings of a symposium organised by  
THE BRITISH SOCIETY OF ANIMAL PRODUCTION  
and held in Malvern in October 1989

Papers cover the changes in Europe that are likely to have an impact on the sheep industry, together with the trends in the British sheep industry and the way these might develop in the future. Current breeding schemes are reviewed and techniques for controlling reproduction are considered. Work on grazing and weaned lambs are included. Health problems and the current research on disease control are also highlighted. A major group of papers considers tomorrow's meat market with reviews on carcase quality, market demands and adding value to lamb products. The seventeen posters presented are also reported, covering a variety of genetic, nutritional and husbandry projects.

Delegates, split into workshop sessions, considered the political and technical developments taking place and how these might have an impact on different sectors of the sheep industry. The workshop reports make interesting reading and are included in the publication.

The conference had a distinct 'near market' approach and the publication will be of value to technical and commercial advisers, lecturers and students, farmers, veterinary surgeons and indeed to anyone with an interest in the new developments taking place in sheep production.

**Copies available from:**

**BSAP Office P.O. Box 3, Penicuik, Midlothian EH26 0RZ, Scotland**

**Cost per copy including post and packing:**

**£14.00 Surface Mail — £17.50 Air Mail**

**Symbols and abbreviations.** Authors should consult the notes prepared for guidance. Levels of statistical significance must be clearly indicated.

**Illustrations.** The same material should not normally be presented in tables and figures. Legends should be typed on a separate sheet.

- (a) Diagrams should be drawn in Indian ink, about twice the size of the finished block, on Bristol board, stout tracing paper or plastic film. Photographed diagrams are also accepted. Lettering inside the framework of the diagram should be avoided as far as possible but if unavoidable it should be included on a fly-leaf. Marginal lettering should be inserted lightly in pencil on the original diagram or on a fly-leaf.
- (b) Photographs intended for half-tone reproduction should be on glossy paper. They will be accepted only if found necessary by the Editors.
- (c) Colour plates are unlikely to be accepted unless authors bear the cost.

**Tables** should be as simple and as few as possible. Each table should be typed on a separate sheet.

**Abstract.** Every paper should have a short abstract (not more than **250** words for a paper and **120** words for a note) complete in itself and understandable without reference to the paper. *The abstract will be printed at the beginning of the paper.*

**Keywords.** Up to a maximum of five keywords selected from the CAB Thesaurus (1988) or from an equivalent reference volume should be listed at the end of the *Abstract*.

**References.** Only papers closely related to the author's work should be referred to; exhaustive lists should be avoided. The arrangement of references should be as in recent papers in *Animal Production*; details are given in the notes for guidance.

**Proofs** are supplied once and must be returned corrected to the Editors *within 3 days*. Only essential corrections should be made.

**Reprints.** Twenty-five reprints of each paper will be supplied free to authors on request. Further copies may be purchased if the order is sent at the proof-stage. Reprints are not supplied for notes.

*Animal Production* is published six times a year in two volumes. Annual subscription is £93·00 (or \$186·00 in the USA and Canada) and the price for a single part is £17·00 (or \$34·00) net.

*Proceedings of the British Society of Animal Production (New Series)* ceased publication in 1975 and the material is now published as a separate section in the June issue of *Animal Production*.

Correspondence regarding subscriptions and sales (current and back numbers of the Journal and the Proceedings), should be addressed to: Scottish Academic Press Ltd, 33 Montgomery Street, Edinburgh, Scotland EH7 5JX.

Other enquiries, including those concerning copyright, should be addressed to: Durrant Periodicals, Winton Lea, Pencaitland, East Lothian, Scotland EH34 5AY.

#### **Senior Editor**

T. L. J. Lawrence, University of Liverpool

#### **Editors**

D. G. Chamberlain, Hannah Research Institute, Ayr

W. Haresign, University of Nottingham

C. L. Johnson, University of Leeds

I. J. Lean, Wye College, University of London

J. C. McCarthy, University College Dublin

C. A. Morgan, East of Scotland College of Agriculture

E. Owen, University of Reading

R. Thompson, AFRC Institute of Animal Physiology and Genetics Research, Edinburgh

A. J. F. Webster, University of Bristol

J. D. Wood, University of Bristol

#### **Technical Editors**

Hilary Davies

Marie C. Pitkethly



## CONTENTS

PAGE

MAYNE, C. S. An evaluation of an inoculant of <i>Lactobacillus plantarum</i> as an additive for grass silage for dairy cattle	1
CROSSE, S. and MURPHY, J. The effect of energy concentration in complete diets on the performance of heifers and mature cows	15
MRODE, R. A., SMITH, C. and THOMPSON, R. Selection for rate and efficiency of lean gain in Hereford cattle. 1. Selection pressure applied and direct responses	23
MRODE, R. A., SMITH, C. and THOMPSON, R. Selection for rate and efficiency of lean gain in Hereford cattle. 2. Evaluation of correlated responses	35
FELIX, A., HILL, R. A. and DIARRA, B. <i>In vitro</i> and <i>in vivo</i> digestibility of soya-bean straw treated with various alkalis	47
KASHI, Y., HALLERMAN, E. and SOLLER, M. Marker-assisted selection of candidate bulls for progeny testing programmes	63
DiCOSTANZO, A., CHESTER-JONES, H., PLEGGE, S. D., PETERS, T. M. and MEISKE, J. C. Energy value of dry maize gluten feed in starter, growing or finishing steer diets	75
WRIGHT, I. A., WHYTE, T. K. and OSORO, K. The herbage intake and performance of autumn-calving beef cows and their calves when grazing continuously at two sward heights	85
WRIGHT, I. A., RHIND, S. M., WHYTE, T. K., SMITH, A. J., McMILLEN, S. R. and PRADO, R. Circulating concentrations of LH and FSH and pituitary responsiveness to GnRH in intact and ovariectomized suckled beef cows in two levels of body condition	93
PRADO, R., RHIND, S. M., WRIGHT, I. A., RUSSEL, A. J. F., McMILLEN, S. R., SMITH, A. J. and McNEILLY, A. S. Ovarian follicle populations, steroidogenicity and micromorphology at 5 and 9 weeks <i>post partum</i> in beef cows in two levels of body condition	103
BROSH, A., HOLZER, Z. and LEVY, D. The effect of source of nitrogen used for supplementation of high wheat silage diets for cattle	109
BOCQUIER, F., KANN, G. and THÉRIEZ, M. Relationships between secretory patterns of growth hormone, prolactin and body reserves and milk yield in dairy ewes under different photoperiod and feeding conditions	115
TANNER, J. C., REED, J. D. and OWEN, E. The nutritive value of fruits (pods with seeds) from four <i>Acacia</i> spp. compared with extracted noug ( <i>Guizotia abyssinica</i> ) meal as supplements to maize stover for Ethiopian Highland sheep	127
RAJARATNE, A. A. J., SCOTT, D., THOMPSON, J. K., BUCHAN, W. and PENNIE, K. The effect of variation in dietary calcium supply on the phosphorus requirements of growing lambs	135
ORR, R. J. and TREACHER, T. T. The performance of ewes offered diets containing different proportions of perennial ryegrass and white clover silage in late pregnancy	143
ØRSKOV, E. R., SHAND, W. J., TEDESCO, D. and MORRICE, L. A. F. Rumen degradation of straw. 10. Consistency of differences in nutritive value between varieties of cereal straws	155
GUNN, R. G., DONEY, J. M., AGNEW, R. D. M., SMITH, W. F. and SIM, D. A. The effect of different pasture management strategies during the weaning-to-mating period on reproductive performance of Greyface ewes	163
BOUJENANE, I. and KERFAL, M. Estimates of genetic and phenotypic parameters for growth traits of D'Man lambs	173
RAO, D. S. and McCracken, K. J. Protein requirements of boars of high genetic potential for lean growth	179
KYRIAZAKIS, I., EMMANS, G. C. and WHITTEMORE, C. T. Diet selection in pigs: choices made by growing pigs given foods of different protein concentrations	189
PETTERSSON, D., GRAHAM, H. and ÅMAN, P. Enzyme supplementation of broiler chicken diets based on cereals with endosperm cell walls rich in arabinoxylans or mixed-linked $\beta$ -glucans	201
SULIEMAN, A. H. and WILSON, R. T. A note on production characteristics of three subtypes of Sudan Desert sheep under station management	209
FISHER, M. W. and FENNESSY, P. F. A note on melatonin-treated red deer stags advancing the onset of the calving season in hinds	213
HART, F. J. and LEIBHOLZ, JANE. A note on the flow of endogenous protein to the omasum and abomasum of steers	217