

CLAY MINERALS

JOURNAL OF THE
EUROPEAN CLAY GROUPS

PRINCIPAL EDITOR: G. E. CHRISTIDIS

ASSOCIATE EDITORS:

D. L. BISH, C. BREEN, J. CORNEJO, E. FERRAGE,
J. A. LABRINCHA, B. SINGH, H. STANJEK, L. N. WARR

Volume 49

2014

THE MINERALOGICAL SOCIETY

12 BAYLIS MEWS, 93–101 AMYAND PARK ROAD,
TWICKENHAM TW1 3HQ, UK

TABLE OF CONTENTS

(No. 1, March, 2014)

Page

14th George Brown Lecture

| | |
|---|-----|
| J. S. Phipps. Engineering minerals for performance applications: an industrial perspective | 1 |
| C. Weber, M. Heuser, G. Mertens and H. Stanjek. Determination of clay mineral aspect ratios from conductometric titrations | 17 |
| A. Quintela, C. Costa, D. Terroso and F. Rocha. Abrasiveness index of dispersions of Portuguese clays using the Einlehner method: influence of clay parameters | 27 |
| M. El Ouahabi, L. Daoudi and N. Fagel. Mineralogical and geotechnical characterization of clays from northern Morocco for their potential use in the ceramic industry | 35 |
| A. Papadopoulos, K. Giouri, E. Tzamos, A. Filippidis and S. Stoulos. Natural radioactivity and trace element composition of natural clays used as cosmetic products in the Greek market | 53 |
| Z. Mosleh, M. H. Salehi, M. Rafieiolhossaini and A. Mehnatkesh. Formation of hydroxy-interlayer vermiculite (HIV) in rhizosphere soils under German camomile cultivation and manure application | 63 |
| D. Papoulis, S. Komarneni and D. Panagiotaras. Geochemistry of halloysite-7Å formation from plagioclase in trachyandesite rocks from Limnos Island, Greece | 75 |
| M. Yeniyol. Characterization of two forms of sepiolite and related Mg-rich clay minerals from Yenidoğan (Sivrihisar, Turkey) | 91 |
| A. H. Ören, S. Durukan and A. Ş. Kayalar. Influence of compaction water content on the hydraulic conductivity of sand-bentonite and zeolite-bentonite mixtures | 109 |
| <i>Book Review</i> | 123 |

(No. 2, April, 2014) (Open access, available on-line only)

| | |
|---|-----|
| C. V. Jeans and N. J. Tosca. Introduction: 7 th Cambridge Diagenesis Conference 2011 | 125 |
| M. J. Wilson and L. Wilson. Clay mineralogy and shale instability: an alternative conceptual analysis | 127 |
| M. J. Wilson, L. Wilson and I. Patey. The influence of individual clay minerals on formation damage of reservoir sandstones: a critical review with some new insights | 147 |
| N. J. Tosca and A. L. Masterson. Chemical controls on incipient Mg-silicate crystallization at 25°C: Implications for early and late diagenesis | 165 |
| E. Kuznetsova and R. Motenko. Weathering of volcanic ash in the cryogenic zone of Kamchatka, eastern Russia | 195 |
| K. G. Taylor and J. H. S. Macquaker. Diagenetic alterations in a silt- and clay-rich mudstone succession: an example from the Upper Cretaceous Mancos Shale of Utah, USA | 213 |
| M. Wilkinson, R. S. Haszeldine and A. E. Fallick. Authigenic illite within northern and central North Sea oilfield sandstones: evidence for post-growth alteration | 229 |
| N. Clauer, M. Honty, A. E. Fallick, V. Šucha and A. Aubert. Regional illitization in bentonite beds from the East Slovak Basin based on isotopic characteristics (K-Ar, $\delta^{18}\text{O}$ and δD) of illite-type nanoparticles | 247 |

- X. F. Hu, D. Long and C. V. Jeans. A novel approach to the study of the development of the Chalk's smectite assemblage 277
- C. V. Jeans, N. J. Tosca, X. F. Hu and S. Boreham. Clay mineral-grain size-calcite cement relationships in the Upper Cretaceous Chalk, UK: a preliminary investigation 299
- D. S. Wray and C. V. Jeans. Chemostratigraphy and provenance of clays and other non-carbonate minerals in chalks of Campanian age (Upper Cretaceous) from Sussex, southern England 327

(No. 3, June, 2014)

- G. L. Pesce, C. R. Bowen, J. Rocha, M. Sardo, G. C. Allen, P. J. Walker, G. Denuault, M. Serrapede and R. J. Ball. Monitoring hydration in lime-metakaolin composites using electrochemical impedance spectroscopy and nuclear magnetic resonance spectroscopy 341
- J. W. Stucki, K. Su, L. Pentráková and M. Pentrák. Methods for handling redox-sensitive smectite dispersions 359
- W. Han, H. L. Hong, K. Yin, G. J. Churchman, Z. H. Li and T. Chen. Pedogenic alteration of illite in subtropical China 379
- A. Baldermann, R. Dohrmann, S. Kaufhold, C. Nickel, I. Letofsky-Papst and M. Dietzel. The Fe-Mg-saponite solid solution series – a hydrothermal synthesis study 391
- L. Bouna, B. Rhouta, F. Maury, A. Jada, F. Senocq and M.-C. Lafont. Photocatalytic activity of TiO₂/stevensite nanocomposites for the removal of Orange G from aqueous solutions 417
- F. Cravero, S. A. Marfil, C. P. Ramos and P. Maiza. Coexistence of halloysite and iron-bearing clays in an altered ignimbrite, Patagonia, Argentina 429
- I. S. De Soto, C. Ayora and J. Cuevas. Geochemical processes in compacted clay in contact with an acid landfill leachate: laboratory experiments and modelling results 443
- É. Makó, A. Kovács, E. Horváth and J. Kristóf. Kaolinite-potassium acetate and halloysite-potassium acetate complexes prepared by mechanochemical, solution and homogenization techniques: a comparative study 457
- S. Kadir, M. Eren, T. Külah, N. Önalgil, M. Cesur and A. Gürel. Genesis of Late Miocene-Pliocene lacustrine palygorskite and calcretes from Kırşehir, central Anatolia, Turkey 473

Technical note

- C. Weber, M. Heuser and H. Stanjek. A collection of aspect ratios of common clay minerals determined from conductometric titrations 495

Obituary

499

(No. 4, September, 2014)

- T. Selvam, W. Schwieger and W. Dathe. Natural Cuban zeolites for medical use and their histamine binding capacity 501
- L. L. Aung, E. Tertre, N. Worasith, P. Suksabye and P. Thiravetyan. The capacity of activated kaolins to remove colour pigments from rice bran oil: the effects of acid concentration and pre-heating prior to activation 513

| | |
|--|-----|
| A. Mbaye, C. A. K. Diop, J. Miehle-Brendle, F. Senocq and F. Maury. Characterization of natural and chemically modified kaolinite from Mako (Senegal) to remove lead from aqueous solutions | 527 |
| M. Taxiarchou and I. Douni. The effect of oxalic acid activation on the bleaching properties of a bentonite from Milos Island, Greece | 541 |
| S. Gümüştaş, K. Köseoğlu, E. E. Yağınkaya and M. Balcan. Characterization and dielectric properties of sodium fluoride doped talc | 551 |
| Q. Tao, L. Su, R. L. Frost, D. Zhang, M. Chen, W. Shen and H. He. Silylation of mechanically ground kaolinite | 559 |
| J. Środoń, J. Szulc, A. Anczkiewicz, K. Jewuła, M. Banaś and L. Marynowski. Weathering, sedimentary and diagenetic controls of mineral and geochemical characteristics of the vertebrate-bearing Silesian Keuper | 569 |
| A. Knidiri, L. Daoudi, M. El Ouahabi, B. Rhouta, F. Rocha and N. Fagel. Palaeogeographic controls on palygorskite occurrence in Maastrichtian-Palaeogene sediments of the Western High Atlas and Meseta Basins (Morocco) | 595 |

(No. 4, December, 2014)

| | |
|--|-----|
| Ş. Özdamar, Ö. I. Ece, B. Uz, F. Boylu, H. Ü. Ercan and G. Yanık. Element mobility during the formation of the Uzunisa-Ordu bentonite, NE Turkey, and potential applications | 609 |
| J. Biernacka. Pore-lining sudoite in Rotliegend sandstones from the eastern part of the Southern Permian Basin | 635 |
| A. Decarreau and S. Petit. Fe ³⁺ /Al ³⁺ partitioning between tetrahedral and octahedral sites in dioctahedral smectites | 657 |
| R. Z. Al Bakain, Y. S. Al-Degs, A. A. Issa, S. Abdul Jawad, K. A. Abu Safieh and M. A. Al-Ghouti. Activation of kaolin with minimum solvent consumption by microwave heating | 667 |
| F. Kooli: Organo-bentonites with improved cetyltrimethylammonium contents | 683 |
| Y. Li, H. Jiang, W. Zhang and L. Xu. Improvement of brightness of kaolin by superconducting magnetic separation and characterization of the impurities | 693 |
| Y. Chen, Z. Yu, G. Yu and Y. Yan. Synthesis and optical properties of composites based on ternary Zn _{1-x} Cd _x S nanoparticles enclosed in a layered octosilicate | 703 |
| M. Setti, A. López-Galindo, M. Padoan and E. Garzanti. Clay mineralogy in southern Africa river muds | 717 |
| M. Mihajlović, N. Perišić, L. Pezo, M. Stojanović, J. Milojković, M. Petrović and J. Petrović. Optimization of process parameters to obtain NH ₄ -clinoptilolite as a supplement to ecological fertilizer | 735 |
| A. Berez, F. Ayari, N. Abidi, G. Schäfer and M. Trabelsi-Ayadi. Adsorption-desorption processes of azo dye on natural bentonite: batch experiments and modelling | 747 |
| <i>Book Review</i> | 765 |
| <i>Errata</i> | 767 |
| <i>Referees for Volume 49</i> | 768 |