

CAMBRIDGE

JOURNALS

# Behavioural and Cognitive Psychotherapy

Published for the British Association for Behavioural  
and Cognitive Psychotherapies (BABCP)

## Editor

Paul M Salkovskis, Institute of Psychiatry, London, UK

*Behavioural and Cognitive Psychotherapy* is an international multi-disciplinary journal aimed primarily at members of the helping and teaching professions. The journal features original research papers, covering both experimental and clinical work, that contribute to the theory, practice and evolution of cognitive and behaviour therapy. Under the guidance of an international editorial team, *Behavioural and Cognitive Psychotherapy* aims to reflect and influence the continuing changes in the concepts, methodology and techniques of behavioural and cognitive psychotherapy. A particular feature of the journal is its broad-ranging scope - both in terms of topics and types of study covered.

## Price information

is available at: <http://journals.cambridge.org/bcp>

## Free email alerts

Keep up-to-date with new material – sign up at

<http://journals.cambridge.org/alerts>

VOLUME 40 NUMBER 4 JULY 2012

Behavioural  
and  
Cognitive  
Psychotherapy



[www.babcp.com](http://www.babcp.com)

## *Behavioural and Cognitive Psychotherapy*

is available online at:

<http://journals.cambridge.org/bcp>

## To subscribe contact Customer Services

### in Cambridge:

Phone +44 (0)1223 326070

Fax +44 (0)1223 325150

Email [journals@cambridge.org](mailto:journals@cambridge.org)

### in New York:

Phone +1 (845) 353 7500

Fax +1 (845) 353 4141

Email

[subscriptions\\_newyork@cambridge.org](mailto:subscriptions_newyork@cambridge.org)

For free online content visit:  
<http://journals.cambridge.org/bcp>



CAMBRIDGE  
UNIVERSITY PRESS

## INSTRUCTIONS FOR CONTRIBUTORS

### SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

**Declaration of Interest:** A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

**REFERENCES** (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

**Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC** (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

**Cleckley HJ** (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

**Brewer WJ, Wood SJ, DeLuca C, Pantelis C** (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

*doi (when published online prior to printed issue)*

**Lauritsen MB, Pedersen CB, Mortensen CB** (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

*URL*

**World Bank** (2003). Quantitative techniques for health equity analysis – Technical Notes ([http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq\\_tn07.pdf](http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf)). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

**FIGURES AND TABLES** Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

**PROOFS AND OFFPRINTS** Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

# PSYCHOLOGICAL MEDICINE

## CONTENTS

### REVIEW ARTICLE

**The current state of play on the molecular genetics of depression**

Cohen-Woods S, Craig IW & McGuffin P 673

### ORIGINAL ARTICLES

**Association between anxiety but not depressive disorders and leukocyte telomere length after 2 years of follow-up in a population-based sample**

Hoen PW, Rosmalen JGM, Schoevers RA, Huzen J, van der Harst P & de Jonge P 689

**Does exercise improve self-reported sleep quality in non-remitted major depressive disorder?**

Rethorst CD, Sunderajan P, Greer TL, Grannemann BD, Nakonezny PA, Carmody TJ & Trivedi MH 699

**The causal role of smoking in anxiety and depression: a Mendelian randomization analysis of the HUNT study**

Bjørngaard JH, Gunnell D, Elvestad MB, Davey Smith G, Skorpen F, Krokan H, Vatten L & Romundstad P 711

**Neural response to the observable self in social anxiety disorder**

Pujol J, Giménez M, Ortiz H, Soriano-Mas C, López-Solà M, Farré M, Deus J, Merlo-Pich E, Harrison BJ, Cardoner N, Navinés R & Martín-Santos R 721

**Threat bias in attention orienting: evidence of specificity in a large community-based study**

Salum GA, Mogg K, Bradley BP, Gadelha A, Pan P, Tamanaha AC, Moriyama T, Graeff-Martins AS, Jarros RB, Polanczyk G, do Rosário MC, Leibenluft E, Rohde LA, Manfro GG & Pine DS 733

**Depressive symptoms are associated with (sub)clinical psychotic symptoms in patients with non-affective psychotic disorder, siblings and healthy controls**

Klaassen RMC, Heins M, Luteijn LB, van der Gaag M, van Beveren NJM & Genetic Risk & Outcome of Psychosis (GROU) investigators 747

**Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses**

Bombin I, Mayoral M, Castro-Fornieles J, Gonzalez-Pinto A, de la Serna E, Rapado-Castro M, Barbeito S, Parellada M, Baeza I, Graell M, Payá B & Arango C 757

**Aberrant intrinsic brain activity and cognitive deficit in first-episode treatment-naïve patients with schizophrenia**

He Z, Deng W, Li M, Chen Z, Jiang L, Wang Q, Huang C, Collier DA, Gong Q, Ma X, Zhang N & Li T 769

**Self-perception but not peer reputation of bullying victimization is associated with non-clinical psychotic experiences in adolescents**

Gromann PM, Goossens FA, Olthof T, Pronk J & Krabbendam L 781

**Typology of clinical course in bipolar disorder based on 18-month naturalistic follow-up**

Uher R, Mantere O, Suominen K & Isometsä E 789

**Two-year course of cognitive function and instrumental activities of daily living in older adults with bipolar disorder: evidence for neuroprogression?**

Gildengers AG, Chisholm D, Butters MA, Anderson SJ, Begley A, Holm M, Rogers JC, Reynolds III CF & Mulsant BH 801

**Cannabis or alcohol first? Differences by ethnicity and in risk for rapid progression to cannabis-related problems in women**

Sartor CE, Agrawal A, Lynskey MT, Duncan AE, Grant JD, Nelson EC, Madden PAF, Heath AC & Bucholz KK 813

**Reduced cortical call to arms differentiates psychopathy from antisocial personality disorder**

Drislane LE, Vaidyanathan U & Patrick CJ 825

**The London field trial for hoarding disorder**

Mataix-Cols D, Billotti D, Fernández de la Cruz L & Nordsletten AE 837

**The balanced care model for global mental health**

Thornicroft G & Tansella M 849

**Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys**

Shahly V, Chatterji S, Gruber MJ, Al-Hamzawi A, Alonso J, Andrade LH, Angermeyer MC, Bruffaerts R, Bunting B, Caldas-de-Almeida JM, de Girolamo G, de Jonge P, Florescu S, Gureje O, Haro JM, Hinkov HR, Hu C, Karam EG, Lépine J-P, Levinson D, Medina-Mora ME, Posada-Villa J, Sampson NA, Trivedi JK, Viana MC & Kessler RC 865

**Temperament, character and serotonin activity in the human brain: a positron emission tomography study based on a general population cohort**

Tuominen L, Salo J, Hirvonen J, Någren K, Laine P, Melartin T, Isometsä E, Viikari J, Cloninger CR, Raitakari O, Hietala J & Keltikangas-Järvinen L 881

**Correspondence**

895