

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

PROFESSOR SIR R. H. BIFFEN, M.A., F.R.S., School of Agriculture, Cambridge
E. M. CROWTHER, D.Sc., F.I.C., Rothamsted Experimental Station,
Harpenden

J. HAMMOND, M.A., D.Sc., F.R.S., School of Agriculture, Cambridge

H. HUNTER, M.A., D.Sc., School of Agriculture, Cambridge

B. A. KEEN, D.Sc., F.R.S., Rothamsted Experimental Station, Harpenden

F. H. A. MARSHALL, C.B.E., Sc.D., LL.D., F.R.S., School of Agriculture,
Cambridge

SIR E. J. RUSSELL, D.Sc., F.R.S., Campsfield Wood, Woodstock, Oxon.

IN CONSULTATION WITH

PROFESSOR B. T. P. BARKER, M.A., Agricultural and Horticultural Research Station, Long
Ashton, Bristol

DR I. B. POLE-EVANS, C.M.G., Department of Agriculture, Pretoria, South Africa

PROFESSOR J. HENDRICK, B.Sc., F.I.C., Marischal College, Aberdeen

DR A. E. V. RICHARDSON, C.M.G., M.A., Commonwealth Council for Scientific and Industrial
Research, Melbourne, Australia

DR H. J. WHEELER, American Agricultural Chemical Co., Agricultural Service Bureau,
419 Fourth Avenue, New York, U.S.A.

VOLUME XXXVII 1947

CAMBRIDGE
AT THE UNIVERSITY PRESS

1947

*Printed in Great Britain at the University Press, Cambridge
(Brooke Crutchley, University Printer)
and published by the Cambridge University Press
(Cambridge, and Bentley House, London)
Agents for U.S.A., Canada, and India: Macmillan*

PART 3 (JULY 1947)

	PAGE
WOODMAN, ROWLAND MARCUS and JOHNSON, DELPHINE AINSLIE. Plant growth with nutrient solutions. IV. The influence of culture solutions of varying phosphate content on the growth of the turnip in fen and gravel soil. (With Six Text-figures)	163
LOVELESS, A. R. and DILLON WESTON, W. A. R. The emergence of 'weevilled' beans	199
WOODMAN, H. E. and EVANS, R. E. The nutritive value of fodder cellulose from wheat straw. I. Its digestibility and feeding value when fed to ruminants and pigs	202
WOODMAN, H. E. and EVANS, R. E. The nutritive value of fodder cellulose from wheat straw. II. The utilization of cellulose by growing and fattening pigs	211
FALCONER, D. S. Milk production in mice. (With One Text-figure)	224
HALE, J. B. Mineral composition of leaflets in relation to the chlorosis and bronzing of oil palms in West Africa. (With Two Text-figures)	236
KEMP THORNE, O. A note on differential responses in blocks	245
WEBLEY, D. M. A technique for the study of oxygen availability to micro-organisms in soil and its possible use as an index of soil aeration. (With Three Text-figures)	249
QUASTEL, J. H. and WEBLEY, D. M. The effects of the addition to soil of alginic acid and of other forms of organic matter on soil aeration	257

PART 4 (OCTOBER 1947)

TAYLOR, R. ERIC, CRONSHEY, J. F. H. and DILLON WESTON, W. A. R. Seed disinfection. VIII. Radishes	267
WAGER, H. G. Quality of potatoes in relation to soil and season. III. Time of lifting and the colour of the cooked potato	270
GALPIN, N. A study of wool growth. I. Weight of wool. (With Three Text-figures)	275
DAVISON, W. F. The control of ovulation in the mare with reference to insemination with stored sperm	287
MACDONALD, D., FIELDING, W. L. and RUSTON, D. F. Experimental methods with cotton. III. Sulphuric acid treatment of cotton seed, and its effects on germination, development and yield	291
MACDONALD, D., FIELDING, W. L. and RUSTON, D. F. Experimental methods with cotton. IV. A study of the effects of gap-filling on the development and yield of cotton plants in poor stands of hand planted cotton	297
HULL, R. and WATSON, MARION. Factors affecting the loss of yield of sugar beet caused by beet yellows virus. II. Nutrition and variety. (With One Text-figure)	301
WOODMAN, H. E. and EVANS, R. E. The chemical composition and nutritive value of ryegrass-seed meal, clover-seed meal, lucerne-seed meal and sainfoin-seed meal	311
BOLTON, W. The riboflavin requirement of the White Wyandotte chick. II. Pure crystalline riboflavin as the vitamin supplement. (With Five Text-figures)	316
BOLTON, W. The riboflavin requirement of the White Wyandotte chick. III. The rates of depletion of the tissues. (With Five Text-figures)	323
McDOUGALL, E. I. The variation in the copper content of the blood of normal sheep. (With Two Text-figures)	329
McDOUGALL, E. I. The copper, iron and lead contents of a series of livers from normal foetal and new-born lambs. (With One Text-figure)	337