



## CORRIGENDUM

# The influence of surface roughness on postcritical flow over circular cylinders revisited – CORRIGENDUM

Anil Pasam, Daniel Tudball Smith, John D. Holmes, David Burton and Mark C. Thompson

doi:10.1017/jfm.2023.846, Published by Cambridge University Press, 21 November 2023

In our recent article (Pasam *et al.* 2023), there is an error in table 3 where the relative roughness for which the shear layer momentum thickness was estimated, has been mistakenly reported as  $k_s/D = 1.4 \times 10^{-3}$  in the first two entries. This should instead be  $k_s/D = 1.9 \times 10^{-3}$ . The revised version is given in table 1 below.

---

Relative roughness $k_s/D$	$Re$	$\Theta/D$ at $(x/D = 0.25)$	$\Theta/D$ at $(x/D = 0.5)$
$1.9 \times 10^{-3}$	$2.9 \times 10^5$	0.0092	0.0212
$1.9 \times 10^{-3}$	$3.8 \times 10^5$	0.0112	0.0239
$1.1 \times 10^{-3}$	$3.8 \times 10^5$	0.0068	0.0203
$1.1 \times 10^{-3}$	$4.7 \times 10^5$	0.0092	0.0224

---

Table 1. Momentum thickness ( $\Theta/D$ ) of the shear layer at different streamwise locations.

---

The authors would like to apologise for this oversight.

### REFERENCE

PASAM, A., TUDBALL SMITH, D., HOLMES, J.D., BURTON, D. & THOMPSON, M.C. 2023 The influence of surface roughness on postcritical flow over circular cylinders revisited. *J. Fluid Mech.* **975**, A36.