

ROBOTICA

INTERNATIONAL JOURNAL OF INFORMATION, EDUCATION & RESEARCH
IN ROBOTICS & ARTIFICIAL INTELLIGENCE

EDITOR
Dr J. Rose

VOLUME 2 1984

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE

MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1984

Printed in Northern Ireland by The Universities Press (Belfast) Ltd, Belfast BT6 9HF

CONTENTS

Part 1 January 1984

| | |
|--|-----------|
| Introduction to the special issue on robotic vision, R. A. Jarvis and Y. L. Oh. | 1 |
| Application-oriented robotic vision – a review, R. A. Jarvis (Australia) | 3 |
| Servoed world models as interfaces between robot control systems and sensory data, Ernest W. Kent and James S. Albus (U.S.A.) | 17 |
| Special computer architectures for image analysis, K. S. Fu (U.S.A.) | 27 |
| Parallel processing in machine vision, Stanley R. Sternberg (U.S.A.) | 33 |
| A sealing robot system with visual seam tracking, Susumu Sawano, Junichi Ikeda, Noriyuki Utsumi, Yukio Ohtani, Akira Kirkuchi and Yoshimasa Ito (Japan) | 41 |
| Ultrasonic imaging system for robots using an electronic scanning method, Shin-ichi Kuroda, Akio Jitsumori and Takahiko Inari (Japan) | 47 |
| Reports and Surveys, B. H. Rudall (U.K.) | 55 |
| Announcements | 61 |

Part 2 April 1984

| | |
|---|------------|
| Reports and Surveys, (Automation in Japan, Developments in Robotics—Worldwide, Machine Communication using Lasers, Manufacturers' Reports, Microcomputers, Personal Robots, Research into new Technologies, Robots in the World's Automobile Industry, Robot Ships, Software Engineering, Speech Recognition Chip) B. H. Rudall (U.K.) | 65 |
| The three robot worlds—a view point (A Review of the different goals of robotics research), M. H. Lee (U.K.) | 71 |
| Robust control of a robot manipulator with nonlinearity, Katsuhisa Furuta, Kazuhiro Kosuge, Osamu Yamano and Kageharu Nosaki (Japan) | 75 |
| Sensor control for moving objects, Yoji Yamada, Fumio Matsuda, Nuiro Tsuchida and Minoru Ueda (Japan) | 83 |
| Programming industrial robots in FMS (A survey with particular reference to off-line, high-level robot program generation using VAL, VAL-II, AML and MARTI), Dr Paul G. Ranky (U.K.) | 87 |
| The application of logic programming to the generation of paths for robots, R. H. Davis and M. Camacho (U.K.) | 93 |
| Declarative modeling of symbolic continuous processes in a robot simulation system, Richard M. Salter (U.S.A.) | 105 |
| Conference Reports | 111 |
| Book Reviews | 117 |
| Announcements | 123 |

Part 3 July 1984

| | |
|--|------------|
| Reports and Surveys (Automation, Japan's MITI Report on Robots, New Applications for Robots, Personal and Non-Manufacturing Robots, Programming Languages—Ada, Robot Leasing, Robot Languages, Robots Worldwide, Scientific and Engineering Computing, Software Development, Translation Systems, Vision Systems, Yeobot—and Educational Project) B. H. Rudall (U.K.) | 129 |
| The application of logic programming to the generation of plans for robots, R. H. Davis and M. Comacho (U.K.) | 137 |
| Relationships—based recognition of structural industrial parts stacked in a bin, Youji Fukada, Hiroshi Doi, Keiji Nagamine and Takahiko Inari (Japan) | 147 |
| Controlling a manipulator using sensory motor interaction, V. S. Gurfinkel, E. A. Devyanin, A. V. Lensky, S. B. Mozhzhevelov, A. M. Formal'sky and A. Yu. Shneider (USSR) | 155 |
| A direct approach to modeling an industrial robot from samples of input-output data, Ajit M. Karnik and Naresh K. Sinha (Canada) | 161 |
| Introduction of the industrial robot in Britain, James Fleck (U.K.) | 169 |
| Book Reviews | 177 |
| Announcements | 183 |

Part 4 October 1984

| | |
|--|------------|
| Reports and Surveys (Education and Training in Robotics, Expert Systems Software for Robotics, Generation of Software, Machine Vision Systems, New Products and Projects, Robots Worldwide, US Robotics Research Centres) B. H. Rudall (U.K.) | 191 |
| Automated assembly by reference measurement, C. Francois and F. Artigue (France) | 197 |
| Automated manipulating system for an industrial robot for arc-welding, Nedko Shivarov and Kostadin Yanakiev (Bulgaria) | 203 |
| Simulation of human judgement in a robot-based adjustment system, Fazel Naghdy, John Billingsley and David Harrison (U.K.) | 209 |
| Separation of two monotone polygons in linear time, Godfried T. Toussaint and Hossam A. El Gindy (Canada) | 215 |
| Special Features | 221 |
| Conference Reports | 237 |
| Book Reviews | 245 |
| Announcements | 249 |

Notes for Contributors

1. Manuscripts should preferably be written in English, but papers in French and German will also be accepted. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favourable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, any Deputy Editor or the Editor.

2. Typescripts should be double spaced, on one side of good grade paper, allowing a reasonable left-hand margin. An original and two copies should be submitted with the author's full postal address, position and affiliations.

3. A short abstract of about 80 words should precede the main text. *List of symbols*: A typewritten list of any special symbols should be submitted with the manuscript. The list should not define the symbols mathematically, but should serve to identify them typographically. The list will not appear in print, but is essential to help the typesetter and to avoid costly correction in proof.

4. One copy of photographs, prints or transparencies of good quality and unmarked should be submitted. Where lines or lettering are to appear on the photograph, an additional print should be supplied appropriately marked. Each should have, lightly written on the back, the author's name, the figure number and an indication of which is the top of the picture.

5. One copy of each line diagram should be submitted at approximately twice final size and unlettered. Diagrams must be drawn in indian ink on plain white or transparent paper. A second copy should be supplied with lettering included. The author's name and the figure number should be written on this copy. Figures should be numbered consecutively, with arabic numerals, have descriptive captions, and be mentioned in the text. The correct position for each figure should be indicated in the margin of the manuscript.

6. Tables should be typewritten on separate sheets. Avoid, where possible, very wide tables. Number tables

consecutively with roman numerals. Each should have a brief heading. Exceptionally lengthy tables may be summarized for publication with a note that copies of details can be obtained from the authors.

7. *Equations*: Wherever possible, mathematical equations should be typewritten, with subscripts and superscripts clearly indicated. The printer will set all mathematical symbols in italics unless otherwise indicated; symbols or letters to be set in roman (upright) type should be encircled in pencil, while bold letters should be shown by a wavy underline.

8. *References*: In the text, references are indicated by superior arabic numbers (without brackets), and should be confined to publish work that is directly pertinent. References should be listed at the end of the paper in numerical order. Authors' initials should precede their names; cited article titles should be quoted in full, enclosed in quotation marks; and abbreviations of journal names should follow the style of *Chemical Abstracts* or *Physical Abstracts*, and be underlined for italics: P.W. Anderson, "More is different" *Science* **177**, 393 (1972) C.V. Negoita, *Fuzzy Systems* (Abacus Press, Tunbridge Wells, UK, 1980)

Citations such as 'personal communication', 'unpublished work', etc., are not acceptable as numbered references but can be included in parenthesis in the text. Do not use summaries as references.

9. *Proofs*: Page proofs will be sent to authors for correction, for return within 48 hours by airmail. Correction to proofs should be restricted to printers' errors only. Authors are entitled to 25 offprints of their article free of charge. Additional offprints may be purchased if they are ordered on the form sent with the proofs.

10. Manuscripts, whether accepted or rejected, will not be returned to the authors.

11. Submission of an article will be taken to imply that it has not been previously published and that it is not on offer to any other publisher.

ROBOTICA

Volume 2 Part 4 October–December 1984

CONTENTS

| | |
|--|------------|
| Reports and Surveys (Education and Training in Robotics, Expert Systems Software for Robotics, Generation of Software, Machine Vision Systems, New Products and Projects, Robots Worldwide, US Robotics Research Centres) B. H. Rudall (U.K.) | 191 |
| Automated assembly by reference measurement, C. Francois and F. Artigue (France) | 197 |
| Automated manipulating system for an industrial robot for arc-welding, Nedko Shivarov and Kostadin Yanakiev (Bulgaria) | 203 |
| Simulation of human judgement in a robot-based adjustment system, Fazel Naghdy, John Billingsley and David Harrison (U.K.) | 209 |
| Separation of two monotone polygons in linear time, Godfried T. Toussaint and Hossam A. El Gindy (Canada) | 215 |
| Special Features | 221 |
| Conference Reports | 237 |
| Book Reviews | 245 |
| Announcements | 249 |

© CAMBRIDGE UNIVERSITY PRESS 1984

Cambridge University Press
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, UK
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia
Printed in Northern Ireland by The Universities Press (Belfast) Ltd.