References

Atun R. (2015) Transitioning health systems for multimorbidity. *Lancet*, **386**(9995), 721–2.

Bartlett P., Jenkins R. & Kiima D. (2011) Mental health law in the community: thinking about Africa. *International Journal of Mental Health Systems*, 5, 21.

Beddington J., Cooper C., Field J., *et al* (2008) The mental wealth of nations. *Nature*, 445(7216), 1057–1060.

Brody E. B. (2004) The World Federation for Mental Health: its origins and contemporary relevance to WHO and WPA policies. *World Psychiatry*, **3**(1), 54.

Foresight Mental Capital and Wellbeing Project (2008) Final Project Report. The Government Office for Science (https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/292453/mental-capital-wellbeing-summary.pdf).

George E. & Engel L. (1980) The clinical application of the biopsychosocial model. *American Journal of Psychiatry*, **5**, 535–544.

Gureje O. & Jenkins R. (2007) Mental health in development: re-emphasising the link. *Lancet*, **369**, 447–449.

Horton R. (2007) Launching a new movement for mental health. *Lancet*, **370**(9590), 806.

Institute of Medicine (2001) Neurological, Psychiatric, and Developmental Disorders: Meeting the Challenge in the Developing World. Committee on Nervous System Disorders, Board on Global Health, Institute of Medicine. National Academy Press.

Jenkins R. (2016) Brain drain. International Psychiatry, 13, 53-55.

Jenkins R. (2019) Strengthening government policy to achieve target 3.4. of SDG3. In *Routledge Handbook of International Development, Mental Health and Wellbeing* (ed. L. Davidson). Taylor & Francis Group.

Jenkins R., Kydd R., Mullen P., et al (2010a) International migration of doctors, and its impact on availability of psychiatrists in low income countries. *PLoS One*, 5(2), e9049.

Jenkins R., Kiima D., Njenga F., et al (2010b) Integration of mental health into primary care in Kenya. World Psychiatry, 9(2), 118–120.

Jenkins R., Othieno C., Okeyo S., et al (2013) Health system challenges to integration of mental health delivery in primary care in Kenya – perspectives of primary care health workers. *BMC Health Services Research*, 13(1), 368.

Jenkins R., Ogeechee M., Othieno C., et al (2018) Malaria, mental disorders, immunity and their inter-relationships – α cross sectional study in a household population in a health and demographic

surveillance site in Kenya. EBioMedicine, doi: 10.1016/j. ebiom.2018.11.064.

Jonas S., Bebbington P., McManus S., et al (2011) Sexual abuse and psychiatric disorder in England: results from the 2007 adult psychiatric morbidity survey. *Psychological Medicine*, 41(4), 709–719.

Ndeti D. M. & Jenkins R. (2009) The implementation of mental health information systems in developing countries: challenges and opportunities. *Epidemiologia e Psichiatria Sociale*, **18**(1), 12–16.

Richardson T., Elliott P. & Roberts R. (2013) The relationship between personal unsecured debt and mental and physical health: a systematic review and meta-analysis. *Clinical Psychology Review*, **33** (8). 1148–1162.

Schulsinger F. & Jablensky A. (eds) (1991) The national mental health programme in the United Republic of Tanzania: a report from WHO and DANIDA. *Acta Psychiatrica Scandinavica*, **83** (Suppl. 364), 132.

United Nations (1996) Prevention of Suicide: Guidelines for the Formulation and Implementation of National Strategies. UN Department of Policy Coordination and Sustainable Development, ST/ESA/245.

United Nations (2000) United Nations Millennium Declaration, Resolution 55/2 Adopted by the General Assembly on 18 September 2000. UN (http://www.un.org/millennium/declaration/ares552e.pdf).

United Nations General Assembly (2015) Resolution 70/1 adopted by the General Assembly on 25 September 2015: Transforming our World: The 2030 Agenda for Sustainable Development. UN (http://www.un.org/sustainabledevelopment/development-agenda).

World Health Organization (1946) Constitution of the World Health Organization. WHO (http://www.who.int/governance/eb/who constitution en.pdf).

World Health Organization (1978) Declaration of Alma Ata. WHO (http://www.who.int/publications/almaata_declaration_en.pdf).

World Health Organization (2001) The World Health Report 2001 - Mental Health: New Understanding, New Hope. WHO (http://www.who.int/whr/2001/en/).

World Health Organization (2007) Everybody's Business: Strengthening Health Systems to Improve Health Outcomes WHO's Framework for Action. WHO (http://www.who.int/healthsystems/ strategy/everybodys_business.pdf).

World Health Organization (2010) World Health Organization Global Code of Practice on the International Recruitment of Health Personnel. WHO (http://apps.who.int/gb/ebwha/pdf_files/WHA63/A63_R16-en.pdf).



Human rights-based approaches to mental health legislation and global mental health

Julian Eaton

Co-Director, Centre for Global Mental Health, London School of Hygiene and Tropical Medicine, London, UK, email julian.eaton@

Conflicts of interest None.

Globally, established practice in mental health services has tended to be codified into law in ways that are paternalistic, seeking to make decisions for patients that presume 'best interest' and which ultimately place power in the hands of medical authority. The United

Nations Convention on the Rights of Persons with Disabilities (CRPD) – which has been widely ratified globally – challenges these assumptions, instead placing the expressed will and preference of patients as the most important factor in decision-making, including

© The Author 2018. This is an Open Access article, distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives licence (http://creativecommons. org/licenses/by-nc-nd/4.0/), which permits non-commercial re-use. distribution, and reproduction in any medium, provided the original work is unaltered and is properly cited. The written permission of Cambridge University Press must be obtained for com mercial re-use or in order to create a derivative work

treatment and consent to admission. The contradictions between these approaches cause profound challenges in legislation reform, but a human rights framework offers the potential for a paradigm shift in the way that people are treated in services, and in exploration of alternative practices that promise a more humane and dignified future for mental health care.

The history of psychiatry has tended to reflect a paternalistic attitude towards patients. This was an ingrained characteristic of psychiatric institutions and, although deinstitutionalisation appears to challenge this power dynamic, mental health professionals (especially psychiatrists) continue to play a gate-keeper role in most countries; they act as state-sanctioned decision makers with the power to override the wishes of some patients in certain circumstances. Despite the obvious conflicts with rights to autonomy and selfdetermination, this power has largely been codified in law - or widely used in practice when not under a legal framework - and has widespread public acceptance. However, the 2007 Convention on the Rights of Persons with Disabilities (CRPD), which has been ratified by most countries, challenges this legislation that allows professionals to take decisions on behalf of patients (based on presumed best interest and the legal checks and balances intended to protect patients' rights) (Szmukler et al, 2014).

The CRPD aims to highlight rights which, although universal, are often denied to people with disabilities because they face particular barriers in realising the rights that are taken for

granted by other members of the population. The purpose of the Convention is to 'promote, protect and ensure the full and equal enjoyment of all human rights and fundamental freedoms by all persons with disabilities, and to promote respect for their inherent dignity' (United Nations General Assembly, 2007, p. 4). The provisions of the Convention also apply to people with psychosocial disabilities - people who are disabled due to a mental illness and whose ability to function and participate fully in society is thus affected. The implications of this Convention are profound and are still being negotiated on many levels. In fact, many countries who signed and ratified the Convention did not fully consider that their national mental health legislation would put them in contravention of the CRPD. The World Health Organization (WHO) Mental Health Atlas (WHO, 2014) reviewed compliance of national mental health legislation with major human rights instruments and found a fair level of alignment to key principles (Fig. 1), although levels of implementation were low, particularly in low-income countries.

One important consideration is whether mental illness is similar to other impairments in the way that it results in disabilities. Severe and prolonged mental illness can result in a profound loss of function (in terms of thinking, cognition, relationships, work and social interaction). However, for many people, mental illness can be less permanent and stable than physical or sensory impairments. For example, the severity of symptoms might change significantly from day to day (or over a year), and in many cases are substantially treatable or may even be completely reversed. It is important that the distress associated with life's challenges is not labelled as




Fig. 1Compliance of mental health legislation with human rights instruments (from WHO, 2014).

disability in a process akin to medicalisation. Although self-identification of disability status is the simplest and most appropriate solution to these questions in principle, such issues remain the central challenge in attempting to codify, for example, fair access to disability payments.

In relation to national legislation on mental health, controversy has particularly grown around the provisions of the CRPD that guarantee the right to 'equal recognition before the law' (Article 12, outlining legal capacity), which implies a right to self-determination and autonomy (e.g. in treatment decisions), and 'liberty and security of the person' (Article 14), which prohibits deprivation of liberty on the basis of a disability (i.e. physical or chemical restraint, or being held in a hospital against a person's consent). Almost all countries, including the UK, are in contravention of these articles, as highlighted in periodic national reports by the CRPD Committee (CRPD, 2017). Despite ratifying the Convention, many countries have asserted their intention to continue following current practice around treatment, guardianship and containment. This is largely based on what has been termed 'substitute decision-making', where decisions are made on behalf of the affected person. Instead, the CRPD promotes 'supported decision-making', where the focus is always on what the affected person wants or would want.

The Committee implementing the CRPD has issued a General Comment and guidelines on Articles 12 and 14 in response to these contraventions (CRPD, 2014, 2015), clearly reasserting that it is contrary to the Convention to detain a person on the basis of their impairment (even in the case of perceived dangerousness, for example) and that all people should be held equally to account under general laws. Some have argued, however, that to not provide special provision for people with mental illness while they are particularly vulnerable, which may result in worse health and social outcomes for them, is in contravention of their right to health, or even their right to life e.g. in the case of suicide risk (Freeman et al, 2015).

A 2017 report by the Special Rapporteur on the Right to Health largely reasserted this position and highlighted the problems of power imbalances, dominance of biological models of psychiatry and biases in these research models. However, it recognised the important contribution of mental health services to realising rights, and that there was space for gradual realisation of the reforms necessary to achieve access to these rights (UN HRC, 2017a). Following this report, the United Nations Human Rights Council passed a key Resolution that has further raised the profile of the topic (UN HRC, 2017b). Increased attention to rights is also reflected in the World Psychiatric Association's Bill of Rights (WPA, 2016), the endorsement of a position statement on human rights by the American Psychiatric Association (Sorel, 2017) and the establishment of a review of legislation in the UK. However, it is clear that these different initiatives are not entirely compliant with international rights instruments, especially the CRPD (Lewis & Callard, 2017).

These developments represent a major challenge to the current focus of most legislation and to the assumptions that have underpinned mental health service provision to date. However, although there is divergence on the fundamental issue of treatment without consent in certain circumstances, there is a general consensus that services continue to fail on basic measures of dignity and quality standards if parity with physical health services is expected. The WHO uses this standard in the QualityRights initiative: a resource that has been developed to support countries and other actors in improving the quality of services and access to rights within those services. This initiative includes a toolkit for evaluating services as well as training materials to support reform and improvement of services (WHO, 2017). These resources and others, such as the manual produced by the World Network of Users and Survivors of Psychiatry (WNUSP, 2008), are being reinforced by further work to demonstrate alternatives to coercive practices, ensuring participation of patients and more person-centred approaches. These initiatives will help to take the principles espoused in human rights instruments and legislation towards being realised in practice.

Such efforts at service reform are framed within an explicit rights-based approach. More broadly, recent progress in global mental health and its increased recognition as a contribution to international development (Patel *et al*, 2016) also brings the possibility of dramatically revolutionising access to rights for people with mental illness. To maximise this impact, the psychiatric field must maintain a critical reflection of its (positive and negative) effects on human rights. Human rights were at the core of the initial aims of global mental health (Lancet Global Mental Health Group, 2007) and should continue to be a primary consideration in setting the agenda for the future.

References

Freeman M. C., Kolappa K., de Almeida J. M., et al (2015) Reversing hard won victories in the name of human rights: a critique of the General Comment on Article 12 of the UN Convention on the Rights of Persons with Disabilities. *Lancet Psychiatry*, **2**, 844–850.

Lancet Global Mental Health Group (2007) Scaling up services for mental disorders—a call for action. *Lancet*, **370**, 1241–1252.

Lewis O. & Callard F. (2017) The World Psychiatric Association's 'Bill of Rights': a curious contribution to human rights. *International Journal of Mental Health*. 46. 157–167.

Patel V., Saxena S., Frankish H., et al (2016) Sustainable development and global mental health—a Lancet Commission Lancet. 387. 1143–1145.

Sorel E. (2017) Health: inherent to life, liberty, pursuit of happiness. *Psychiatric News*, **52**, 19.

Szmukler G., Daw R. & Callard F. (2014) Mental health law and the UN Convention on the rights of persons with disabilities. *International Journal of Law and Psychiatry*, 37, 245–252.

United Nations Committee on the Rights of Persons with Disabilities (CRPD) (2014) General Comment No. 1: Article 12: Equal Recognition Before the Law. United Nations Office of the High Commissioner for Human Rights. Available at https://documents-dds-ny.un.org/doc/UNDOC/GEN/G14/031/20/PDF/G1403120.pdf?OpenElement (accessed 29 December 2017).

United Nations Committee on the Rights of Persons with Disabilities (CRPD) (2015) *Guidelines on Article 14 of the Convention on the Rights of Persons with Disabilities: The Right to Liberty and Security of Persons with Disabilities.* United Nations Office of the High Commissioner for Human Rights. Available at http://www.ohchr.org/EN/HRBodies/CRPD/Pages/GC.aspx.

United Nations Committee on the Rights of Persons with Disabilities (CRPD) (2017) Concluding Observations on the Initial Report of the United Kingdom of Great Britain and Northern Ireland, p. 6, section 31. United Nations Office of the High Commissioner for Human Rights.

United Nations General Assembly (2007) Convention on the Rights of Persons with Disabilities: Resolution/Adopted by the General Assembly, A/RES/61/106. United Nations General Assembly. Available at: http://www.refworld.org/docid/45f973632.html (accessed 10 February 2018).

United Nations Human Rights Council (UN HRC) (2017a) Report of the Special Rapporteur on the Right of Everyone to the Enjoyment of the Highest Attainable Standard of Physical and Mental Health.

United Nations General Assembly. Available at https://documents-dds-ny.un.org/doc/UNDOC/GEN/G17/076/04/PDF/G1707604.pdf?OpenElement (accessed 2 January 2018).

United Nations Human Rights Council (UN HRC). (2017b) Resolution on Mental Health and Human Rights, A/HRC/36/L.25. United Nations General Assembly. Available at http://ap.ohchr.org/documents/dpage_e.aspx?si=A/HRC/36/L.25%20 (accessed 2 January 2018).

World Health Organization (WHO) (2014) *Mental Health Atlas 2014*. World Health Organization.

World Health Organization (WHO) (2017) QualityRights Guidance and Training Tools. World Health Organization. Available at http://www.who.int/mental_health/policy/quality_rights/guidance_training_tools/en/ (accessed 28 December 2017).

World Network of Users and Survivors of Psychiatry (WNUSP) (2008) Implementation Manual for the UN Convention on the Rights of Persons with Disabilities. World Network of Users and Survivors of Psychiatry. Available at www.un.org/disabilities/documents/COP/WNUSP%20CRPD%20Manual.doc (accessed 2 January 2018).

World Psychiatric Association (WPA) (2016) Bill of Rights for Persons with Mental Illness. World Psychiatric Association. Availableathttp://wpanet.org/WMMD16/BillofRights_Mentalillness_FINAL.pdf (accessed 2 January 2018).



Armed conflict and mental health in Colombia

William Tamayo-Agudelo^{1,2} and Vaughan Bell^{3,4}

¹Profesor de Psicologia, Universidad Cooperativa de Colombia, Medellín, Colombia

²Division of Psychiatry, University College London, UK

³Senior Clinical Lecturer, Division of Psychiatry, University College London, UK, email vaughan.bell@ ucl.ac.uk

⁴South London and Maudsley National Health Service Foundation Trust, UK

Conflicts of interest. V.B. is supported by a Wellcome Trust Seed Award in Science (200589/21/6/ Z) and the University College London Hospitals National Institute for Health Research Biomedical Research Centre. The authors have no other interests to declare.

doi:10.1192/bji.2018.4

© The Authors 2018. This is an Open Access article, distributed under the terms of the Creative Commons Attribution licence (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted re-use, distribution, and reproduction in any medium, provided the original work is properly cited

Although significant progress has been made in the peace process, Colombia still experiences high levels of ongoing violence and a legacy of more than five decades of armed conflict. Epidemiological studies show markedly raised levels of mental health problems in people affected by the conflict, with internally displaced people being a large and important group with unmet needs. Provision of mental health services is uneven and subject to significant underinvestment. Priority mental health treatment for victims of the conflict is now established in law, although the effectiveness of these programmes has yet to be established.

The Colombian armed conflict has continued for over 50 years and has left approximately 220 000 people dead, 6 million displaced and more than 27 000 kidnapped; leading to huge social and economic costs to the country, and massive personal costs to those affected (Grupo de Memoria Histórica, 2016). The recent demobilisation of the Revolutionary Armed Forces of Colombia (FARC-EP) following the 2016 peace accord has reduced the overall intensity of the conflict. However, some areas maintain high levels of violence due to

hostilities between numerous groups, including state actors, remaining and dissident revolutionary guerrilla groups, right-wing paramilitaries and criminal drug trafficking organisations. For the civilian population, the conflict has been characterised by frequent and extensive forced displacements, violent control of communities, forced labour, targeted killings and massacres, disappearances, sexual violence, extortion, corruption and the systemic embedding of violence within community life.

Political debate surrounding the peace process has led to marked social and political polarisation. Key points of disagreement include justice and compensation for those affected by the conflict, integration of increasing numbers of demobilised guerrillas and government response to ongoing violence. Mental health has become part of this debate because of the direct effects of the conflict on the population as well as the challenges faced by mental health services in Colombia.

Exposure to the armed conflict as a predictor of mental health problems

Although Colombia's armed conflict is often described as 'low intensity', independent data suggest remarkably high levels of exposure to conflict-related violence in the civilian population. Gómez-Restrepo *et al* (2016a) examined this using