

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

Injuries of the ossicular chain	M. DESMOND CREMIN	845
A technique for excision of parapharyngeal tumours	H. P. COOK and D. RANGER	863
The maxillary antrolith	JOHN E. BOWERMAN	873
Tracheopathia osteoplastica	M. FOG PEDERSEN and J. WORSØE-PETERSEN	883
Metastatic malignant melanoma to both VIIIth nerves	FRED HARBERT, JUNG-CHING LIU and RICHARD G. BERRY	889
Management of severe lye corrosions of the oeso- phagus	J. E. G. KINSMAN, B. C. LEE, C. W. LEE and H. I. SHIN	899
Clinical records—		
A non-metallic foreign body in maxillary sinus	H. K. KUKREJA, P. L. BHATIA and N. L. KOGTA	911
Scleroma of the antrum and ethmoid	P. CHATTERJI, S. M. VERMA and J. S. MATHUR	917
Cavernous haemangioma of fronto-ethmoid region	P. CHATTERJI, M. L. SHARMA, S. CHATTERJI and D. L. KANWAR	925
Calcifying epithelioma of Malherbe (of external auditory canal)	Y. C. YADAV	935
An unusual nasopharyngeal polyp	G. S. IRVINE	939
General notes		

Headley Brothers Ltd

Ashford, Kent

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net, post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as *original photographs, etc.*

The Harvard system of recording references should be used, e.g. GREEN, C., and Brown, D. (1951), *Journal of Laryngology and Otology*, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology and Otology*, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.

7. As from January 1970, the annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$20 post free, and payable in advance.

8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.


9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

The Invicta Press ASHFORD Kent

© *Journal of Laryngology and Otology Ltd.*, 1969

Announcing . . . an Audiometer of exceptional distinction



THE **AMPLIVOX** MODEL 103 DIAGNOSTIC AUDIOMETER

to ISO Specification R389:1964

A sophisticated design for the comprehensive evaluation of hearing acuity and the differential diagnosis of hearing impairments

- * Easy-to-use controls for all tests from simple clinical to advanced research levels
- * Narrow band masking for pure tone, wide band white noise for speech
- * Unique masking threshold indicator
- * Plug-in Adaptor for SISI and Lüscher Tests
- * Unique Patient's Signal assists subject's concentration
- * Photo-electric switching for noise-free operation
- * Twin channel facilities with multiple switching for dozens of tests
- * Plug-in circuit boards for ease of service
- * Output for free field audiometry

Please write for technical literature

AMPLIVOX

Hearing Centres, Ltd
Beresford Avenue, Wembley, Middx. Tel: 01-902 8991

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.




STAINLESS STEEL POLISH

SMR Stainless Steel Polish cleans and preserves with superior results —ends fingerprints, watermarks and surface stains.

**22 oz. economy
size . . . \$2.50**

SURGICAL MECHANICAL RESEARCH INC.

P.O. Box 1185, Newport Beach, Calif. 92663
FACTORY DIRECT SALES



Please send for our new catalog
Direct factory sales, F.O.B. Newport Beach, Calif.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

**WHEN A HEARING AID
IS RECOMMENDED**

**REFER YOUR PATIENTS
TO THE EXPERTS—**

AMPLIVOX

Hearing Aids

A wide selection of hearing aids always available from the world's manufacturers. We are the exclusive agent in the United Kingdom and Eire for Dahlberg, U.S.A., in addition to Amplivox.

Ear Defenders

All types of ear defenders available at all branches.

Medical Acoustic Division

Audiometers, Acoustic Booths, Group and Speech Training Hearing Aids. We are the exclusive agent for the United Kingdom and Eire for Tracor, U.S.A.

FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY
AMPLIVOX HEARING CENTRES, THE ONLY COMPANY IN THE
WORLD MANUFACTURING AND SUPPLYING A COMPLETE
RANGE OF EQUIPMENT FOR THE PREVENTION, TESTING
AND ALLEVIATION OF DEAFNESS

AMPLIVOX HEARING CENTRES

80 NEW BOND STREET, LONDON, W.1. TEL.: 01-493 9888

Branches at:

London · Birmingham · Bournemouth · Bristol · Cardiff · Dublin
Edinburgh · Glasgow · Leeds · Liverpool · Manchester · Newcastle · Wembley

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Refer your patients to

Ingrams

INDEPENDENT HEARING AID SUPPLIERS

*Ingrams have the
different makes
to choose from*

LONDON 2 Shepherd Street, London, W.1. Hyde Park 9041
(2 minutes from Green Park)

BIRMINGHAM 20 Auchinleck Sq, Broad St, Birmingham, 15. Midland 4314
(In the Five Ways Shopping Centre)

BRIGHTON 5 Duke Street, Brighton, 1, Brighton 28699
(First turning off West Street)

CROYDON 11 Essex House, College Road, Croydon. Croydon 4663
(Opposite the Technical College)

MANCHESTER Mansfield Chambers (Rooms 21 & 22), Blackfriars 4104
17 St. Anne's Square, Manchester, 2. (STD Code
(Off Deansgate) 061-834 4104)

...and in SCOTLAND it's BONOCHORD-INGRAMS...

ABERDEEN 461 Union Street, Aberdeen. Aberdeen 29632
(Near Holborn Junction)

EDINBURGH 17 Stafford Street, Edinburgh. Caledonian 1942
(Corner of Alva Street)

GLASGOW 38 Bath Street, Glasgow, C.2. Douglas 7710
(Next door to Glasgow Corporation
Transport Office)

Domiciliary visits in EVERY part of the country.

INGRAMS FOR THE LARGER RANGE OF HEARING AIDS—

Subscribers to the Code of Ethics of the Hearing Aid Industry Association.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



A Product from the Sea for E.N.T. Surgeons

*calgitex

Calgitex calcium alginate E.N.T. Gauze is made from highly purified specially processed calcium alginate, derived from seaweed. This product is used extensively by E.N.T. surgeons throughout the world, it has a slow absorption rate, and can be easily removed from the nose without effecting or damaging the tissue.

In the field of aural surgery Calgitex is highly suitable for packing procedures due to its solubility, soft texture, and discouragement of haemorrhage.

Packed in vials containing one metre of ribbon gauze.
Obtainable from your usual Surgical or Pharmaceutical Supplier


MEDICAL ALGINATES LTD.

Wadsworth Road, Perivale, Middlesex. Tel. 01-997 4441

A member of the Optrex Group

*Reg'd Trade Mark

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



PETERS CLINIC AUDIOMETERS AND BEKESY
ARE THE IDEAL TOOLS FOR MORE ADVANCED AUDIOMETRY

The Audiometers offer :

- Two continuously variable attenuators accurate to 1 db.
- SISI Test (built-in) and automatic alternate loudness balance switching.
- Maximum attenuation of 120 db for loudness discomfort level tests.
- Narrow band SYNCHRONOUS masking (a new semi-automatic masking technique).
- Full speech test facilities with white noise masking.
- Plug-in circuit boards and operator output checks.
- Conversion to a true BÉKÉSY AUDIOMETER at will.
- Extra features not listed are offered by the AP/6 compared to the AP/5 AUDIOMETER.

write for full details to:

ALFRED PETERS AND SONS LTD
GELL STREET SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

What clinicians say about ORBENIN

Clinicians have frequently testified to the success of Orbenin in the treatment of Gram-positive infections. World Literature now contains over 400 references to Orbenin.

Pneumonia Lung Abscess Tonsillitis Pharyngitis Acute bronchitis

Septicaemia

Boils Carbuncles Infected dermatoses

Osteomyelitis Osteitis

Post-operative wound infections Burns Skin graft protection

Acute endocarditis

Staphylococcal enterocolitis Staphylococcal urinary tract infections
 Staphylococcal meningitis

Dosage

Adults: 500mg (2 capsules) four times daily, by mouth. 250mg (1 vial) by intramuscular injection, four times daily.

Children: Under 2 years—quarter adult dose. 2-10 years—half adult dose.

In severe infections the dosage may be increased.

Contra-indications

Orbenin should not be given to patients with a penicillin allergy or administered by subconjunctival injection.

Side-effects

As with other penicillins.

Additional information is available on request.



Orbenin (Regd.) (cloxacillin sodium BP) is a product of British research at **Beecham Research Laboratories** Brentford, England. originators of the new penicillins.





P. C. WERTH LTD. Contractors to H.M. Government
and Local Authorities
*Specialist Supply, Maintenance, Calibration Services for Audiological
Test and Teaching Equipment*

17 STRATFORD PLACE, OXFORD ST., LONDON W1N 0DH

Telephone: 01-629 5559

*Clinical, Diagnostic, Screening and Bekesy Audiometers. Acoustic Impedance Apparatus.
Stereo Auditory Trainers. Visible Speech Apparatus. Artificial Mastoid, etc.*

New Kamplex Portable Audiometer Type TA152

With extended specification to incorporate:

- Fowler Loudness Balance Facility.
- Continuous and Pulsing Tone for Air and Bone Conduction.
- Attenuator Range—10dB to 120dB.
- Complete facilities for Monitored Live Voice and Free Field Audiometry.
- Battery or Mains Powered.

All equipment fully guaranteed.

Full Service and Calibration facilities on our own premises.



THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*


Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Any earache, any age new AUDAX Ear Drops relieves pain in minutes

AUDAX* formulation is unique providing choline salicylate—a very effective local analgesic anti-inflammatory and anti-pruritic agent with its own spectrum of anti-microbial action together with a penetrant to assure direct contact with the painful area.

analgesic, antimicrobial
anti-inflammatory, anti-pruritic

AUDAX Ear Drops are indicated in the following clinical conditions - acute and chronic otitis media, acute and chronic otitis externa, inflammation in the external auditory canal, and for the relief of pruritus and pain of boils and furuncles in the external auditory canal.

AUDAX Ear Drops contain no sensitising or irritant constituents.



Full information on request
H R Napp Limited, Watford, England


*AUDAX is a regd. trade mark. A new product of Napp Group Research—dedicated to Physician and Patient.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

DOWN'S

Instruments for Myringoplasty or Tympanoplasty

by Dr. J. Marquet (Antwerp)



These instruments were designed with a view to obtaining a perfect dissection of the epithelial layer of the tympanic remains as well as a perfect dissection of the skin of the meatal wall. This is done from within, working outwards, in order to conserve intact, the nourishing vessels which are required to invade the graft.

This particular technique, described by Dr. J. Marquet, for implantation of homografts of drums, is also valid for implantation of other materials, such as facia in myringoplasty or tympanoplasty.

- L 275-10 Set complete in case.
- L 275-11 1. Sickle knife right for incision of epithelial layer.
- L 275-12 2. Sickle knife left for incision of epithelial layer.
- L 275-13 3. Elevator for dissection of the epithelial layer.
- L 275-14 4. Elevator for dissection of the epithelial layer with slanting surface, bottom to top.
- L 275-15 5. Elevator for dissection of the epithelial layer with slanting surface, top to bottom.
- L 275-16 Case only for above.

Down Bros. and Mayer & Phelps Ltd., Church Path, Mitcham, Surrey, England


In Canada

Down Bros. and Mayer & Phelps Ltd.
261 Davenport Road
Toronto 2B Ontario

In U.S.A.

Downs Surgical Inc.
655 73rd Street
Niagara Falls, N.Y. 14304

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Tegretol[®]
Anticonvulsant

Geigy


**Controls seizures
without sedation
and improves
behaviour and mood**

Tegretol is available as tablets each containing 200 mg
5-carbamoyl-5H-dibenz (b,f) azepine.

Detailed literature is available on request.

Geigy (U.K.) Limited,
Pharmaceuticals Division,
Macclesfield, Cheshire.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



THE DROP THAT SOOTHES AND CLEARS THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

'OTOSPORIN'

Full information is available on request.



Burroughs Wellcome & Co. London
(The Wellcome Foundation Ltd.)

Please mention *The Journal of Laryngology and Otology* when replying to advertisements