

Journal of MATERIALS RESEARCH

Volume 22, Number 4, April 2007

RAPID COMMUNICATIONS

- 821–825 Effect of grain alignment on lateral carrier transport in aligned-crystalline silicon films on polycrystalline substrates
826–830 Ripening-assisted void formation in the matrix of lead-free solder joints during solid-state aging

Woong Choi, Alp T. Findikoglu,
Manuel J. Romero,
Mowafak Al-Jassim

J.W. Jang, J.K. Lin, D.R. Frear,
T.Y. Lee, K.N. Tu

OUTSTANDING MEETING PAPERS

Review

- 831–837 Nanocrystalline gold and gold–palladium as effective catalysts for selective oxidation

Jennifer Edwards, Philip Landon,
Albert F. Carley,
Andrew A. Herzing,
Masashi Watanabe,
Christopher J. Kiely,
Graham J. Hutchings

Articles

- 838–844 Selective area heteroepitaxy of nano-AlGaN ultraviolet excitation sources for biofluorescence application
845–849 High-resolution x-ray topography of dislocations in 4H-SiC epilayers
850–857 Formation of multilayer films for gas sensing by in situ thermophoretic deposition of nanoparticles from aerosol phase

Vibhu Jindal, James R. Grandusky,
Neeraj Tripathi,
Fatemeh Shahedipour-Sandvik,
Steven LeBoeuf, Joleyn Balch,
Todd Tolliver

Isaho Kamata, Hidekazu Tsuchida,
William M. Vetter, Michael Dudley

Thorsten Sahm, Weizhi Rong,
Nicolae Bârsan, Lutz Mädler,
Sheldon K. Friedlander,
Udo Weimar

COMMENTARY

- 858–868 Comments on “Further investigation on the definition of the representative strain in conical indentation” by Y. Cao and N. Huber [J. Mater. Res. 21, 1810 (2006)]: A systematic study on applying the representative strains to extract plastic properties through one conical indentation test

Nagahisa Ogasawara,
Norimasa Chiba, Manhong Zhao,
Xi Chen

ARTICLES

- 869–875 Deformation behaviors and mechanism of Ni–Co–Nb–Ta bulk metallic glasses with high strength and plasticity
876–885 Energetics of rare-earth-doped hafnia
886–892 Preparation and characterization of self-formed CoFe_2O_4 ferrofluid
893–899 On the indentation contact area of a creeping solid during constant-strain-rate loading by a sharp indenter
900–907 Grain boundary dislocation interactions in nanocrystalline Al_2O_3
908–912 Inheriting morphology and photoluminescence properties of MgO nanoplates

Y.H. Liu, G. Wang, M.X. Pan,
P. Yu, D.Q. Zhao, W.H. Wang

Petra Simoncic,
Alexandra Navrotsky

Jian Li, Dalin Dai, Xiaodong Liu,
Yueqiang Lin, Yan Huang,
Lang Bai

Naoki Fujisawa, Michael V. Swain

Sampa Dhabal

Xiaoqing Qiu, Guangshe Li,
Liping Li

(Continued)

- 913–925 **Fracture size effect in ultrananocrystalline diamond: Applicability of Weibull theory**
B. Peng, C. Li, N. Moldovan,
H.D. Espinosa, X. Xiao, O. Auciello,
J.A. Carlisle
- 926–936 **The strain-rate sensitivity of the hardness in indentation creep**
A.A. Elmustafa, S. Kose,
D.S. Stone
- 937–942 **Growth and microstructural characterization of catalyst-free ZnO nanostructures grown on sapphire and GaN by thermal evaporation**
Bo Hyun Kong, Hyung Koun Cho
- 943–949 **Seeded epitaxial growth of ZnO thin films on MgAl₂O₄ substrates using the chemical solution deposition method**
Jin Hyeok Kim, Boram Kim,
David Andeen, Fred F. Lange
- 950–957 **(110) facets and dislocation structure of low-angle grain boundaries in YBa₂Cu₃O_{7-δ} and Y_{0.7}Ca_{0.3}Ba₂Cu₃O_{7-δ} thin film bicrystals**
Xueyan Song
- 958–964 **Photocatalytic properties of Mn(WO₄)₂ (M = Li, Na, and K)**
Zhaosheng Li, Jinhua Ye,
Zhigang Zou
- 965–973 **Effect of precipitate shapes on fracture toughness in extruded Mg–Zn–Zr magnesium alloys**
Hidetoshi Somekawa, Alok Singh,
Toshiji Mukai
- 974–981 **In situ synthesis of lithium ferrite nanoparticle/polymer hybrid**
Koichiro Hayashi,
Wataru Sakamoto, Toshinobu Yogo
- 982–988 **Influence of acetylene to argon flow rate ratios on structure and properties of hydrogenated amorphous carbon films produced on steel substrates by plasma immersion ion implantation and deposition**
Ming Xu, Xun Cai, Qiulong Chen,
Jun Zhao, Paul K. Chu
- 989–993 **Extrusion of a solvated polymer into a moving viscous medium allows generation of continuous polymer nanofibers via hydrodynamic focusing**
M. Gorantla, S.E. Boone, C. Clark,
R. Esser, M. El-Ashry, D. Young
- 994–1003 **Thermomechanical effects on phase transformations in single-crystal Cu–Al–Ni shape-memory alloy**
H.-S. Zhang, K. Komvopoulos
- 1004–1011 **Strength and fracture of Si micropillars: A new scanning electron microscopy-based micro-compression test**
B. Moser, K. Wasmer, L. Barbieri,
J. Michler
- 1012–1017 **Analysis of residual stresses in diamond coatings deposited on cemented tungsten carbide substrates**
Zhenqing Xu, Leonid Lev,
Michael Lukitsch, Ashok Kumar
- 1018–1023 **The dependence of the nanostructure of magnetron sputtered Cu–Ag alloy films on composition and temperature**
K. Pagh Almtoft, A.M. Ejsing,
J. Böttiger, J. Chevallier, N. Schell,
R.M.S. Martins
- 1024–1028 **Direct chemical vapor deposition growth of tunable HfSiON films by a new precursor combination**
Bin Xia, Matthew L. Fisher,
Harold Stemer, Ashutosh Misra
- 1029–1036 **Combinatorial investigation of the mechanical properties of aluminum-silicon thin film nanocomposites**
C.H. Olk, M. Lukitsch, D.B. Haddad
- 1037–1042 **Ferroelectric properties of heteroepitaxial PbTiO₃ and PbZr_{1-x}Ti_xO₃ films on Nb-doped SrTiO₃ fabricated by hydrothermal epitaxy below Curie temperature**
S.H. Han, W.S. Ahn, H.C. Lee,
S.K. Choi
- 1043–1063 **On the sensitivity characteristics in the determination of the elastic and plastic properties of materials through multiple indentation**
Hongzhi Lan, T.A. Venkatesh
- 1064–1071 **Fabrication of ordered Ta₂O₅ nanodots using an anodic aluminum oxide template on Si substrate**
Ching-Jung Yang, Chih Chen,
Pu-Wei Wu, Jia-Min Shieh,
Shun-Min Wang, Shih-Wei Liang

(Continued)

- 1072–1076 **Reversed domain configuration behavior in BaMgF₄ ferroelectric crystal** Huarong Zeng, Kiyoshi Shimamura, Encarnacion G. Villora, Shunji Takekawa, Kenji Kitamura
- 1077–1081 **Large-area quantification of BaCeO₃ formation during processing of metalorganic-deposition-derived YBCO films** D.E. Wesolowski, M.J. Cima
- 1082–1086 **Engineered reactive cosputtered Sm_xZr_{1-x}O_y thin films as buffer layers for YBa₂Cu₃O_{7-δ} coated conductors** L. Stan, P.N. Arendt, I.O. Usov, H. Wang, S.R. Folty, B. Maiorov, J.R. Groves, R.F. DePaula, Y. Li
- 1087–1092 **Deformation behavior of Zr- and Ni-based bulk glassy alloys** Dmitri V. Louzguine-Luzgin, Yuqiao Zeng, Albertus Deny Heri Setyawan, Nobuyuki Nishiyama, Hidemi Kato, Junji Saida, Akihisa Inoue
- 1093–1097 **The effect of Ti, Nb, and Ta additions to ZrAlCu metallic glass on the crystallization and formation of the icosahedral phase** J.B. Qiang, W. Zhang, G.Q. Xie, A. Inoue
- 1098–1104 **Biocompatibility of Te–As–Se glass fibers for cell-based bio-optic infrared sensors** Allison A. Wilhelm, Pierre Lucas, Diana L. DeRosa, Mark R. Riley
- 1105–1111 **Evidence of stress-induced tetragonal-to-monoclinic phase transformation during sputter deposition of yttria-stabilized zirconia** Jeffrey R. Piascik, Qi Zhang, Christopher A. Bower, Jeffrey Y. Thompson, Brian R. Stoner
- 1112–1117 **Role of nitrogen in the homoepitaxial growth on diamond anvils by microwave plasma chemical vapor deposition** Wei Qiu, Yogesh K. Vohra, Samuel T. Weir