

PROCEEDINGS OF THE NUTRITION SOCIETY

DIRECTIONS TO CONTRIBUTORS

(Revised March 1991)

The Nutrition Society will publish in its *Proceedings* papers presented by invitation at symposia of the Society and abstracts of original communications presented at other meetings.

Invitations to read papers at symposia are issued on the understanding that the persons invited send their papers for publication in the *Proceedings of the Nutrition Society* in the way outlined in the letter of invitation, preferably a fortnight before the meeting, and that the papers will not be published elsewhere in the same form, in English or any other language, without the consent of the Chairman of the Editorial Board.

Original communications presented at other meetings of the Society will be recorded in the *Proceedings* by means of an abstract not exceeding 400 words or the equivalent space in print. These abstracts should be submitted as stated in notices calling such meetings. The style of references, abbreviations, symbols and illustrations should be that of the *Proceedings of the Nutrition Society*. Abstracts of short communications shall normally be precirculated and may be withdrawn from publication in the *Proceedings of the Nutrition Society* at the request of the author(s) or of the Council or by a vote of members at the meeting.

General. Authors' names should be given without titles or degrees and one forename may be given in full. The name and address of the laboratory or institution where the work was performed should be given. Any necessary descriptive material about the author, e.g. Beit Memorial Fellow, should appear in parentheses after the author's name or at the end of the paper and not in the form of a footnote.

Typescripts should bear the name and address of the person to whom the proof of the paper is to be sent.

Copyright. Authors will be asked to assign their copyright on certain conditions, to The Nutrition Society to help protect their material, particularly in the USA.

Form of Papers Submitted for Publication. The onus of preparing a paper in a form suitable for sending to press lies in the first place with the author. Authors should consult a current issue in order to make themselves familiar with the practice of the *Proceedings of the Nutrition Society* as to typographical and other conventions, use of cross-headings, layout of tables, etc.

Papers should be in double-spaced typing on one side of sheets of paper (thin paper should not be used) of uniform size with wide margins. At the ends of lines of typing, words should not be hyphenated unless hyphens are to be printed. A space of 50 mm should be left at the top of the first sheet. The use of line-numbered paper is encouraged. The top copy and one photocopy or good carbon copy should be submitted, packed flat. The paper should be written in English, the spelling being generally that of the *Concise Oxford Dictionary*, 7th ed. Oxford: Clarendon Press, 1982.

Abstracts. Abstracts must not exceed in length one printed page of the *Proceedings of the Nutrition Society*. This will normally be achieved with a text, including title and references, of 400 words. If a table is included the number of words must be reduced to allow for its inclusion. A figure will be accepted only if, in the opinion of the editor, it is essential to the presentation. Correction of overlength abstracts will be charged to the author. Authors must include in the text of their abstract sufficient information to justify its use as a scientific reference and to make it informative for those not able to attend the meeting. Papers by non-members must be introduced by members of the Society. Abstracts should be typed, double spaced, and a top copy with one other copy submitted before the appropriate deadline. Authors are reminded that all

abstracts shall be approved for publication in *Proceedings of the Nutrition Society* by a vote of members at the meeting.

References. References should be given in the text thus: Sebrell & Harris (1967), (Wallace & West, 1982); where a paper to be cited has more than two authors, citations should appear thus (Peto *et al.* 1981). Where more than one paper has appeared in one year for which the first name in a group of three or more authors is the same, the reference should be given as follows: Adams *et al.* (1962a,b,c); or (Adams *et al.* 1962a,b,c; Ablett & McCance, 1971). In the text, references should be given in chronological order. At the end of the paper, on a page(s) separate from the text, references should be listed in alphabetical order according to the name of the first author of the publication quoted, names with prefixes being entered under the prefix, and should include the author's initials. Names and initials of authors of unpublished work should be given in the text and not included in the References. Titles of papers should be included (see below). For abstracts of communications, however, paper titles should not be included in the references owing to restriction of space. Titles of journals should appear in full. References to books and monographs should include the town of publication and the number of the edition to which reference is made. Thus:

- Ablett, J. G. & McCance, R. A. (1971). Energy expenditure of children with kwashiorkor. *Lancet* **ii**, 517-519.
- Adams, R. L., Andrews, F. N., Gardiner, E. E., Fontaine, W. E. & Carrick, C. W. (1962a). The effects of environmental temperature on the growth and nutritional requirements of the chick. *Poultry Science* **41**, 588-594.
- Adams, R. L., Andrews, F. N., Rogler, J. C. & Carrick, C. W. (1962b). The protein requirement of 4-week-old chicks as affected by temperature. *Journal of Nutrition* **77**, 121-126.
- Adams, R. L., Andrews, F. N., Rogler, J. C. & Carrick, C. W. (1962c). The sulfur amino acid requirement of the chick from 4 to 8 weeks as affected by temperature. *Poultry Science* **41**, 1801-1806.
- Agricultural Research Council (1981). *The Nutrient Requirements of Pigs*. Slough: Commonwealth Agriculture Bureau.
- Hegsted, D. M. (1963). Variation in requirements of

- nutrients—amino acids. *Federation Proceedings* **22**, 1424–1430.
- Louis-Sylvestre, J. (1987). Adaptation de l'ingestion alimentaire aux dépenses énergétiques (Adaptation of food intake energy expenditure). *Reproduction Nutrition Développement* **27**, 171–188.
- Martens, H. & Rayssiguier, Y. (1980). Magnesium metabolism and hypomagnesaemia. In *Digestive Physiology and Metabolism in Ruminants*, pp. 447–466 [Y. Ruckebusch and P. Thivend, editors]. Lancaster: MTP Press Ltd.
- Ministry of Agriculture, Fisheries and Food (1977). *Energy Allowances and Feeding Systems for Ruminants*. Technical Bulletin no. 33. London: H.M. Stationery Office.
- Peto, R., Doll, R., Buckley, J. D. & Sporn, M. B. (1981). Can dietary beta-carotene materially reduce human cancer rates? *Nature* **290**, 201–208.
- Sebrell, W. H. Jr & Harris, R. S. (1967). *The Vitamins*, 2nd ed., vol. 1. London: Academic Press.
- Technicon Instruments Co. Ltd. (1967). *Technicon Methodology Sheet N-36*. Basingstoke: Technicon Instruments Co. Ltd.
- Van Dokkum, W., Westra, A. & Schippers, F. (1982). Physiological effects of fibre-rich types of bread. 1. The effect of dietary fibre from bread on the mineral balance of young men. *British Journal of Nutrition* **47**, 451–460.
- Wallace, R. J. & West, A. A. (1982). Adenosine 5' triphosphate and adenylate energy charge in sheep digesta. *Journal of Agricultural Science, Cambridge* **98**, 523–528.
- Wilson, J. (1965). Leber's disease. PhD Thesis, University of London.
- World Health Organization (1965). *Physiology of Lactation*. Technical Report Series no. 305. Geneva: WHO.

Units. Results should be presented in metric units according to the International System of Units (see *Quantities, Units, and Symbols*. London: The Royal Society, 1971, and *Metric Units, Conversion Factors and Nomenclature in Nutritional and Food Sciences*. London: The Royal Society, 1972—reproduced in *Proceedings of the Nutrition Society* (1972) **31**, 239–247).

Energy measurements should be expressed in joules. For substances of known molecular weight, e.g. glucose, urea, Ca, Na, Fe, K, P, values should be expressed as mol/l; for substances of indeterminate molecular weights, e.g. phospholipids, proteins, and for trace elements, e.g. Cu, Zn, g/l should be used.

Time. The 24 h clock should be used, e.g. 15.00 hours.

Statistical Treatment of Results. The experimental design and method of analysis should be described in sufficient detail to permit anyone wishing to reproduce the experiment and its analysis to do so.

In general, it is not necessary to publish the individual results of replicated tests and statistical details, such as analysis of variance tables, should be given only if they are relevant to the discussion. A statement of the number of replicates, their average value and some appropriate measure of variability is usually sufficient. Where means are quoted, the most appropriate measure of variability is usually the standard error (SE) of the mean although when there is specific interest in the distribution of the individual values in the sample the standard deviation (SD) is more useful. In either case, the measure adopted and number of values on which it is based must be clearly stated. The

notation '+' should not be used when presenting SE or SD; forms such as 'mean 3.51 (SE 0.67) μmol ' are suitable.

A statement that the difference between the means for two groups of values is statistically significant should include the level of significance attained and, where a pooled estimate of variance has been used, the corresponding degrees of freedom should be quoted.

Figures. These include graphs, histograms, complex formulas, metabolic pathways. Originals and one photocopy should be submitted, each on a separate sheet, not larger overall than the sheets on which the paper itself is typed, and packed flat. Mounting on heavy cardboard is undesirable. Photographs of line drawings are acceptable if printed on matt paper. In curves presenting experimental results, the determined points should be clearly shown, the symbols used being, in order of preference, \circ , \bullet , Δ , \blacktriangle , \square , \blacksquare , \times , $+$. Curves and symbols should be drawn with a mechanical aid and not free-hand, and should not extend beyond the experimental points. Scale-marks on the axes should be on the inner side of each axis and should extend beyond the last experimental point.

Numbers and letters should be written not on the figure but in the correct position on a flyleaf of tracing paper firmly attached. On the flyleaf should be typed or stencilled: (a) the title of the paper and names of the authors; (b) the figure number. Legends for all figures should be typed on one separate sheet (two or more, if necessary) and numbered corresponding to the relevant figures. Each figure, with its legend, should be comprehensible without reference to the text. The approximate position of each should be indicated in the margin of the text thus: 'Fig. 1 near here'.

Plates. Glossy photographs are required, and should be accompanied by a legend prepared as above. The size of photomicrographs may have to be altered in printing. To avoid mistakes, the magnification will be shown by a scale on the photograph itself, e.g. thus: $\boxed{\quad 1 \mu\text{m} \quad}$. The scale with the appropriate unit should be drawn by the author on the flyleaf together with any lettering and will be inserted by the Press. Do not write details on the back of prints, bend, use paper-clips or mark in any way. The plate number, title of the paper and author's names should be typed on a label and pasted on to the back of the print.

Tables. Tables should carry headings describing their content and should be comprehensible without reference to the text. The dimensions of the values, e.g. mg/kg, should be given at the top of each column and not repeated on each line of the table. Tables should not normally be included in the body of the text, but should be typed on separate sheets. Tables should not be subdivided by ruled lines. Abbreviations in tables must be defined in footnotes. Signs for footnotes should be used in the sequence: *†‡§||, then ** etc. (omit * or †, or both, from the sequence if they are used to indicate levels of significance). The approximate position should be indicated in the margin of the text thus: 'Table 1 near here'.

Diagrams. Diagrams to appear as tables (e.g. flow diagrams) should be prepared as for Tables using Letraset or stencils. No flyleaf is required.

Key Words. Authors should supply two to three key words or phrases (each containing up to three words) on the title page of typescripts. These will be used to compile subject indexes of published papers.

Chemical Formulas. These should be written as far as possible on a single horizontal line. With inorganic

substances, formulas may be used, particularly in the Experimental part, at the discretion of the Editors. With salts, it must be stated whether or not the anhydrous material is used, e.g. anhydrous CuSO_4 , or which of the different crystalline forms is meant, e.g. $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$, $\text{CuSO}_4 \cdot \text{H}_2\text{O}$.

Descriptions of Solutions, Compositions and Concentrations. Solutions of common acids, bases and salts should be defined in terms of molarity (M), e.g. 0.1 M- NaH_2PO_4 . Compositions expressed as mass per unit mass (w/w) should have values expressed as ng, μg , mg or g per kg; similarly for concentrations expressed as mass per unit volume (w/v), the denominator being the litre. Concentrations or compositions should not be expressed on a percentage basis. The common measurements used in nutritional studies, e.g. digestibility, biological value and net protein utilization, should be expressed as decimals rather than as percentages, so that amounts of available nutrients can be obtained from analytical results by direct multiplication. See *Metric Units, Conversion Factors and Nomenclature in Nutritional and Food Sciences*. London: The Royal Society, 1972 (para. 8).

Nomenclature of Vitamins. Most of the names for vitamins and related compounds that are accepted by the Editors are those recommended by the IUNS Committee on Nomenclature. See *Nutrition Abstracts and Reviews A* (1978), **48**, 831-835.

Previous name	Recommended name
Vitamin A ₁	Retinol
Retinene or retinal	Retinaldehyde
Vitamin A acid	Retinoic acid
Vitamin A ₂ or 3-dehydro-retinol	Dehydroretinol
Retinene ₂ or 3-dehydro-retinal	Dehydroretinaldehyde
Vitamin D ₂ or calciferol	Ergocalciferol
Vitamin D ₃	Cholecalciferol
Vitamins E	See <i>Generic descriptors</i>
Vitamin K ₁ or phyloquinone	Phylloquinone
Vitamin K ₂ series	*Menaquinones
Vitamin K ₃ , menadione or menaphthone	Menadione
Vitamin B ₁ , aneurin(e) or thiamine	Thiamin
Vitamin B ₂ or riboflavin	Riboflavin
Nicotinic acid or niacin	Nicotinic acid
Niacinamide or nicotinic acid amide	Nicotinamide
Folic acid or folacin(e)	Pteroylmonoglutamic acid
Vitamin B ₆ , adermin or pyridoxol	Pyridoxine
Pyridoxal	Pyridoxal
Pyridoxamine	Pyridoxamine
Vitamin B ₁₂ or cobalamin	Cyanocobalamin
Vitamin B _{12a} , B _{12b} or hydroxocobamide	Hydroxocobalamin
Vitamin B _{12c}	Nitritocobalamin
Inositol or <i>meso</i> -inositol	Ψ-Inositol
Pantothenic acid	Pantothenic acid
Biotin	Biotin
Choline	Choline
<i>p</i> -Aminobenzoic acid	<i>p</i> -Aminobenzoic acid
Vitamin C or L-ascorbic acid	Ascorbic acid
L-Dehydroascorbic acid	Dehydroascorbic acid

*Details of the nomenclature for these and other naturally occurring quinones should follow the Tentative Rules of the IUPAC-IUB Commission on Biochemical Nomenclature (see *Biochemical Journal* (1967), **102**, 15-27).

Generic descriptors. The terms **vitamin A**, **vitamin C** and **vitamin D** may still be used where appropriate for example

in phrases such as 'vitamin A deficiency', 'vitamin D activity'.

Vitamin E. The term **vitamin E** should be used as the descriptor for all tocol and tocotrienol derivatives exhibiting qualitatively the biological activity of α -tocopherol. The term **tocopherols** should be used as the generic descriptor for all methyl tocols. Thus, the term **tocopherol** is not synonymous with the term **vitamin E**.

Vitamin K. The term **vitamin K** should be used as the generic descriptor for 2-methyl-1,4-naphthoquinone (menaphthone) and all derivatives exhibiting qualitatively the biological activity of phyloquinone (phytylmenaquinone).

Niacin. The term **niacin** should be used as the generic descriptor for pyridine 3-carboxylic acid and derivatives exhibiting qualitatively the biological activity of nicotinamide.

Folic acids. The term **folic acid** may be used to designate the naturally occurring pteroylglutamic acids.

Vitamin B₆. The term **vitamin B₆** should be used as the generic descriptor for all 2-methylpyridine derivatives exhibiting qualitatively the biological activity of pyridoxine.

Vitamin B₁₂. The term **vitamin B₁₂** should be used as the generic descriptor for all corrinoids exhibiting qualitatively the biological activity of cyanocobalamin. The term **corrinoids** should be used as the generic descriptor for all compounds containing the corrin nucleus and thus chemically related to cyanocobalamin. The term **corrinoid** is not synonymous with the term **vitamin B₁₂**.

Amounts of vitamins and summation. All amounts of vitamins should be expressed in terms of their mass rather than in terms of i.u. See *Metric Units, Conversion Factors and Nomenclature in Nutritional and Food Sciences*. London: The Royal Society, 1972 (paras. 8 and 14-20).

Nomenclature of Fatty Acids. In the description of results obtained for the analysis of fatty acids by conventional gas-liquid chromatography, the shorthand designation proposed by Farquhar, J. W., Insull, W., Rosen, P., Stoffel, W. & Ahrens, E. H. (*Nutrition Reviews* (1959), **17**, Suppl.) for individual fatty acids should be used in the text, tables and figures. Thus 18:1 should be used to represent a fatty acid with eighteen carbon atoms and one double bond; if the position and configuration of the double bond is unknown, this fatty acid should not be referred to as oleic acid. The shorthand designation should also be used in the synopsis but sentences should be constructed so that it is clear to the non-specialist reader that 18:1 refers to a fatty acid; for example, '... resulted in an increase in the concentration of the fatty acid 18:1 in the liver triacylglycerols...'. If the positions and configurations of the double bonds are known, and these are important to the discussion, then a fatty acid such as linoleic acid may be referred to as *cis*-9, *cis*-12-18:2 (positions of double bonds related to the carboxyl carbon atom 1). However, to illustrate metabolic relations between different unsaturated fatty acid families, it is sometimes more helpful to number the double bonds in relation to the terminal methyl carbon atom, *n*. The preferred nomenclature is then: 18:3_{n-3} and 18:3_{n-6} for α -linolenic and γ -linolenic acids respectively; 18:2_{n-6} and 20:4_{n-6} for linoleic and arachidonic acids respectively and 18:1_{n-9} for oleic acid. Positional isomers such as α - and γ -linoleic acid should always be clearly distinguished. It is assumed that the double bonds are methylene-interrupted and are of the *cis*-configuration (see Holman, R. T. in *Progress in the*

Chemistry of Fats and Other Lipids, vol. 9, part 1, p. 3. Oxford: Pergamon Press, 1966). Groups of fatty acids that have a common chain length but vary in their double bond content or double bond position should be referred to, for example, as C₂₀ fatty acids or C₂₀ polyunsaturated fatty acids. The modern nomenclature for glycerol esters should be used, i.e. triacylglycerol, diacylglycerol, monoacylglycerol *not* triglyceride, diglyceride, monoglyceride. The form of fatty acids used in diets should be clearly stated, i.e. whether ethyl esters, natural or refined fats or oils. The composition of the fatty acids in the dietary fat should be stated clearly, expressed as mol/100 mol or g/100 g total fatty acids.

Nomenclature of Enzymes. The nomenclature should be that of the Recommendations of the Nomenclature Committee of the International Union of Biochemistry, 1984 (*Enzyme Nomenclature*. London: Academic Press, 1984). Relevant EC numbers should be given.

Nomenclature of Micro-organisms. The correct name of the organism, conforming with international rules of nomenclature, must be used; if desired, synonyms may be added in brackets when the name is first mentioned. Names of bacteria must conform with the current Bacteriological Code and the opinions issued by the International Committee on Systematic Bacteriology. Names of algae and fungi must conform with the current International Code of Botanical Nomenclature. Names of protozoa must conform with the current International Code of Zoological Nomenclature.

The following books may be found useful:

Bergey's Manual of Determinative Bacteriology, 8th edn. (1974), edited by R. E. Buchanan and N. E. Gibbons. Baltimore: The Williams and Wilkins Co.

The Yeasts, a Taxonomic Study, 2nd edn. (1970), edited by J. Lodder. Amsterdam: North Holland Publishing Co.

Ainsworth and Bisby's Dictionary of the Fungi, 6th edn. (1971). Kew: Commonwealth Mycological Institute.

Nomenclature of Plants. For plant species where a common name is used that may not be universally intelligible, the Latin name in italics should follow the first mention of the common name. The cultivar should be given where appropriate.

Other Nomenclature, Symbols and Abbreviations. Authors should follow current numbers of the *British Journal of Nutrition* in this connection. The IUPAC rules on chemical nomenclature should be followed, and the Recommendations of the IUPAC-IUB Commission on Biochemical Nomenclature (see *Biochemical Journal* (1978) **169**, 11–14). The symbols and abbreviations, other than units, are essentially those listed in *British Standard 5775* (1979–1982). *Specification for Quantities, Units and Symbols*, parts 0–13. Day should be abbreviated to d, for example, 7 d: except, for example, 'each day', '7th day' and 'day 1'.

When an element, e.g. nitrogen, is referred to frequently, the first mention, both in the synopsis and the main text, should be in full, after that by its chemical symbol N. Well-known abbreviations for chemical substances may be used without explanation, thus: RNA for ribonucleic acid and DNA for deoxyribonucleic acid. Other substances that are mentioned frequently may also be abbreviated, the abbreviation being placed in parentheses at the first mention, thus: free fatty acids (FFA) after that, FFA.

Spectrophotometric terms and symbols are those proposed in *IUPAC Manual of Symbols and Terminology for Physicochemical Quantities and Units* (1975) London: Butterworths. The attention of authors is particularly drawn to the following symbols: m (= milli) = 10⁻³, μ (= micro) = 10⁻⁶, n (= nano) = 10⁻⁹, p (= pico) = 10⁻¹². Note also that ml (millilitre) should be used instead of cc, μm (micrometre) instead of μ (micron) and μg (microgram) instead of γ.

Numbers. Figures should be used with units, for example, 10 g, 7 d, 4 years (except when beginning a sentence, thus: 'Four years ago . . .'); otherwise, words (except when 100 or more), thus: one man, ten ewes, ninety-nine flasks, three times (but with decimal 2.5 times), 100 patients, 120 cows, 136 samples.

Ethics of Human Experimentation. The notice of contributors is drawn to the guide-lines in the Declaration of Helsinki (1964) (*British Medical Journal* (1964) ii, 177–178) and to the Report of ELSE as reprinted in *British Journal of Nutrition* (1973) **29**, 149. A paper describing any experimental work on human subjects should include a statement that the Ethical Committee in the Institution in which the work was performed, where such a Committee exists, has approved it. A paragraph headed *Ethical considerations* in which the experiments are discussed and justified from an ethical standpoint should form the last paragraph of the Experimental section.

Animal Experimentation. The Editors will reject papers reporting work carried out using inhumane procedures. In general, the criteria that they will adopt are set out in *Guidelines on the Use of Living Animals in Scientific Investigations*, published in 1987 by the Biological Council, Institute of Biology, 20 Queensbury Place, London SW7 2DZ.

Proofs. Proofs are sent to authors in order that they may make sure that the paper has been correctly set up in type and not that they may add new material. Otherwise, increased printing charges are inevitable. Excessive alteration may have to be disallowed or made at the author's expense. Authors will not receive the typescript of their paper with the proof. The symbols used to indicate corrections should be those laid down in *British Standard 5261 C*: 1976. All corrections should be made in ink in the margins: marks made in the text should be only those indicating the place to which the correction refers.

Corrected proofs should be returned without delay to Dr I. E. Sambrook, *British Journal of Nutrition*, 10 Cambridge Court, 210 Shepherds Bush Road, London W6 7NJ.

Reprints. Twenty-five reprints are supplied free of cost. Additional reprints may be purchased if the Printers are notified on the appropriate form immediately the proof of the paper is received.

For reprints of abstracts of communications see below.

Abstracts of Communications. Authors who wish to have summaries of papers, read by them before The Nutrition Society, recorded in the *Proceedings* must submit them in a final form. Only minor corrections, which must be handed in before or at the meeting, will be allowed in the precirculated proofs. Reprints should be ordered direct from Lampport Gilbert Printers Ltd., 117 Wantage Road, Reading, Berks. RG3 2SW on the form sent with the acknowledgement of the abstract. No free reprints are given.