

INDEX TO AUTHORS OF PAPERS TO VOLUME 12

- Allgeuer, H.** Control strategy for a redundant PUMA manipulator, 361–369
- Ananthanarayanan, S. P., Goldenberg, A. A. and Mylopoulos, J.** A qualitative theoretical framework for 'common-sense' based multiple contact robotic manipulation, 175–186
- Arimoto, S. and Naniwa, T.** Learning control for robot motion under geometric end-point constraint, 101–108
- Backes, P. G., Beahan, J., Long, M. K., Steele, R. D., Bon, B. and Zimmerman, W. A.** A prototype ground-remote telerobot control system, 481–490
- Badcock, J. M. and Jarvis, R. A.** Wire-frame modelling of polyhedral objects from rangefinder data, 65–75
- Basu, A.** See Elnagar and Basu
- Basu, A.** See Korayem and Basu
- Beahan, J.** See Backes, Beahan, Long, Steele, Bon and Zimmerman
- Bidaud, P.** See Fontaine and Bidaud
- Bidaud, P.** See Mavroidis, Ouezdou and Bidaud
- Bien, Z.** See Lee and Bien
- Bon, B.** See Backes, Beahan, Long, Steele, Bon and Zimmerman
- Boudiher, M. E., Dufaut, M. and Husson, R.** A vision system for mobile robot navigation, 77–89
- Chan, R. H. T., Tam, P. K. S. and Leung, D. N. K.** Solving the motion planning problem by using neural networks, 323–333
- Chen, Z. and Huang, C-M.** Terrain Exploration of a Sensor-Based Robot Moving Among Unknown Obstacles of Polygonal Shape, 33–44
- Cheng, R. M. H.** See Hemami, Mehrabi and Cheng
- Cho, H. S.** See Cho and Cho
- Cho, H. S.** See Koh, Kim and Cho
- Cho, H. S.** See Shin and Cho
- Cho, Y. C. and Cho, H. S.** A stereo vision-based obstacle detecting method for mobile robot navigation, 203–216
- Clark, E.** See Lee and Clark
- Curk, B.** See Jezernik, Curk and Harnik
- Daneshmend, L.** See Hayward, Daneshmend and Nilakantan
- DeSantis, R. M. and Krau, S.** Bang bang motion control of a Cartesian crane, 449–454
- Dufaut, M.** See Boudiher, Dufaut and Husson
- Ellis, R. E., Ganeshan, S. R. and Lederman, S. J.** A tactile sensor based on thin-plate deformation, 343–351
- ElMaraghy, H. A.** See Jankowski and ElMaraghy
- Elnagar, A. and Basu, A.** Piecewise smooth and safe trajectory planning, 299–307
- Fant, E. W. and Tran, S. L.** Robotic arm self-taught path planning using transportation model heuristics, 17–21
- Fenton, R. G.** See Xi and Fenton
- Filaretov, V. F.** See Vukobratović, Filaretov and Korzun
- Fontaine, D. and Bidaud, P.** Design and implementation of an inductive learning control system for a manipulator gripper, 187–192
- Fontaine, J. G.** See Gorce, Villard and Fontaine
- Ganeshan, S. R.** See Ellis, Ganeshan and Lederman

- Gershon, D.** Introduction to the special issue: Intelligent control for manipulation, 97–99
- Goldenberg, A. A.** See Ananthanarayanan, Goldenberg and Mylopoulos
- Gong, S-W.** See Red and Gong
- Gorce, P., Villard, C. and Fontaine, J. G.** Grasping, coordination and optimal force distribution in multifingered mechanisms, 243–251
- Gruppen, R. A. and Weiss, R. S.** Integrated control for interpreting and manipulating the robot environment, 165–174
- Harnik, J.** See Jezernik, Curk and Harnik
- Hayward, V., Daneshmend, L. and Nilakantan, A.** Trajectory generation and control for automatic manipulation, 115–125
- Hemami, A., Mehrabi, M. G. and Cheng, R. M. H.** Optimal kinematic path tracking control of mobile robots with front steering, 563–568
- Huang, C.-M.** See Chen and Huang
- Husson, R.** See Boudihir, Dufaut and Husson
- Jagannathan, S., Zhu, S. Q. and Lewis, F. L.** Path planning and control of a mobile base with nonholonomic constraints, 529–539
- Jamshidi, M.** Introduction to the special issue: telerobotics & mobile robots for space applications, 479
- Jamshidi, M.** See Martinez, Tunstel and Jamshidi
- Jankowski, K. P. and ElMaraghy, H. A.** Inverse dynamics and feedforward controllers for high precision position/force tracking of flexible joint robots, 227–241
- Jarvis, R. A.** See Badcock and Jarvis
- Jee, W-S.** See Suh, Kang, Jee, Jung and Kim
- Jezernik, K., Curk, B. and Harnik, J.** Observer-based sliding mode control of a robotic manipulator, 443–448
- Jung, M-Y.** See Suh, Kang, Jee, Jung and Kim
- Kang, J-K.** See Suh, Kang, Jee, Jung and Kim
- Kim, J. S.** See Kyoung, Kim and Cho
- Kim, K-S.** See Suh, Kang, Jee, Jung and Kim
- Koditschek, D. E.** An approach to autonomous robot assembly, 137–155
- Koh, K. C., Kim, J. S. and Cho, H. S.** A position estimation system for mobile robots using a monocular image of a 3-D landmark, 431–441
- Korayem, M. H. and Basu, A.** Formulation and numerical solution of elastic robot dynamic motion with maximum load carrying capacities, 253–261
- Korzun, A. I.** See Vukobratović, Filaretov and Korzun
- Krau, S.** See DeSantis and Krau
- Kyriakopoulos, K. J. and Saridis, G. N.** Minimum jerk for trajectory planning and control, 109–113
- Last, M.** See Maimon and Last
- Lederman, S. J.** See Ellis, Ganeshan and Lederman
- Lee, B. R. and Ro, P. I.** Path finding and grasp planning for robotic assembly, 353–360
- Lee, G. K. F. and Clark, E.** A discrete-time virtual passive control algorithm for large space systems, 513–519
- Lee, J-J.** See Shin and Lee
- Lee, Y. J. and Bien, Z.** A hierarchical strategy for planning crab gaits of a quadruped walking robot, 23–31
- Leung, D. N. K.** See Chan, Tam and Leung
- Lewis, F. L.** See Jagannathan, Zhu and Lewis
- Li, Y. F.** Characteristics and signal processing of a proximity sensor, 335–341
- Linnett, J. A.** See Wang, Linnett and Roberts
- Long, M. K.** See Backes, Beahan, Long, Steele, Bon and Zimmerman

- Lumia, R.** Using NASREM for real-time sensory interactive robot control. 127–135
- Lumia, R.** Using NASREM for telerobot control system development. 505–512
- Maimon, O. and Last, M.** Information-efficient robotic control. 157–163
- Martinez, A., Tunstel, E. and Jamshidi, M.** Fuzzy logic based collision avoidance for a mobile robot. 521–527
- Mavroidis, C., Ouezdou, F. B. and Bidaud, P.** Inverse kinematics of six-degree of freedom “general” and “special” manipulators using symbolic computation. 421–430
- Medved, V.** Towards a virtual reality-assisted movement diagnostics—an outline. 55–57
- Mehdian, M. and Rahnejat, H.** A dexterous anthropomorphic hand for robotic and prosthetic applications. 455–463
- Mehrabi, M. G.** See Hemami, Mehrabi and Cheng
- Mylopoulos, J.** See Ananthanarayanan, Goldenberg and Mylopoulos
- Naniwa, T.** See Arimoto and Naniwa
- Nilakantan, A.** See Hayward, Daneshmend and Nilakantan
- Odeberg, H.** Fusing sensor information using fuzzy measures. 465–472
- Oh, S. J.** See Pham and Oh
- Ouezdou, F. B.** See Mavroidis, Ouezdou and Bidaud
- Petrović, T.** See Potkonjak and Petrović
- Pham, D. T. and Oh, S. J.** Adaptive control of a robot using neural networks. 553–561
- Pin, F. G. and Watanabe, Y.** Navigation of mobile robots using a fuzzy behaviorist approach and custom-designed fuzzy inferencing boards. 491–503
- Potkonjak, V. and Petrović, T.** Contribution to robots control with parallel degrees of freedom. 569–573
- Rahnejat, H.** See Mehdian and Rahnejat
- Red, W. E. and Gong, S-W.** Automated inverse-kinematics for robot off-line programming. 45–53
- Ro, P. I.** See Lee and Ro
- Roberts, J. W.** See Wang, Linnett and Roberts
- Rogalinski, P.** An approach to automatic robots programming in the flexible manufacturing cell. 263–279
- Saridis, G. N.** See Kyriakopoulos and Saridis
- Sasaki, S.** On numerical techniques for kinematics problems of general serial-link robot manipulators. 309–322
- Shin, C. K. and Cho, H. S.** On the generation of robotic assembly sequences based on separability and assembly motion stability. 7–15
- Shin, J-H. and Lee, J-J.** Dynamic control with adaptive identification for free-flying space robots in joint space. 541–551
- Steele, R. D.** See Backes, Beahan, Long, Steele, Bon and Zimmerman
- Suh, S-H., Kang, J-K., Jee, W-S., Jung, M-Y. and Kim, K-S.** CAD-MAP and estimation of ALV positions in mountainous areas. 287–297
- Tam, P. K. S.** See Chan, Tam and Leung
- Tran, S. L.** See Fant and Tran
- Tunstel, E.** See Martinez, Tunstel and Jamshidi
- Uzmay, I. and Yildirim, S.** Geometric and algebraic approach to the inverse kinematics of four-link manipulators. 59–64
- Villard, C.** See Gorce, Villard and Fontaine
- Vukobratović, M. K., Filaretov, V. F. and Korzun, A. I.** A unified approach to mathematical modelling of robotic manipulator dynamics. 411–420
- Wang, Y., Linnett, J. A. and Roberts, J.** Kinematics, kinematic constraints and path planning for wheeled mobile robots. 391–400
- Wang, Y., Linnett, J. A. and Roberts, J. W.** Motion feasibility of a wheeled vehicle with a steering angle limit. 217–226

Watanabe, Y. See Pin and Watanabe

Weiss, R. S. See Grupen and Weiss

Wu, C-J. A numerical approach for time-optimal path-planning of kinematically redundant manipulators, 401–410

Xi, F. and Fenton, R. G. On flexible link manipulators: modeling analysis using the algebra of rotations, 371–381

Yildirim, S. See Uzmay and Yildirim

Zhu, S. Q. See Jagannathan, Zhu and Lewis

Zimmerman, W. See Backes, Beahan, Long, Steele, Bon and Zimmerman

INDEX TO BOOKS REVIEWED IN VOLUME 12

The name of the reviewer of the book is given in parentheses

- Beerel, A.** *Expert Systems in Business: Real World Applications*, (A. M. Andrew), 93
- Chester, M.** *Neural Networks—A Tutorial*, (R. Mitchell), 281
- Faugeras, O.** *Three-Dimensional Computer Vision: A Geometric Viewpoint*, (T. Owen), 475
- Gonzalez, A. J. and Dankel, D. D.** *The Engineering of Knowledge-Based Systems: Theory and Practice*, (T. Owen), 282
- Harri-Augstein, S. and Thomas, L.** *Learning Conversations*, (M. Elstob), 475
- Hirose, S.** *Biologically Inspired Robots: Snake-Like Locomotors and Manipulators*, (T. Owen), 282
- Ito, Y.** *Human-Intelligence-Based Manufacturing*, (T. Owen), 282
- Pack Kaelbling, L.** *Learning in Embedded Systems*, (A. M. Andrew), 93–94
- Van de Velde, W.** *Towards Learning Robots*, (T. Owen), 475