

THE  
JOURNAL OF HYGIENE

# THE JOURNAL OF HYGIENE

EDITED BY

J. R. PATTISON

M. J. LEWIS      W. C. NOBLE

IN CONJUNCTION WITH

M. J. ANDERSON	R. D. BARRY
P. S. BRACHMAN	A. B. CHRISTIE
S. M. FEINSTONE	R. J. GILBERT
ANNA HAMBRAEUS	O. M. LIDWELL
D. H. LLOYD	C. R. MADELEY
R. R. MARPLES	J. H. MCCOY
P. P. MORTIMER	J. NAGINGTON
J. OXFORD	R. F. SELLERS
M. B. SKIRROW	C. C. SPICER
R. S. TEDDER	R. VAN DER WAAIJ
H. WILLIAMS-SMITH	A. T. WILLIS
SIR GRAHAM WILSON	

VOLUME 91, 1983

CAMBRIDGE UNIVERSITY PRESS  
CAMBRIDGE  
LONDON NEW YORK NEW ROCHELLE  
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge  
The Pitt Building, Trumpington Street, Cambridge CB2 1RP  
32 East 57th Street, New York, N.Y. 10022, U.S.A.

© Cambridge University Press 1983

*Printed in Great Britain at the University Press, Cambridge*

## Contents

No. 1 (AUGUST 1983)

	PAGE
<b>EDITORIAL: NOBLE, W. C. The new hospital epidemiology</b>	1
<b>NAIDOO, JAY, NOBLE, W. C., WEISSMANN, A. and DYKE, K. G. H. Gentamicin-resistant staphylococci: genetics of an outbreak in a dermatology department</b>	7
<b>COHEN, D. R., PORTER, I. A., REID, T. M. S., SHARP, J. C. M., FORBES, G. I. and PATERSON, G. M. A cost benefit study of milk-borne salmonellosis</b>	17
<b>HARVEY, R. W. S. and PRICE, T. H. Salmonella isolation from reptilian faeces: A discussion of appropriate cultural techniques.</b>	25
<b>HINTON, M., ALI, E. A., ALLEN, VIVIEN and LINTON, A. H. The excretion of <i>Salmonella typhimurium</i> in the faeces of calves fed milk substitute</b>	33
<b>FENLON, D. R. A comparison of salmonella serotypes found in the faeces of gulls feeding at a sewage works with serotypes present in the sewage</b>	47
<b>FRICKER, C. R., GIRDWOOD, R. W. A. and MUNRO, D. A comparison of enrichment media for the isolation of salmonellae from seagull cloacal swabs</b>	53
<b>OOSTEROM, J. and NOTERMANS, S. Further research into the possibility of salmonella-free fattening and slaughter of pigs</b>	59
<b>SKJOLD, S. A., WANNAMAKER, L. W., JOHNSON, D. R. and MARGOLIS, H. S. Type 49 <i>Streptococcus pyogenes</i>: Phage subtypes as epidemiological markers in isolates from skin sepsis and acute glomerulonephritis</b>	71
<b>OLUSANYA, O., ADEBAYO, J. O. and WILLIAMS, BOLANLE. <i>Campylobacter jejuni</i> as a bacterial cause of diarrhoea in Ile-Ife, Nigeria</b>	77
<b>ASHCROFT, J. and POMEROY, N. P. The generation of aerosols by accidents which may occur during plant-scale production of micro-organisms.</b>	81
<b>DADD, A. H., STEWART, CELIA M. and TOWN, MARGARET M. A standardized monitor for the control of ethylene oxide sterilization cycles</b>	93
<b>UMOH, J. U., ADESIYUN, A. A., ADEKEYE, J. O. and NADARAJAH, M. Epidemiological features of an outbreak of gastroenteritis/cholera in Katsina, Northern Nigeria</b>	101
<b>COHEN, B. J., MORTIMER, P. P. and PEREIRA, M. S. Diagnostic assays with monoclonal antibodies for the human serum parvovirus-like virus (SPLV)</b>	113
<b>NAIKHIN, A. N., TSARITSINA, I. M., OLEINIKOVA, E. V., SYRODOEVA, L. G., KORCHANNOVA, N. L., DENISOV, G. M. and SHVARTSMAN, YA. S. The importance of antineuraminidase antibodies in resistance to influenza A and immunologic memory for their synthesis</b>	131
<b>MURPHY, A. M., GROHMANN, G. S. and SEXTON, M. F. H. Infectious gastroenteritis in Norfolk Island and recovery of viruses from drinking water</b>	139
<b>GRILLI, E. A. and SMITH, A. J. The use of a radial haemolysis test for neuraminidase antibodies in the diagnosis of influenza A infection</b>	147

MANCINI, G., DONATELLI, I., ARANGIO-RUIZ, G., ROZERA, C. and MACCHIA, T. Comparison of haemagglutination-inhibition and single radial haemolysis techniques for detecting antibodies to influenza A and B viruses . . . . .	157
OHARA, H., NARUTO, H., WATANABE, W. and EBISAWA, I. An outbreak of hepatitis A caused by consumption of raw oysters . . . . .	163

## No. 2 (OCTOBER 1983)

ANAND, C. M., SKINNER, A. R., MALIC, A. and KURTZ, J. B. Interaction of <i>L. pneumophila</i> and a free living amoeba ( <i>Acanthamoeba palestinensis</i> ) . . . . .	167
FITZGEORGE, R. B. and DENNIS, P. J. Isolation of <i>Legionella pneumophila</i> from water supplies: comparison of methods based on the guinea-pig and culture media . . . . .	179
ISPAGHANI, P. Bacterial meningitis in Nottingham . . . . .	189
PERKS, ELIZABETH M. and MAYON-WHITE, RICHARD T. The incidence of scarlet fever . . . . .	203
KOLAWOLE, D. O. Evaluation and use of the drug inhibition method of measuring intracellular killing in differentiating between staphylococci grown <i>in vivo</i> and <i>in vitro</i> . . . . .	211
WRIGHT, E. P. The isolation of <i>Campylobacter jejuni</i> from flies . . . . .	223
WRIGHT, E. P., TILLETT, H. E., HAGUE, J. T., CLEGG, F. G., DARNELL, R., CULSHAW, J. A. and SORRELL, J. A. Milk-borne campylobacter enteritis in a rural area . . . . .	227
MELCONIAN, A. K., BRUN, Y. and FLEURETTE, J. Enterotoxin production, phage typing and serotyping of <i>Staphylococcus aureus</i> strains isolated from clinical materials and food . . . . .	235
JONES, P. W., COLLINS, P., BROWN, G. T. H. andAITKEN, M. M. <i>Salmonella saint-paul</i> infection in two dairy herds . . . . .	243
AITKEN, M. M., BROWN, G. T. H., JONES, P. W. and COLLINS, P. <i>Salmonella saint-paul</i> infection in calves . . . . .	259
HARVEY, R. W. S. and PRICE, T. H. Effect of stool storage at room temperature on salmonella isolation from faeces . . . . .	267
VLAJINAC, H. and KRAJINOVIC, S. Colicine production as an epidemiological marker for <i>Shigella sonnei</i> . . . . .	273
SIMARD, CAROLE, TRUDEL, MICHEL, PAQUETTE, GILLES and PAYMENT, PIERRE. Microbial investigation of the air in an apartment building . . . . .	277
WRIGHT, R. C. The sterilizing capacity of propylene oxide and chlorhexidine diacetate solutions upon pre-injection swabs saturated with propan-2-ol . . . . .	287
HOPP-SIMPSON, R. Recognition of historic influenza epidemics from parish burial records: a test of prediction from a new hypothesis of influenzal epidemiology . . . . .	293
VAN NIEUWSTADT, A. P. and VERHOEFF, J. Epidemiology of BHV 1 virus infection in dairy herds . . . . .	309
McVICAR, J. W. and EISNER, R. J. Aerosol exposure of cattle to foot-and-mouth disease virus . . . . .	319
FRANCIS, M. J. and BLACK, L. Antibody response in pig nasal fluid and serum following foot-and-mouth disease infection or vaccination . . . . .	329

## Contents

vii

NDIRITU, C. G., OULDIDGE, E. J., HEAD, M. and RWEYEMAMU, M. M. A serological evaluation of 1979-1982 Kenyan foot-and-mouth disease type SAT 2 viruses . . . . .	335
PETHER, J. V. S. and CAUL, E. O. An outbreak of food-borne gastroenteritis in two hospitals associated with a Norwalk-like virus . . . . .	343
GILL, J. E. and REDFERN R. Laboratory tests of seven rodenticides for the control of <i>Meriones shawi</i> . . . . .	351
ANDREWS, R. V. and BELKNAP, R. W. Efficacy of alpha-chlorhydrin in sewer rat control . . . . .	359

No. 3. (DECEMBER 1983)

<b>SPECIAL FEATURE: Edmond-Isadore-Etienne Nocard</b> . . . . .	367
STANFORD, J. L. A simple view of nocardial taxonomy . . . . .	369
STEVENS, D. A. Clinical and clinical laboratory aspects of nocardial infection . . . . .	377
HAY, R. J. Nocardial infection of the skin . . . . .	385
BEAMAN, B. L. and SUGAR, A. M. <i>Nocardia</i> in naturally acquired and experimental infections in animals . . . . .	393
SUGAR, A. M., CHAHAL, R. S. and STEVENS, D. A. A cephalosporin active <i>in vivo</i> against <i>Nocardia</i> : efficacy of cefotaxime in murine model of acute pulmonary nocardiosis . . . . .	421
BUTTERFIELD, J., COULSON, J. C., KEARSEY, S. V., MONAGHAN, P., MCCOY, J. H. and SPAIN, G. E. The herring gull <i>Larus argentatus</i> as a carrier of salmonella . . . . .	429
COULSON, J. C., BUTTERFIELD, J. and THOMAS, C. The herring gull <i>Larus argentatus</i> as a likely transmitting agent of <i>Salmonella montevideo</i> to sheep and cattle . . . . .	437
FRICKER, C. R., GIRDWOOD, R. W. A. and MUNRO, D. A comparison of procedures for the isolation of campylobacters from seagull faeces . . . . .	445
HARVEY, R. W. S. and PRICE, T. H. A comparison of two modifications of Rappaport's enrichment medium (R25 and RV) for the isolation of salmonellas from sewage polluted natural water . . . . .	451
HUDSON, W. R., ROBERTS, T. A. and WHELEHAN, O. P. A minimal apparatus method for counting bacteria: comparison with reference method in surveying beef carcasses at three commercial abattoirs . . . . .	459
MANSFIELD, J. M., FARKAS, G., WIENEKE, A. A. and GILBERT, R. J. Studies on the growth and survival of <i>Staphylococcus aureus</i> in corned beef . . . . .	467
ADAMS, B. W. and MEAD, G. C. Incidence and properties of <i>Staphylococcus aureus</i> associated with turkeys during processing and further-processing operations . . . . .	479
DEGENER, J. E., SMIT, A. C. W., MICHEL, M. F., VALKENBURG, H. A. and MULLER, L. Resistance of <i>Escherichia coli</i> in faeces and the use of antimicrobial agents in the treatment of hospital patients . . . . .	491
FIGUEROA, G., TRONCOSO, M., ARAYA, M., ESPINOZA, J. and BRUNSER, O. Enteropathogen carriage by healthy individuals living in an area with poor sanitation . . . . .	499

ANDERSSON, P.-A., HAMBRAEUS, A., ZETTERSTEN, U., LJUNGQVIST, B., NEIKTER, K. and RANSJÖ, U. A comparison between tracer gas and tracer particle techniques in evaluating the efficiency of ventilation in operating theatres . . . . .	509
BARTZOKAS, C. A., CORKILL, J. E., MAKIN, T. and PINDER, D. C. Assessment of the remanent antibacterial effect of a 2% triclosan-detergent preparation on the skin . . . . .	521
HYLÉN, A.-M., KARLSSON, E., SVANBERG, L. and WALDER, M. Hygiene for the newborn – to bath or to wash ? . . . . .	529
OJANEN, T. H., KATILA, M.-L., MÄNTYJÄRVI, R., SEPPÄNEN, H., MUITTARI, A., KUUSISTO, P. and VIRTANEN, P. Exposure of water consumers to mesophilic actinomycetes . . . . .	535

## NOTES FOR CONTRIBUTORS

Papers for publication should be sent to Professor J. R. Pattison, Department of Medical Microbiology, King's College Hospital Medical School, Denmark Hill, London SE5 8RX. The typescript and two copies should be sent with 3 copies of all tables and illustrations. Papers forwarded to the Editor for publication are understood to be offered to the *Journal of Hygiene* alone, unless the contrary is stated.

### General

Careful preparation of manuscripts will promote rapid publication. Authors are advised to refer to a recent issue of the journal in addition to the notes below, paying particular attention to the form of references, tables and figures and the use of symbols and abbreviations. Papers should be in double-spaced typescript throughout (including reference lists, footnotes and legends) on A4 paper with a left hand margin of at least 4 cm.

### Format

Papers must commence with a separate title page indicating the full title, initial(s), surname(s), address(es) of the authors and a short title not exceeding 45 characters. Papers should usually be divided into SUMMARY, INTRODUCTION, MATERIALS AND METHODS, RESULTS, DISCUSSION and REFERENCES. Some observations are best described in the form of a continuous narrative with the only subsection being a Summary at the beginning. Such papers will also be considered.

Acknowledgements are put at the end of the discussion after a space of one line.

### Tables

Tables should be numbered separately with arabic numerals and each table typed on a separate sheet of paper. Whenever possible they should be so designed that they can be printed across the width of a page. Note that columns and lines are not separated by vertical or horizontal lines but are grouped by the use of braces of varying lengths.

### Illustrations

Line drawings, diagrams and charts should be accurately drawn on plain white board or paper or faintly blue-lined graph paper and should not be more than twice publication size. Points should be indicated by the following symbols:  $\circ$ ,  $\Delta$ ,  $\square$ ,  $\bullet$ ,  $\blacktriangle$ ,  $\blacksquare$ . Lettering and numbering will not be directly reproduced but should be clearly shown either in pencil on the drawing or on overlaid transparent paper.

Photographs should be sent as unmounted glossy prints with good contrast. Their position in the text should be indicated by 'Figure ... near here'.

Legends for figures should be typed on separate sheets of paper. Each illustration should bear on the back the author's name and illustration number.

### References

In the text references by up to three authors are cited in the form Jones, Smith & Brown (1950) and those by four or more authors in the form Jones *et al.* (1950).

The reference list should be arranged alphabetically and should include authors' names, initials, year of publication in parentheses, title of the paper, name of the journal *in full*, the volume number and first and last page numbers. References to books and monographs should be in the form: authors' names, initials, year of publication in parentheses, title, edition editors (if appropriate), page number(s), place of publication and publisher.

## Contents

	PAGES
<b>SPECIAL FEATURE:</b> Edmond-Isadore-Etienne Nocard	367
STANFORD, J. L. A simple view of nocardial taxonomy	369
STEVENS, D. A. Clinical and clinical laboratory aspects of nocardial infection	377
HAY, R. J. Nocardial infection of the skin	385
BEAMAN, B. L. and SUGAR, A. M. <i>Nocardia</i> in naturally acquired and experimental infections in animals	393
SUGAR, A. M., CHAHAL, R. S. and STEVENS, D. A. A cephalosporin active <i>in vivo</i> against <i>Nocardia</i> : efficacy of cefotaxime in murine model of acute pulmonary nocardiosis	421
BUTTERFIELD, J., COULSON, J. C., KEARSEY, S. V., MONAGHAN, P., MCCOY, J. H. and SPAIN, G. E. The herring gull <i>Larus argentatus</i> as a carrier of salmonella	429
COULSON, J. C., BUTTERFIELD, J. and THOMAS, C. The herring gull <i>Larus argentatus</i> as a likely transmitting agent of <i>Salmonella montevideo</i> to sheep and cattle	437
FRICKER, C. R., GIRDWOOD, R. W. A. and MUNRO, D. A comparison of procedures for the isolation of campylobacters from seagull faeces	445
HARVEY, R. W. S. and PRICE, T. H. A comparison of two modifications of Rappaport's enrichment medium (R25 and RV) for the isolation of salmonellas from sewage polluted natural water	451
HUDSON, W. R., ROBERTS, T. A. and WHELEHAN, O. P. A minimal apparatus method for counting bacteria: comparison with reference method in surveying beef carcasses at three commercial abattoirs	459
MANSFIELD, J. M., FARKAS, G., WIENEKE, A. A. and GILBERT, R. J. Studies on the growth and survival of <i>Staphylococcus aureus</i> in corned beef	467
ADAMS, B. W. and MEAD, G. C. Incidence and properties of <i>Staphylococcus aureus</i> associated with turkeys during processing and further-processing operations	479
DEGENER, J. E., SMIT, A. C. W., MICHEL, M. F., VALKENBURG, H. A. and MULLER, L. Resistance of <i>Escherichia coli</i> in faeces and the use of antimicrobial agents in the treatment of hospital patients	491
FIGUEROA, G., TRONCOSO, M., ARAYA, M., ESPINOZA, J. and BRUNSER, O. Enteropathogen carriage by healthy individuals living in an area with poor sanitation	499
ANDERSSON, P.-A., HAMBRAEUS, A., ZETTERSTEN, U., LJUNGQVIST, B., NEIKTER, K. and RANSJÖ, U. A comparison between tracer gas and tracer particle techniques in evaluating the efficiency of ventilation in operating theatres	509
BARTZOKAS, C. A., CORKILL, J. E., MAKIN, T. and PINDER, D. C. Assessment of the remanent antibacterial effect of a 2% triclosan-detergent preparation on the skin	521
HYLÉN, A.-M., KARLSSON, E., SVANBERG, L. and WALDER, M. Hygiene for the newborn - to bath or to wash?	529
OJANEN, T. H., KATILA, M.-L., MÄNTYJÄRVI, R., SEPPÄNEN, H., MUITTARI, A., KUUSISTO, P. and VIRTANEN, P. Exposure of water consumers to mesophilic actinomycetes	535

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP  
 32 East 57th Street, New York, 10027

© Cambridge University Press 1983

Printed in Great Britain at the University Press, Cambridge

