

JOURNAL OF DAIRY RESEARCH

EDITED BY

J. E. FORD, PH.D.

National Institute for Research in Dairying,
Shinfield, Reading, Berkshire

J. A. B. SMITH, C.B.E. PH.D., D.Sc.

Hannah Dairy Research Institute, Ayr, Scotland

ASSISTED BY

PROF. L. F. L. CLEGG, (Canada)

SIR DAVID CUTHBERTSON, C.B.E., F.R.S.E., (Glasgow)

DR F. H. DODD, (Reading)

DR H. DONALD, F.R.S.E., (Edinburgh)

PROF. P. J. FOURIE, (South Africa)

DR T. GIBSON, (Edinburgh)

DR J. O. IRWIN, (London)

MR G. LOFTUS HILLS, (Australia)

DR L. A. MABBITT, (Reading)

DR W. A. MCGILLIVRAY, (New Zealand)

DR A. ROBERTSON, O.B.E., F.R.S., (Edinburgh)

DR K. C. SEN, (India)

DR C. C. THIEL, (Reading)

DR R. WAITE, (Ayr)

DR J. C. D. WHITE, (Ayr)

VOLUME 34, 1967

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1
American Branch: 32 East 57th Street, New York, N.Y. 10022

Secretary

J. C. F. COLES

Editorial Assistant

MRS DOROTHY SKIDMORE

Printed in Great Britain at the University Printing House, Cambridge

Contents

No. 1 (February 1967)

PAGE

ORIGINAL ARTICLES

- Changes in the quantity and composition of mammary gland secretion in the dry period between lactations. I. The beginning of the dry period. J. V. WHEELOCK, A. SMITH, F. H. DODD and R. L. J. LYSTER 1
- Changes in the quantity and composition of mammary gland secretion in the dry period between lactations. II. The complete dry period. A. SMITH, J. V. WHEELOCK and F. H. DODD 13
- Estimation by gas chromatography of 5β -pregnane- 3α , 20α -diol in the urine of normal lactating and ketosed cows. R. J. HEITZMAN 21
- Occurrence of milk proteins in the urine of cows during an extended milking interval. R. L. J. LYSTER and J. V. WHEELOCK 27
- The production of L(+) and D(-) lactic acid in cultures of somelactic acid bacteria, with a special study of *Lactobacillus acidophilus* NCDO 2. ELLEN I. GARVIE 31
- A method of detecting dissimilation of citrate by lactic acid bacteria using *Streptococcus lactis* var. *diacetylactis* NCDO 1007. ELLEN I. GARVIE 39
- The persistence of cloxacillin in the mammary gland when infused immediately after the last milking of lactation. A. SMITH, F. K. NEAVE, F. H. DODD, A. JONES and D. N. GORE 47
- The persistence of penicillin G in the mammary gland when infused immediately after the last milking of lactation. A. SMITH, F. K. NEAVE and A. JONES 59
- Investigations on the use of the Milko-tester for routine estimation of fat content in milk. M. F. MURPHY and T. C. A. MCGANN 65
- The effect of concentrating milk on the fat retention property of the cheese curd. L. A. MABBITT and G. C. CHEESEMAN 73
- The C-terminal sequence of amino acid residues of κ -casein isolated from buffalo's milk. M. H. ABD EL-SALAM and W. MANSON 85
- A compound responsible for metallic flavour in dairy products. II. Theoretical consideration of the mechanism of formation of oct-1-en-3-one. R. A. WILKINSON and W. STARK 89

No. 2 (June 1967)

	PAGE
ORIGINAL ARTICLES	
Detection of caeruloplasmin in bovine milk and blood serum. L. A. HANSON, E.-G. SAMUELSSON and JAN HOLMGREN	103
Acetaldehyde and diacetyl production in <i>Streptococcus thermophilus</i> and other lactic streptococci. VITTORIO BOTTAZZI and FRANCO DELLAGLIO	109
Identification of fatty acids from butterfat using a combined gas chromatograph-mass spectrometer. RAGNAR RYHAGE	115
n-Pent-1-en-3-ol and n-pent-en-3-one in oxidized dairy products. W. STARK, J. F. SMITH and D. A. FORSS	123
Volatile compounds in butter oil. I. Lower boiling compounds. D. A. FORSS, W. STARK and GERDA URBACH	131
Seasonal variation in deposit formation from whole milk on a heated surface. H. BURTON	137
The effect of milking throughout pregnancy on milk secretion in the succeeding lactation. A. SMITH, J. V. WHEELOCK and F. H. DODD	145
The effect of a temporary suspension of milking in mid-lactation on milk secretion after the resumption of milking and in the following lactation. J. V. WHEELOCK, A. SMITH and F. H. DODD	151
The effect of equal and unequal intervals in twice-daily milking on the milk yield of ewes. M. MORAG and S. FOX	163
REVIEWS OF THE PROGRESS OF DAIRY SCIENCE. Section D. Nutritive value of milk and milk products. Water-soluble vitamins in milk and milk products. MARGARET E. GREGORY	169

No. 3 (October 1967)

ORIGINAL ARTICLES	
Some skin characteristics in British Friesian pedigree bulls and their correlation with relative breeding value. T. NAY and HELEN JOHNSON	183
Effects of repeated heat treatments on the levels of some vitamins of the B-complex in milk. H. BURTON, J. E. FORD, J. G. FRANKLIN and J. W. G. PORTER	193
The effect on milk yield and composition of adding the calcium salts of acetic, propionic, butyric and lactic acids to the diets of dairy cows. C. C. BALCH, W. H. BROSTER, V. W. JOHNSON, C. LINE, J. A. F. ROOK, J. D. SUTTON and VALERIE J. TUCK	199
Factors affecting the design of milk total solids testing schemes. M. G. O'KEEFFE	207
A suggested correction to the British Standards hydrometric method for the estimation of total solids in milk. M. G. O'KEEFFE	211

Contents

v

	PAGE
A milking parlour for experimental work with lactating ewes. M. MORAG, J. A. C. GIBB and S. FOX	215
Thermorésistance des spores de <i>Clostridium tyrobutyricum</i> et <i>Clostridium butyricum</i> . O. CERF, J.-L. BERGERE et J. HERMIER.	221
The effect of oxidation on the iodine values of phospholipid in milk, butter and washed-cream serum. E. G. PONT and GWENDA L. HOLLOWAY	231
The influence of the dissolved oxygen in milk on the stability of some vitamins towards heating and during subsequent exposure to sunlight. J. E. FORD	239
The sensitivity of bovine staphylococci, streptococci and corynebacteria to cloxacillin and various other antibiotics. A. JONES, T. M. HIGGS, F. K. NEAVE and A. SMITH	249
The effect of the microbial flora on the flavour and free fatty acid composition of Cheddar cheese. B. REITER, T. F. FRYER, A. PICKERING, HELEN R. CHAPMAN, R. C. LAWRENCE and M. ELISABETH SHARPE	257
REVIEWS OF THE PROGRESS OF DAIRY SCIENCE. Section C. Dairy chemistry. The secretion of water and of water-soluble constituents in milk. J. A. F. ROOK and J. V. WHEELOCK	273

Index of Subjects

- Antibiotics**, *see also Cloxacillin, Penicillin G*
sensitivity, bovine staphylococci, streptococci, corynebacteria, 249
- Ascorbic acid**, milk, stability, heat processing, exposure to sunlight, 239
- Bacteria**, Cheddar cheese, flavour, free fatty acid composition, 257
- Blood serum**, caeruloplasmin detection, 103
- Breeding**, bull evaluation on skin structure, 183
- Bulls**, skin structure, correlation with relative breeding value, 183
- Butter**, flavour, identification of volatile compounds, 131
- Buttermilk**, oxidized, identification of n-pent-1-en-3-ol, n-pent-1-en-3-one, 123
- Butter oil**, *see Dry butterfat*
- Caeruloplasmin**, in milk, blood serum, 103
- K-Casein**, amino acid residues, C-terminal sequence, buffalo's milk, 85
- Cheddar cheese**, flavour, free fatty acid composition, microbial flora, 257
- Cheesemaking**, concentrating milk and fat retention of curd, 73
- Citrate**, dissimilation, estimation, lactic acid bacteria, 39
- Clostridium butyricum***, spores, heat resistance, 221
- Cl. tyrobutyricum***, spores, heat resistance, 221
- Cloxacillin**, sensitivity, bovine staphylococci, streptococci, corynebacteria, 249
udder disease control, dry period, 47
- Corynebacteria**, bovine, antibiotic sensitivity, 249
- Dairy products**, *see also individual products*
metallic flavour, oct-1-en-3-one, 89
oxidative deterioration and caeruloplasmin, 103
oxidized, flavour, n-pent-1-en-3-ol, n-pent-1-en-3-one, 123
water-soluble vitamins, content (review), 169
- Diet**, calcium salts, fatty acids, addition, milk yield and composition, 199
- Disease**, *see Ketosis*
- Dry butterfat**, identification of volatile compounds, 131
- Dry period**, mammary gland secretion, quantity, composition, 1, 13
- Fatty acids**, calcium salts, added to diet, milk yield and composition, 199
composition, Cheddar cheese, effect of microbial flora, 257
milk fat, identification by gas chromatography-mass spectrometry, 115
- Flavour**, butter, identification of volatile compounds, 131
- Cheddar cheese and microbial flora, 257
dairy products, oct-1-en-3-one, 89
n-pent-1-en-3-ol, n-pent-1-en-3-one, 123
lactic cultures and diacetyl-acetaldehyde ratio, 109
- Friesian bulls**, skin structure, correlation with relative breeding value, 183
- Heat resistance**, spores, *Clostridium* spp., 221
- Heat treatment**, milk, deposits, seasonal variation, 137
vitamin stability and dissolved oxygen content, 239
repeated heat processing, 193
- Hydrometric method** (B.S.I.), total solids determination, milk, suggested correction, 211
- Ketosis**, pregnanediol estimation, urine, 21
- D(-) Lactic acid**, production, lactic acid bacteria, 31
- L(+)** Lactic acid, production, lactic acid bacteria, 31
- Lactic acid bacteria**, citrate dissimilation, estimation, 39
L(+), D(-) lactic acid production, 31
- Lactobacillus acidophilus***, L(+), D(-) lactic acid production, 31
- Milk**, concentration, fat retention by rennet curd, 73
- Milk composition**, dry period, 1, 13
following suspension of milking, 151
succeeding lactation, after milking throughout pregnancy, 145
vitamins, stability, heat treatment, exposure to sunlight, influence of dissolved oxygen, 239
repeated heat processing, 193
water-soluble, content (review), 169
water-soluble constituents (review), 273
- Milk deposits**, on heat treatment, seasonal variation, 137
- Milk fat**, content, milk, and deposit formation on heat treatment, 137
calcium salts, fatty acids, added to diet, 199
estimation by Milko-tester, 65
ewes, equal and unequal milking intervals, 163
fatty acids, identification by gas chromatography-mass spectrometry, 115
phospholipids, oxidation, iodine values, milk, butter, washed-cream serum, 231
- Milk Marketing Boards**, compositional quality payment schemes, total solids, determination, 207, 211

- Milk proteins**, caeruloplasmin detection, 103
content, urine, lactating cows, 27
- Milk secretion**, after milking throughout pregnancy, 145
dry period, 1, 13
following suspension of milking, mid-lactation, 151
rate, equal and unequal milking intervals, ewes, 163
water and water-soluble constituents (review), 273
- Milk solids**, *see* **Total solids and Solids-not-fat**
- Milk yield**, calcium salts, fatty acids, added to diet, 199
dry period, 1, 13
ewes, equal and unequal milking intervals, 163
following suspension of milking, mid-lactation, 151
skin structure, parent bull, relationship, 183
succeeding lactation, after milking throughout pregnancy, 145
- Milking**, interval, milk proteins content, urine, 27
milk yield, ewes, 163
suspension, mid-lactation, milk yield, composition, on resumption, in following lactation, 151
throughout pregnancy, *milk secretion*, succeeding lactation, 145
- Milking parlour**, equipment, ewes, 215
- Milko-tester**, estimation of fat content, milk, 65
- Nutritive value**, water-soluble vitamins, milk, milk products (review), 169
- Oxidation**, milk, dairy products and caeruloplasmin, 103
phospholipids, milk, butter, washed-cream serum, iodine values, 231
- Oxygen**, dissolved in milk, vitamin stability, heat treatment, exposure to sunlight, 239
- Pasteurization**, milk, vitamins, B-complex, content, 193
- Penicillin G**, sensitivity, bovine staphylococci, streptococci, corynebacteria, 249
udder disease control, dry period, 59
- Phospholipids**, milk, butter, washed-cream serum, oxidation, iodine values, 231
- Pregnanediol**, estimation, urine, normal, ketosed cows, 21
- Progeny testing**, bulls, value of skin structure, 183
- Rennet curd**, fat retention, effect of concentrating milk, 73
- Sheep**, milk yield, equal and unequal milking intervals, 163
milking parlour, equipment, 215
- Skin structure**, bulls, correlation with relative breeding value, 183
- Solids-not-fat**, content, milk, calcium salts, fatty acids added to diet, 199
- Staphylococci**, bovine, antibiotic sensitivity, 249
- Sterilization**, milk, vitamins, B-complex, content, 193
- Streptococci**, bovine, antibiotic sensitivity, 249
lactic, acetaldehyde and diacetyl production, 109
- Streptococcus lactis var. diacetilactis**, for estimation, citrate dissimilation, lactic acid bacteria, 39
- Str. thermophilus**, acetaldehyde and diacetyl production, 109
- Sunlight**, on milk, oxygen content and vitamin stability, 239
- Total solids**, determination, milk, B.S.I. hydro-metric method, suggested correction, 211
design of testing schemes, 207
- Udder**, *see also* **Milk secretion**
disease, control, antibiotics, dry period, 47, 59
- Urine**, milk proteins content, lactating cows, 27
pregnanediol estimation, normal, ketosed cows, 21
- Vitamin B complex**, content, milk, after heat treatment, exposure to sunlight, influence of dissolved oxygen, 239
after repeated heat treatments, 193
- Vitamin C**, *see* **Ascorbic acid**
- Vitamins**, water-soluble, content, milk, milk products (review), 169
- Water**, content, milk, udder (review), 273

Index of Authors

- BALCH, C. C., 199
BERGÈRE, J.-L., 221
BOTTAZZI, VITTORIO, 109
BROSTER, W. H., 199
BURTON, H., 137, 193
- CERF, O., 221
CHAPMAN, HELEN R., 257
CHEESEMAN, G. C., 73
- DELLAGLIO, FRANCO, 109
DODD, F. H., 1, 13, 47, 145, 151
- EL-SALAM, M. H. ABD, 85
- FORD, J. E., 193, 239
FORSS, D. A., 123, 131
FOX, S., 163, 215
FRANKLIN, J. G., 193
FRYER, T. F., 257
- GARVIE, ELLEN I., 31, 39
GIBB, J. A. C., 215
GORE, D. N., 47
GREGORY, MARGARET E., 169
- HANSON, L. A., 103
HEITZMAN, R. J., 21
HERMIER, J., 221
HIGGS, T. M., 249
HOLLOWAY, GWENDA L., 231
HOLMGREN, JAN, 103
- JOHNSON, HELEN, 183
JOHNSON, V. W., 199
JONES, A., 47, 59, 249
- LAWRENCE, R. C., 257
LINE, C., 199
LYSTER, R. L. J., 1, 27
- MABBITT, L. A., 73
MCGANN, T. C. A., 65
MANSON, W., 85
MORAG, M., 163, 215
MURPHY, M. F., 65
- NAY, T., 183
NEAVE, F. K., 47, 59, 249
- O'KEEFFE, M. G., 207, 211
- PICKERING, A., 257
PONT, E. G., 231
PORTER, J. W. G., 193
- REITER, B., 257
ROOK, J. A. F., 199, 273
RYHAGE, RAGNAR, 115
- SAMUELSSON, E.-G., 103
SHARPE, ELISABETH M., 257
SMITH, A., 1, 13, 47, 59, 145, 151, 249
SMITH, J. F., 123
STARK, W., 89, 123, 131
SUTTON, J. D., 199
- TUCK, VALERIE J., 199
- URBACH, GERDA, 131
- WHEELOCK, J. V., 1, 13, 27, 145, 151, 273
WILKINSON, R. A., 89

DIRECTIONS TO CONTRIBUTORS

GENERAL

The onus of preparing a paper in a form suitable for publication in the *Journal of Dairy Research* lies in the first place with the author. In their own interests authors are strongly advised to follow these directions carefully and to consult a current issue for guidance on details of layout and use of headings.

Typescripts may be sent to the Editors at any time, and submission of a paper will be held to imply that it reports unpublished original work which is not under consideration for publication elsewhere.

FORM OF PAPERS

Papers should be typed with double spacing, and the title followed by the names and initials of the authors, women supplying one Christian name. The name and postal address of the laboratory must be stated.

Papers should be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. Only with some exceptional types of material will headings different from (c), (d) and (e) be necessary.

The spelling adopted is that of the *Shorter Oxford English Dictionary*. Underlining should be used only to indicate italics. Every effort should be made to avoid the use of footnotes. Proper nouns, including trade names, should be given a capital initial letter.

TABLES

Each table should be numbered and should have a heading that enables its contents to be understood without reference to the text. Tables must be typed on separate sheets and their approximate positions indicated in the text.

ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in blue or grey, folded down the centre with the drawing on one half and the other acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend; (c) the figures and lettering, which is intended to appear on the finished block, in the correct position relative to the drawing underneath. For each paper there should also be a separate typed sheet listing figure and plate numbers with their legends, and the approximate position of illustrations should be indicated in the text.

As a rule the photographs and diagrams should be about twice the size of the finished block and not larger over-all than the sheets on which the paper itself is typed. For general guidance in preparing diagrams, it is suggested that for a figure measuring 9 in. × 6 in. all lines, axes and curves, should have a thickness of 0.4 mm, thus ———. Graph symbols in order of preference should be ○ ●, △ ▲, □ ■, × +, and for a 9 in. × 6 in. graph the open circles should be $\frac{1}{8}$ in. in diameter. The open triangles should be large enough to contain circles $\frac{3}{8}$ in. diameter and the open squares circles of $\frac{1}{8}$ in. diameter. The crosses should have lines $\frac{1}{8}$ in. long. The block symbols should be slightly smaller than the corresponding open symbols. Scale marks on the axes should be on the inner side of each axis and should be $\frac{1}{8}$ in. long.

REFERENCES

In the text references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Where there are more than two authors all the surnames should be quoted at the first mention, but in subsequent citations only the first surname should be given thus, Brown *et al.* (1901). If there are six or more names *et al.* should be used in the first instance. Also, if the combinations of names are similar the names should be repeated each time, e.g. Brown, Smith & Allen (1954); Brown, Allen & Smith (1954).

References should be listed alphabetically at the end of the paper, title of journals being abbreviated as in the *World List of Scientific Periodicals*. Authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). *J. Dairy Res.* 18, 158. References to books should include name of author, year of publication, title, town of publication and name of publisher in that order, thus, Arnold, T. B. (1900). *Dairying*. London: Brown and Chester.

It is the duty of the author to check all references and to ensure that the correct abbreviations are used.

SYMBOLS AND ABBREVIATIONS

The symbols and abbreviations used are those of British Standard 1991: Part 1: 1954, *Letter Symbols, Signs and Abbreviations*.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, 0.1M-NaH₂PO₄. The term '%' means g/100 g solution. For ml/100 ml solution write '% (v/v)' and for g/100 ml solution write '% (w/v)'.

REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

CONTENTS

ORIGINAL ARTICLES

- Some skin characteristics in British Friesian pedigree bulls and their correlation with relative breeding value
NAY, T. and JOHNSON, HELEN page 183
- Effects of repeated heat treatments on the levels of some vitamins of the B-complex in milk
BURTON, H., FORD, J. E., FRANKLIN, J. G. and PORTER, J. W. G. 193
- The effect on milk yield and composition of adding the calcium salts of acetic, propionic, butyric and lactic acids to the diets of dairy cows
BALCH, C. C., BROSTER, W. H., JOHNSON, V. W., LINE, C., ROOK, J. A. F., SUTTON, J. D. and TUCK, VALERIE J. 199
- Factors affecting the design of milk total solids testing schemes
O'KEEFFE, M. G. 207
- A suggested correction to the British Standards hydrometric method for the estimation of total solids in milk
O'KEEFFE, M. G. 211
- A milking parlour for experimental work with lactating ewes
MORAG, M., GIBB, J. A. C. and FOX, S. 215
- Thermorésistance des spores de *Clostridium tyrobutyricum* et *Clostridium butyricum*
CERF, O., BERGERE, J.-L. et HERMIER, J. 221
- The effect of oxidation on the iodine values of phospholipid in milk, butter and washed-cream serum
PONT, E. G. and HOLLOWAY, GWENDA L. 231
- The influence of the dissolved oxygen in milk on the stability of some vitamins towards heating and during subsequent exposure to sunlight
FORD, J. E. 239
- The sensitivity of bovine staphylococci, streptococci and corynebacteria to cloxacillin and various other antibiotics
JONES, A., HIGGS, T. M., NEAVE, F. K. and SMITH, A. 249
- The effect of the microbial flora on the flavour and free fatty acid composition of Cheddar cheese
REITER, B., FRYER, T. F., PICKERING, A., CHAPMAN, HELEN R., LAWRENCE, R. C. and SHARPE, M. ELISABETH 257
- REVIEWS OF THE PROGRESS OF DAIRY SCIENCE. Section C. Dairy chemistry. The secretion of water and of water-soluble constituents in milk
ROOK, J. A. F. and WHELOCK, J. V. 273