

## Subscription Requests

### Free Subscriptions

Individuals requesting subscriptions, or wishing to change their address, should contact MTsubscriptions at: [AssociationManagement@microscopy.org](mailto:AssociationManagement@microscopy.org)

### Subscription Policies

- Microscopists in the United States are eligible for gratis mail subscriptions.
- Microscopists in Canada and Mexico may subscribe to the print edition for \$25US.
- Microscopists in the rest of the world may subscribe to the print edition for \$35US.
- Microscopists outside the United States may request gratis email alerts to the digital edition.
- Microscopists anywhere in the world may view the digital edition at the *Microscopy Today* website shown at the bottom of this page.

### Digital Edition

- The digital edition is an exact replica of the print edition, advertisements and all.
- Features include dynamic pages with live webpage and email links, a word-level search function, and variable page magnification to enlarge both text and figures.

### Typical Content

*Microscopy Today* has articles about:

- Innovative instruments and methods
- Applications in various fields
- Hints and tips for novices and experts
- Protocols in microscopy and microanalysis
- Microscopy facilities descriptions
- Meetings and courses
- Success stories in microscopy education
- Historical microscopy and pioneers
- Industry news and product news
- Humorous situations
- Opinions of our readers

### Subscription Customer Service

To change your address or your subscription profile, call 703-234-4115 or send an email request to [associationmanagement@microscopy.org](mailto:associationmanagement@microscopy.org).

## Index of Advertisers

|                                                                                                                     |                    |
|---------------------------------------------------------------------------------------------------------------------|--------------------|
| 3D Micromac AG ( <a href="http://www.3d-micromac.com">www.3d-micromac.com</a> ).....                                | 41                 |
| Alluxa, Inc. ( <a href="http://www.alluxa.com">www.alluxa.com</a> ).....                                            | 54                 |
| Bruker Nano Surfaces Division ( <a href="http://www.bruker.com">www.bruker.com</a> ) .....                          | 10                 |
| Coxem Co. Ltd. ( <a href="http://www.coxem.com">www.coxem.com</a> ).....                                            | 57                 |
| Dectris ( <a href="http://www.dectris.com">www.dectris.com</a> ) .....                                              | 47                 |
| Diatome ( <a href="http://www.emsdiasum.com">www.emsdiasum.com</a> ).....                                           | 4                  |
| Duniway Stockroom ( <a href="http://www.duniway.com">www.duniway.com</a> ).....                                     | 44                 |
| EDAX ( <a href="http://www.edax.com">www.edax.com</a> ).....                                                        | 45                 |
| Electron Microscopy Sciences<br>( <a href="http://www.emsdiasum.com">www.emsdiasum.com</a> ) .....                  | Inside back cover  |
| Excelitas Technologies ( <a href="http://www.excelitas.com">www.excelitas.com</a> ) .....                           | 55                 |
| Focus e-Beam Technology<br>( <a href="http://www.focus-ebeam.com">www.focus-ebeam.com</a> ) .....                   | 11                 |
| Geller MicroAnalytical ( <a href="http://www.gellermicro.com">www.gellermicro.com</a> ) .....                       | 69                 |
| Hitachi High Technologies America<br>( <a href="http://www.hitachi-hhta.com">www.hitachi-hhta.com</a> ) .....       | Inside front cover |
| JEOL USA ( <a href="http://www.jeolusa.com">www.jeolusa.com</a> ) .....                                             | Outside back cover |
| M.E. Taylor Engineering ( <a href="http://www.semsupplies.com">www.semsupplies.com</a> ) .....                      | 54                 |
| Oregon Physics ( <a href="http://www.oregon-physics.com">www.oregon-physics.com</a> ) .....                         | 39                 |
| Panasonic i-PRO ( <a href="http://medicalimaging.i-pro.com">medicalimaging.i-pro.com</a> ) .....                    | 25                 |
| Park Systems ( <a href="http://www.parksystems.com">www.parksystems.com</a> ) .....                                 | 35                 |
| Physik Instrumente ( <a href="http://www.pi-usa.us">www.pi-usa.us</a> ) .....                                       | 32                 |
| RMS Journal of Microscopy<br>( <a href="http://www.journalofmicroscopy.org">www.journalofmicroscopy.org</a> ) ..... | 71                 |
| TESCAN ( <a href="http://www.tescan-usa.com">www.tescan-usa.com</a> ) .....                                         | 33                 |
| tousimis ( <a href="http://www.tousimis.com">www.tousimis.com</a> ) .....                                           | 57                 |
| XEI Scientific ( <a href="http://www.evactron.com">www.evactron.com</a> ) .....                                     | 55                 |


Now available for the fields of Diagnostics and Diagnostics Development...

# Aurion Diagnostics Gold Nanoparticles

Gold Sols, 20nm and 40nm

## Clean, clear, reproducible, and reliable results.

Aurion Diagnostics Gold Nanoparticles – Gold Sols – (solutions of high quality unconjugated gold nanoparticles) have a uniform size and highly adsorptive surface. Aurion Diagnostics Gold Sols provide opportunities for users to prepare conjugates with primary antibodies, ligands and other binding agents via adsorption or covalent binding after functionalization. The gold sols are available in the size ranges 20nm and 40nm. 40nm being the diameter used in 90% of the lateral flow immunoassays. The smaller diameter for those colorimetric assays were a higher labeling density, the number of gold nanoparticles per amount of antigen, is more important, e.g., in “on-chip” detection.



20nm and 40nm Gold Nanoparticles

- Ready-to-use for conjugation via adsorption
- Can be functionalized with thiolated molecules
- Available in gold nanoparticle sizes 20nm and 40nm
- Monodisperse particle population with a coefficient of variance <12%
- Supplied at optical density = 1
- Stability is guaranteed for 1 year after production

Aurion Diagnostics Gold Sols are prepared according to a unique protocol, warranting narrow size distribution and reproducible adsorption characteristics. Package sizes: 100 ml or 1000ml of high quality gold sol. For larger volumes please inquire.



AURION

Aurion offers its expertise in gold nanoparticle production, gold nanoparticle conjugation, and the development of immunodetection procedures with special focus on sensitivity and specificity.




**EMS has it...  
please contact us for  
more information.**

**Electron  
Microscopy  
Sciences**

P.O. Box 550 • 1560 Industry Rd.  
Hatfield, PA 19440  
Tel: (215) 412-8400 • Fax: (215) 412-8450  
email: [info@emsdiasum.com](mailto:info@emsdiasum.com)  
or [stacie@ems-secure.com](mailto:stacie@ems-secure.com)

[www.emsdiasum.com](http://www.emsdiasum.com)



# Set the table with JEOL

## Tabletop Microscopy Solutions



NeoScope Benchtop SEM



Ion Beam Milling/  
Cross Section Polisher

Smart Coater

Achieve outstanding Scanning Electron Microscope results and polish pristine SEM samples right from your tabletop. JEOL's NeoScope benchtop SEM stands apart with high resolution imaging and analysis, Live 3D, Zeromag navigation, automated montage, high and low vacuum modes and Live EDS. JEOL's broad ion beam milling systems reliably deliver fast, clean cross sections and surfaces. Choose our 2-in-one high speed milling and coating system or our cryo-CP with air-isolation for sensitive samples.

**Let us help you set your lab table with the right tools.  
Learn more at [go.jeolusa.com/SetTheTableWithJEOL](http://go.jeolusa.com/SetTheTableWithJEOL)**



[www.jeolusa.com](http://www.jeolusa.com) • [salesinfo@jeol.com](mailto:salesinfo@jeol.com)  
978-535-5900

