
Genetical Research


EDITORIAL BOARD

ARTHUR CHOVNICK W. G. HILL BRUCE HOLLOWAY
D. ISH-HOROWICZ ALEC J. JEFFREYS MARY F. LYON
ANNE McCLAREN M. VAN MONTAGU R. NÖTHIGER J. PAUL
W. J. PEACOCK PETER A. PETERSON R. H. PRITCHARD R. RILEY
A. ROBERTSON N. S. WILLETTS ALLAN C. WILSON

EXECUTIVE EDITORS

E. C. R. REEVE
DAVID J. FINNEGAN TRUDY F. C. MACKAY

Volume 51 1988



CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

NEW YORK NEW ROCHELLE MELBOURNE SYDNEY

Published by
The Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1988

Printed in Great Britain by the University Press, Cambridge

Contents

No. 1 (February 1988)

NADOLSKA-LUTYK, JANINA <i>and</i> PASZEWSKI, ANDRZEJ. A new gene controlling sulphite reductase in <i>Aspergillus nidulans</i>	1
SHEWRY, PETER R., PARMAR, SAROS, FRANKLIN, JULIAN <i>and</i> WHITE, RODGER. Mapping and biochemical analysis of <i>Hor 4 (HrdG)</i> , a second locus encoding B hordein seed proteins in barley (<i>Hordeum vulgare</i> L.)	5
KREIS, M., WILLIAMSON, M. S., SHEWRY, P. R., SHARP, P. <i>and</i> GALE, M. Identification of a second locus encoding β -amylase on chromosome 2 of barley	13
JALLON, JEAN-MARC, LAUGE, GINETTE, ORSSAUD, LUC <i>and</i> ANTONY, CLAUDE. Female pheromones in <i>Drosophila melanogaster</i> are controlled by the doublesex locus	17
RUPERT, JIM L., KULISZEWSKI, MACIEK, TSUI, LAP-CHEE, BREITMAN, MARTIN L. <i>and</i> GOLD, REYNOLD J. M. The murine cataractogenic mutation, Cat Fraser, segregates independently of the gamma crystallin genes	23
HILGERS, J., DEIMLING, O. VON, ZUTPHEN, L. F. M. VAN, BERG, R. TEN, ANAND, R. <i>and</i> FESTING, M. F. W. Esterase alleles of inbred mouse strains maintained in The Netherlands	29
HANDA, SUNIL, FERGUSON, JANET M., WALLACE, MARGARET E. <i>and</i> BULFIELD, GRAHAME. Characterization and mapping of a viable anaemic mutant in the mouse: a new allele, <i>mk^{van}</i> , at the <i>microcytic anaemia</i> locus	41
TACHIDA, HIDENORI <i>and</i> COCKERHAM, C. CLARK. Variance components of fitness under stabilizing selection	47
WALSH, J. BRUCE. Unusual behaviour of linkage disequilibrium in two locus gene conversion models	55
SMITH, J. MAYNARD. Selection for recombination in a polygenic model – the mechanism	59
SIMPSON, S. P. <i>and</i> SLEE, J. Short Paper. The inheritance of non-response to noradrenaline in newborn Scottish Blackface lambs	65
KENDALL, KEVIN <i>and</i> CULLUM, JOHN. Short Paper. A vector for studying plasmid stability functions in <i>Streptomyces</i>	71
BOOK REVIEWS	75
BOOKS RECEIVED	83

No. 2 (April 1988)

CYBIS, JAN, NATORFF, RENATA, LEWANDOWSKA, IRMINA, PRAZMO, WIESLAWA <i>and</i> PASZEWSKI, ANDRZEJ. Mutations affecting cysteine synthesis in <i>Aspergillus nidulans</i> : characterization and chromosome mapping	85
RATTRAY, B. <i>and</i> ROSE, A. M. Increased intragenic recombination and non-disjunction in the Rec-1 strain of <i>Caenorhabditis elegans</i>	89
JUSTICE, MONICA J. <i>and</i> BODE, VERNON, C. Three ENU-induced alleles of the murine quaking locus are recessive embryonic lethal mutations	95
MARSHALL GRAVES, JENNIFER, A. <i>and</i> DAWSON, GAREY W. The relationship between position and expression of genes on the kangaroo X chromosome suggests a tissue-specific spread on inactivation from a single control site	103
FOREJT, JIRI, GREGOROVA, SONA <i>and</i> JANSKA, PETR. Three new t-haplotypes of <i>Mus musculus</i> reveal structural similarities to t-haplotypes of <i>Mus domesticus</i>	111

WARD, ROBERT D. <i>and</i> SKIBINSKI, DAVID O. F. Evidence that mitochondrial isozymes are genetically less variable than cytoplasmic isozymes	121
JOHNSON, D. R., O'HIGGINS, P. <i>and</i> MCANDREW, T. J. The effect of replicated selection for body weight in mice on vertebral shape	129
LYNCH, MICHAEL. The rate of polygenic mutation	137
VAN NOORDWIJK, A. J., VAN BALEN, J. H. <i>and</i> SCHARLOO, W. Heritability of body size in a natural population of the Great Tit (<i>Parus major</i>) and its relation to age and environmental conditions during growth	149
ERRATUM	163
BOOK REVIEWS	165
BOOKS RECEIVED	171

No. 3 (June 1988)

GUZMAN, ELENA C., CARRILLO, FRANCISCO J. <i>and</i> JIMENEZ-SANCHEZ, ALFONSO. Differential inhibition of the initiation of DNA replication in stringent and relaxed strains of <i>Escherichia coli</i>	173
KIEU-NGOC, AN <i>and</i> COPPIN-RAYNAL, EVELYNE. Identification of two genes controlling kasugamycin resistance in the filamentous fungus <i>Podospora anserina</i>	179
BLACK, IV, WILLIAM C. <i>and</i> RAI, KARAMJIT S. Genome evolution in mosquitoes: intraspecific and interspecific variation in repetitive DNA amounts and organization	185
SZIDONYA, JÁNOS <i>and</i> REUTER, GUNTER. Cytogenetic analysis of the <i>echinoid (ed)</i> , <i>dumpy (dp)</i> and <i>clot (cl)</i> region in <i>Drosophila melanogaster</i>	197
ENGLAND, P. R., STOKES, H. W. <i>and</i> FRANKHAM, R. Clustering of rDNA containing type 1 insertion sequence in the distal nucleolus organiser of <i>Drosophila melanogaster</i> : implications for the evolution of X and Y rDNA arrays	209
TSUNO, KENDO. Contribution of recombinants produced by female flies heterozygous for <i>Est-α</i> alleles to genic variation of <i>Drosophila virilis</i>	217
EBINUMA, HIROYASU, KOBAYASHI, MASAHIKO, KOBAYASHI, JUN, SHIMADA, TORU <i>and</i> YOSHITAKE, NARUMI. The detection of mosaics and polyploids in a hereditary mosaic strain of the silk moth, <i>Bombyx mori</i> , using egg colour mutants	223
TORKAMANZEHI, A., MORAN, C. <i>and</i> NICHOLAS, F. W. P-element-induced mutation and quantitative variation in <i>Drosophila melanogaster</i> : lack of enhanced response to selection in lines derived from dysgenic crosses	231
EPPLEN, JÖRG T., STRUDER, ROLAND <i>and</i> MCLAREN, ANNE. Heterogeneity in the <i>Sxr (sex-reversal)</i> locus of the mouse as revealed by synthetic GA _C ^T A probes	239
BOOK REVIEWS	247
BOOKS RECEIVED	253
INDEX	255

NOTES TO CONTRIBUTORS

GENETICAL RESEARCH publishes original work on all aspects of genetics, or in any field of research which has an important bearing on genetics. Reviews of topical interest will also be considered. Papers will be submitted to referees, and will generally be printed in order of acceptance. Short papers (see below) will be given priority in publication.

CONTRIBUTIONS are welcomed from scientists of all nationalities, but must be written in English. Papers should be sent to one of the Executive Editors (see addresses inside front cover), or to a member of the Editorial Board with a particular interest in that area of genetics. Submission of a paper will be taken to imply that it is unpublished and is not being considered for publication elsewhere. Papers should be as concise as clarity permits, and illustrations should be restricted to the *minimum needed*.

SHORT PAPERS This category is designed for concisely written reports of work for which rapid publication is considered desirable. Such papers will normally be published within three months of receipt in acceptable form. They should not exceed 4 pages of print in length, and should include a summary.

TYPESCRIPTS A top copy and two other copies should be submitted. The top copy should be typed with double-spacing on one side of good quality paper, leaving margins of about 1½ inches at the left-hand side and at the top and bottom of each sheet. Each copy should include a complete set of illustrations. The title should ordinarily identify the organism. The address of the laboratory at which the work was carried out will be printed with the authors' names at the head of the paper, and changes of address may be added in footnotes. A footnote to the title page should also give the name and address to whom reprint requests may be made. Sources of financial support should be included with other acknowledgements at the end of the text. The title page of the typescript should include a short title for running headlines (limited to 50 letters and spaces), and the name and address of the author (or his proxy) to whom the proofs are to be sent, under the heading: *Proofs to be sent to...* Main headings should be typed in capitals and (except summary and references) numbered consecutively. Subheadings should be typed in lower case, and underlined except for those words and symbols which would be italicized in the text. Subheadings should be numbered (i), (ii), etc., within each main heading. **Numeral 1 and letter e! : if your typewriter uses one symbol for both, please make clear to the Printer which is intended in formulae, gene symbols, etc.**

SUMMARY The summary will be printed at the beginning of the paper. It should give a concise abstract of the significant content and conclusions of the paper, in a form suitable for abstracting journals to use, and should not exceed 250 words.

ILLUSTRATIONS The separate category of Plates no longer applies in the new format. All illustrations, including photographs, diagrams, graphs etc. are to be labelled consecutively Figure 1, 2... according to their relative positions in the text. Each figure should have a legend to be printed underneath it. Photographs should be supplied as unmounted glossy prints, with a sketch or separate set to show the arrangement required when several photographs are to form one figure. The names of the authors and the

orientation of the figure should be indicated on the back of each photograph. *Diagrams* should be about twice the size of the printed figure, but not larger than 12×8 inches, unless exceptionally complicated, and the thickness of lines and size of points should be determined accordingly. They may be submitted as glossy photographic prints or be drawn in indian ink on white Bristol-board, tracing linen or graph paper ruled in pale blue (but not other colours). The lettering on drawings should be lightly inserted *in soft pencil only*, so that the printer can put in the finished lettering. Legends to illustrations must be given on a separate sheet of paper. Each illustration must have the name of the author and figure number pencilled on the back.

TABLES Each table should be typed on a separate sheet of paper and its approximate position in the text indicated on the typescript. Each should be numbered and carry an appropriate title. The table should be designed, whenever possible, to be printed in the normal orientation of the text. The data should be grouped so as to make the use of rules unnecessary. Vertical rules, in particular, are expensive to print, and will only be included at the Editor's discretion. Table footnotes should ordinarily employ the symbols *, †, ‡, §, ||, ¶, **, etc., in that order.

SYMBOLS Gene and mathematical symbols should generally be printed in italics. Please underline those to be italicized when they appear in the text and tables. Bold letters add to printing costs and should only be used where they are necessary to avoid confusion. The author must assume responsibility for the accurate printing of complex mathematical formulae submitted in typewritten form, by differentiating between letters and numbers which are open to misinterpretation, and identifying all Greek, Hebrew and script letters by means of marginal notes at their first appearance. Note that Greek symbols cannot be italicized and that '+' as the symbol for a wild-type allele should not be italicized.

NOMENCLATURE Wherever possible, standardized nomenclature should be employed. The author should refer to the following publications for guidance: Novick *et al.* (*Bacteriological Reviews* 40, 168–189) for plasmids; O'Brien (Ed.), *Genetic Maps 4*, Cold Spring Harbor 1987, for recent information on most species and recent gene lists.

REFERENCES should follow the normal usage in the journal. In the list of references at the end of the paper, *both titles of articles and names of periodicals* should be written out in full.

PROOFS Two sets of single-sided page proofs, together with the typescript of each paper will be sent to the author. The printers' marked proof should be returned after correction to the Executive Editor, together with the typescript. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958.

OFFPRINTS Fifty offprints of each paper, or short paper, are provided free of charge. Additional offprints may be ordered in the form sent out with proofs, provided this is returned within fourteen days of receipt.

Genetical Research

Contents

- GUZMAN, ELENA C., CARRILLO, FRANCISCO J. and JIMENEZ-SANCHEZ, ALFONSO. Differential inhibition of the initiation of DNA replication in stringent and relaxed strains of *Escherichia coli*
- 179 KIEU-NGOC, AN and COPPIN-RAYNAL, EVELYNE. Identification of two genes controlling kasugamycin resistance in the filamentous fungus *Podospira anserina*
- 185 BLACK, IV., WILLIAM C. and RAI, KARAMJIT S. Genome evolution in mosquitoes: intraspecific and interspecific variation in repetitive DNA amounts and organization
- 197 SZIDONYA, JÁNOS and REUTER, GUNTER. Cytogenetic analysis of the *echinoid* (*ed*), *dumpy* (*dp*) and *clot* (*cl*) region in *Drosophila melanogaster*
- 209 ENGLAND, P. R., STOKES, H. W. and FRANKHAM, R. Clustering of rDNA containing type 1 insertion sequence in the distal nucleolus organiser of *Drosophila melanogaster*: implications for the evolution of X and Y rDNA arrays
- 217 TSUNO, KENDO. Contribution of recombinants produced by female flies heterozygous for *Est-α* alleles to genic variation of *Drosophila virilis*
- 223 EBINUMA, HIROYASU, KOBAYASHI, MASAHIKO, KOBAYASHI, JUN, SHIMADA, TORU and YOSHITAKE, NARUMI. The detection of mosaics and polyploids in a hereditary mosaic strain of the silk moth, *Bombyx mori*, using egg colour mutants
- 231 TORKAMANZEHI, A., MORAN, C. and NICHOLAS, F. W. P-element-induced mutation and quantitative variation in *Drosophila melanogaster*: lack of enhanced response to selection in lines derived from dysgenic crosses
- 239 EPPLER, JÖRG T., STUDER, ROLAND and MCLAREN, ANNE. Heterogeneity in the *Sxr* (*sex-reversal*) locus of the mouse as revealed by synthetic GA_CA probes
- 247 BOOK REVIEWS
- 253 BOOKS RECEIVED
- 255 INDEX

© Cambridge University Press 1988

Cambridge University Press

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge