

able discovery, and who, with preserved hearing, was able to listen to the address delivered by Sir Felix Semon.¹ But this is a digression.

We have noticed how the tonsil of Luschka had been anatomically described by Schneider in 1655. Long before then Hippocrates just missed recognising adenoids clinically, for he had noted that individuals who "had a hard palate like the inside of a horse's saddle, with badly placed teeth and frequent headaches, were very subject to running of the ears." The disease was again just missed in the Middle Ages. For instance, Aubigné described Francis II (1559) as "un de ceux qu'on appelle mal-nez, ne se purgeant ni par le nez, ni par la bouche, la quelle il portait ouverte pour prendre son vent, dont se forme un abcez à l'oreille et puis ses coliques fréquentes, marques mortelles a tel âge, ne promittaient de lui aucune dureez aux plus advisez." Many a generation of "mal-nez" had still to put up with ineffectual "purging by the nose and by the mouth" until that peasant woman entered Wilhelm Meyer's study in 1867. Henry II of France died of meningitis, secondary to an old ear affection, and from his appearance, doubtless secondary to adenoid vegetations.

But this is again a digression into which I have been led by the excellent writing of Dr. Vitto-Massei. It leaves me little space to refer to his interesting study of the geographical distribution, the frequency and causes of ear troubles in adenoid subjects, the pathology, symptoms and treatment, nor to the results of operation, the question of adenoids and deaf-mutes, or to ear troubles produced by these growths in school-children, soldiers and workmen.

For all this and for the value of his own personal researches I must refer the reader to the book itself. It only deals with the ear complications of adenoids, but in this it is so thorough, so interesting, and, as they say in France, so *bien documenté*, that no work touching the subject of adenoids would be complete without a reference to it.

StClair Thomson.

NOTES AND QUERIES.

The Annual Meeting of the French Oto-rhino-laryngological Congress will be held in Paris from May 11 to May 31 next. The set discussions are "The Indications and Technique of Laryngectomy," and "The After-Dressing of Mastoid Operations."

Secretary: Dr. Depierreis, 10, Rue Soufflot, Paris.

The Congress of German Laryngologists will be held at Kiel on May 29 and 30 next.

Secretary: Prof. Kahler, Karlstrasse 54, Freiburg.

Dr. W. Permewan, Surgeon in Charge of the Throat and Ear Department of the Royal Southern Hospital, Liverpool, has been appointed Lecturer on Laryngology in the University of Liverpool.

His numerous friends, both at home and abroad, will be interested to hear that Dr. Dundas Grant has recently undergone an operation for appendicitis. We are glad to be able to intimate that he is making very satisfactory progress towards recovery.

¹ An excellent plate of Wilhem Meyer and a photograph of his monument are to be found in the *JOURNAL OF LARYNGOL., RHINOL., AND OTOL.*, for December, 1898.

HOSPITAL FOR DISEASES OF THE THROAT, GOLDEN SQUARE, LONDON, W.

HONORARY MEDICAL STAFF.

Consulting Surgeons { Mr. MARK HOVELL.
Dr. LAMBERT LACK.

SURGEONS.	OUT-PATIENTS.	OPERATIONS.
DR. J. W. BOND	Wednesday, 2.0 P.M. ...	Friday, 10.15 A.M.
MR. CHARLES PARKER	{ Tuesday, 2.0 P.M. ...	} Wednesday, 10.0 A.M.
	{ Friday, 2.0 P.M. ...	
DR. FITZGERALD POWELL	Monday, 2.0 P.M. ...	Thursday, 10.0 A.M.
MR. FRANK ROSE	Thursday, 2.0 P.M. ...	Friday, 2.0 P.M.
MR. JEFFERSON FAULDER	{ Tuesday, 6.30 P.M. ...	} Tuesday, 9.30 A.M.
	{ Saturday, 2.0 P.M. ...	
MR. GEORGE BADGEROW	{ Monday, 9.0 A.M. ...	} Saturday, 9.0 A.M.
	{ Friday, 6.30 P.M. ...	
<i>ASSISTANT SURGEONS.</i>		<i>ATTENDANCES.</i>
MR. NORMAN PATTERSON	Monday, 9.0 A.M.,	Tuesday, 2.0 P.M., Friday, 2.0 P.M.
MR. CHARLES HOPE ...	Tuesday, 6.30 P.M.,	Wednesday, 2.0 P.M., Saturday, 2.0 P.M.
MR. LIONEL COLLEDGE ...	Monday, 2.0 P.M.,	Thursday, 2.0 P.M., Friday, 6.30 P.M.
<i>DENTAL SURGEON.</i>		
DR. J. W. PARE	Thursday, 9.30 A.M.	

CLINICAL INSTRUCTION.

A Clinical Demonstration on the Diagnosis and Treatment of Selected Cases (Larynx, Nose, Ear) will be given each Monday at 5.30 p.m.

A Course in Surgical Anatomy and Physiology will be given each Thursday at 5.30 p.m. These Courses are free to Students of the Hospital. Others a fee of 2 guineas for each Course.

Practical Instruction in the Diagnosis and Treatment is given **daily** in the Out-patient Department from 2 to 5 p.m., on Tuesdays and Fridays from 6.30 p.m. to 9 p.m., and Mondays at 9.30 a.m.

Major Operations are performed at 10 a.m. on Tuesday, Wednesday, Thursday, Friday, and Saturday, and Fridays at 2 p.m.

Minor Operations daily (Mondays excepted) at 9.30 a.m.

Operative Surgery Classes can be formed at any time on application.

Practice in Direct **Laryngoscopy, Tracheoscopy, Bronchoscopy,** and **Œsophagoscopy** will be given to Students, to enable them to become familiar with the use and manipulation of the instruments.

Practitioners and Medical Students are admitted to the Practice of the Hospital at a fee of five guineas for three months, eight guineas for six months, or ten guineas for a Perpetual Studentship. Each course may commence at any date. Special terms to men in actual practice who can only attend the hospital once or twice a week.

The Hospital contains 48 beds for In-patients. There is also an Out-patient attendance of nearly 50,000 yearly.

Gentlemen may enter to the practice of **The Throat Hospital** at any time, and on certain conditions eligible for appointment as **Clinical Assistants**, whose duty it is to Assist the Member of the Staff to whom they are appointed.

GEORGE W. BADGEROW, F.R.C.S., *Hon. Med. Sec.*

CENTRAL LONDON THROAT AND EAR HOSPITAL

GRAY'S INN ROAD (Near King's Cross Stations).

The work carried on at this Hospital comprises:

1. *The Daily Out-Patient Clinic.*

The Medical Officers attend as follows:

Surgeons.	Out-Patient Clinic.	In-Patient Operations.
Dr. JAKINS	Monday, at 2 p.m.	Tuesday, at 2.15 p.m.
Mr. CHICHELE NOURSE	Wednesday, at 2 p.m.	Friday, at 2.15 p.m.
Dr. ABERCROMBIE	Thursday, at 2 p.m.	Wednesday, at 2.15 p.m.
Mr. STUART-LOW	Saturday, at 2 p.m.	Monday, at 2.15 p.m.
Dr. ANDREW WYLIE	Tuesday, at 2 p.m.	Thursday, at 2.15 p.m.
Dr. ATKINSON	Friday, at 5 p.m.	Tuesday, at 4 p.m.
Dr. DAN MCKENZIE	Wednesday, at 2 p.m.	Thursday, at 4 p.m.
Assistant Surgeon.		
Mr. HAROLD KISCH	Wednesday, at 2 p.m.	

2. *The Minor Operations.*

These are performed at 9 a.m. on Monday, Tuesday, Wednesday, Thursday, Friday.

3. *The In-Patient Department.* *Major Operations.*

These take place at 2 o'clock on Monday, Tuesday, Wednesday, Thursday, Friday.
The list of operations is to be seen on the notice board in the Out-patient Consulting Room.

4. *Lectures and Demonstrations.*

Courses of Practical Instruction are given throughout the year by Members of the Staff, on Tuesdays and Fridays, at 2.30 p.m. punctually.

The Courses consist of two classes twice a week devoted to Anatomy, Pathology, Diagnosis and Treatment of the special diseases dealt with at the Hospital. They may be joined at any time.

A *Surgical Anatomy and Operative Surgery Class* is held when desired. The teaching is practical and demonstrative, and is illustrated by diagrams, models, specimens and instruments.

5. *The Pathological Laboratory*

Is at all times available to students. Dr. Wyatt Wingrave, Pathologist to the Hospital, is in attendance daily at 3 p.m.

Clinical Assistants

Are appointed from among those gentlemen who have enrolled themselves for attendance on the practice of the hospital.

Further particulars may be had on application to the Dean.

Fees.

Course of Practical Instruction	1 guinea.
" " " with attendance at Clinics	2 guineas.
Operative Surgery Class	5 "
For attendance on the practice of the Hospital (Clinical Assistants)—	
Three months	5 guineas.
Six "	8 "
Perpetual ticket	10 "

Clinical Assistants are admitted to the Practical Course Free.

WYATT WINGRAVE, M.D.,
Dean.

RICHARD KERSHAW,
Secretary Superintendent.


MAYER & MELTZER,

Surgical Instrument Makers.

1863 — ESTABLISHED 50 YEARS — 1913

Instrument to Facilitate Per-Oral Bronchoscopy.

Devised by WILLIAM HILL, M.D., and shown at the May Meeting of the Laryngological Section of the Royal Society of Medicine.



The lateral slot not only permits of binocular vision and easy instrumentation when operating on the larynx, but it also facilitates the rapid passage of a tracheoscope or bronchoscope in cases where (1) there is dyspnoea from spasm, etc., during operations on the larynx, more especially in children; (2) for *per-oral* tracheobronchoscopic explorations where there is difficulty or delay in finding the contracted laryngeal vestibule, more especially when working with a narrow bronchoscope alone in children; (3) to relieve at once, without resorting to tracheotomy, the temporary spasmodic dyspnoea which sometimes supervenes on administering an anæsthetic in cases of laryngeal and tracheal obstruction.


Full particulars of Dr. William Hill's Œsophagoscopic Instrument and of the Gastroscope will be found in

Our New :: **Laryngology—Rhynology—Otology**
Catalogue of

containing upwards of 1700 illustrations, just published. If you have not received a copy it is due to an oversight, which will be promptly remedied on receipt of a postcard.

MAYER & MELTZER, 71, GREAT PORTLAND ST., LONDON.

Branches: MELBOURNE; CAPETOWN; JOHANNESBURG.



DAN McKENZIE'S

Improved DIRECT ACTION NIBBLING FORCEPS,

With improved joint, which obviates all "kick" when closing the forceps.
 — Absolutely steady in use. ("Emandem" Registered Design.) —

A. Straight pattern	£1 17 6
B. Rectangular for anterior commissure	2 0 0

Improved Aseptic Guillotine.

"Registered."

Designed by HUGH JONES, M.R.C.S., L.R.C.P.

Advantages.

1. The instrument consists of three parts only—

A. The bed or lower plate to which the handle and turn button are fixed and of which they form part.

B. The blade.

C. The spring upper sheath.


There are no screws or other small fittings which are liable to be lost.

2. The handle is a fixture and cannot turn or become loose at a critical moment.

3. The upper sheath being removable, all parts of the instrument are accessible for cleaning.

4. The spring sheath exerts pressure on the blade at just the right point to ensure its accurately fitting the bed plate and so cutting efficiently.

5. The shape of the handle and the angle at which it is set, combined with the diminished length of the instrument, give greatly increased leverage, making it possible to entirely enucleate a tonsil if the proper size guillotine is selected.



Made in 3 sizes, each 25/-.

MAYER & MELTZER, 71, GT. PORTLAND STREET, LONDON.

Branches: MELBOURNE; CAPETOWN; JOHANNESBURG.