

# The Journal of Laryngology and Otology

EDITED BY  
G. H. BATEMAN

ASSISTANT EDITOR  
LIONEL TAYLOR

## Contents

CERVICAL LYMPHOGRAPHY IN CASES OF LARYNGO-PHARYNGEAL CARCINOMA . . . . .	U. P. FISCH
ON THE COMPLICATIONS OF SPHENOIDITIS . . . . .	H. ZALIN
BLOOD LOSS IN EAR, NOSE AND THROAT OPERATIONS	A. S. SHALOM
DIFFUSE KERATOSIS OF THE LARYNX WITH MULTI-CENTRIC MALIGNANT CHANGE AND METASTATIC NEUROPATHY . . . . .	H. J. SHAW and I. FRIEDMANN
ADVANCED CARCINOMA OF THE LARYNX. TREATMENT BY SURGERY SUPPLEMENTED BY POST-OPERATIVE RADIATION . . . . .	TOM O. HOWIE
VASCULAR HAZARDS IN TRACHEOSTOMY . . . . .	J. F. JARVIS
WAX KERATOSIS—A COMPLICATION OF CHRONIC SINUSITIS? . . . . .	J. I. MUNRO BLACK
CLINICAL RECORDS— A CASE OF RHINO-SCLEROMA . . . . .	T. McM. BOYLE
EXTENSIVE METASTATIC CARCINOMA OF THE TONGUE TREATED WITH CYCLOPHOSPHAMIDE . . . . .	W. N. TUCKER
SOCIETIES' PROCEEDINGS— ROYAL SOCIETY OF MEDICINE—SECTION OF LARYNGOLOGY GENERAL NOTES	

London  
Headley Brothers  
109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free



# The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

## *United States of America*

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1964

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# CONTENTS

	PAGE
CERVICAL LYMPHOGRAPHY IN CASES OF LARYNGO-PHARYNGEAL CARCINOMA. U. P. Fisch (Zurich) . . . . .	715
ON THE COMPLICATIONS OF SPHENOIDITIS. H. Zalin (Liverpool) . . . . .	727
BLOOD LOSS IN EAR, NOSE AND THROAT OPERATIONS. A. S. Shalom (London) . . . . .	734
DIFFUSE KERATOSIS OF THE LARYNX WITH MULTICENTRIC MALIGNANT CHANGE AND METASTATIC NEUROPATHY. H. J. Shaw and I. Friedmann (London) . . . . .	757
ADVANCED CARCINOMA OF THE LARYNX. TREATMENT BY SURGERY SUPPLEMENTED BY POST-OPERATIVE RADIATION. Tom O. Howie (Glasgow) . . . . .	766
VASCULAR HAZARDS IN TRACHEOSTOMY. J. F. Jarvis (Cape Town) . . . . .	781
WAX KERATOSIS—A COMPLICATION OF CHRONIC SINUSITIS? J. I. Munro Black (Newcastle upon Tyne) . . . . .	785
CLINICAL RECORDS—	
A CASE OF RHINO-SCLEROMA. T. McM. Boyle (Leeds) . . . . .	789
EXTENSIVE METASTATIC CARCINOMA OF THE TONGUE TREATED WITH CYCLOPHOSPHAMIDE. W. N. Tucker (London) . . . . .	795
SOCIETIES' PROCEEDINGS—	
ROYAL SOCIETY OF MEDICINE—SECTION OF LARYNGOLOGY . . . . .	799
GENERAL NOTES . . . . .	802

## THE LARYNGOSCOPE

A Monthly Journal  
devoted to the disease of  
EAR, NOSE AND THROAT

*Official organ for the American Laryngological  
Rhinological and Otological Society*

Price \$16.00 per year      Canada \$16.50 per year  
Foreign \$17.00 per year

MAX A. GOLDSTEIN, M.D.  
FOUNDER

THEODORE E. WALSH, M.D.  
EDITOR

517 SOUTH EUCLID AVENUE  
SAINT LOUIS 10, MO. 63110.

When  
the patient  
needs a  
hearing aid—  
**whom do  
you recommend?**

**INGRAMS, of course,**  
the firm with the different makes  
to choose from.

**INGRAMS, 2 Shepherd Street, London, W.1**

---

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

# ORBENIN<sup>Regd.</sup>

SODIUM CLOXACILLIN

## ORAL PENICILLIN ACTIVE AGAINST THE 'HOSPITAL STAPHYLOCOCCUS'

Orbenin is highly bactericidal to both resistant and sensitive staphylococci, and also to other Gram positive organisms such as streptococci and pneumococci.

Dosage: 500mg. orally (capsules or syrup) 6-hourly.  
Orbenin may also be given by Intramuscular injection.

Orbenin is a product of British research at  
**BEECHAM RESEARCH LABORATORIES**



Please mention *The Journal of Laryngology and Otology* when replying to advertisements



**5 drops**

remove  
ear wax  
easily  
rapidly  
safely

**CERUMOL<sup>®</sup>**

Active ingredients per 100 ml.  
P-dichlorobenzene B.P.C. 2 G  
Benzocaine B.P. 2.7 G.,  
Chlorbutol B.P. 5 G.,  
Ol. Terebinth 10 ml.

In convenient dropper vial for surgery  
use. Also in 2 oz. Hospital pack.

**LABORATORIES FOR APPLIED BIOLOGY LTD**  
91 Amhurst Park London N 16  
Tel: STAmford Hill 2252

Please mention *The Journal of Laryngology and Otolaryngology* when replying to advertisements

**ONLY AMPLIVOX**  
 provides a  
complete audiometric service!



**Transistor Audiometers**


for the school screening service, ward use, etc.

**Speech Audiometry Equipment**

via records and tape, including new attachment for use with tape recorders.



**Industrial Audiometry  
 Speech Training Equipment  
 Loop Amplifiers, etc., etc.**




**Clinical Audiometers**

with narrow band masking for the highest accuracy and extended resolution.

**Audiometer Booths**

for ideal testing conditions in Hospitals, Clinics, Factories. Standard and special sizes available.



**PLUS** An efficient and speedy **calibration service**


*Please write for technical literature covering your needs*

**AMPLIVOX LTD**

Medical Acoustic Division

80 New Bond Street London, W1 Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



# 'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

**'OTOSPORIN'** BRAND **Drops** ISSUED IN BOTTLES OF 5 ml.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON

Please mention *The Journal of Laryngology and Otology* when replying to advertisements