

CAMBRIDGE

JOURNALS

# Behavioural and Cognitive Psychotherapy

Published for the British Association for Behavioural and Cognitive Psychotherapies (BABCP)

## Editor

Paul M Salkovskis, University of Bath, UK


*Behavioural and Cognitive Psychotherapy* is an international multi-disciplinary journal aimed primarily at members of the helping and teaching professions. The journal features original research papers, covering both experimental and clinical work, that contribute to the theory, practice and evolution of cognitive and behaviour therapy. Under the guidance of an international editorial team, *Behavioural and Cognitive Psychotherapy* aims to reflect and influence the continuing changes in the concepts, methodology and techniques of behavioural and cognitive psychotherapy. A particular feature of the journal is its broad-ranging scope - both in terms of topics and types of study covered.

## Price information

is available at: <http://journals.cambridge.org/bcp>

## Free email alerts

Keep up-to-date with new material – sign up at  
<http://journals.cambridge.org/alerts>



## Behavioural and Cognitive Psychotherapy

is available online at:  
<http://journals.cambridge.org/bcp>

## To subscribe contact Customer Services

### in Cambridge:

Phone +44 (0)1223 326070  
Fax +44 (0)1223 325150  
Email [journals@cambridge.org](mailto:journals@cambridge.org)

### in New York:

Phone +1 (845) 353 7500  
Fax +1 (845) 353 4141  
Email  
[subscriptions\\_newyork@cambridge.org](mailto:subscriptions_newyork@cambridge.org)

For free online content visit:  
<http://journals.cambridge.org/bcp>



CAMBRIDGE  
UNIVERSITY PRESS

## INSTRUCTIONS FOR CONTRIBUTORS

### SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

**Declaration of Interest:** A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

**REFERENCES** (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

**Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC** (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

**Cleckley HJ** (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

**Brewer WJ, Wood SJ, DeLuca C, Pantelis C** (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

*doi (when published online prior to printed issue)*

**Lauritsen MB, Pedersen CB, Mortensen CB** (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

*URL*

**World Bank** (2003). Quantitative techniques for health equity analysis – Technical Notes ([http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq\\_tn07.pdf](http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf)). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

**FIGURES AND TABLES** Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. **Tables** Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

**PROOFS AND OFFPRINTS** Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

# PSYCHOLOGICAL MEDICINE

## CONTENTS

### REVIEW ARTICLE

- The aetiology of post-traumatic stress following childbirth: a meta-analysis and theoretical framework**  
Ayers S, Bond R, Bertullies S & Wijma K 1121

### ORIGINAL ARTICLES

- Combined effect of genetic variants in the GluN2B coding gene (*GRIN2B*) on prefrontal function during working memory performance**  
Pergola G, Di Carlo P, Andriola I, Gelao B, Torretta S, Attrotto MT, Fazio L, Raio A, Albergò D, Masellis R, Rampino A, Blasi G & Bertolino A 1135
- Rates and predictors of remission, recurrence and conversion to bipolar disorder after the first lifetime episode of depression – a prospective 5-year follow-up study**  
Bukh JD, Andersen PK & Kessing LV 1151
- Maternal bereavement and the risk of preterm delivery: the importance of gestational age and of the precursor of preterm birth**  
László KD, Li J, Olsen J, Vestergaard M, Obel C & Cnattingius S 1163
- The outcome of short- and long-term psychotherapy 10 years after start of treatment**  
Knekt P, Virtala E, Härkänen T, Vaarama M, Lehtonen J & Lindfors O 1175
- Three decades of eating disorders in Dutch primary care: decreasing incidence of bulimia nervosa but not of anorexia nervosa**  
Smink FRE, van Hoeken D, Donker GA, Susser ES, Oldehinkel AJ & Hoek HW 1189
- The effects of acute fluoxetine administration on temporal discounting in youth with ADHD**  
Carlisi CO, Chantiluke K, Norman L, Christakou A, Barrett N, Giampietro V, Brammer M, Simmons A & Rubia K 1197
- Failed cooperative, but not competitive, interaction between large-scale brain networks impairs working memory in schizophrenia**  
Pu W, Luo Q, Palaniyappan L, Xue Z, Yao S, Feng J & Liu Z 1211
- Different neural substrates for executive functions in youths with ADHD: a diffusion spectrum imaging tractography study**  
Chiang H-L, Chen Y-J, Shang C-Y, Tseng W-YI & Gau SS-F 1225

### Antidepressants and heart-rate variability in older adults: a population-based study

- Noordam R, van den Berg ME, Niemeijer MN, Aarts N, Hofman A, Tiemeier H, Kors JA, Stricker BH, Eijgelsheim M, Visser LE & Rijnbeek PR 1239

### Appraisals of psychotic experiences: an experimental investigation of symptomatic, remitted and non-need-for-care individuals

- Underwood R, Kumari V & Peters E 1249

### Taxometric evidence of a dimensional latent structure for depression in an epidemiological sample of children and adolescents

- Liu RT 1265

### Specific cognitive–neurophysiological processes predict impulsivity in the childhood attention-deficit/hyperactivity disorder combined subtype

- Bluschke A, Roessner V & Beste C 1277

### Neural correlates of social exchanges during the Prisoner's Dilemma game in depression

- Gradin VB, Pérez A, Macfarlane JA, Cavin I, Waiter G, Tone EB, Dritschel B, Maiche A & Steele JD 1289

### Cross-generational transmission from drug abuse in parents to attention-deficit/hyperactivity disorder in children

- Kendler KS, Ohlsson H, Sundquist K & Sundquist J 1301

### Bullying victimization in adolescence and psychotic symptomatology in adulthood: evidence from a 35-year study

- Boden JM, van Stockum S, Horwood LJ & Fergusson DM 1311

### Does depression diagnosis and antidepressant prescribing vary by location? Analysis of ethnic density associations using a large primary-care dataset

- Schofield P, Das-Munshi J, Mathur R, Congdon P & Hull S 1321

### A prospective examination of Axis I psychiatric disorders in the first 5 years following moderate to severe traumatic brain injury

- Alway Y, Gould KR, Johnston L, McKenzie D & Ponsford J 1331

### Book Review

1343