

The Journal of Laryngology and Otology

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

WITH THE COLLABORATION OF
V. E. NEGUS R. G. MACBETH

Contents

TUMOURS OF THE PERIPHERAL NERVES OF THE NECK (NEUROFIBROMA)	N. ASHERSON ✓
TREATMENT OF PHARYNGEAL DIVERTICULA	M. SPENCER HARRISON ✓
A REPORT ON 35 CASES OF MALIGNANT TUMOURS OF NASOPHARYNX	DAVIS STEVENS ✓
THE CLINICAL TESTING OF VERTIGO	JOSEPH A. SULLIVAN, ✓ WALTER JOHNSON and J. K. B. SMITH
CLINICAL RECORDS—	
CONTRIBUTION TO THE ETIOLOGY OF LARYNGEAL PAPILLOMA IN CHILDREN	ELCHANAN FR. HAJEK ✓
AN INTRA-MURAL OESOPHAGEAL FOREIGN BODY	G. H. BATEMAN and ✓ M. O. CARRUTHERS
GENERAL NOTES	

London

Headley Brothers Ltd

109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

WITH THE COLLABORATION OF
V. E. NEGUS R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £5 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.


9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to STECHERT-HAVNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD. 109 KINGSWAY LONDON, WC2, England.

Please mention *The Journal of Laryngology* when replying to advertisements



CUT COLDS SHORT

Just because little can be done to prevent the common cold, there is no reason why the secondary infections that so frequently follow it should be allowed full liberty to prolong the ill effects. If given at the first sign of a cold 'Sulfex' intranasal therapy controls these secondary invaders, curtailing the course of the illness, and lessening the risk of more serious sequelae.

'SULFEX'

**Vasoconstriction in minutes . . .
 . . . bacteriostasis for hours**

Issued in 1-oz. and 8-oz. bottles

For cost to N.H.S., see latest M. & J. list sent out February, 1956



SMITH KLINE & FRENCH INTERNATIONAL CO.


represented by **Menley & James, Ltd.**, Coldharbour Lane, London, S.E.5 Tel: BR1xton 7851

SKF103*

'Sulfex' is a registered trade mark. Samples available on request

Please mention *The Journal of Laryngology* when replying to advertisements

5 of the reasons why . . .



. . . you should choose
your hearing aid
from **S. C. INGRAM**

- ★ You can try the different makes of Hearing Aids
- ★ You get impartial advice on all makes of Hearing Aids
- ★ Your personal needs are given individual and continued attention
- ★ You have our personal guarantee of satisfaction as well as the manufacturers' warranty
- ★ You can compare at one consultation the different makes one with another

MAKE AN APPOINTMENT NOW

There is no obligation, no consultation fee. If you cannot come to us, we will be pleased to call on you. Evening appointments up to 9 p.m.

write or telephone the INDEPENDENT Hearing Aid Consultants:

S. C. INGRAM & Co., 2 Shepherd St., Shepherd Market, London, W.1

HYDE PARK 3316

Please mention *The Journal of Laryngology* when replying to advertisements



PETERS AUDIOMETERS

The SPD/2 Clinic Audiometer (illustrated) and the simpler SPD/3 Consulting Audiometer combine the advantages of both continuous and fixed frequency instruments. They each provide a continuous frequency range with continuous threshold compensation so that all hearing loss readings for air and bone conduction at any desired frequency are taken from the same zero reference level. In addition the continuous variability of the attenuator, makes it completely silent.

The Clinic Audiometer incorporates facilities for performing almost all known audiometric tests while the Consulting Audiometer fulfils normal clinical requirements.


Speech audiometric accessories and a Peepshow for the testing of young children are available for both instruments. Please write for a descriptive brochure.

London Representatives:—Acousticon, 122 Wigmore St., W.1.

Representatives in almost all countries

ALFRED PETERS & SONS LTD

89 ARUNDEL ST.,



SHEFFIELD 1.

Please mention *The Journal of Laryngology* when replying to advertisements


PLAIN TALK

about hearing aids

NUMBER FIVE

how to make sure of a square deal

If you've never had a hearing aid before, and you think you need one, consult your doctor. That's the first, and essential, step. If he decides an aid would help you, he may well recommend you to go to a firm on the National Institute for the Deaf List. What is this list? It's a list of firms who have signed the N.I.D. Agreement. Signatories must allow you a clear seven days trial of the selected aid in your own home, without any obligation to buy. They must not send their representatives round to visit you uninvited. They must not practise, or claim to practise, any treatment for deafness other than by the supply of aids. These provisions and others in the Agreement are *your guarantee of a square deal*. We have signed the Agreement, and so have a lot of other firms. If you want to know more about it, we will be glad to send you, free, the N.I.D. Booklet on the subject.



multitone
HEARING AIDS

MULTITONE ELECTRIC COMPANY LIMITED
25 Dover Street, London, W.1. Tel: Hyde Park 9977
Signatories to the National Institute for the Deaf Agreement
Branches at: BIRMINGHAM, BRIGHTON, CARDIFF, DUBLIN,
EDINBURGH, GLASGOW, HULL, TORQUAY.
AGENTS THROUGHOUT GREAT BRITAIN AND OVERSEAS.

CRC 5

Please mention *The Journal of Laryngology* when replying to advertisements

HEARING AID ADVERTISING

On the facing page we reproduce one of a series of "Plain Talks about Transistor Hearing Aids". This advertisement has already appeared in some of the leading National and Provincial newspapers in the United Kingdom. This and subsequent advertisements have been designed to help the public in the choice and use of a hearing aid. We have always been opposed to the sensational type of hearing aid advertising and we hope the quiet sincerity of these advertisements will be both effective and helpful.

We have the largest range of transistor aids available. These are widely distributed throughout Great Britain and overseas. Prices in Great Britain and Eire from 39 guineas. Valve aids from 27 guineas.


multitone

H E A R I N G A I D S

MULTITONE ELECTRIC COMPANY LIMITED
25, Dover St., London, W.1. Telephone: Hyde Park 9977
Signatories to the National Institute for the Deaf Agreement

Please mention *The Journal of Laryngology* when replying to advertisements

**THE
HALLPIKE-BLACKMORE
MONOCULAR
EAR MICROSCOPE***



Pat. appl. for

THIS new instrument represents an important contribution to otology. It facilitates accurate clinical diagnosis and operative work of high precision.

- Intense light from 12 watt, silvered, pre-centred lamp.
- Unique dazzle-free optical system provides a critically defined image of the entire tympanic membrane at optimum $\times 6$ magnification.
- Variable field of view controlled by iris diaphragm in eyepiece to ensure total exclusion of reflexions from speculum walls.
- Ample space for insertion of operating instruments.
- Complete in carrying case with built-in transformer to permit use of the instrument on ward rounds, in consulting-rooms or theatre.

**J. Laryng.* (1953), 67, 108.

**39 WIGMORE STREET
LONDON W.1**



**617 S. 52nd STREET
PHILADELPHIA 43**

Please mention *The Journal of Laryngology* when replying to advertisements

*The finest
Hearing Aid
in the
World*

*is made in
England by Amplivox*



★ **VERY WIDE RANGE OF FREQUENCY RESPONSE**

The advanced circuit design of the Amplivox "A" series ensures an exceptionally wide frequency response with a correspondingly high standard of clarity of sound reproduction unequalled in any other hearing aid manufactured either in Europe or in America

★ **VERY WIDE RANGE OF ADJUSTMENTS FOR INDIVIDUAL FITTING**


The Amplivox "A" series models are outstanding for their range of

adjustments, designed to meet all types of hearing loss. The fitting facilities of the instruments include selective amplification of high and low notes and automatic volume compression. A 3-volt battery can be used in place of the standard 1.5 volt battery to provide extra gain and amplification for the very deaf. In design and performance Amplivox Hearing Aids lead the world



47/48 New Bond Street, London, W.1 Hyde Park 9888-9
WORLD-WIDE DISTRIBUTION AND SERVICE

Please mention *The Journal of Laryngology* when replying to advertisements



always effective

A problem with antibiotics is that resistant strains of micro-organisms tend to develop. Tyrothricin, the antibiotic in Tyrosolven does not have this drawback.

Produced from strains of *B. Brevis*, Tyrothricin is always effective against a wide range of pathogenic bacteria — in fact no pathogenic organisms have been shown to become resistant to it.

This quality, combined with the fact that patients do not become sensitized to Tyrothricin, ensures that it will remain a most effective oral antibiotic in cases of stomatitis, tonsillitis, and as a prophylactic against influenza and other throat infections.

- * **Formula :** Tyrothricin 1 mg., benzocaine 5 mg.
- * **Dose :** One lozenge every hour till relief is obtained, then 1 lozenge every 3 hours.
- * **Packing :** Packs of 20 lozenges. Dispensing bottles of 250 lozenges supplied to chemists

Tyrosolven

WILLIAM R. WARNER & CO. LTD. POWER ROAD. LONDON, W.4

Please mention *The Journal of Laryngology* when replying to advertisements

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

	PAGE
TUMOURS OF THE PERIPHERAL NERVES OF THE NECK (NEURO-FIBROMA). N. Asherson (London)	125
TREATMENT OF PHARYNGEAL DIVERTICULA. M. Spencer Harrison (Lincoln)	136
A REPORT ON 35 CASES OF MALIGNANT TUMOURS OF NASOPHARYNX. David Stevens (Bath)	147
THE CLINICAL TESTING OF VERTIGO. Joseph A. Sullivan, Walter Johnson and J. K. B. Smith (Toronto)	158
CLINICAL RECORDS—	
Contribution to the Etiology of Laryngeal Papilloma in Children. Elchanan Fr. Hajek (Haifa, Israel)	166
An Intra-mural Oesophageal Foreign Body. G. H. Bateman and M. O. Carruthers (London)	169
GENERAL NOTES	172

THE INSTITUTE OF LARYNGOLOGY & OTOLOGY

(University of London)

and

ROYAL NATIONAL THROAT, NOSE & EAR HOSPITAL

GRAY'S INN ROAD, LONDON, W.C.1

Short course for Consultant Otolologists on

THE DEAF CHILD

1st, 2nd & 3rd May, 1956

Detailed syllabus obtainable from the Dean.

There will be a similar course for Senior Registrars on 16th, 17th,
18th & 19th October.

Please mention *The Journal of Laryngology* when replying to advertisements