

SUBJECT INDEX

A

- absorbing process** with untraceable events T. NAKATSUKA *JAP* **43** (2006) 652–664
- absorption** probability in birth–death process E. A. VAN DOORN AND A. I. ZEIFMAN *JAP* **42** (2005) 185–198
- adaptive simulation** in performance measures S. G. HENDERSON AND B. SIMON *JAP* **41** (2004) 859–876
- additive equation** L. RÜSCHENDORF *JAP* **43** (2006) 687–703
- additive process** H. HULT AND F. LINDSKOG *AAP* **38** (2006) 134–148
- admission control**
in two-class system E. L. ÖRMECİ AND A. BURNETAS *AAP* **37** (2005) 915–937
measurement-based L. LESKELÄ *JAP* **43** (2006) 231–244
optimal, for loss queue K. Y. LIN AND S. M. ROSS *JAP* **41** (2004) 535–546
- adsorption** in random packing model M. N. M. VAN LIESHOUT *AAP (SGSA)* **38** (2006) 889–898
- adsorption model** A. SUDBURY *JAP* **41** (2004) 816–831
- ageing**
and Laplace inequalities C.-Y. HU AND G. D. LIN *JAP* **42** (2005) 1204–1208
effect of mixing on M. FINKELSTEIN AND V. ESAULOVA *AAP* **38** (2006) 244–262
positive X. LI *JAP* **41** (2004) 927–934
- ageing character** M. C. MORAIS AND A. PACHECO *JAP* **41** (2004) 1243–1247
- ageing properties** in series systems J.-L. BON AND A. ILLAYK *JAP* **42** (2005) 279–286
- alignment** gapped J. L. SPOUGE *JAP* **41** (2004) 975–983
- allelopathy** as contact process N. LANCHIER *JAP* **42** (2005) 1109–1119
- annihilating process** on random tree A. SUDBURY *JAP* **41** (2004) 816–831
- ARCH process** and joint exceedances M. I. GOMES *et al.* *JAP* **43** (2006) 1206–1206 and M. I. GOMES *et al.* *JAP* **41** (2004) 919–926
- ARMA model** P. DOUKHAN *et al.* *AAP* **38** (2006) 559–578 and H.-B. WANG AND B.-C. WEI *JAP* **41** (2004) 221–235
with threshold levels G. K. BASAK AND K.-W. R. HO *AAP* **36** (2004) 643–666
- ARMA process** R. LUND *et al.* *JAP* **43** (2006) 1186–1193
- arrival process**
Gaussian J. ALVAREZ AND B. HAJEK *AAP* **37** (2005) 160–184
semi-Markovian D.-A. WU AND H. TAKAGI *JAP* **42** (2005) 478–490
- arrival rate** time-varying B. H. MARGOLIUS *JAP* **42** (2005) 766–777
- Asian option** D. DUFRESNE *AAP* **36** (2004) 747–773
and Hartman–Watson distribution P. BARRIEU *et al.* *JAP* **41** (2004) 1049–1058
valuation M. SCHRÖDER *AAP* **38** (2006) 969–1027
- assembly line model** Y. ZHU AND Z. G. ZHANG *JAP* **41** (2004) 1157–1170
- asset compounding** R. NORBERG AND M. STEFFENSEN *JAP* **42** (2005) 861–866
- asset pricing**
Itô-diffusion model A. L. BRONSTEIN *et al.* *JAP* **43** (2006) 984–996
of lookback option E. EKSTRÖM *JAP* **41** (2004) 313–326
stationary-increment model R. FINLAY AND E. SENETA *JAP* **43** (2006) 441–453 and E. SENETA AND R. FINLAY *JAP* **43** (2006) 1207–1207
under ELMM B. WONG AND C. C. HEYDE *JAP* **41** (2004) 654–664
with future discount P. ALLAART *JAP* **41** (2004) 483–496
- asset-pricing model** calibrated L. KRUK *JAP* **41** (2004) 35–50

- autocovariance** shape of stationary R. LUND *et al.* *JAP* **43** (2006) 1186–1193
- autoregressive arrival** B. KIM AND K. SOHRABY *AAP* **38** (2006) 1116–1131
- autoregressive process**
- Lévy-driven C. KLÜPPELBERG *et al.* *JAP* **41** (2004) 601–622
 - recurrence properties A. ZEEVI AND P. W. GLYNN *JAP* **41** (2004) 639–653
- avalanche decomposition** A. GILLETT *et al.* *JAP* **43** (2006) 840–851
- average cost criterion** risk-sensitive R. CAVAZOS-CADENA AND R. MONTES-DE-OCA *JAP* **42** (2005) 905–918
- average expected cost** X. GUO AND Q. ZHU *JAP* **43** (2006) 318–334
- B**
- backward stochastic differential equation** reflected J.-P. LEPELTIER *et al.* *AAP* **37** (2005) 134–159
- Bak-Sneppen model** A. GILLETT *et al.* *JAP* **43** (2006) 840–851
- bandits**
- bidirectional restless K. D. GLAZEBROOK *et al.* *AAP* **38** (2006) 95–115
 - indexable families K. D. GLAZEBROOK *et al.* *AAP* **38** (2006) 643–672
 - multi-armed P. WHITTLE *JAP* **42** (2005) 754–765
- bandwidth allocation** in wireless channels N. BAMBOS AND G. MICHAELIDIS *AAP* **36** (2004) 293–317
- bandwidth sharing** and fair queueing F. GUILLEMIN AND D. PINCHON *JAP* **41** (2004) 832–858
- barrier option** J.-P. LEPELTIER AND J. SAN MARTÍN *JAP* **41** (2004) 162–175
- and Wiener process K. BOROVKOV AND A. NOVIKOV *JAP* **42** (2005) 82–92
- barrier reflection** O. KELLA AND W. STADJE *JAP* **41** (2004) 1237–1242
- convex O. HAMMARLID *JAP* **42** (2005) 61–81
- Bartlett measure** for Hawkes process P. BRÉMAUD *et al.* *AAP* **37** (2005) 1116–1146
- batch arrival** in preferrred-class system E. L. ÖRMECİ AND A. BURNETAS *AAP* **37** (2005) 915–937
- benchmark model** E. PLATEN *JAP* **41** (2004) 19–34
- Benford's law** and uniform distributions É. JANVRESSE AND T. DE LA RUE *JAP* **41** (2004) 1203–1210
- Bernoulli process** and Poisson approximation P. S. Ruzankin *JAP* **41** (2004) 271–276
- Bernoulli trial** P. VELLAISAMY *JAP* **41** (2004) 1081–1092
- Berry-Esseen bounds** A. D. BARBOUR AND A. XIA *AAP* **38** (2006) 693–728
- and pattern recognition L. GOLDSTEIN *JAP* **42** (2005) 661–683
- Bessel process** as interest-rate model V. LINETSKY *JAP* **41** (2004) 327–344
- best-choice problem** with full or partial information S. M. SAMUELS *AAP* **36** (2004) 398–416
- betting**
- optimal behaviour D. BARRY AND C. LYNCH *AAP* **38** (2006) 899–915
 - optimal proportional S. N. ETHIER *JAP* **41** (2004) 1230–1236
- bias coupling** L. GOLDSTEIN *JAP* **42** (2005) 661–683
- bilinear model** lower triangular (LTBL) H.-B. WANG AND B.-C. WEI *JAP* **41** (2004) 221–235
- biodiversity model** D. ALDOUS AND L. POPOVIC *AAP* **37** (2005) 1094–1115
- bioinformatics** J. L. SPOUGE *JAP* **41** (2004) 975–983
- birth process**
- conditionally pure E. DE SANTIS AND F. SPIZZICHINO *JAP* **41** (2004) 939–952
 - linear fractional A. JOFFE AND G. LETAC *JAP* **43** (2006) 1091–1106
- birth-death process**
- and Zeifman's bounds A. Y. MITROPHANOV *JAP* **41** (2004) 593–596
 - and Reuter's lemma A. CHEN *et al.* *AAP* **37** (2005) 1056–1074
 - spatial R. F. SERFOZO *AAP* **37** (2005) 801–818
 - with catastrophes F. FERREIRA AND A. PACHECO *JAP* **42** (2005) 52–60 and B. GRAY *et al.* *JAP* **42** (2005) 713–725
 - with killing E. A. VAN DOORN AND A. I. ZEIFMAN *JAP* **42** (2005) 185–198
 - with resurrection A. CHEN *et al.* *AAP* **36** (2004) 267–292
- birth-death process with catastrophes** B. CAIRNS AND P. POLLETT *JAP* **41** (2004) 1211–1218

- Blaschke–Petkantschin formula** D. HUG AND M. REITZNER *AAP (SGSA)* **37** (2005) 297–320
- bold gambling strategy** R. W. CHEN *et al.* *JAP* **42** (2005) 121–137 and J. SCHWEINSBERG *JAP* **42** (2005) 321–333
- Bose–Einstein statistics** S. LEORATO AND E. ORSINGHER *AAP* **36** (2004) 937–970
- boson process** as Cox process P. McCULLAGH AND J. MØLLER *AAP (SGSA)* **38** (2006) 873–888
- boundary characterization** for reflected diffusion F. J. PIERA *et al.* *AAP* **37** (2005) 212–228
- boundary crossing probability** for two processes D. PERRY *et al.* *JAP* **41** (2004) 1059–1070
- boundary estimation** using Devroye–Wise estimator A. CUEVAS AND A. RODRIGUEZ-CASAL *AAP (SGSA)* **36** (2004) 340–354
- branching measure** P. MÖRTERS AND N.-R. SHIEH *JAP* **41** (2004) 1223–1229
- branching particle system** with immigration M. ZHANG *JAP* **42** (2005) 1120–1133
- branching process**
- alternating P. MAYSTER *JAP* **42** (2005) 1095–1108
 - and neighbourhood shells I. NORROS AND H. REITTU *AAP (SGSA)* **38** (2006) 59–75
 - and PCR amplification N. LALAM *et al.* *AAP* **36** (2004) 602–615
 - bisexual Y. XING AND Y. WANG *JAP* **42** (2005) 175–184
 - controlled multitype M. GONZÁLEZ *et al.* *JAP* **42** (2005) 1015–1030 and M. GONZÁLEZ *et al.* *JAP* **43** (2006) 159–174
 - critical D. ALDOUS AND L. POPOVIC *AAP* **37** (2005) 1094–1115
 - critical size-dependent N. LALAM AND C. JACOB *AAP* **36** (2004) 582–601
 - decomposable Galton–Watson M. C. SERRA *JAP* **43** (2006) 296–302
 - density of P. REVESZ *et al.* *JAP* **42** (2005) 1081–1094
 - fluctuation limit of M. ISPÁNY *et al.* *AAP* **37** (2005) 523–538
 - for particle fragmentation J. BERTOIN AND S. MARTÍNEZ *AAP* **37** (2005) 553–570
 - in search protocol C. MALLOWS AND L. SHEPP *JAP* **42** (2005) 581–586
 - inhomogeneous D. PIAU *AAP* **38** (2006) 465–486
 - multitype linear fractional A. JOFFE AND G. LETAC *JAP* **43** (2006) 1091–1106
 - multitype with marked tree C. CECI AND A. GERARDI *JAP* **42** (2005) 446–462
 - population-size-dependent Y. LI *JAP* **43** (2006) 195–207 and Z. LU AND P. JAGERS *JAP* **41** (2004) 176–186
 - random controlled M. GONZÁLEZ *et al.* *JAP* **42** (2005) 463–477
 - supercritical A. N. LAGERÅS AND A. MARTIN-LÖF *JAP* **43** (2006) 1066–1076
 - supercritical multitype O. D. JONES *JAP* **41** (2004) 703–720
 - symmetric α -stable Y. SHIOZAWA *JAP* **43** (2006) 1077–1090
 - with immigration Z. LI *JAP* **43** (2006) 289–295
 - with restricted observation R. MEESTER AND P. TRAPMAN *AAP* **38** (2006) 1098–1115
- branching random walk** J. D. BIGGINS AND A. E. KYPRIANOU *AAP* **36** (2004) 544–581 and T. MOUNTFORD AND R. B. SCHINAZI *JAP* **42** (2005) 287–294
- Brownian excursion** T. FUJITA *et al.* *JAP* **41** (2004) 1–18
- Brownian motion** T. FUJITA *et al.* *JAP* **41** (2004) 1–18 and M. MAGDON-ISMAIL *et al.* *JAP* **41** (2004) 147–161
- correlation of maxima L. C. G. ROGERS AND L. SHEPP *JAP* **43** (2006) 880–883
 - multifractional C. LACAUX *AAP* **36** (2004) 171–197
 - pole-seeking V. LINETSKY *JAP* **41** (2004) 327–344
 - with sequential observation O. HADJILIADIS *JAP* **42** (2005) 1183–1193
- Brownian motion with drift** L. BARINGHAUS AND R. GRÜBEL *JAP* **43** (2006) 74–86
- Brownian potential** one-sided K. KAWAZU AND Y. SUZUKI *JAP* **43** (2006) 997–1012
- B-stability** C. MALLOWS AND L. SHEPP *JAP* **42** (2005) 581–586
- buffer**
- finite truncated Y. SAKUMA AND M. MIYAZAWA *JAP* **42** (2005) 199–222
 - virtual infinite G. WEISS *JAP* **42** (2005) 879–882

- buffer queue** Markov fluid N. AKAR AND K. SOHRABY *JAP* **41** (2004) 557–569
- buffer truncation** Y. SAKUMA AND M. MIYAZAWA *JAP* **42** (2005) 199–222
- Burgers equation** inhomogeneous O. E. BARNDORFF-NIELSEN AND N. N. LEONENKO *JAP* **42** (2005) 550–565
- burn-in** and covariates N. EBRAHIMI *JAP* **41** (2004) 735–745
- burstiness** in network traffic B. D'AURIA AND S. RESNICK *AAP* **38** (2006) 373–404
- busy period**
- M/G/1 queue P. DUBE *et al.* *JAP* **41** (2004) 1145–1156
 - remaining S. GHAHRAMANI AND R. W. WOLFF *JAP* **42** (2005) 275–278
- buy-sell problem** with multiple stopping G. SOFRONOV *et al.* *JAP* **43** (2006) 454–462
- by-claim** in insurance settlement K. C. YUEN *et al.* *JAP* **42** (2005) 163–174
- C**
- cache management** in network Y. LING AND J. MI *JAP* **41** (2004) 721–734
- cache policy** least-recently-used P. R. JELENKOVIĆ *et al.* *JAP* **43** (2006) 1013–1027
- calibration** minimum relative entropy L. KRUK *JAP* **41** (2004) 35–50
- calibration algorithm** Monte Carlo L. KRUK *JAP* **41** (2004) 35–50
- call centre model** G. KOOLE *JAP* **41** (2004) 935–938
- card-counting theorem** S. N. ETHIER AND D. A. LEVIN *AAP* **37** (2005) 90–107
- carousel system** alternating M. VLASIOU *et al.* *JAP* **41** (2004) 1171–1181
- casino model**
- with inflation R. W. CHEN *et al.* *JAP* **42** (2005) 121–137 and R. W. CHEN *et al.* *JAP* **41** (2004) 587–592
- catastrophe process** binomial A. ECONOMOU *JAP* **41** (2004) 508–523
- cell mobility model** I. MOLCHANOV *et al.* *JAP* **41** (2004) 355–367
- cell structure** random inner L. HEINRICH *et al.* *AAP (SGSA)* **37** (2005) 25–47
- cell survival** I. ADLER *et al.* *JAP* **42** (2005) 919–931
- change-point model** E. DE SANTIS AND F. SPIZZICHINO *JAP* **41** (2004) 939–952
- chaos game** L. M. MORATO AND P. SIRI *AAP* **36** (2004) 318–323
- Cheeger constant** B. M. HAMBLY AND J. JORDAN *AAP* **36** (2004) 824–838
- chemical kinetics** and birth–death model A. Y. MITROPHANOV *JAP* **41** (2004) 593–596
- chord length distribution** J. HANSEN AND M. REITZNER *AAP (SGSA)* **36** (2004) 987–995
- chromosomal segment** V. T. STEFANOV *JAP* **41** (2004) 1248–1249
- Chvátal–Sankoff constant** R. HAUSER *et al.* *AAP* **38** (2006) 827–852
- clade** minimal size M. G. B. BLUM AND O. FRANÇOIS *AAP* **37** (2005) 647–662
- claim process** competing M. HUZAK *et al.* *JAP* **41** (2004) 679–690
- claim severity** Z. G. IGNATOV AND V. K. KAISHEV *JAP* **41** (2004) 570–578
- clearing system** H.-S. AHN *et al.* *AAP* **36** (2004) 139–170
- cluster point pattern** J. MØLLER AND G. L. TORRISI *AAP (SGSA)* **37** (2005) 48–74
- coalescence** S. R. BUSS AND P. CLOTE *AAP* **36** (2004) 1175–1197
- and MRCA M. MÖHLE *AAP* **36** (2004) 78–97
 - in size-varying populations P. JAGERS AND S. SAGITOV *JAP* **41** (2004) 368–378
- coalescent** structured K. Y. SAMPSON *JAP* **43** (2006) 351–362
- coalescent genealogy** neutral M. G. B. BLUM AND O. FRANÇOIS *AAP* **37** (2005) 647–662
- coalescent lineage** R. C. GRIFFITHS *AAP* **38** (2006) 405–429
- coalescent process** M. DE IORIO AND R. C. GRIFFITHS *AAP* **36** (2004) 434–454
- importance sampling in M. DE IORIO AND R. C. GRIFFITHS *AAP* **36** (2004) 417–433
 - with multiple collisions M. MÖHLE *AAP* **38** (2006) 750–767
- code division multiple access** R. VAN DER HOFSTAD AND M. J. KLOK *AAP* **36** (2004) 1046–1084
- coherent system** J. STOYANOV AND M. H. M. AL-SADI *JAP* **41** (2004) 953–960
- in reliability J. NAVARRO AND M. SHAKED *JAP* **43** (2006) 391–408
- coin tossing** E. A. PEKÖZ *JAP* **43** (2006) 282–288
- colliding random walk** N. DATTA AND T. C. DORLAS *JAP* **41** (2004) 1008–1021

- collision branching process** A. CHEN *et al.* *JAP* **41** (2004) 1033–1048
- communications network** C. BORDENAVE *AAP* **38** (2006) 487–504 and G. WEISS *JAP* **42** (2005) 879–882
with unresponsive traffic N. ANTUNES *et al.* *AAP* **38** (2006) 263–283
- comonotonicity** in asset valuation Y. ZHANG *et al.* *JAP* **43** (2006) 1155–1164
- competing risks** L. DOYEN AND O. GAUDOIN *JAP* **43** (2006) 825–839
- competing species model** N. LANCHIER *AAP* **37** (2005) 265–278
with ergodicity Z. CHEN AND R. KULPERGER *JAP* **42** (2005) 738–753
- complementary theorem** R. COWAN *AAP (SGSA)* **38** (2006) 581–601
- components, failed** T. BEDFORD AND B. H. LINDQVIST *AAP* **36** (2004) 774–790
- compound geometric distribution** A. N. LAGERÅS AND A. MARTIN-LÖF *JAP* **43** (2006) 1066–1076
- compound pattern** in higher-order Markovian sequence J. A. D. ASTON AND D. E. K. MARTIN *JAP* **42** (2005) 977–988
- compound Poisson approximation inequality** E. A. PEKÖZ *JAP* **43** (2006) 282–288
- compound Poisson model**
and Luria–Delbrück distribution M. MÖHLE *JAP* **42** (2005) 620–631
ruin probability in Q. TANG *JAP* **42** (2005) 608–619
- compound Poisson process** Y. WANG *et al.* *JAP* **42** (2005) 1194–1203
with rendezvous D. PERRY *et al.* *JAP* **41** (2004) 1059–1070
- compound Poisson risk process** J. CAI AND H. YANG *AAP* **37** (2005) 819–835
- concordance order** F. BELZUNCE AND P. SEMERARO *JAP* **41** (2004) 961–974 and H. DADUNA AND R. SZEKLI *JAP* **43** (2006) 793–814
- condition monitoring** D. LIN AND V. MAKIS *JAP* **41** (2004) 211–220
- conditional expectation** of signal source T. MIZUNO *JAP* **43** (2006) 1181–1185
- conditional increase** in sequence A. COLANGELO *et al.* *JAP* **43** (2006) 48–59
- conditional tail expectation** for phase-type distribution J. CAI AND H. LI *JAP* **42** (2005) 810–825
- conditional value at risk** R. BRUMMELHUIS AND D. GUÉGAN *JAP* **42** (2005) 426–445
- conditional variance** of remaining lifetime J. STOYANOV AND M. H. M. AL-SADI *JAP* **41** (2004) 953–960
- condition-based maintenance** D. LIN AND V. MAKIS *JAP* **41** (2004) 211–220
- connectivity** of random graph P. BALISTER *et al.* *AAP (SGSA)* **37** (2005) 1–24
- contact process**
extinction in A. SUDBURY *JAP* **42** (2005) 902–904
multitype with frozen sites N. LANCHIER *JAP* **42** (2005) 1109–1119
- contig analysis** S. ATHREYA *et al.* *AAP (SGSA)* **36** (2004) 1–18
- continuous-time random walk (CTRW)** P. BECKER-KERN *et al.* *JAP* **41** (2004) 455–466
- continuum growth model** M. DEIJFEN AND O. HÄGGSTRÖM *AAP (SGSA)* **36** (2004) 973–980
- control variate** perfect S. G. HENDERSON AND B. SIMON *JAP* **41** (2004) 859–876
- controlled branching process** P. MAYSTER *JAP* **42** (2005) 1095–1108
- controlled Markov process** R. CAVAZOS-CADENA AND R. MONTES-DE-OCA *JAP* **42** (2005) 905–918
- convex barrier** O. HAMMARLID *JAP* **42** (2005) 61–81
- convex claim** and superreplication E. EKSTRÖM *et al.* *JAP* **42** (2005) 27–38
- convex hull** P. CALKA AND T. SCHREIBER *AAP (SGSA)* **38** (2006) 47–58
as graph on random points S. FINCH AND I. HUETER *AAP (SGSA)* **36** (2004) 981–986
Deltheil's result R. COWAN AND S. N. CHIU *AAP* **37** (2005) 857–858
faces and intrinsic volume D. HUG AND M. REITZNER *AAP (SGSA)* **37** (2005) 297–320
- convex order** increasing J. DE LA CAL AND J. CÁRCAMO *JAP* **43** (2006) 704–712
- convex quadrilateral** random points in R. COWAN AND S. N. CHIU *AAP* **37** (2005) 857–858
- convolution** compound geometric J. CAI AND G. E. WILLMOT *JAP* **41** (2004) 802–815
- convolution closure** J. CAI AND Q. TANG *JAP* **41** (2004) 117–130
- convolution equivalence** A. G. PAKES *JAP* **41** (2004) 407–424
- convolution root** Y. WANG *et al.* *JAP* **42** (2005) 1194–1203
- correlated Brownian motion** L. C. G. ROGERS AND L. SHEPP *JAP* **43** (2006) 880–883

- correlated random walk** P. ALLAART *JAP* **41** (2004) 483–496 and P. ALLAART *JAP* **41** (2004) 998–1007
- countable phase** A. J. MOTYER AND P. G. TAYLOR *AAP* **38** (2006) 522–544
- counting process** Y.-W. WAN AND R. W. WOLFF *JAP* **43** (2006) 599–601
renewal-associated F. BALL AND R. K. MILNE *JAP* **42** (2005) 1031–1043
- coupling** É. JANVRESSE AND T. DE LA RUE *JAP* **41** (2004) 1203–1210
- covariance function** C. MA *JAP* **41** (2004) 1093–1103
- covariance model** and spatio-temporal variogram C. MA *AAP* **37** (2005) 706–725
- cover time** for asymmetric Brownian motion M. LEFEBVRE *JAP* **43** (2006) 175–184
- Cox distribution** and tail probabilities G. KOOLE *JAP* **41** (2004) 935–938
- Cox process** A. N. LAGERÅS *JAP* **42** (2005) 1134–1144
generalized shot noise J. MØLLER AND G. L. TORRISI *AAP (SGSA)* **37** (2005) 48–74
with shot-noise intensity A. DASSIOS AND J.-W. JANG *JAP* **42** (2005) 93–107
- crack structure** in tessellation W. NAGEL AND V. WEISS *AAP (SGSA)* **37** (2005) 859–883
- Cramér–Lundberg model** C. KLÜPPELBERG AND A. E. KYPRIANOU *JAP* **43** (2006) 594–598
- credit derivative** dependent risk model for A. CHARPENTIER AND A. JURI *JAP* **43** (2006) 563–586
- credit risk spread** term structure A. VASILEIOU AND P.-C. G. VASSILIOU *AAP* **38** (2006) 171–198
- critical branching process** M. GONZÁLEZ *et al.* *JAP* **42** (2005) 463–477
- Crofton cell** D. HUG *et al.* *AAP (SGSA)* **36** (2004) 667–690
- crossing probability** of random field L. PEREIRA AND H. FERREIRA *JAP* **43** (2006) 884–891
- crossing time** for telegraph process S. ZACKS *JAP* **41** (2004) 497–507
- crystal growth** and interference F. B. KNIGHT AND J. L. STEICHEN *AAP* **36** (2004) 725–746
- cumulant generating function** T. I. MATIS *JAP* **42** (2005) 302
- cumulative process** rate function for K. DUFFY AND A. P. METCALFE *JAP* **42** (2005) 1044–1052
- cumulative reward variance** N. M. VAN DIJK AND K. SLADKÝ *JAP* **43** (2006) 1044–1052
- curve detection** E. ARIAS-CASTRO *et al.* *AAP* **38** (2006) 579–579 and E. ARIAS-CASTRO *et al.* *AAP (SGSA)* **37** (2005) 571–603
- curvilinear barrier** K. BOROVKOV AND A. NOVIKOV *JAP* **42** (2005) 82–92
- customer impatience** B. AVI-ITZHAK AND H. LEVY *AAP* **36** (2004) 919–936
- CUSUM method** O. HADJILIADIS *JAP* **42** (2005) 1183–1193
- cutoff** in Ornstein–Uhlenbeck process B. LACHAUD *JAP* **42** (2005) 1069–1080
- cut-off branching** Z. DONG AND S. FENG *JAP* **41** (2004) 984–997
- D**
- dam** with Wiener input K. E. LIM *et al.* *JAP* **42** (2005) 587–594
- data communication network** bursty B. D'AURIA AND S. RESNICK *AAP* **38** (2006) 373–404
- Dawson–Watanabe superprocess** M. ZHANG *JAP* **41** (2004) 187–201
- dead leaves model** C. BORDENAVE *et al.* *AAP (SGSA)* **38** (2006) 31–46
- decision process**
discrete-time X. GUO AND Q. ZHU *JAP* **43** (2006) 318–334
semi-Markov X. FAN-ORZECHOWSKI AND E. A. FEINBERG *AAP* **38** (2006) 199–220
- decision rule**
in noncooperative game A. C. BROOMS *AAP* **37** (2005) 461–481
majority D. BEREND AND L. SAPIR *JAP* **43** (2006) 16–31
- decision-making** in local interaction model K. CHATTERJEE AND S. H. XU *AAP* **36** (2004) 355–376
- decomposition**
in vacation queueing system J. LORIS-TEGHEM *JAP* **41** (2004) 287–291
Yosida-type O. L. V. COSTA AND F. DUFOUR *JAP* **43** (2006) 767–781
- decreasing hazard rate** R. LUND *et al.* *JAP* **43** (2006) 486–499
- defaultable bond** A. VASILEIOU AND P.-C. G. VASSILIOU *AAP* **38** (2006) 171–198
- delayed claim** K. C. YUEN *et al.* *JAP* **42** (2005) 163–174
- density of the supremum** Y. WANG AND K. WANG *JAP* **43** (2006) 874–879
- dependence** in insurance claim H. ALBRECHER AND J. L. TEUGELS *JAP* **43** (2006) 257–273

- dependence order** H. DADUNA AND R. SZEKLI *JAP* **43** (2006) 793–814
deposition disordered T. HUILLET *AAP (SGSA)* **36** (2004) 996–1020
derivative pricing and martingale measure M. SANTACROCE *JAP* **43** (2006) 634–651
descending chain and percolation D. J. DALEY AND G. LAST *AAP (SGSA)* **37** (2005) 604–628
deteriorating system multistate Y. LAM *JAP* **42** (2005) 1–14
dichotomous choice D. BEREND AND L. SAPIR *JAP* **43** (2006) 16–31
Dickman distribution M. D. PENROSE AND A. R. WADE *AAP (SGSA)* **36** (2004) 691–714
diffusion with one-sided Brownian potential K. KAWAZU AND Y. SUZUKI *JAP* **43** (2006) 997–1012
Dini continuity W. B. WU AND X. SHAO *JAP* **41** (2004) 425–436
directory tree Z. KATONA *JAP* **42** (2005) 839–850
disaster A. CHEN *et al.* *AAP* **36** (2004) 267–292
 in BMAP/SM/1 queue A. DUDIN AND O. SEMENOVA *JAP* **41** (2004) 547–556
discounted loss and maximum of weighted sum Y. CHEN *et al.* *AAP* **37** (2005) 510–522
discounted payoff X. GUO AND O. HERNÁNDEZ-LERMA *JAP* **42** (2005) 303–320
disease transmission direct and indirect D. CLANCY *JAP* **42** (2005) 726–737
dividend optimization when surplus exceeds barrier E. FROSTIG *JAP* **42** (2005) 595–607
DNA amplification N. LALAM AND C. JACOB *AAP* **36** (2004) 582–601 *and* N. LALAM *et al.* *AAP* **36** (2004) 602–615
DNA locus evolution of A. BOBROWSKI *AAP* **36** (2004) 57–77
DNA replication V. T. STEFANOV *JAP* **41** (2004) 345–354
 with fragmentation K. BARTOSZEK AND W. BARTOSZEK *JAP* **43** (2006) 500–509
DNA sequence E. A. RØDLAND *AAP* **38** (2006) 116–133 *and* E. A. RØDLAND *AAP* **38** (2006) 580–580
 and gene distribution A. G. HART *et al.* *AAP* **38** (2006) 1071–1097
 branch length with neutral coalescent M. G. B. BLUM AND O. FRANÇOIS *AAP* **37** (2005) 647–662
 random fragments of S. ATHREYA *et al.* *AAP (SGSA)* **36** (2004) 1–18
Doeblin decomposition O. L. V. COSTA AND F. DUFOUR *JAP* **43** (2006) 767–781
Doob, J. L. N. H. BINGHAM *JAP* **42** (2005) 257–266
doubling strategy K. V. KATSIKOPOULOS AND Ö. SIMSEK *JAP* **42** (2005) 867–872
drawdown M. MAGDON-ISMAIL *et al.* *JAP* **41** (2004) 147–161
 constrained J. SEKINE *AAP* **38** (2006) 673–692
drift unobservable Markov-modulated U. RIEDER AND N. BÄUERLE *JAP* **42** (2005) 362–378
drift criterion for Harris recurrence B. H. FRALIX *JAP* **43** (2006) 1194–1200
dynamic load balancing H.-S. AHN AND R. RIGHTER *AAP* **38** (2006) 621–642
dynamical system with jumps K. HORBACZ *JAP* **41** (2004) 890–910
- E**
- earthquake model** D. VERE-JONES *AAP (SGSA)* **37** (2005) 908–914
ecological model
 with coexisting species T. MOUNTFORD AND R. B. SCHINAZI *JAP* **42** (2005) 287–294
 with mutation N. LANCHIER *AAP* **37** (2005) 265–278
edge relationships in Poisson–Voronoi tessellation L. MUCHE *AAP (SGSA)* **37** (2005) 279–296
Ehrenfest urn with minimum ball number Y.-P. CHEN *JAP* **43** (2006) 409–420
eigentime identity for ergodic Markov chain Y.-H. MAO *JAP* **41** (2004) 1071–1080
elastic fibre breaking strain distribution of J. U. GLEATON AND J. D. LYNCH *AAP* **36** (2004) 98–115
electricity market auction trading model J. HINZ *JAP* **41** (2004) 299–312
electron crystallography V. M. PANARETOS *AAP (SGSA)* **38** (2006) 320–335
embeddability of linear fractional branching process A. JOFFE AND G. LETAC *JAP* **43** (2006) 1091–1106
entropy
 estimation of O. JOHNSON *JAP* **43** (2006) 32–47
 in information model M. ASADI *et al.* *JAP* **42** (2005) 643–660
 in inhomogeneous Markov chain H. GE *et al.* *JAP* **43** (2006) 1028–1043
 maximum dynamic (MDE) M. ASADI *et al.* *JAP* **41** (2004) 379–390

epidemic

- Galton–Watson type R. MEESTER AND P. TRAPMAN *AAP* **38** (2006) 1098–1115
 Reed–Frost model C. LEFÈVRE AND P. PICARD *JAP* **42** (2005) 950–963
 SIS-type D. CLANCY *JAP* **42** (2005) 726–737
 stochastic critical R. G. DOLGOARSHINNYKH AND S. P. LALLEY *JAP* **43** (2006) 892–898
 with exposure-dependent severity F. BALL AND T. BRITTON *JAP* **42** (2005) 932–949
 with household survivors P. NEAL *JAP* **42** (2005) 334–345

equivalent martingale measure local B. WONG AND C. C. HEYDE *JAP* **41** (2004) 654–664**ergodic Markov chain** O. L. V. COSTA AND F. DUFOUR *JAP* **43** (2006) 767–781 and Y.-H. MAO *JAP* **41** (2004) 1071–1080

- continuous-time Z. HOU *et al.* *JAP* **42** (2005) 698–712

- M/G/1 Y. LIU AND Z. HOU *JAP* **43** (2006) 141–158

- sensitivity of A. Y. MITROPHANOV *JAP* **42** (2005) 1003–1014

ergodicity

- exponential Y.-H. MAO AND Y.-H. ZHANG *JAP* **41** (2004) 1022–1032
 of embedded queue Z. HOU AND Y. LIU *JAP* **41** (2004) 778–790
 of Markov renewal process G. LAST *AAP* **36** (2004) 471–498
 polynomial and geometric Y. LIU AND Z. HOU *JAP* **43** (2006) 141–158

escape from extinction M. C. SERRA *JAP* **43** (2006) 296–302**ESTA (event see time average) property** A. ECONOMOU *AAP* **37** (2005) 185–211**estimation** of tail decay parameter A. ZEEVI AND P. W. GLYNN *AAP* **36** (2004) 198–226**estimator** heavy-tailed S. ASMUSSEN AND D. P. KROESE *AAP* **38** (2006) 545–558**Euler scheme** symmetrized M. BOSSY *et al.* *JAP* **41** (2004) 877–889**Euler summation** in inversion algorithm T. SAKURAI *AAP* **36** (2004) 616–642**Eulerian number** stereological formula for J. RATAJ *AAP (SGSA)* **36** (2004) 715–724**evolutionary algorithm** for protein folding V. LADRET *JAP* **42** (2005) 39–51**evolutionary game** with imperfect monitoring H.-C. CHEN *et al.* *JAP* **43** (2006) 335–350**evolutionary model** self-organized critical A. GILLETT *et al.* *JAP* **43** (2006) 840–851**Ewens distribution** N. HOSHINO *JAP* **43** (2006) 852–866**exchangeability** in size-varying populations P. JAGERS AND S. SAGITOV *JAP* **41** (2004) 368–378**exit problem** one- or two-sided X. ZHOU *JAP* **41** (2004) 1191–1198**exit time** R. A. DONEY AND P. S. GRIFFIN *AAP (SGSA)* **36** (2004) 1148–1174**expandable set** A. CUEVAS AND A. RODRIGUEZ-CASAL *AAP (SGSA)* **36** (2004) 340–354**expected order statistics** J. DE LA CAL AND J. CÁRCAMO *JAP* **43** (2006) 704–712**experimental design** Y.-P. CHEN *JAP* **43** (2006) 409–420**expert rule** D. BEREND AND L. SAPIR *JAP* **43** (2006) 16–31**exponential family** V. T. STEFANOV *JAP* **43** (2006) 1053–1065

- of mixed Poisson processes B. NIESE *JAP* **43** (2006) 741–754

exponential scheduling S. SHAKKOTTAI *et al.* *AAP* **36** (2004) 1021–1045**external potential** in Burgers turbulence O. E. BARNDORFF-NIELSEN AND N. N. LEONENKO *JAP* **42** (2005) 550–565**extinction**

- of branching stable process Y. SHIOZAWA *JAP* **43** (2006) 1077–1090

- of population-size-dependent process Y. LI *JAP* **43** (2006) 195–207

extinction probability B. CAIRNS AND P. POLLETT *JAP* **41** (2004) 1211–1218 and A. CHEN *et al.* *JAP* **41** (2004) 1033–1048 and A. SUDSBURY *JAP* **42** (2005) 902–904 and E. A. VAN DOORN AND A. I. ZEIFMAN *JAP* **42** (2005) 185–198

- in population-size-dependent process Y. XING AND Y. WANG *JAP* **42** (2005) 175–184

- in supercritical process Z. LU AND P. JAGERS *JAP* **41** (2004) 176–186

extinction time in alternating branching process P. MAYSTER *JAP* **42** (2005) 1095–1108**extremal events** bivariate A. CHARPENTIER AND A. JURI *JAP* **43** (2006) 563–586

- extremal index** H. FERREIRA *JAP* **43** (2006) 927–937 *and* K. F. TURKMAN *JAP* **43** (2006) 114–126
 and failure probability M. I. GOMES *et al.* *JAP* **41** (2004) 919–926
 for rare events J. SEGERS *JAP* **43** (2006) 463–485
- extremal-types theorem** K. F. TURKMAN *JAP* **43** (2006) 114–126
- extreme**
 of continuous-time ARMA process V. FASEN *AAP* **37** (2005) 993–1014
 of ruin process C. KLÜPPELBERG AND A. E. KYPRIANOU *JAP* **43** (2006) 594–598
- extreme value**
 clustered Z. ZHANG AND R. L. SMITH *JAP* **41** (2004) 1113–1123
 for Erdős–Rényi statistic M. V. BOUTSIKAS AND M. V. KOUTRAS *JAP* **43** (2006) 1137–1154
 in tail decay estimation A. ZEEVI AND P. W. GLYNN *AAP* **36** (2004) 198–226
 of ARCH process M. I. GOMES *et al.* *JAP* **41** (2004) 919–926
 of fractional-Brownian-driven process B. BUCHMANN AND C. KLÜPPELBERG *AAP* **37** (2005) 743–764
- F**
- factorization embedding** in Lévy process A. B. DIEKER *AAP* **38** (2006) 768–791
- failure**
 hidden J. P. KHAROUFEH *et al.* *JAP* **43** (2006) 303–317
 in repairable system Y. BARRON *et al.* *AAP* **36** (2004) 116–138
- failure intensity** M. FINKELSTEIN *JAP* **41** (2004) 281–286
- failure model** partially observable D. LIN AND V. MAKIS *JAP* **41** (2004) 211–220
- failure point process** and Markovian arrival process J.-B. GRAVEREAUX AND J. LEDOUX *AAP* **36** (2004) 455–470
- failure rate**
 bathtub-shaped J. H. CHA *JAP* **41** (2004) 277–280
 decreasing M. FINKELSTEIN AND V. ESAUOVA *AAP* **38** (2006) 244–262
 in modular-software testing J.-B. GRAVEREAUX AND J. LEDOUX *AAP* **36** (2004) 455–470
 increasing S. M. ROSS *et al.* *JAP* **42** (2005) 797–809
- failure system** monitored D. LIN AND V. MAKIS *AAP* **36** (2004) 1212–1230
- failure time** criteria for N. EBRAHIMI *JAP* **41** (2004) 735–745
- fairness in queueing** B. AVI-ITZHAK AND H. LEVY *AAP* **36** (2004) 919–936
- fermion process** as determinantal process P. McCULLAGH AND J. MØLLER *AAP (SGSA)* **38** (2006) 873–888
- filter** recursive D. LIN AND V. MAKIS *AAP* **36** (2004) 1212–1230
- filtering**
 and hidden Markov chain J. LEDOUX *JAP* **42** (2005) 684–697
 Bayesian geometric A. SRIVASTAVA AND E. KLASSEN *AAP (SGSA)* **36** (2004) 43–56
 for heterogeneous population C. CECI AND A. GERARDI *JAP* **42** (2005) 446–462 *and* A. GERARDI AND P. TARDELLI *JAP* **42** (2005) 346–361
 in investment strategy S. ANKIRCHNER *JAP* **43** (2006) 622–633
 nonlinear A. PAPAVASILIOU *JAP* **42** (2005) 1053–1068
- financial derivative** multiple callable C. BENDER AND J. SCHOENMAKERS *AAP* **38** (2006) 729–749
- financial model** using LRD Gaussian process J. GAO *JAP* **41** (2004) 467–482
- finitary isomorphism** M. DEIJFEN AND R. MEESTER *AAP (SGSA)* **38** (2006) 287–298
- first passage time** in linear process G. K. BASAK AND K.-W. R. HO *AAP* **36** (2004) 643–666
- flexible workers** with load balancing H.-S. AHN AND R. RIGHTER *AAP* **38** (2006) 621–642
- fluctuation identity** X. ZHOU *JAP* **41** (2004) 1191–1198
- fluctuation limit** as Ornstein–Uhlenbeck process M. ISPÁNY *et al.* *AAP* **37** (2005) 523–538
- fluid flow** Markov-modulated S. AHN AND V. RAMASWAMI *JAP* **42** (2005) 531–549
- fluid limits** and stability properties A. DIMAKIS AND J. WALRAND *AAP* **38** (2006) 505–521
- fluid network** linear L. RABEHASAINA *JAP* **43** (2006) 510–522
- fluid process** M. LELARGE *JAP* **42** (2005) 491–512

fluid queue

- in semi-Markov environment G. LATOUCHE AND T. TAKINE *JAP* **41** (2004) 746–757
 - infinite- and finite-buffer N. AKAR AND K. SOHRABY *JAP* **41** (2004) 557–569
 - second-order Markov modulated L. RABEHASAINA AND B. SERICOLA *JAP* **41** (2004) 758–777
- foreign exchange** electronic market M. WINKEL *JAP* **42** (2005) 138–152
- fork-join network** S.-S. KO AND R. F. SERFOZO *AAP* **36** (2004) 854–871
- forward improvement iteration** A. IRLE *JAP* **43** (2006) 102–113
- Foster–Lyapunov criterion** O. L. V. COSTA AND F. DUFOUR *JAP* **42** (2005) 873–878
- four-dimensional motion** with finite speed A. D. KOLESNIK *JAP* **43** (2006) 1107–1118
- fractional Brownian motion** B. BUCHMANN AND C. KLÜPPELBERG *AAP* **37** (2005) 743–764 and T. J. KOZUBOWSKI *et al.* *AAP* **38** (2006) 451–464

fractional kinetic equation J. M. ANGULO *et al.* *AAP* **37** (2005) 366–392**fractional random field** M. Y. KELBERT *et al.* *AAP* **37** (2005) 108–133**fragmentation energy** J. BERTOIN AND S. MARTÍNEZ *AAP* **37** (2005) 553–570**frog model** L. R. FONTES *et al.* *JAP* **41** (2004) 292–298**full busy period** finite moments S. GHAHRAMANI AND R. W. WOLFF *JAP* **42** (2005) 275–278**full-information expected rank problem** F. T. BRUSS *JAP* **42** (2005) 108–120**full-information problem** V. V. MAZALOV AND M. TAMAKI *JAP* **43** (2006) 87–101**G****Galton–Watson forest** N. MINAMI *AAP* **37** (2005) 229–264**Galton–Watson process** with immigration M. ISPÁNY *et al.* *AAP* **37** (2005) 523–538**Galton–Watson tree** bounded P. MÖRTERS AND N.-R. SHIEH *JAP* **41** (2004) 1223–1229**gambler model** S. N. ETHIER *JAP* **41** (2004) 1230–1236**gambler's ruin** three-handed D. STIRZAKER *AAP* **38** (2006) 284–286**gambling strategy**

- bold R. W. CHEN *et al.* *JAP* **41** (2004) 587–592

- bold-player M.-R. CHEN AND S.-R. HSIAU *JAP* **43** (2006) 905–915

- in primitive casino R. W. CHEN *et al.* *JAP* **42** (2005) 121–137

- in two-horse race D. BARRY AND C. LYNCH *AAP* **38** (2006) 899–915

- red-and-black J. SCHWEINSBERG *JAP* **42** (2005) 321–333

- with non-standard card decks S. VANNIASEGARAM *JAP* **43** (2006) 1–15

gambling team in pattern search J. GLAZ *et al.* *JAP* **43** (2006) 127–140**game**

- coordination-type H.-C. CHEN *et al.* *JAP* **43** (2006) 335–350

- with bet-dependent win M.-R. CHEN AND S.-R. HSIAU *JAP* **43** (2006) 905–915

game problem S. VANNIASEGARAM *JAP* **43** (2006) 1–15

- continuous-time Markov X. GUO AND O. HERNÁNDEZ-LERMA *JAP* **42** (2005) 303–320

- matrix analysis of Y. C. SWAN AND F. T. BRUSS *JAP* **43** (2006) 755–766

- Nash equilibrium in L. PONTIGGIA *AAP* **37** (2005) 75–89

- n*-point, win-by-*k* I. M. MACPHEE *et al.* *JAP* **41** (2004) 1182–1186

- sampling-without-replacement S. N. ETHIER AND D. A. LEVIN *AAP* **37** (2005) 90–107

- two-person B. AVI-ITZHAK *et al.* *JAP* **43** (2006) 1165–1172

- with restricted stakes J. SCHWEINSBERG *JAP* **42** (2005) 321–333

- with suboptimal opponent K. V. KATSIKOPOULOS AND Ö. SIMSEK *JAP* **42** (2005) 867–872

GARCH model

- continuous-time C. KLÜPPELBERG *et al.* *JAP* **41** (2004) 601–622

- multiperiod conditional distribution function R. BRUMMELHUIS AND D. GUÉGAN *JAP* **42** (2005) 426–445

gaugeability Y. SHIOZAWA *JAP* **43** (2006) 1077–1090**Gaussian polytope** D. HUG AND M. REITZNER *AAP (SGSA)* **37** (2005) 297–320**Gaussian process** one- or two-parameter C. MERCADIER *AAP* **38** (2006) 149–170

- Gaussian wave** J.-M. AZAIS *et al.* *JAP* **42** (2005) 407–425
- Gauss–Whittle function** J. GAO *JAP* **41** (2004) 467–482
- gene extinction** S. R. BUSS AND P. CLOTE *AAP* **36** (2004) 1175–1197
- gene frequency** M. DE IORIO AND R. C. GRIFFITHS *AAP* **36** (2004) 434–454
- generalised processor sharing (GPS)** F. M. GUILLEMIN AND D. PINCHON *JAP* **41** (2004) 832–858
- genetic drift** A. BOBROWSKI *AAP* **36** (2004) 57–77
- genetic inheritance** genomic continuum model V. T. STEFANOV *JAP* **41** (2004) 345–354
- genome survival** numerical evaluation of V. T. STEFANOV *JAP* **41** (2004) 345–354
- geometric Brownian motion** P. HÖRFELT *JAP* **42** (2005) 851–860
with drift X. GUO AND J. LIU *JAP* **42** (2005) 826–838
- geometric ergodicity** E. LTMAN *et al.* *AAP* **36** (2004) 839–853 and B. H. FRALIX *JAP* **43** (2006) 1194–1200
and Z. HOU AND Y. LIU *JAP* **41** (2004) 778–790
- geometric graph** random P. BALISTER *et al.* *AAP (SGSA)* **37** (2005) 1–24
- geometric moment contraction** W. B. WU AND X. SHAO *JAP* **41** (2004) 425–436
- geometric process model** Y. LAM *JAP* **42** (2005) 1–14
- Gerber–Shiu function** S. LI AND J. GARRIDO *AAP* **37** (2005) 836–856
- germ-grain model**
on regular tree C. COTAR AND S. VOLKOV *AAP (SGSA)* **36** (2004) 325–339
stationary U. PANTLE *et al.* *AAP (SGSA)* **38** (2006) 76–94
- giant component** I. NORROS AND H. REITTU *AAP (SGSA)* **38** (2006) 59–75
- Gillis’ random walk** N. GUILLOTIN-PLANTARD *JAP* **42** (2005) 295–301
- graph** random nearest-neighbour P. BALISTER *et al.* *AAP (SGSA)* **37** (2005) 1–24
- graph process** conditionally Poissonian I. NORROS AND H. REITTU *AAP (SGSA)* **38** (2006) 59–75
- Grassmann manifold** A. SRIVASTAVA AND E. KLASSEN *AAP (SGSA)* **36** (2004) 43–56
- Green function** for Gillis’ random walk N. GUILLOTIN-PLANTARD *JAP* **42** (2005) 295–301
- growth model** Poisson process on a line C. COTAR AND S. VOLKOV *AAP (SGSA)* **36** (2004) 325–339
- growth rate** of multidimensional Markov chain M. GONZÁLEZ *et al.* *JAP* **43** (2006) 159–174
- growth-collapse model** O. BOXMA *et al.* *AAP* **38** (2006) 221–243
- H**
- harmonic moment** of Galton–Watson process D. PIAU *AAP* **38** (2006) 465–486
- Harris Markov chain** H. AYHAN *et al.* *JAP* **41** (2004) 791–801 and B. H. FRALIX *JAP* **43** (2006) 1194–1200
- Harris-ergodic process** Z. HOU *et al.* *JAP* **42** (2005) 698–712
- Hartman–Watson distribution** P. BARRIEU *et al.* *JAP* **41** (2004) 1049–1058
- Haussdorf metric** A. CUEVAS AND A. RODRIGUEZ-CASAL *AAP (SGSA)* **36** (2004) 340–354
- Hawkes process** marked/unmarked J. MØLLER AND J. G. RASMUSSEN *AAP (SGSA)* **37** (2005) 629–646
- hazard rate** in mixtures Y. LI *JAP* **42** (2005) 892–901
- hazard-rate ordering** J. NAVARRO AND M. SHAKED *JAP* **43** (2006) 391–408
- heaps process** J. BARRERA AND C. PAROISSIN *JAP* **41** (2004) 250–262
- heat equation**
fractional J. M. ANGULO *et al.* *AAP* **37** (2005) 366–392 and M. Y. KELBERT *et al.* *AAP* **37** (2005) 108–133
- heavy tails** and power estimates H. NYRHINEN *AAP* **37** (2005) 726–742
- heavy-tailed data** S. ASMUSSEN AND D. P. KROESE *AAP* **38** (2006) 545–558 and Q.-L. LI AND Y. Q. ZHAO *AAP* **37** (2005) 482–509 and K. W. NG AND Q. TANG *JAP* **41** (2004) 108–116
- heavy-tailed distribution**
of service time F. BACCELLI *et al.* *JAP* **42** (2005) 513–530
with convolution closure J. CAI AND Q. TANG *JAP* **41** (2004) 117–130
- heavy-tailed noise** R. KULIK *JAP* **43** (2006) 245–256 and R. LEIPUS *et al.* *JAP* **43** (2006) 421–440
- heavy-tailed sum** negatively associated J. GELUK AND K. W. NG *JAP* **43** (2006) 587–593
- heavy-traffic limit** S. SHAKKOTTAI *et al.* *AAP* **36** (2004) 1021–1045

- hidden Markov chain** A. Y. MITROPHANOV *et al.* *JAP* **42** (2005) 632–642
hidden Markov model for asset price drift U. RIEDER AND N. BÄUERLE *JAP* **42** (2005) 362–378
hitting time in Ornstein–Uhlenbeck process B. LACHAUD *JAP* **42** (2005) 1069–1080
holding costs for queue with flexible server K. SCHIEFERMAYR AND J. WEICHBOLD *JAP* **42** (2005) 778–796
household model for epidemic infection P. NEAL *AAP* **38** (2006) 943–968

I

- idle period** state-dependent A. CHEN AND E. RENSHAW *AAP* **36** (2004) 499–524
image decompression L. M. MORATO AND P. SIRI *AAP* **36** (2004) 318–323
immigration in Galton–Watson process Z. LI *JAP* **43** (2006) 289–295
immigration process
 Brownian M. ZHANG *JAP* **42** (2005) 1120–1133
 family-level W.-M. HONG *JAP* **41** (2004) 202–210
 in Brownian motion M. ZHANG *JAP* **41** (2004) 187–201
 with catastrophes A. ECONOMOU *JAP* **41** (2004) 508–523
immortal branching process A. N. LAGERÅS AND A. MARTIN-LÖF *JAP* **43** (2006) 1066–1076
impatient customer K. D. GLAZEBROOK *et al.* *JAP* **41** (2004) 51–72
importance sampling
 for population gene frequency M. DE IORIO AND R. C. GRIFFITHS *AAP* **36** (2004) 417–433
 in subdivided population M. DE IORIO AND R. C. GRIFFITHS *AAP* **36** (2004) 434–454
impulse control A. IRLE AND J. SASS *AAP* **38** (2006) 916–942
impulse-response R. LUND *et al.* *JAP* **41** (2004) 911–918
independently scattered random measure V. FASEN *AAP* **37** (2005) 993–1014
index policy K. D. GLAZEBROOK *et al.* *AAP* **38** (2006) 95–115
 for tasks with uncertain outcomes K. D. GLAZEBROOK *et al.* *JAP* **41** (2004) 51–72
infected individuals partially observed R. MEESTER AND P. TRAPMAN *AAP* **38** (2006) 1098–1115
infection
 competing M. DEIJFEN AND O. HÄGGSTRÖM *AAP (SGSA)* **36** (2004) 973–980
 via free-living infective entities D. CLANCY *JAP* **42** (2005) 726–737
 with limited interaction N. DATTA AND T. C. DORLAS *JAP* **41** (2004) 1008–1021
infection model
 SIR-type, exposure-dependent F. BALL AND T. BRITTON *JAP* **42** (2005) 932–949
 SIR-type, final size C. LEFÈVRE AND P. PICARD *JAP* **42** (2005) 950–963
 two-level mixing P. NEAL *JAP* **42** (2005) 334–345
infection period in SIS epidemic P. NEAL *AAP* **38** (2006) 943–968
infection resistance C. LEFÈVRE AND P. PICARD *JAP* **42** (2005) 950–963
infective host two-type F. BALL AND T. BRITTON *JAP* **42** (2005) 932–949
infinite divisibility A. M. IKSANOV *JAP* **43** (2006) 602–602 *and* A. M. IKSANOV *JAP* **41** (2004) 1187–1190
infinitely divisible process A. G. PAKES *JAP* **41** (2004) 407–424
infinitely-many-alleles model R. C. GRIFFITHS *AAP* **38** (2006) 405–429
information model dynamic-discrimination M. ASADI *et al.* *JAP* **42** (2005) 643–660
information network refresh scheduling in Y. LING AND J. MI *JAP* **41** (2004) 721–734
innovation super-heavy-tailed A. ZEEVI AND P. W. GLYNN *JAP* **41** (2004) 639–653
input continuous and jumpwise in dam K. E. LIM *et al.* *JAP* **42** (2005) 587–594
input process correlated D.-A. WU AND H. TAKAGI *JAP* **42** (2005) 478–490
insurance claim
 delayed A. GANESH AND G. L. TORRISI *JAP* **43** (2006) 916–926
 dependent Z. G. IGNATOV AND V. K. KAISHEV *JAP* **43** (2006) 535–551
 near-maximum A. G. PAKES *et al.* *AAP* **37** (2005) 765–780
 size distribution Q. TANG *JAP* **42** (2005) 608–619
 small-sized C. MACCI AND G. STABILE *JAP* **43** (2006) 713–728

- insurance model** for continuous claim severities Z. G. IGNATOV AND V. K. KAISHEV *JAP* **41** (2004) 570–578
- insurance risk** H. ALBRECHER AND J. L. TEUGELS *JAP* **43** (2006) 257–273 *and* Q. TANG AND G. TSITSIAHVILI *AAP* **36** (2004) 1278–1299
and fluid queue model L. RABEHASAINA AND B. SERICOLA *JAP* **41** (2004) 758–777
Lévy-type, extreme C. KLÜPPELBERG AND A. E. KYPRIANOU *JAP* **43** (2006) 594–598
perturbed random walk model V. F. ARAMAN AND P. W. GLYNN *AAP* **37** (2005) 663–680
- integer-valued bilinear process** P. DOUKHAN *et al.* *AAP* **38** (2006) 559–578
- integer-valued claim** Z. G. IGNATOV AND V. K. KAISHEV *JAP* **43** (2006) 535–551
- interacting particle system** N. LANCHIER *JAP* **42** (2005) 1109–1119
- interest rate model** K. HAMZA *et al.* *AAP* **37** (2005) 415–434
- interference model** F. B. KNIGHT AND J. L. STEICHEN *AAP* **36** (2004) 725–746
- internet traffic** searchable C. MALLOWS AND J. MELOCHE *JAP* **43** (2006) 899–904
- internet transfer protocol** T. J. OTT *AAP* **38** (2006) 1132–1154
- interval allocation** Y. BARYSHNIKOV *et al.* *JAP* **41** (2004) 691–702
- invariant measure** O. L. V. COSTA AND F. DUFOUR *JAP* **42** (2005) 873–878
- inversion formula** A. ECONOMOU *AAP* **37** (2005) 185–211
- investment**
stochastic return on Q. TANG AND G. TSITSIAHVILI *AAP* **36** (2004) 1278–1299
time value of R. NORBERG AND M. STEFFENSEN *JAP* **42** (2005) 861–866
- island statistics** J. L. SPOUGE *JAP* **41** (2004) 975–983
- iteration** and stability of tessellation W. NAGEL AND V. WEISS *AAP (SGSA)* **37** (2005) 859–883
- Itô diffusion** optimal stopping in A. L. BRONSTEIN *et al.* *JAP* **43** (2006) 984–996
- J**
- Jackson network** R. DELGADO *et al.* *AAP* **36** (2004) 1252–1277
fluid limit M. LELARGE *JAP* **42** (2005) 491–512
tail of maximal dater F. BACCELLI *et al.* *JAP* **42** (2005) 513–530
two-mode Y. SAKUMA AND M. MIYAZAWA *JAP* **42** (2005) 199–222
with infinite work supply G. WEISS *JAP* **42** (2005) 879–882
- Jiirina process** Y. LI *JAP* **43** (2006) 195–207
- job search** random-record model G. BARLEVY AND H. N. NAGARAJA *JAP* **43** (2006) 1119–1136
- jump**
in growth-collapse process O. BOXMA *et al.* *AAP* **38** (2006) 221–243
in positive orthant F. J. PIERA *et al.* *AAP* **37** (2005) 212–228
intensity-based E. PLATEN *JAP* **41** (2004) 19–34
- jump diffusion** T. ARAI *JAP* **41** (2004) 263–270 *and* E. EKSTRÖM *JAP* **43** (2006) 867–873 *and* J. C. JIMENEZ AND F. CARBONELL *JAP* **43** (2006) 185–194
- K**
- Kalman–Bucy filter** and Cox process A. DASSIOS AND J.-W. JANG *JAP* **42** (2005) 93–107
- Kantorovich distance** P. S. RUZANKIN *JAP* **41** (2004) 271–276
- Kantorovich–Lebedev transformation** L. C. G. ROGERS AND L. SHEPP *JAP* **43** (2006) 880–883
- Kelly system** of proportional betting S. N. ETHIER *JAP* **41** (2004) 1230–1236
- key generator** unbiased R. AGUECH *et al.* *JAP* **43** (2006) 377–390
- Krein criterion** P. HÖRFELT *JAP* **42** (2005) 851–860
- L**
- labelled point process** K. BOROVKOV *JAP* **41** (2004) 1138–1144
- ladder height** first ascending Y. WANG AND K. WANG *JAP* **43** (2006) 874–879
- ladder height density** M. SCHRÖDER *AAP* **38** (2006) 969–1027
- ladder process** M. PISTORIUS *JAP* **43** (2006) 208–220
- Laguerre series** M. SCHRÖDER *AAP* **38** (2006) 969–1027

- Lamperti representation** M. E. CABALLERO AND L. CHAUMONT *JAP* **43** (2006) 967–983
- Laplace motion fractional** T. J. KOZUBOWSKI *et al.* *AAP* **38** (2006) 451–464
- Laplace transform of discontinuous function** T. SAKURAI *AAP* **36** (2004) 616–642
- large deviation**
- estimating K. DUFFY AND A. P. METCALFE *JAP* **42** (2005) 1044–1052
 - in branching particle system M. ZHANG *JAP* **42** (2005) 1120–1133
 - in tail estimate for single-server queue K. DUFFY AND A. P. METCALFE *JAP* **42** (2005) 267–274
 - simulation A. B. DIEKER AND M. MANDJES *AAP* **37** (2005) 539–552
- lattice** hierarchical B. M. HAMBLY AND J. JORDAN *AAP* **36** (2004) 824–838
- lattice path counting** K. KOBAYASHI *et al.* *AAP* **38** (2006) 804–826
- law of small numbers** N. HOSHINO *JAP* **43** (2006) 852–866
- \mathcal{L} -class distribution** C.-Y. HU AND G. D. LIN *JAP* **42** (2005) 1204–1208
- Le Her game** S. VANNIASEGARAM *JAP* **43** (2006) 1–15
- LeadingOnes problem** V. LADRET *JAP* **42** (2005) 39–51
- learning system** K. HORBACZ *JAP* **41** (2004) 890–910
- quasi-Bayesian H.-C. CHEN *et al.* *JAP* **43** (2006) 335–350
- left-to-right maxima** R. GOUET *et al.* *AAP* **37** (2005) 781–800
- level crossing probability** for linear process G. K. BASAK AND K.-W. R. HO *AAP* **36** (2004) 643–666
- level-crossing ordering** F. FERREIRA AND A. PACHECO *JAP* **42** (2005) 52–60
- for semi-Markov process F. FERREIRA AND A. PACHECO *JAP* **42** (2005) 989–1002
- Lévy model** dense M. PISTORIUS *JAP* **43** (2006) 208–220
- Lévy process**
- conditioned stable M. E. CABALLERO AND L. CHAUMONT *JAP* **43** (2006) 967–983
 - fluctuating A. B. DIEKER *AAP* **38** (2006) 768–791
 - reflected O. KELLA *et al.* *JAP* **43** (2006) 221–230
 - simulated C. LACAUX *AAP* **36** (2004) 171–197
 - spectrally negative P. DUBE *et al.* *JAP* **41** (2004) 1145–1156
 - with jumps X. ZHOU *JAP* **41** (2004) 1191–1198
- Lévy-driven process** extremes of V. FASEN *AAP* **37** (2005) 993–1014
- life distribution**
- \mathcal{L} -class C.-Y. HU AND G. D. LIN *JAP* **42** (2005) 1204–1208
 - decreasing-variance J. STOYANOV AND M. H. M. AL-SADI *JAP* **41** (2004) 953–960
- life insurance** portfolio value Y. ZHANG *et al.* *JAP* **43** (2006) 1155–1164
- lifetime** of random set P. C. KIESLER AND K. NIMITKIATKLI *JAP* **42** (2005) 566–580
- lifetime distribution**
- and maximum entropy M. ASADI *et al.* *JAP* **41** (2004) 379–390
 - and stochastic filtering A. GERARDI AND P. TARDELLI *JAP* **42** (2005) 346–361
- light tail** Q.-L. LI AND Y. Q. ZHAO *AAP* **37** (2005) 1075–1093
- lilypond model** C. COTAR AND S. VOLKOV *AAP (SGSA)* **36** (2004) 325–339
- growth protocol D. J. DALEY AND G. LAST *AAP (SGSA)* **37** (2005) 604–628
- linear fractional stable motion** S. STOEV AND M. S. TAQQU *AAP* **36** (2004) 1085–1115
- linear reward** in service rate optimization B. AVI-ITZHAK *et al.* *JAP* **43** (2006) 1165–1172
- list** linear self-organizing D. GAMARNIK AND P. MOMČILOVIĆ *JAP* **42** (2005) 235–246
- local linear approximation** J. C. JIMENEZ AND F. CARBONELL *JAP* **43** (2006) 185–194
- local stationarity** M. G. GENTON AND O. PERRIN *JAP* **41** (2004) 236–249
- local subexponential distribution** Y. WANG *et al.* *JAP* **42** (2005) 1194–1203
- lognormal approximation** in option pricing D. DUFRESNE *AAP* **36** (2004) 747–773
- long-range dependence** C. C. HEYDE AND N. N. LEONENKO *AAP* **37** (2005) 342–365
- long-range-dependent Gaussian process** J. GAO *JAP* **41** (2004) 467–482
- loss network** admission costs in K. Y. LIN AND S. M. ROSS *JAP* **41** (2004) 535–546

loss system

- and customer routeing S. SPICER AND I. ZIEDINS *JAP* **43** (2006) 274–281
- with customer deletion S. ZIYA *et al.* *JAP* **43** (2006) 1201–1205
- with partial acceptance policy E. L. ÖRMECI AND A. BURNETAS *AAP* **37** (2005) 915–937

lower records A. M. IKSANOV *JAP* **43** (2006) 602–602 and A. M. IKSANOV *JAP* **41** (2004) 1187–1190

lumpability for state vector J. LEDOUX *AAP* **36** (2004) 1198–1211

Luria–Delbrück distribution M. MÖHLE *JAP* **42** (2005) 620–631

Lyapunov function strong A. BOROVKOV AND A. HORDIJK *AAP* **36** (2004) 227–242

M

maintenance model monotone process Y. LAM *JAP* **42** (2005) 1–14

majorization of mean order statistics J. DE LA CAL AND J. CÁRCAMO *JAP* **43** (2006) 704–712

many-sources regime D. Y. EUN AND N. B. SHROFF *AAP* **36** (2004) 893–918

market model

- for electrical utilities J. HINZ *JAP* **41** (2004) 299–312
- incomplete T. ARAI *JAP* **41** (2004) 263–270

Markov additive process M. JACOBSEN *AAP* **37** (2005) 963–992 and M. MIYAZAWA AND Y. Q. ZHAO *AAP* **36** (2004) 1231–1251

reward function V. T. STEFANOV *JAP* **43** (2006) 1053–1065

Markov chain

block-structured M. MIYAZAWA AND Y. Q. ZHAO *AAP* **36** (2004) 1231–1251

conditioning of additive functional S. JACKA *et al.* *AAP* **37** (2005) 1035–1055 and S. JACKA *et al.* *AAP* **37** (2005) 1015–1034

continuous-time F. BALL AND R. K. MILNE *JAP* **42** (2005) 1031–1043

continuous-time unstable A. CHEN *et al.* *AAP* **36** (2004) 267–292

countable-space G. YIN AND H. ZHANG *AAP* **36** (2004) 324–324

denumerable E. ALTMAN *et al.* *AAP* **36** (2004) 839–853

environmental influence on A. ECONOMOU *AAP* **37** (2005) 185–211

Foster-type criteria B. H. FRALIX *JAP* **43** (2006) 1194–1200

G/G/1, stationary-probability vector Q.-L. LI AND Y. Q. ZHAO *AAP* **37** (2005) 1075–1093

homogeneous multidimensional M. GONZÁLEZ *et al.* *JAP* **43** (2006) 159–174

homogeneous multitype M. GONZÁLEZ *et al.* *JAP* **42** (2005) 1015–1030

inhomogeneous reversible H. GE *et al.* *JAP* **43** (2006) 1028–1043

level-crossing ordering in F. FERREIRA AND A. PACHECO *JAP* **42** (2005) 989–1002

matrix type Q.-L. LI AND Y. Q. ZHAO *AAP* **37** (2005) 482–509

multivariate absorbing Y. C. SWAN AND F. T. BRUSS *JAP* **43** (2006) 755–766

partially observable J. LEDOUX *JAP* **42** (2005) 684–697

reversible R. LUND *et al.* *JAP* **43** (2006) 486–499

reversible continuous-time A. Y. MITROPHANOV *JAP* **41** (2004) 1219–1222

skip-free to the right F. FERREIRA AND A. PACHECO *JAP* **42** (2005) 52–60

uniformly ergodic A. Y. MITROPHANOV *JAP* **42** (2005) 1003–1014

V-uniformly ergodic P. MATHÉ *JAP* **41** (2004) 1104–1112

with general transition structures A. CHEN *et al.* *AAP* **37** (2005) 1056–1074

Markov chain Monte Carlo S. F. JARNER AND W. K. YUEN *AAP* **36** (2004) 243–266

Markov decision chain A. A. BOROVKOV AND A. HORDIJK *AAP* **36** (2004) 227–242

Markov decision problem with bounded cost H. W. JAMES AND E. J. COLLINS *JAP* **43** (2006) 603–621

Markov decision process

and asset yield K. D. GLAZEBROOK *et al.* *AAP* **38** (2006) 95–115

multi-actor H.-S. AHN AND R. RIGTER *JAP* **42** (2005) 15–26

with Borel space X. GUO AND Q. ZHU *JAP* **43** (2006) 318–334

with compact action set R. CAVAZOS-CADENA AND R. MONTES-DE-OCA *JAP* **42** (2005) 905–918

Markov jump process reversible R. F. SERFOZO *AAP* **37** (2005) 801–818

Markov process

invariant probability measure O. L. V. COSTA AND F. DUFOUR *JAP* **42** (2005) 873–878
 on partially-ordered space H. DADUNA AND R. SZEKLI *JAP* **43** (2006) 793–814
 positive self-similar M. E. CABALLERO AND L. CHAUMONT *JAP* **43** (2006) 967–983

Markov random field polygonal T. SCHREIBER *AAP (SGSA)* **37** (2005) 884–907

Markov renewal process with counting process F. BALL AND R. K. MILNE *JAP* **42** (2005) 1031–1043

Markov renewal theory G. LATOUCHE AND T. TAKINE *JAP* **41** (2004) 746–757

Markov reward chain continuous-time N. M. VAN DIJK AND K. SLADKÝ *JAP* **43** (2006) 1044–1052

Markov sequential spatial process M. N. M. VAN LIESHOUT *AAP (SGSA)* **38** (2006) 889–898

Markov-dependent trial P. VELLAISAMY *JAP* **41** (2004) 1081–1092

Markovian arrival process A. DUDIN AND O. SEMENOVA *JAP* **41** (2004) 547–556

with event labels M. F. NEUTS AND A. S. ALFA *JAP* **41** (2004) 1124–1137

Markov-modulated fluid flow S. AHN AND V. RAMASWAMI *JAP* **42** (2005) 531–549

Markov-modulated queue L. RABEHASAINA *JAP* **43** (2006) 510–522

Markov-modulated speed O. KELLA AND W. STADJE *JAP* **41** (2004) 1237–1242

Markov-modulated system with disasters O. BOXMA *et al.* *AAP* **38** (2006) 221–243

martingale in branching random walk J. D. BIGGINS AND A. E. KYPRIANOU *AAP* **36** (2004) 544–581

martingale property

of stochastic exponentials B. WONG AND C. C. HEYDE *JAP* **41** (2004) 654–664

of urn model M.-R. CHEN AND C. Z. WEI *JAP* **42** (2005) 964–976

maxima of multivariate moving maxima J. SEGERS *JAP* **43** (2006) 463–485

maximal dater F. BACCELLI *et al.* *JAP* **42** (2005) 513–530

maximal process G. SAMORODNITSKY *AAP* **36** (2004) 805–823

maximization algorithm for resource allocation A. G. HART *et al.* *AAP* **38** (2006) 1071–1097

maximum

of Gaussian process C. MERCADIER *AAP* **38** (2006) 149–170

of Lévy process M. PISTORIUS *JAP* **43** (2006) 208–220

maximum entropy J. U. GLEATON AND J. D. LYNCH *AAP* **36** (2004) 98–115

maximum likelihood estimation D. LIN AND V. MAKIS *JAP* **41** (2004) 211–220

max-recursive equation L. RÜSCENDORF *JAP* **43** (2006) 687–703

max-stable process Z. ZHANG AND R. L. SMITH *JAP* **41** (2004) 1113–1123

max-sum equivalence J. CAI AND Q. TANG *JAP* **41** (2004) 117–130

mean comparison theorem Poisson case J. VEČER AND M. XU *JAP* **41** (2004) 1199–1202

mean residual life increasing S. AALTO AND U. AYESTA *JAP* **43** (2006) 523–534

Mellin transform R. AGUECH *et al.* *JAP* **43** (2006) 377–390

Metropolis algorithm conductance bounds on S. F. JARNER AND W. K. YUEN *AAP* **36** (2004) 243–266

microdefect analysis F. C. KISSLER AND K. NIMITKIATKLAI *JAP* **42** (2005) 566–580

microsatellite A. BOBROWSKI *AAP* **36** (2004) 57–77

migration nonconservative K. Y. SAMPSON *JAP* **43** (2006) 351–362

minimal directed spanning forest M. D. PENROSE AND A. R. WADE *AAP (SGSA)* **38** (2006) 336–372

minimal direction A. G. BHATT AND R. ROY *AAP (SGSA)* **36** (2004) 19–42

minimal martingale measure T. ARAI *JAP* **41** (2004) 263–270

minimal repair information-based M. FINKELSTEIN *JAP* **41** (2004) 281–286

minimax bookie in betting strategy D. BARRY AND C. LYNCH *AAP* **38** (2006) 899–915

minimum-discrimination information M. ASADI *et al.* *JAP* **42** (2005) 643–660

mixed Poisson process B. NIESE *JAP* **43** (2006) 741–754 and J. PREATER *JAP* **43** (2006) 729–740

mixture failure rate M. FINKELSTEIN AND V. ESAULOVA *AAP* **38** (2006) 244–262

mixture model preservation of properties in Y. LI *JAP* **42** (2005) 892–901

moment generating function and ageing X. LI *JAP* **41** (2004) 927–934

monotonicity L. R. FONTES *et al.* *JAP* **41** (2004) 292–298

in reversible Markov chain R. LUND *et al.* *JAP* **43** (2006) 486–499

Monte Carlo algorithm

for maximum of random walk L. BARINGHAUS AND R. GRÜBEL *JAP* **43** (2006) 74–86
 for optimal stopping A. IRLE *JAP* **43** (2006) 102–113

most recent common ancestor M. MÖHLE *AAP* **36** (2004) 78–97

move-to-front rule J. BARRERA AND C. PAROISSIN *JAP* **41** (2004) 250–262 *and* P. R. JELENKOVIĆ *et al.* *JAP* **43** (2006) 1013–1027

moving average process with random coefficients R. KULIK *JAP* **43** (2006) 245–256

moving maxima process Z. ZHANG AND R. L. SMITH *JAP* **41** (2004) 1113–1123

multiarmed bandit H.-S. AHN AND R. RIGHTER *JAP* **42** (2005) 15–26

multidimensional local time T. FUJITA *et al.* *JAP* **41** (2004) 1–18

multifractal spectra of branching measure P. MÖRTERS AND N.-R. SHIEH *JAP* **41** (2004) 1223–1229

multifractional motion S. STOEV AND M. S. TAQQU *AAP* **36** (2004) 1085–1115

multiple stopping C. BENDER AND J. SCHOENMAKERS *AAP* **38** (2006) 729–749

multiple-access protocol R. VAN DER HOFSTAD AND M. J. KLOK *AAP* **36** (2004) 1046–1084

multitype branching measure change in J. D. BIGGINS AND A. E. KYPRIANOU *AAP* **36** (2004) 544–581

multivariate branching random walk J. D. BIGGINS AND A. RAHIMZADEH SANI *AAP* **37** (2005) 681–705

multivariate risk vector L. RÜSCENDORF *JAP* **41** (2004) 391–406

multivariate total positivity A. COLANGELO *et al.* *JAP* **43** (2006) 48–59

mutation in large-family model M. MÖHLE *AAP* **38** (2006) 750–767

N

Nash equilibrium in FCFS queue A. C. BROOMS *AAP* **37** (2005) 461–481

nearest neighbour

and MDST M. D. PENROSE AND A. R. WADE *AAP (SGSA)* **36** (2004) 691–714

in dimension one J. BÉRARD *JAP* **41** (2004) 83–92

nearest-neighbour graph M. D. PENROSE AND A. R. WADE *AAP (SGSA)* **38** (2006) 336–372

nearest-neighbour matching D. J. DALEY AND G. LAST *AAP (SGSA)* **37** (2005) 604–628

near-record observations A. G. PAKES *et al.* *AAP* **37** (2005) 765–780

negative arrivals A. CHEN AND E. RENSHAW *AAP* **36** (2004) 499–524

negative binomial process N. HOSHINO *JAP* **43** (2006) 852–866

negative customer Y. ZHU AND Z. G. ZHANG *JAP* **41** (2004) 1157–1170

neighbours in tessellation L. MUCHE *AAP (SGSA)* **37** (2005) 279–296

network

all-optical, scheduling in J. A. MORRISON *JAP* **43** (2006) 952–966

ultra-small scale-free J. E. YUKICH *JAP* **43** (2006) 665–677

network cache with dependent requests P. R. JELENKOVIĆ *et al.* *JAP* **43** (2006) 1013–1027

network decomposition D. Y. EUN AND N. B. SHROFF *AAP* **36** (2004) 893–918

network monitoring C. MALLOWS AND J. MELOCHE *JAP* **43** (2006) 899–904

Neumann boundary M. BOSSY *et al.* *JAP* **41** (2004) 877–889

no-arbitrage condition K. HAMZA *et al.* *AAP* **37** (2005) 415–434

noise Gaussian input J. M. ANGULO *et al.* *AAP* **37** (2005) 366–392

noisy signal T. MIZUNO *JAP* **43** (2006) 1181–1185

nonlinear time series and iterated random functions W. B. WU AND X. SHAO *JAP* **41** (2004) 425–436

nonstationary process stationary approximation for S. SUBBA RAO *AAP* **38** (2006) 1155–1172

nonzero-sum game X. GUO AND O. HERNÁNDEZ-LERMA *JAP* **42** (2005) 303–320

normed ergodicity in Markov chain A. A. BOROVKOV AND A. HORDIJK *AAP* **36** (2004) 227–242

northeast model G. KORDZAKHIA AND S. P. LALLEY *JAP* **43** (2006) 782–792

N-tower problem D. STIRZAKER *AAP* **38** (2006) 284–286

nucleation in crystal growth F. B. KNIGHT AND J. L. STEICHEN *AAP* **36** (2004) 725–746

numerical integration using Markov chains P. MATHÉ *JAP* **41** (2004) 1104–1112

O

- occlusion** in tessellation model C. BORDENAVE *et al.* *AAP (SGSA)* **38** (2006) 31–46
occupancy rate in DNA genome A. G. HART *et al.* *AAP* **38** (2006) 1071–1097
occupancy time in optical network J. A. MORRISON *JAP* **43** (2006) 952–966
occupation time Z. DONG AND S. FENG *JAP* **41** (2004) 984–997
oceanographic analysis G. LINDGREN *AAP* **38** (2006) 430–450
Okazaki fragment time behaviour of K. BARTOSZEK AND W. BARTOSZEK *JAP* **43** (2006) 500–509
operator self-similar process M. M. MEERSCHAERT AND H.-P. SCHEFFLER *JAP* **41** (2004) 623–638
optimal choice V. V. MAZALOV AND M. TAMAKI *JAP* **43** (2006) 87–101
optimal dividend payment C. Y. ROBERT *JAP* **42** (2005) 153–162
optimal filter A. PAPAVASILIOU *JAP* **42** (2005) 1053–1068
optimal reserve allocation S. LOISEL *JAP* **42** (2005) 379–392
optimal routeing S. BHULAI *JAP* **43** (2006) 363–376
optimal scheduling A. DIMAKIS AND J. WALRAND *AAP* **38** (2006) 505–521
 for tandem queue K. SCHIEFERMAYR AND J. WEICHOLD *JAP* **42** (2005) 778–796

optimal stopping

- at random signal X. GUO AND J. LIU *JAP* **42** (2005) 826–838
 - boundary near expiration E. EKSTRÖM *JAP* **41** (2004) 313–326
 - in parking problem J.-R. YANG AND S.-R. HSIAU *JAP* **41** (2004) 579–586
 - iterative procedure C. BENDER AND J. SCHOENMAKERS *AAP* **38** (2006) 729–749
 - multiple G. SOFRONOV *et al.* *JAP* **43** (2006) 454–462
 - non-intuitive strategy F. T. BRUSS *JAP* **42** (2005) 108–120
 - two-choice D. ASSAF *et al.* *AAP* **36** (2004) 1116–1147
 - with observation cost P. ALLAART *JAP* **41** (2004) 998–1007
- optimal work size** J. H. CHA *JAP* **41** (2004) 277–280
optimization two-dimensional J. H. CHA *JAP* **41** (2004) 277–280
optimization algorithm A. IRLE *JAP* **43** (2006) 102–113
option pricing P. BARRIEU *et al.* *JAP* **41** (2004) 1049–1058 and T. FUJITA *et al.* *JAP* **41** (2004) 1–18 and E. PLATEN *JAP* **41** (2004) 19–34
 and jump-diffusion models J. VEČER AND M. XU *JAP* **41** (2004) 1199–1202
 and lognormal approximation D. DUFRESNE *AAP* **36** (2004) 747–773
 Bermudan look-back X. GUO AND J. LIU *JAP* **42** (2005) 826–838
 for large investor U. GRUBER AND M. SCHWEIZER *JAP* **43** (2006) 60–73
 in jump-diffusion model E. EKSTRÖM *JAP* **43** (2006) 867–873

Ornstein–Uhlenbeck process

- cut-off time in B. LACHAUD *JAP* **42** (2005) 1069–1080
 - fractional B. BUCHMANN AND C. KLÜPPELBERG *AAP* **37** (2005) 743–764
- orthant dependence** under mixtures F. BELZUNCE AND P. SEMERARO *JAP* **41** (2004) 961–974
overshoot moments of R. A. DONEY AND P. S. GRIFFIN *AAP* **36** (2004) 1148–1174

P

- packet arrival process** J. ALVAREZ AND B. HAJEK *AAP* **37** (2005) 160–184
packet stream with tokens M. F. NEUTS AND A. S. ALFA *JAP* **41** (2004) 1124–1137
packing dimer Y. BARYSHNIKOV *et al.* *JAP* **41** (2004) 691–702
packing problem M. STANKE *JAP* **41** (2004) 131–146
pair formation
 - in Markovian arrival process M. F. NEUTS AND A. S. ALFA *JAP* **41** (2004) 1124–1137
 - in Poisson arrival process K. BOROVKOV *JAP* **41** (2004) 1138–1144
- Palm probability** and stationary partition G. LAST *AAP (SGSA)* **38** (2006) 602–620
Palm-martingale calculus N. MIYOSHI *AAP* **36** (2004) 872–892
parallel processing S.-S. KO AND R. F. SERFOZO *AAP* **36** (2004) 854–871
parallel section J. RATAJ *AAP (SGSA)* **36** (2004) 715–724

- parking problem** T. HUILLET *AAP (SGSA)* **36** (2004) 996–1020
- parking strategy** threshold-type J.-R. YANG AND S.-R. HSIAU *JAP* **41** (2004) 579–586
- partially observable system** D. LIN AND V. MAKIS *AAP* **36** (2004) 1212–1230
- particle behaviour** random-walk model P. BECKER-KERN *et al.* *JAP* **41** (2004) 455–466
- particle diffusion** M. M. MEERSCHAERT AND H.-P. SCHEFFLER *JAP* **41** (2004) 623–638
- particle distribution** in Wiener process P. REVESZ *et al.* *JAP* **42** (2005) 1081–1094
- particle filtering**
- adaptive A. PAPAVASILIOU *JAP* **42** (2005) 1053–1068
 - in multitype branching process C. CECI AND A. GERARDI *JAP* **42** (2005) 446–462
- particle fragmentation** energy consumption in J. BERTOIN AND S. MARTÍNEZ *AAP* **37** (2005) 553–570
- particle process**
- Poisson R. COWAN *AAP (SGSA)* **38** (2006) 581–601
 - with interactions A. CHEN *et al.* *JAP* **41** (2004) 1033–1048
- particle system**
- interacting R. DELGADO *et al.* *AAP* **36** (2004) 1252–1277 and A. SUDBURY *JAP* **42** (2005) 902–904
 - site occupation in A. SUDBURY *JAP* **41** (2004) 816–831
- particle velocity** randomly-changing W. STADIE AND S. ZACKS *JAP* **41** (2004) 665–678
- path crossing** L. PEREIRA AND H. FERREIRA *JAP* **43** (2006) 884–891
- path dependence** T. FUJITA *et al.* *JAP* **41** (2004) 1–18
- pattern**
- competing, in multistate trial J. A. D. ASTON AND D. E. K. MARTIN *JAP* **42** (2005) 977–988
 - in two-state Markov chain J. GLAZ *et al.* *JAP* **43** (2006) 127–140
- pattern matching**
- approximate R. GRÜBEL AND M. REICH *JAP* **42** (2005) 393–406
 - maximal alignment score R. HAUSER *et al.* *AAP* **38** (2006) 827–852
- pattern occurrence** and biasing L. GOLDSTEIN *JAP* **42** (2005) 661–683
- penalization method** J.-P. LEPELTIER *et al.* *AAP* **37** (2005) 134–159
- percolation**
- long-range J. E. YUKICH *JAP* **43** (2006) 665–677
 - of particle on graph L. R. FONTES *et al.* *JAP* **41** (2004) 292–298
 - oriented G. KORDZAKHIA AND S. P. LALLEY *JAP* **43** (2006) 782–792
- percolation model** for radio interference O. DOUSSE *et al.* *JAP* **43** (2006) 552–562
- perfect simulation** of Hawkes process J. MØLLER AND J. G. RASMUSSEN *AAP (SGSA)* **37** (2005) 629–646
- performance analysis** of internet TCP T. J. OTT *AAP* **38** (2006) 1132–1154
- performance evaluation** S. G. HENDERSON AND B. SIMON *JAP* **41** (2004) 859–876 and M. VLASIOU *et al.* *JAP* **41** (2004) 1171–1181
- periodic inspection** J. P. KHAROUFEH *et al.* *JAP* **43** (2006) 303–317
- permanental process** P. McCULLAGH AND J. MØLLER *AAP (SGSA)* **38** (2006) 873–888
- perpetual American option** E. EKSTRÖM *JAP* **43** (2006) 867–873
- perpetual put option** C. YIN AND J. ZHAO *JAP* **43** (2006) 815–824
- perturbation**
- bounds for A. Y. MITROPHANOV *JAP* **41** (2004) 1219–1222
 - in M/M/1 queue N. ANTUNES *et al.* *AAP* **38** (2006) 263–283
 - light-tailed V. F. ARAMAN AND P. W. GLYNN *AAP* **37** (2005) 663–680
 - of hidden Markov model A. Y. MITROPHANOV *et al.* *JAP* **42** (2005) 632–642
- perturbation analysis** and queues E. ALTMAN *et al.* *AAP* **36** (2004) 839–853
- perturbation bound** A. Y. MITROPHANOV *JAP* **42** (2005) 1003–1014
- perturbed risk model** A. B. DIEKER *AAP* **38** (2006) 768–791
- phase transition** L. R. FONTES *et al.* *JAP* **41** (2004) 292–298
- phase-type distribution**
- and component failure Y. BARRON *et al.* *AAP* **36** (2004) 116–138

- multivariate J. CAI AND H. LI *JAP* **42** (2005) 810–825
- phylogenetic tree** D. ALDOUS AND L. POPOVIC *AAP* **37** (2005) 1094–1115
- piecewise-deterministic process** K. HORBCZ *JAP* **41** (2004) 890–910
- planar Poisson process** V. V. MAZALOV AND M. TAMAKI *JAP* **43** (2006) 87–101 *and* S. M. SAMUELS *AAP* **36** (2004) 398–416
- planar random motion** A. D. KOLESNIK AND E. ORSINGHER *JAP* **42** (2005) 1168–1182 *and* W. STADJE AND S. ZACKS *JAP* **41** (2004) 665–678
- in three directions S. LEORATO AND E. ORSINGHER *AAP* **36** (2004) 937–970
- point process**
- and random index A. D. BARBOUR AND A. XIA *AAP* **38** (2006) 693–728
 - binomial Y. DAVYDOV AND A. V. NAGAEV *JAP* **41** (2004) 437–454
 - of upcrossings and exceedances H. FERREIRA *JAP* **43** (2006) 927–937
 - Poisson approximation of P. S. Ruzankin *JAP* **41** (2004) 271–276
- Poisson cluster process** J. MØLLER AND J. G. RASMUSSEN *AAP (SGSA)* **37** (2005) 629–646
- Poisson point process** and complementary theorem R. COWAN *AAP (SGSA)* **38** (2006) 581–601
- Poisson process** and mean comparison theorem J. VEČER AND M. XU *JAP* **41** (2004) 1199–1202
- Poisson spectral measure** Y. DAVYDOV AND A. V. NAGAEV *JAP* **41** (2004) 437–454
- Poisson-driven observation** Y.-W. WAN AND R. W. WOLFF *JAP* **43** (2006) 599–601
- Poisson–Voronoi cell large** D. HUG *et al.* *AAP (SGSA)* **36** (2004) 667–690
- Pólya urn** Y.-P. CHEN *JAP* **43** (2006) 409–420 *and* I. HIGUERAS *et al.* *JAP* **43** (2006) 938–951 *and* A. M. PAGANONI AND P. SECCHI *AAP* **36** (2004) 791–804
- Pólya–Eggenburger urn** M.-R. CHEN AND C. Z. WEI *JAP* **42** (2005) 964–976
- Pólya–Lundberg process** B. NIENE *JAP* **43** (2006) 741–754
- polygonal field** length-interacting T. SCHREIBER *AAP (SGSA)* **37** (2005) 884–907
- polymerase chain reaction** N. LALAM *et al.* *AAP* **36** (2004) 602–615 *and* D. PIAU *AAP* **38** (2006) 465–486
- p*-optimal martingale measure** M. SANTACROCE *JAP* **43** (2006) 634–651
- population dynamics** S. R. BUSS AND P. CLOTE *AAP* **36** (2004) 1175–1197 *and* Z. CHEN AND R. KULPERGER *JAP* **42** (2005) 738–753
- with immigration and catastrophes A. ECONOMOU *JAP* **41** (2004) 508–523
- population gene frequency** M. DE IORIO AND R. C. GRIFFITHS *AAP* **36** (2004) 417–433
- population model**
- compound Poisson M. MÖHLE *JAP* **42** (2005) 620–631
 - deterministic C. YIN AND J. ZHAO *JAP* **43** (2006) 815–824
 - heterogeneous dynamical A. GERARDI AND P. TARDELLI *JAP* **42** (2005) 346–361
 - multitype branching O. D. JONES *JAP* **41** (2004) 703–720
 - with geometric growth M. GÓNZÁLEZ *et al.* *JAP* **42** (2005) 1015–1030
 - with large family size M. MÖHLE *AAP* **38** (2006) 750–767
 - Wright–Fisher M. MÖHLE *AAP* **36** (2004) 78–97
- population process**
- in random environment Z. LU AND P. JAGERS *JAP* **41** (2004) 176–186
 - with extinction M. C. SERRA *JAP* **43** (2006) 296–302
- population reduction** by catastrophe B. CAIRNS AND P. POLLETT *JAP* **41** (2004) 1211–1218
- population size**
- and coalescence P. JAGERS AND S. SAGITOV *JAP* **41** (2004) 368–378
 - stochastic K. Y. SAMPSON *JAP* **43** (2006) 351–362
- population-size-dependent process** Y. XING AND Y. WANG *JAP* **42** (2005) 175–184
- portfolio optimization** A. IRLE AND J. SASS *AAP* **38** (2006) 916–942 *and* E. PLATEN *JAP* **41** (2004) 19–34
- and supermodular ordering L. RÜSCENDORF *JAP* **41** (2004) 391–406
 - long-term J. SEKINE *AAP* **38** (2006) 673–692
 - with filtration S. ANKIRCHNER *JAP* **43** (2006) 622–633
 - with Markov-modulated drift U. RIEDER AND N. BÄUERLE *JAP* **42** (2005) 362–378

- positive dependence** A. COLANGELO *et al.* *JAP* **43** (2006) 48–59
positive quadrant dependence F. BELZUNCE AND P. SEMERARO *JAP* **41** (2004) 961–974
power estimate for finite-time ruin probability H. NYRHINEN *AAP* **37** (2005) 726–742
power spectrum of random spike field P. BRÉMAUD *et al.* *AAP* **37** (2005) 1116–1146
precise large deviation K. W. NG *et al.* *JAP* **41** (2004) 93–107
predator-prey process Z. CHEN AND R. KÜLPERGER *JAP* **42** (2005) 738–753
price-quantity process M. WINKEL *JAP* **42** (2005) 138–152
principal component analysis S. HUCKEMANN AND H. ZIEZOLD *AAP (SGSA)* **38** (2006) 299–319
processor scheduling N. BAMBOS AND G. MICHAILEDIS *AAP* **36** (2004) 293–317
processor sharing in M/G/1 queue F. GUILLEMIN *et al.* *AAP* **36** (2004) 525–543
progeny total, in Galton–Watson tree N. MINAMI *AAP* **37** (2005) 229–264
propagation at finite speed A. D. KOLESNIK *JAP* **43** (2006) 1107–1118
prophet inequality D. ASSAF *et al.* *AAP* **36** (2004) 1116–1147
proportional dynamics J. LEDOUX *AAP* **36** (2004) 1198–1211
protein folding evolutionary model V. LADRET *JAP* **42** (2005) 39–51
- Q**
- Q-process** uni-instantaneous B. GRAY *et al.* *JAP* **42** (2005) 713–725
Q-transition function multidimensional Y.-H. MAO AND Y.-H. ZHANG *JAP* **41** (2004) 1022–1032
quality control scheme Markov-type M. C. MORAIS AND A. PACHECO *JAP* **41** (2004) 1243–1247
quasi-birth and death process A. J. MOTYER AND P. G. TAYLOR *AAP* **38** (2006) 522–544
quasi-renewal equation K. BARTOSZEK AND W. BARTOSZEK *JAP* **43** (2006) 500–509
quenched properties of random walk J. BÉRARD *JAP* **41** (2004) 83–92
queue
 as storage model M. DRAIEF *et al.* *JAP* **42** (2005) 1145–1167
 G/GI/c, with monotonicity S. ZIYA *et al.* *JAP* **43** (2006) 1201–1205
 GI/G/1, busy period Z. PALMOWSKI AND T. ROLSKI *AAP* **38** (2006) 792–803
 GI/G/c, busy period S. GHAHRAMANI AND R. W. WOLFF *JAP* **42** (2005) 275–278
 M/Cox(r)/1 S. BHULAI *JAP* **43** (2006) 363–376
 M/G/1 with time-dependent properties O. KELLA *et al.* *JAP* **42** (2005) 223–234
 M/M/1 G. YIN AND H. ZHANG *AAP* **36** (2004) 324–324
 Markovian bulk-arrival A. CHEN AND E. RENSHAW *AAP* **36** (2004) 499–524
 Markov-renewal G. LATOUCHE AND T. TAKINE *JAP* **41** (2004) 746–757
 maximum length and service time G. KOOLE *et al.* *JAP* **42** (2005) 883–891
 multiple-input with service interruption F. ISHIZAKI *JAP* **41** (2004) 524–534
 parallel tandem with loss S. SPICER AND I. ZIEDINS *JAP* **43** (2006) 274–281
 processor-sharing and random-service D.-A. WU AND H. TAKAGI *JAP* **42** (2005) 478–490
 stability in random environment N. BAMBOS AND G. MICHAILEDIS *AAP* **36** (2004) 293–317
 time-dependent B. H. MARGOLIUS *JAP* **42** (2005) 766–777
 with autoregressive arrivals B. KIM AND K. SOHRABY *AAP* **38** (2006) 1116–1131
 with flexible server H.-S. AHN AND R. RIGHTER *JAP* **42** (2005) 15–26
 with linear service rate L. RABEHASAINA AND B. SERICOLA *JAP* **41** (2004) 758–777
 with negative and positive customers Y. ZHU AND Z. G. ZHANG *JAP* **41** (2004) 1157–1170
 with nonanticipatory scheduling S. AALTO AND U. AYESTA *JAP* **43** (2006) 523–534
 with rewards and penalties X. FAN-ORZECHOWSKI AND E. A. FEINBERG *AAP* **38** (2006) 199–220
 with semi-periodic traffic J. ALVAREZ AND B. HAJEK *AAP* **37** (2005) 160–184
 with time-varying service N. ANTUNES *et al.* *AAP* **38** (2006) 263–283
 work-conserving N. MIYOSHI *AAP* **36** (2004) 872–892
 work-modulated G. LAST *AAP* **36** (2004) 471–498
- queueing discipline** symmetric O. KELLA *et al.* *JAP* **42** (2005) 223–234
queueing network with stationary and ergodic arrivals M. LELARGE *JAP* **42** (2005) 491–512
queueing policy one-step improvement S. BHULAI *JAP* **43** (2006) 363–376

queueing system

- and threshold policy K. Y. LIN AND S. M. ROSS *JAP* **41** (2004) 535–546
 and time to ruin E. FROSTIG *AAP* **36** (2004) 377–397
 cyclic H. AYHAN *et al.* *JAP* **41** (2004) 791–801
 heavy traffic limit in V. LINETSKY *JAP* **41** (2004) 327–344
 irreducible L. RABEHASAINA *JAP* **43** (2006) 510–522
 M/G/1 and GI/M/n Z. HOU AND Y. LIU *JAP* **41** (2004) 778–790
 non-work-conserving F. ISHIZAKI *JAP* **41** (2004) 524–534
 overloaded L. LESKELÄ *JAP* **43** (2006) 231–244
 spatial C. BORDENAVE *AAP* **38** (2006) 487–504
 stability T. NAKATSUKA *JAP* **43** (2006) 652–664
 two-stage tandem K. SCHIEFERMAYR AND J. WEICHBOLD *JAP* **42** (2005) 778–796
 with balking and reneging S. ZIYA *et al.* *JAP* **43** (2006) 1201–1205
 with Markovian disaster input A. DUDIN AND O. SEMENOVA *JAP* **41** (2004) 547–556
 with removable server J. LORIS-TEGHEM *JAP* **41** (2004) 287–291
 with two competing servers B. AVI-ITZHAK *et al.* *JAP* **43** (2006) 1165–1172
 work-conserving Z. PALMOWSKI AND T. ROLSKI *AAP* **38** (2006) 792–803

R

radio transmission spanning tree model for A. G. BHATT AND R. ROY *AAP (SGSA)* **36** (2004) 19–42

Radon shape V. M. PANARETOS *AAP (SGSA)* **38** (2006) 320–335

random control function M. GONZÁLEZ *et al.* *JAP* **42** (2005) 463–477

random field

- extremal index of K. F. TURKMAN *JAP* **43** (2006) 114–126
 nonstationary L. PEREIRA AND H. FERREIRA *JAP* **43** (2006) 884–891
 stationary U. PANTLE *et al.* *AAP (SGSA)* **38** (2006) 76–94

random graph

- degree distribution in M. DEIJFEN AND R. MEESTER *AAP (SGSA)* **38** (2006) 287–298
 series-parallel B. M. HAMBLY AND J. JORDAN *AAP* **36** (2004) 824–838
random measure stable D. VERE-JONES *AAP (SGSA)* **37** (2005) 908–914
random motion in four dimensions A. D. KOLESNIK *JAP* **43** (2006) 1107–1118
random point set S. FINCH AND I. HUETER *AAP (SGSA)* **36** (2004) 981–986
 on regular curve E. ARIAS-CASTRO *et al.* *AAP* **38** (2006) 579–579 and E. ARIAS-CASTRO *et al.* *AAP (SGSA)* **37** (2005) 571–603

random polytope P. CALKA AND T. SCHREIBER *AAP (SGSA)* **38** (2006) 47–58

random sampling stratified P. J. BOLAND *et al.* *JAP* **41** (2004) 73–82

random sequential adsorption M. N. M. VAN LIESHOUT *AAP (SGSA)* **38** (2006) 889–898

random spike field P. BRÉMAUD *et al.* *AAP* **37** (2005) 1116–1146

random sum of random vectors E. OMEY *et al.* *AAP* **38** (2006) 1028–1046

random tree growing K. BOROVKOV AND V. A. VATUTIN *AAP* **38** (2006) 1047–1070

random vector

- and extreme summands Y. DAVYDOV AND A. V. NAGAEV *JAP* **41** (2004) 437–454
 infinitely divisible H. HULT AND F. LINDSKOG *AAP* **38** (2006) 134–148

random walk

- branching supercritical T. MOUNTFORD AND R. B. SCHINAZI *JAP* **42** (2005) 287–294
 continuous-time M. M. MEERSCHAERT AND H.-P. SCHEFFLER *JAP* **41** (2004) 623–638
 correlated, with discount P. ALLAART *JAP* **41** (2004) 483–496
 directionally reinforced P. ALLAART *JAP* **41** (2004) 998–1007
 generalized correlated U. GRUBER AND M. SCHWEIZER *JAP* **43** (2006) 60–73
 in random environment J. BÉRARD *JAP* **41** (2004) 83–92
 multitype multivariate branching J. D. BIGGINS AND A. RAHIMZADEH SANI *AAP* **37** (2005) 681–705
 on complete graph N. DATTA AND T. C. DORLAS *JAP* **41** (2004) 1008–1021

- on graph, recurrent N. GUILLOTIN-PLANTARD *JAP* **42** (2005) 295–301
overshooting a boundary R. A. DONEY AND P. S. GRIFFIN *AAP* **36** (2004) 1148–1174
perturbed V. F. ARAMAN AND P. W. GLYNN *AAP* **37** (2005) 663–680
with long-tailed increments Y. WANG AND K. WANG *JAP* **43** (2006) 874–879
with negative drift L. BARINGHAUS AND R. GRÜBEL *JAP* **43** (2006) 74–86
with two time scales P. BECKER-KERN *et al.* *JAP* **41** (2004) 455–466
- randomly indexed sums** A. D. BARBOUR AND A. XIA *AAP* **38** (2006) 693–728
- range-dependent succession** N. LANCHIER *AAP* **37** (2005) 265–278
- rank selection** in tournament K. KOBAYASHI *et al.* *AAP* **38** (2006) 804–826
- rank transform** J. HEFFERNAN AND S. RESNICK *AAP* **37** (2005) 393–414
- rare event**
and importance sampling A. B. DIEKER AND M. MANDJES *AAP* **37** (2005) 539–552
and Keilson's theorem R. GRÜBEL AND M. REICH *JAP* **42** (2005) 393–406
and temporal dependence J. SEGERS *JAP* **43** (2006) 463–485
- rare event simulation** S. ASMUSSEN AND D. P. KROESE *AAP* **38** (2006) 545–558
- rate function** large deviation in estimation K. DUFFY AND A. P. METCALFE *JAP* **42** (2005) 267–274
- record model** geometric random G. BARLEVY AND H. N. NAGARAJA *JAP* **43** (2006) 1119–1136
- records**
initial non-identically distributed G. BARLEVY AND H. N. NAGARAJA *JAP* **43** (2006) 1119–1136
sums of A. G. PAKES *et al.* *AAP* **37** (2005) 765–780
- records in discrete models** R. GOUET *et al.* *AAP* **37** (2005) 781–800
- recurrence** A. ZEEVI AND P. W. GLYNN *JAP* **41** (2004) 639–653
- recursive filter** J. LEDOUX *JAP* **42** (2005) 684–697
- recursive stochastic equation** sum- and max-type L. RÜSCENDORF *JAP* **43** (2006) 687–703
- recursive tree** random M. DRMOTA AND H.-K. HWANG *AAP* **37** (2005) 321–341
- red-and-black game** L. PONTIGGIA *AAP* **37** (2005) 75–89
two-person M.-R. CHEN AND S.-R. HSIAU *JAP* **43** (2006) 905–915
- reduced-load approximation** F. GUILLEMIN *et al.* *AAP* **36** (2004) 525–543
- reflected Brownian motion** M. BOSSY *et al.* *JAP* **41** (2004) 877–889 and O. KELLA AND W. STADJE *JAP* **41** (2004) 1237–1242
- reflected diffusion**
transition densities for V. LINETSKY *AAP* **37** (2005) 435–460
with jumps F. J. PIERA *et al.* *AAP* **37** (2005) 212–228
- reflection barrier** J.-P. LEPELTIER AND J. SAN MARTÍN *JAP* **41** (2004) 162–175 and V. LINETSKY *AAP* **37** (2005) 435–460
as an age process O. KELLA *et al.* *JAP* **43** (2006) 221–230
in contingent claim pricing J.-P. LEPELTIER *et al.* *AAP* **37** (2005) 134–159
- refresh costs** Y. LING AND J. MI *JAP* **41** (2004) 721–734
- regime switching** R. LEIPUS *et al.* *JAP* **43** (2006) 421–440
- regular variation**
hidden J. HEFFERNAN AND S. RESNICK *AAP* **37** (2005) 393–414
multivariate H. HULT AND F. LINDSKOG *AAP* **38** (2006) 134–148 and E. OMEY *et al.* *AAP* **38** (2006) 1028–1046
- reinforcement** in urn model A. M. PAGANONI AND P. SECCHI *AAP* **36** (2004) 791–804
- reinsurance** stop-loss contract A. DASSIOS AND J.-W. JANG *JAP* **42** (2005) 93–107
- reliability**
and burn-in testing N. EBRAHIMI *JAP* **41** (2004) 735–745
and IFR property S. M. ROSS *et al.* *JAP* **42** (2005) 797–809
in software testing P. J. BOLAND *et al.* *JAP* **41** (2004) 73–82
- rendezvous time** D. PERRY *et al.* *JAP* **41** (2004) 1059–1070
- renewal equation** defective C. YIN AND J. ZHAO *JAP* **43** (2006) 815–824

- renewal model** and threshold exceedance C. Y. ROBERT *JAP* **42** (2005) 153–162
- renewal process**
- alternating S. ZACKS *JAP* **41** (2004) 497–507
 - and inverse subordinator A. N. LAGERÅS *JAP* **42** (2005) 1134–1144
 - cumulative K. DUFFY AND A. P. METCALFE *JAP* **42** (2005) 1044–1052
 - ergodicity properties of G. LAST *AAP* **36** (2004) 471–498
- renewal risk model** S. LI AND J. GARRIDO *AAP* **37** (2005) 836–856 and C. Y. ROBERT *JAP* **42** (2005) 153–162
- renewal-reward process** R. LEIPUS *et al.* *JAP* **43** (2006) 421–440
- repair** black-box M. FINKELSTEIN *JAP* **41** (2004) 281–286
- repair regime** identifiable T. BEDFORD AND B. H. LINDQVIST *AAP* **36** (2004) 774–790
- reparable system**
- regenerative Y. BARRON *et al.* *AAP* **36** (2004) 116–138
 - with competing risks T. BEDFORD AND B. H. LINDQVIST *AAP* **36** (2004) 774–790
 - with imperfect maintenance L. DOYEN AND O. GAUDOIN *JAP* **43** (2006) 825–839
- replacement matrix** non-square I. HIGUERAS *et al.* *JAP* **43** (2006) 938–951
- request probability** J. BARRERA AND C. PAROISSIN *JAP* **41** (2004) 250–262
- residual lifetime**
- comparisons J.-L. BON AND A. ILLAYK *JAP* **42** (2005) 279–286
 - in insurance portfolio Y. ZHANG *et al.* *JAP* **43** (2006) 1155–1164
 - of compound convolution J. CAI AND G. E. WILLMOT *JAP* **41** (2004) 802–815
 - uncertainty measurement for M. ASADI *et al.* *JAP* **41** (2004) 379–390
- resolvent decomposition theorem** B. GRAY *et al.* *JAP* **42** (2005) 713–725
- response time** in M/M/s network S.-S. KO AND R. F. SERFOZO *AAP* **36** (2004) 854–871
- restless bandit** and Gittins index K. D. GLAZEBROOK *et al.* *AAP* **38** (2006) 643–672
- return time** non-overlapping O. JOHNSON *JAP* **43** (2006) 32–47
- revenue equivalence theorem** J. HINZ *JAP* **41** (2004) 299–312
- reversed hazard rate function** decreasing S. M. ROSS *et al.* *JAP* **42** (2005) 797–809
- reversibility** instantaneous H. GE *et al.* *JAP* **43** (2006) 1028–1043
- reward** estimation in Markov decision process N. M. VAN DIJK AND K. SLADKÝ *JAP* **43** (2006) 1044–1052
- reward function**
- in semi-Markov process V. T. STEFANOV *JAP* **43** (2006) 1053–1065
 - staircase-form A. L. BRONSTEIN *et al.* *JAP* **43** (2006) 984–996
- RG-factorization** Q.-L. LI AND Y. Q. ZHAO *AAP* **37** (2005) 482–509
- Richardson model** for population growth M. DEIJFEN AND O. HÄGGSTRÖM *AAP (SGSA)* **36** (2004) 973–980
- Riemannian manifold** S. HUCKEMANN AND H. ZIEZOLD *AAP (SGSA)* **38** (2006) 299–319
- risk analysis**
- and weighted sum Y. CHEN *et al.* *AAP* **37** (2005) 510–522
 - conditional tail expectation J. CAI AND H. LI *JAP* **42** (2005) 810–825
- risk evaluation** in GARCH (1,1) model R. BRUMMELHUIS AND D. GUÉGAN *JAP* **42** (2005) 426–445
- risk management** and fixed barrier strategy E. FROSTIG *JAP* **42** (2005) 595–607
- risk measure** differentiation S. LOISEL *JAP* **42** (2005) 379–392
- risk model**
- subexponential distribution in J. GELUK AND K. W. NG *JAP* **43** (2006) 587–593
 - with delayed claims K. C. YUEN *et al.* *JAP* **42** (2005) 163–174
 - with time dependence H. ALBRECHER AND J. L. TEUGELS *JAP* **43** (2006) 257–273
- risk portfolio** M. HUZAK *et al.* *JAP* **41** (2004) 679–690
- with negative association K. W. NG *et al.* *JAP* **41** (2004) 93–107

risk process

- compound renewal S. LI AND J. GARRIDO *AAP* **37** (2005) 836–856
- perturbed J. CAI AND H. YANG *AAP* **37** (2005) 819–835
- recovery time in E. FROSTIG *AAP* **36** (2004) 377–397
- stationary-renewal J. CAI AND G. E. WILLMOT *JAP* **41** (2004) 802–815
- with delayed claims A. GANESH AND G. L. TORRISI *JAP* **43** (2006) 916–926
- with fixed time interval S. LOISEL *JAP* **42** (2005) 379–392
- with reinsurance C. MACCI AND G. STABILE *JAP* **43** (2006) 713–728
- with two-sided jumps M. JACOBSEN *AAP* **37** (2005) 963–992
- risk-free asset** R. NORBERG AND M. STEFFENSEN *JAP* **42** (2005) 861–866
- risk-sensitive asset** J. SEKINE *AAP* **38** (2006) 673–692
- risky asset model** time-series C. C. HEYDE AND N. N. LEONENKO *AAP* **37** (2005) 342–365
- Robbins problem** F. T. BRUSS *JAP* **42** (2005) 108–120
- Robinson–Schensted–Knuth algorithm** M. DRAIEF *et al.* *JAP* **42** (2005) 1145–1167
- rooted edges** of spanning tree Z. D. BAI *et al.* *AAP (SGSA)* **38** (2006) 1–30
- routeing**
 - in small-world network M. DRAIEF AND A. GANESH *JAP* **43** (2006) 678–686 and M. FRANCESCHETTI AND R. MEESTER *JAP* **43** (2006) 1173–1180
 - user-optimal state-dependent S. SPICER AND I. ZIEDINS *JAP* **43** (2006) 274–281
- ruin probability** O. HAMMARLID *JAP* **42** (2005) 61–81 and Q. TANG AND G. TSITSIASHVILI *AAP* **36** (2004) 1278–1299
 - and constant interest force Q. TANG *JAP* **42** (2005) 608–619
 - and expected dividends E. FROSTIG *JAP* **42** (2005) 595–607
 - and interest force J. CAI AND H. YANG *AAP* **37** (2005) 819–835
 - finite-time Z. G. IGNATOV AND V. K. KAISHEV *JAP* **41** (2004) 570–578
 - in perturbed process M. HUZAK *et al.* *JAP* **41** (2004) 679–690
 - in reinsurance model C. MACCI AND G. STABILE *JAP* **43** (2006) 713–728
 - infinite time horizon Z. G. IGNATOV AND V. K. KAISHEV *JAP* **43** (2006) 535–551
 - N*-player Y. C. SWAN AND F. T. BRUSS *JAP* **43** (2006) 755–766
 - power estimate for H. NYRHINEN *AAP* **37** (2005) 726–742
 - under heavy-tailed conditions A. GANESH AND G. L. TORRISI *JAP* **43** (2006) 916–926
- ruinous behaviour** extreme C. KLÜPPELBERG AND A. E. KYPRIANOU *JAP* **43** (2006) 594–598
- Russian option** with finite time horizon E. EKSTRÖM *JAP* **41** (2004) 313–326

S

- sampling with recall** V. V. MAZALOV AND M. TAMAKI *JAP* **43** (2006) 87–101
- scale function** of Lévy process P. DUBE *et al.* *JAP* **41** (2004) 1145–1156
- scale invariance** in continuous model M. FRANCESCHETTI AND R. MEESTER *JAP* **43** (2006) 1173–1180
- scale-free graph** J. E. YUKICH *JAP* **43** (2006) 665–677
- scaling window** for infection transmittivity R. G. DOLGOARSHINNYKH AND S. P. LALLEY *JAP* **43** (2006) 892–898
- scan statistics** discrete M. V. BOUTSIKAS AND M. V. KOUTRAS *JAP* **43** (2006) 1137–1154
- scheduling** stochastic optimization H.-S. AHN AND R. RIGHTER *AAP* **38** (2006) 621–642
- scheduling policy** longest-queue-first A. DIMAKIS AND J. WALRAND *AAP* **38** (2006) 505–521
- scoring model** I. M. MACPHEE *et al.* *JAP* **41** (2004) 1182–1186
- search**
 - in cataloguing computer network C. MALLOWS AND L. SHEPP *JAP* **42** (2005) 581–586
 - with search subagents C. MALLOWS AND J. MELOCHE *JAP* **43** (2006) 899–904
- search algorithm** D. GAMARNIK AND P. MOMČILOVIĆ *JAP* **42** (2005) 235–246
- search cost** J. BARRERA AND C. PAROISSIN *JAP* **41** (2004) 250–262
- search tree** Z. KATONA *JAP* **42** (2005) 839–850
 - binary M. DRMOTA AND H.-K. HWANG *AAP* **37** (2005) 321–341

- secretary problem** S. M. SAMUELS *AAP* **36** (2004) 398–416
- selection policy** M. STANKE *JAP* **41** (2004) 131–146
- self-organizing rule** D. GAMARNIK AND P. MOMČILOVIĆ *JAP* **42** (2005) 235–246
- self-similar process** in communications network S. STOEV AND M. S. TAQQU *AAP* **36** (2004) 1085–1115
- self-similar random measure** D. VERE-JONES *AAP (SGSA)* **37** (2005) 908–914
- self-similarity**
- in Poisson random field H. BIERMÉ AND A. ESTRADE *AAP (SGSA)* **38** (2006) 853–872
 - stochastic T. J. KOZUBOWSKI *et al.* *AAP* **38** (2006) 451–464
- semi-linear process** in microbial movement I. MOLCHANOV *et al.* *JAP* **41** (2004) 355–367
- semi-Markov model** inhomogeneous A. VASILEIOU AND P.-C. G. VASSILIOU *AAP* **38** (2006) 171–198
- semimartingale**
- d -dimensional M. SANTACROCE *JAP* **43** (2006) 634–651
 - for forward interest rates K. HAMZA *et al.* *AAP* **37** (2005) 415–434
- sensitivity analysis** A. Y. MITROPHANOV *JAP* **41** (2004) 1219–1222
- hidden Markov model A. Y. MITROPHANOV *et al.* *JAP* **42** (2005) 632–642
- sequence**
- longest common R. HAUSER *et al.* *AAP* **38** (2006) 827–852
 - pattern appearance in E. A. PEKÖZ *JAP* **43** (2006) 282–288
 - waiting time to observation of J. GLAZ *et al.* *JAP* **43** (2006) 127–140
- sequence analysis** O. JOHNSON *JAP* **43** (2006) 32–47 and E. A. RØDLAND *AAP* **38** (2006) 116–133
- sequential adsorption** T. HUILLET *AAP (SGSA)* **36** (2004) 996–1020
- sequential selection** M. STANKE *JAP* **41** (2004) 131–146
- with two choices J. PREATER *JAP* **43** (2006) 729–740
- series system** moments of J.-L. BON AND A. ILLAYK *JAP* **42** (2005) 279–286
- server**
- flexible H.-S. AHN *et al.* *AAP* **36** (2004) 139–170
 - removable J. LORIS-TEGHEM *JAP* **41** (2004) 287–291
- server advantage** I. M. MACPHEE *et al.* *JAP* **41** (2004) 1182–1186
- service discipline**
- for FCFS system with increasing load A. C. BROOMS *AAP* **37** (2005) 461–481
 - foreground–background S. AALTO AND U. AYESTA *JAP* **43** (2006) 523–534
 - LCFS G. KOOLE *et al.* *JAP* **42** (2005) 883–891
 - with perishable tasks K. D. GLAZEBROOK *et al.* *JAP* **41** (2004) 51–72
- service scheduling** in G/D/1 queue B. AVI-ITZHAK AND H. LEVY *AAP* **36** (2004) 919–936
- service time**
- for heavy-tailed queue F. GUILLEMIN *et al.* *AAP* **36** (2004) 525–543
 - subexponential H. AYHAN *et al.* *JAP* **41** (2004) 791–801
 - variable G. KOOLE *et al.* *JAP* **42** (2005) 883–891
- shape diffusion** V. M. PANARETOS *AAP (SGSA)* **38** (2006) 320–335
- shape ordering** in time series model R. LUND *et al.* *JAP* **43** (2006) 1186–1193
- shift** and wavelet-coefficient decay S. ALBEVERIO AND S. KAWASAKI *AAP* **37** (2005) 938–962
- shortcut** in d -dimensional lattice M. DRAIEF AND A. GANESH *JAP* **43** (2006) 678–686
- shortest-distance problem** E. ARIAS-CASTRO *et al.* *AAP (SGSA)* **37** (2005) 571–603
- shot noise** A. M. IKSANOV *JAP* **41** (2004) 1187–1190 and A. M. IKSANOV *JAP* **43** (2006) 602–602 and C. LACAUX *AAP* **36** (2004) 171–197
- Cox process J. MØLLER AND G. L. TORRISI *AAP (SGSA)* **37** (2005) 48–74
- shot-noise model** for three-dimensioanl media H. BIERMÉ AND A. ESTRADE *AAP (SGSA)* **38** (2006) 853–872
- shot-noise process** Poisson R. LUND *et al.* *JAP* **41** (2004) 911–918
- shuffled sequence** E. A. RØDLAND *AAP* **38** (2006) 580–580

- signal to interference ratio** O. DOUSSE *et al.* *JAP* **43** (2006) 552–562 *and* T. MIZUNO *JAP* **43** (2006) 1181–1185
- signature** of coherent system J. NAVARRO AND M. SHAKED *JAP* **43** (2006) 391–408
- simulation** of large deviation probability A. B. DIEKER AND M. MANDJES *AAP* **37** (2005) 539–552
- single-birth process** Y.-H. MAO AND Y.-H. ZHANG *JAP* **41** (2004) 1022–1032
- SIR model** for household epidemic P. NEAL *JAP* **42** (2005) 334–345
- SIS epidemic**
- critical scaling R. G. DOLGOARSHINNYKH AND S. P. LALLEY *JAP* **43** (2006) 892–898
 - in households P. NEAL *AAP* **38** (2006) 943–968
- size-dependent branching** N. LALAM AND C. JACOB *AAP* **36** (2004) 582–601
- skew Brownian motion** M. LEFEBVRE *JAP* **43** (2006) 175–184
- skip-free-to-the-left** Y. LIU AND Z. HOU *JAP* **43** (2006) 141–158
- Slepian model** for wave steepness G. LINDGREN *AAP* **38** (2006) 430–450
- small-world network**
- efficient routeing in M. DRAIEF AND A. GANESH *JAP* **43** (2006) 678–686
 - navigation in M. FRANCESCHETTI AND R. MEESTER *JAP* **43** (2006) 1173–1180
- social learning** K. CHATTERJEE AND S. H. XU *AAP* **36** (2004) 355–376
- software reliability** J.-B. GRAVEREAUX AND J. LEDOUX *AAP* **36** (2004) 455–470
- sooner waiting time** for competing pattern J. A. D. ASTON AND D. E. K. MARTIN *JAP* **42** (2005) 977–988
- space coverage** by random shapes S. ATHREYA *et al.* *AAP (SGSA)* **36** (2004) 1–18
- space filling** M. STANKE *JAP* **41** (2004) 131–146
- and depletion Y. BARYSHNIKOV *et al.* *JAP* **41** (2004) 691–702
- spanning tree**
- minimal directed M. D. PENROSE AND A. R. WADE *AAP (SGSA)* **36** (2004) 691–714
 - random directed A. G. BHATT AND R. ROY *AAP (SGSA)* **36** (2004) 19–42
 - total length of M. D. PENROSE AND A. R. WADE *AAP (SGSA)* **38** (2006) 336–372
- spatial migration** R. F. SERFOZO *AAP* **37** (2005) 801–818
- spatial stochastic process** I. MOLCHANOV *et al.* *JAP* **41** (2004) 355–367
- spatio-temporal modelling** C. MA *AAP* **37** (2005) 706–725
- species model** with Gaussian white noise Z. CHEN AND R. KULPERGER *JAP* **42** (2005) 738–753
- spectral density** spatiotemporal M. Y. KELBERT *et al.* *AAP* **37** (2005) 108–133
- spectral divide-and-conquer (SDC)** N. AKAR AND K. SOHRABY *JAP* **41** (2004) 557–569
- spectral expansion method** V. LINETSKY *AAP* **37** (2005) 435–460
- sphere coverage** of P. CALKA AND T. SCHREIBER *AAP (SGSA)* **38** (2006) 47–58
- spin-flip system** G. KORDZAKHIA AND S. P. LALLEY *JAP* **43** (2006) 782–792
- spinning plates problem** K. D. GLAZEBROOK *et al.* *AAP* **38** (2006) 95–115
- Spitzer's condition** K. BOROVKOV AND V. A. VATUTIN *AAP* **38** (2006) 1047–1070
- stability** of overloaded network L. LESKELÄ *JAP* **43** (2006) 231–244
- stability region** of network C. BORDENAVE *AAP* **38** (2006) 487–504
- star-shaped transform** X. LI *JAP* **41** (2004) 927–934
- state decomposition theorem** S. F. JARNER AND W. K. YUEN *AAP* **36** (2004) 243–266
- state-space representation** for nonlinear process S. SUBBA RAO *AAP* **38** (2006) 1155–1172
- stationary increments** S. ALBEVERIO AND S. KAWASAKI *AAP* **37** (2005) 938–962
- stationary moving average** R. KULIK *JAP* **43** (2006) 245–256
- stationary partition** G. LAST *AAP (SGSA)* **38** (2006) 602–620
- stationary probability vector** light-tailed Q.-L. LI AND Y. Q. ZHAO *AAP* **37** (2005) 1075–1093
- stationary process maximum of** G. SAMORODNITSKY *AAP* **36** (2004) 805–823
- stationary reducibility** M. G. GENTON AND O. PERRIN *JAP* **41** (2004) 236–249
- Stein–Chen method** for Poisson approximation P. VELLAISAMY *JAP* **41** (2004) 1081–1092
- stochastic comparison** of particle system R. DELGADO *et al.* *AAP* **36** (2004) 1252–1277

stochastic differential equation

and jump diffusion J. C. JIMENEZ AND F. CARBONELL *JAP* **43** (2006) 185–194

backward doubly reflected J.-P. LEPELTIER AND J. SAN MARTÍN *JAP* **41** (2004) 162–175

stochastic fluid flow transient analysis S. AHN AND V. RAMASWAMI *JAP* **42** (2005) 531–549**stochastic intensity** inequality on E. DE SANTIS AND F. SPIZZICHINO *JAP* **41** (2004) 939–952**stochastic optimization** L. M. MORATO AND P. SIRI *AAP* **36** (2004) 318–323**stochastic ordering** of Markov chain F. FERREIRA AND A. PACHECO *JAP* **42** (2005) 989–1002**stochastic precedence ordering** P. J. BOLAND *et al.* *JAP* **41** (2004) 73–82**stochastic scheduling**

in multiclass system H.-S. AHN *et al.* *AAP* **36** (2004) 139–170

with switching penalty K. D. GLAZEBROOK *et al.* *AAP* **38** (2006) 643–672

stochastic shortest path H. W. JAMES AND E. J. COLLINS *JAP* **43** (2006) 603–621**stochastic volatility** and GARCH model C. KLÜPPELBERG *et al.* *JAP* **41** (2004) 601–622**stopping rule**

CUSUM O. HADJILIADIS *JAP* **42** (2005) 1183–1193

double G. SOFRONOV *et al.* *JAP* **43** (2006) 454–462

multiple-choice D. ASSAF *et al.* *AAP* **36** (2004) 1116–1147

storage process O. KELLA *et al.* *JAP* **43** (2006) 221–230**storage queue** M. DRAIEF *et al.* *JAP* **42** (2005) 1145–1167**stress release** G. LAST *AAP* **36** (2004) 471–498**Student process** R. FINLAY AND E. SENETA *JAP* **43** (2006) 441–453

dependence structure in C. C. HEYDE AND N. N. LEONENKO *AAP* **37** (2005) 342–365

subexponential distribution K. W. NG AND Q. TANG *JAP* **41** (2004) 108–116

multivariate E. OMEY *et al.* *AAP* **38** (2006) 1028–1046

subexponential properties in single-server queue N. MIYOSHI *AAP* **36** (2004) 872–892**subgeometric ergodicity** Z. HOU *et al.* *JAP* **42** (2005) 698–712**subordinator**

as buyer/seller offer M. WINKEL *JAP* **42** (2005) 138–152

inverse, renewal properties A. N. LAGERÅS *JAP* **42** (2005) 1134–1144

model for asset pricing R. FINLAY AND E. SENETA *JAP* **43** (2006) 441–453

subsequence

longest increasing E. ARIAS-CASTRO *et al.* *AAP* **38** (2006) 579–579 and E. ARIAS-CASTRO *et al.* *AAP (SGSA)* **37** (2005) 571–603

subspace tracking A. SRIVASTAVA AND E. KLASSEN *AAP (SGSA)* **36** (2004) 43–56**success** in binary trials M. V. BOUTSIKAS AND M. V. KOUTRAS *JAP* **43** (2006) 1137–1154**super-Brownian motion** Z. DONG AND S. FENG *JAP* **41** (2004) 984–997 and W.-M. HONG *JAP* **41** (2004) 202–210

with immigration M. ZHANG *JAP* **41** (2004) 187–201

supercritical branching with large deviations O. D. JONES *JAP* **41** (2004) 703–720**supermodular ordering** L. RÜSCENDORF *JAP* **41** (2004) 391–406**superprocess** two-level W.-M. HONG *JAP* **41** (2004) 202–210**superreplication** on underlying assets E. EKSTRÖM *et al.* *JAP* **42** (2005) 27–38**suprema distribution** of stable processes G. SAMORODNITSKY *AAP* **36** (2004) 805–823**surface motion** G. LINDGREN *AAP* **38** (2006) 430–450

oceanographic J.-M. AZAIS *et al.* *JAP* **42** (2005) 407–425

survivability in cell model I. ADLER *et al.* *JAP* **42** (2005) 919–931**survival**

of Markov chain additive functional S. JACKA *et al.* *AAP* **37** (2005) 1015–1034 and S. JACKA *et al.* *AAP* **37** (2005) 1035–1055

T

- tail behaviour** J. GELUK AND K. W. NG *JAP* **43** (2006) 587–593
 and convolution equivalence A. G. PAKES *JAP* **41** (2004) 407–424
 consistently varying K. W. NG *et al.* *JAP* **41** (2004) 93–107
 in queue with autoregressive arrivals B. KIM AND K. SOHRABY *AAP* **38** (2006) 1116–1131
 of mixtures Y. LI *JAP* **42** (2005) 892–901
- tail decay** A. ZEEVI AND P. W. GLYNN *AAP* **36** (2004) 198–226
- tail dependence** A. CHARPENTIER AND A. JURI *JAP* **43** (2006) 563–586 *and* J. HEFFERNAN AND S. RESNICK *AAP* **37** (2005) 393–414
- tail estimation** for single-server queue K. DUFFY AND A. P. METCALFE *JAP* **42** (2005) 267–274
- tail probability** K. W. NG AND Q. TANG *JAP* **41** (2004) 108–116
 decay rate of M. MIYAZAWA AND Y. Q. ZHAO *AAP* **36** (2004) 1231–1251
- target cell** I. ADLER *et al.* *JAP* **42** (2005) 919–931
- tax problem** in optimal scheduling P. WHITTLE *JAP* **42** (2005) 754–765
- technology diffusion** through neighbour observation K. CHATTERJEE AND S. H. XU *AAP* **36** (2004) 355–376
- telecommunications model** L. HEINRICH *et al.* *AAP (SGSA)* **37** (2005) 25–47
- telegraph process**
 generalized integrated S. ZACKS *JAP* **41** (2004) 497–507
 two-dimensional A. D. KOLESNIK AND E. ORSINGHER *JAP* **42** (2005) 1168–1182
 with random velocity W. STADJE AND S. ZACKS *JAP* **41** (2004) 665–678
- tensile load** J. U. GLEATON AND J. D. LYNCH *AAP* **36** (2004) 98–115
- tessellation** C. BORDENAVE *et al.* *AAP (SGSA)* **38** (2006) 31–46
 Poisson hyperplane D. HUG *et al.* *AAP (SGSA)* **36** (2004) 667–690
 Poisson–Voronoi L. MUCHE *AAP (SGSA)* **37** (2005) 279–296
 stationary G. LAST *AAP (SGSA)* **38** (2006) 602–620
 stationary random L. HEINRICH *et al.* *AAP (SGSA)* **37** (2005) 25–47
 STIT property W. NAGEL AND V. WEISS *AAP (SGSA)* **37** (2005) 859–883
- thermodynamic limit** T. SCHREIBER *AAP (SGSA)* **37** (2005) 884–907
- thin slab** projection of J. RATAJ *AAP (SGSA)* **36** (2004) 715–724
- throughput** in carousel system M. VLASIOU *et al.* *JAP* **41** (2004) 1171–1181
- time below random threshold** Y.-W. WAN AND R. W. WOLFF *JAP* **43** (2006) 599–601
- time deformation** bijective M. G. GENTON AND O. PERRIN *JAP* **41** (2004) 236–249
- time series**
 bilinear integer-valued P. DOUKHAN *et al.* *AAP* **38** (2006) 559–578
 nonlinear nonstationary S. SUBBA RAO *AAP* **38** (2006) 1155–1172
 stationary, autocorrelation in R. LUND *et al.* *JAP* **43** (2006) 1186–1193
 stationary, variogram model for C. MA *JAP* **41** (2004) 1093–1103
- time to ruin**
 busy-period model E. FROSTIG *AAP* **36** (2004) 377–397
 for Markov additive process M. JACOBSEN *AAP* **37** (2005) 963–992
- time-dependent analysis** of symmetric queue O. KELLA *et al.* *JAP* **42** (2005) 223–234
- tournament problem** K. KOBAYASHI *et al.* *AAP* **38** (2006) 804–826 *and* I. M. MACPHEE *et al.* *JAP* **41** (2004) 1182–1186
- traffic aggregation** D. Y. EUN AND N. B. SHROFF *AAP* **36** (2004) 893–918
- traffic control protocol** square root formula T. J. OTT *AAP* **38** (2006) 1132–1154
- transaction cost** in portfolio optimization A. IRLE AND J. SASS *AAP* **38** (2006) 916–942
- transform inversion** numerical T. SAKURAI *AAP* **36** (2004) 616–642
- transient analysis** of multiserver Poisson system B. H. MARGOLIUS *JAP* **42** (2005) 766–777
- transient solution of Markov process** H. W. JAMES AND E. J. COLLINS *JAP* **43** (2006) 603–621
- transition probability** J. LEDOUX *AAP* **36** (2004) 1198–1211

tree

- coalescent R. C. GRIFFITHS *AAP* **38** (2006) 405–429
- minimal directed spanning Z. D. BAI *et al.* *AAP (SGSA)* **38** (2006) 1–30
- random branching N. MINAMI *AAP* **37** (2005) 229–264
- random recursive K. BOROVKOV AND V. A. VATUTIN *AAP* **38** (2006) 1047–1070
- random, profile of M. DRUMOTA AND H.-K. HWANG *AAP* **37** (2005) 321–341
- regular recombining binomial U. GRUBER AND M. SCHWEIZER *JAP* **43** (2006) 60–73
- scale-free Z. KATONA *JAP* **42** (2005) 839–850

trente et quarante game S. N. ETHIER AND D. A. LEVIN *AAP* **37** (2005) 90–107**triangular shape space** S. HUCKEMANN AND H. ZIEZOLD *AAP (SGSA)* **38** (2006) 299–319**tridiagonal block generator** A. J. MOTYER AND P. G. TAYLOR *AAP* **38** (2006) 522–544**trie** biased random R. AGUECH *et al.* *JAP* **43** (2006) 377–390**trunk reservation policy** optimal X. FAN-ORZECHOWSKI AND E. A. FEINBERG *AAP* **38** (2006) 199–220**turbulence** Burgers O. E. BARNDORFF-NIELSEN AND N. N. LEONENKO *JAP* **42** (2005) 550–565**two-choice problem** J. PREATER *JAP* **43** (2006) 729–740**U****undiscounted tax problem** P. WHITTLE *JAP* **42** (2005) 754–765**uniform distribution** and Benford's law É. JANVRESSE AND T. DE LA RUE *JAP* **41** (2004) 1203–1210**untraceable event** T. NAKATSUKA *JAP* **43** (2006) 652–664**upcrossing index** H. FERREIRA *JAP* **43** (2006) 927–937**upwardly skip-free process** A. CHEN *et al.* *AAP* **37** (2005) 1056–1074**urn model**

- first entrance time R. GRÜBEL AND M. REICH *JAP* **42** (2005) 393–406

- for network J. A. MORRISON *JAP* **43** (2006) 952–966

- generalized Pólya I. HIGUERAS *et al.* *JAP* **43** (2006) 938–951

- interacting reinforced A. M. PAGANONI AND P. SECCHI *AAP* **36** (2004) 791–804

- modified Ehrenfest Y.-P. CHEN *JAP* **43** (2006) 409–420

- with multiple removals M.-R. CHEN AND C. Z. WEI *JAP* **42** (2005) 964–976

- utility** maximum expected S. ANKIRCHNER *JAP* **43** (2006) 622–633

V**variance estimation** for convex hull S. FINCH AND I. HUETER *AAP (SGSA)* **36** (2004) 981–986**variance-gamma process** R. FINLAY AND E. SENETA *JAP* **43** (2006) 441–453 and E. SENETA AND R. FINLAY *JAP* **43** (2006) 1207–1207**variogram** spatio-temporal C. MA *AAP* **37** (2005) 706–725**variogram and covariance** C. MA *JAP* **41** (2004) 1093–1103**vertex** degree of M. DEIJFEN AND R. MEESTER *AAP (SGSA)* **38** (2006) 287–298**virtual age model** L. DOYEN AND O. GAUDOIN *JAP* **43** (2006) 825–839**volatility** and overestimation E. EKSTRÖM *et al.* *JAP* **42** (2005) 27–38**W****waiting-time process** stochastic decomposition of F. ISHIZAKI *JAP* **41** (2004) 524–534**wave**

- Gaussian sea J.-M. AZAIS *et al.* *JAP* **42** (2005) 407–425

- Lagrangian model G. LINDGREN *AAP* **38** (2006) 430–450

wave equation damped A. D. KOLESNIK AND E. ORSINGER *JAP* **42** (2005) 1168–1182**wave propagation** J. HANSEN AND M. REITZNER *AAP (SGSA)* **36** (2004) 987–995**wavelet coefficient** localization property S. ALBEVERIO AND S. KAWASAKI *AAP* **37** (2005) 938–962**wear model** Markovian J. P. KHAROUFEH *et al.* *JAP* **43** (2006) 303–317**Weibull distribution** for particle lifetimes P. C. KISSLER AND K. NIMITKIATKLAI *JAP* **42** (2005) 566–580**weighted fair queueing** F. GUILLEMIN AND D. PINCHON *JAP* **41** (2004) 832–858**weighted sum** maximum, and ruin probability Y. CHEN *et al.* *AAP* **37** (2005) 510–522

Wiener functional moments of P. HÖRFELT *JAP* **42** (2005) 851–860

Wiener process

asymmetric M. LEFEBVRE *JAP* **43** (2006) 175–184

crossing time K. BOROVKOV AND A. NOVIKOV *JAP* **42** (2005) 82–92

with compound Poisson jumps K. E. LIM *et al.* *JAP* **42** (2005) 587–594

with supercritical branching P. REVESZ *et al.* *JAP* **42** (2005) 1081–1094

win probability bet-dependent L. PONTIGGIA *AAP* **37** (2005) 75–89

wireless communication

continuum percolation model O. DOUSSE *et al.* *JAP* **43** (2006) 552–562

received power in J. HANSEN AND M. REITZNER *AAP (SGSA)* **36** (2004) 987–995

wireless network

scheduling in S. SHAKKOTTAI *et al.* *AAP* **36** (2004) 1021–1045

with CDMA R. VAN DER HOFSTAD AND M. J. KLOK *AAP* **36** (2004) 1046–1084

word count in shuffled sequence E. A. RØDLAND *AAP* **38** (2006) 580–580

word count distribution in shuffled sequence E. A. RØDLAND *AAP* **38** (2006) 116–133

workload process positive conditioned Z. PALMOWSKI AND T. ROLSKI *AAP* **38** (2006) 792–803

Wright–Fisher model S. R. BUSS AND P. CLOTE *AAP* **36** (2004) 1175–1197

XYZ

X-ray transform H. BIERMÉ AND A. ESTRADE *AAP (SGSA)* **38** (2006) 853–872

Yule–Walker equation H.-B. WANG AND B.-C. WEI *JAP* **41** (2004) 221–235

zero-sum game two-person K. V. KATSIKOPOULOS AND Ö. SIMSEK *JAP* **42** (2005) 867–872