

INDEX

Vol. 52 No. 176–179, 2006

- Alaska:
 In situ measurements of till deformation and water pressure, 175–182
 Time-dependent basal stress conditions beneath Black Rapids Glacier, Alaska, USA, inferred from measurements of ice deformation and surface motion, 347–357
- Alley, R.B., see Spencer, M.K. and others
- Alps:
 Measurement and parameterization of aerodynamic roughness length variations at Haut Glacier d'Arolla, Switzerland, 281–297
 On the instability of avalanching glaciers, 31–48
 Particle size and mineralogical composition of inorganic colloids in glacier-melting water and overlying ice in an Alpine glacier, Oberaargletscher, Switzerland, 473–475
 Time-lapse imaging of subglacial drainage conditions using three-dimensional inversion of borehole electrical resistivity data, 49–57
 The development of brittle structures in an alpine valley glacier: Pasterzenkees, Austria, 1887–1997, 128–136
- Amundson, J.M., M. Truffer and M.P. Lüthi, (paper: Time-dependent basal stress conditions beneath Black Rapids Glacier, Alaska, USA, inferred from measurements of ice deformation and surface motion) 347–357
- Anderson, B., W. Lawson, I. Owens and B. Goodsell, (paper: Past and future mass balance of 'Ka Roimata o Hine Hukatere' Franz Josef Glacier, New Zealand) 597–607
- Anderson, R.S., see Walder, J.S. and others
- Anderson, S.P., see Walder, J.S. and others
- Antarctica:
 A new fully three-dimensional numerical model for ice dynamics, 365–376
 Basal conditions beneath enhanced-flow tributaries of Slessor Glacier, East Antarctica, 481–490
 Bed radar reflectivity across the north margin of Whillans Ice Stream, West Antarctica, and implications for margin processes, 3–10
 Debris characteristics and ice-shelf dynamics in the ablation region of the McMurdo Ice Shelf, Antarctica, 223–234
 Glacier mass balances (1993–2001), Taylor Valley, McMurdo Dry Valleys, Antarctica, 451–462
 Nivlisen, an Antarctic ice shelf in Dronning Maud Land: geodetic–glaciological results from a combined analysis of ice thickness, ice surface height and ice-flow observations, 17–30
 Na₂SO₄ and MgSO₄ salts during the Holocene period derived by high-resolution depth analysis of a Dome Fuji ice core, 58–64
 The integration of JERS-1 and ERS SAR in differential interferometry for measurement of complex glacier motion, 80–88
 Scale independence of till rheology, 377–380
 Sensitivity studies on model modifications to assess the dynamics of a temperate ice cap, such as that on King George Island, Antarctica, 235–247
- Ashcraft, I.S. and D.G. Long, (paper: Relating microwave backscatter azimuth modulation to surface properties of the Greenland ice sheet) 257–266
- Austria:
 The development of brittle structures in an alpine valley glacier: Pasterzenkees, Austria, 1887–1997, 128–136
- Avalanches:
 Fluctuation–dissipation relations for granular snow avalanches, 631–643
 On the instability of avalanching glaciers, 31–48
 Towards a field test for fracture propagation propensity in weak snowpack layers, 164–168
- Azuma, N., see Kipfstuhl, S. and others
- Backscatter:
 Optical properties of snow in backscatter, 574–584
- Baessler, M., see Horwath, M. and others
- Baker, I., see Obbard, R. and others
- Baltic Sea:
 Superimposed ice formation and surface energy fluxes on sea ice during the spring melt–freeze period in the Baltic Sea, 119–127
- Bamber, J.L., see Rippin, D.M. and others
- Barnes, P.R.F., E.W. Wolff and D.C. Mallard, (correspondence: Etching channels and grain-boundary grooves on ice surfaces in the scanning electron microscope) 645–648
- Bartelt, P., O. Buser and K. Platzer, (paper: Fluctuation–dissipation relations for granular snow avalanches) 631–643
- Benn, D.I., see Nicholson, L. and D.I. Benn
- Berta, F., see Deponti, A. and others
- Bintanjam R., see Wilschut, F. and others
- Blatter, H., see Schwerzmann, A. and others
- Blindow, N., see Breuer, B. and others
- Bolivia:
 Glacier recession on Cerro Charquini (16° S), Bolivia, since the maximum of the Little Ice Age (17th century), 110–118
- Borehole analysis:
 Borehole logging with an eight-arm caliper–inclinometer probe, 381–388
 Borehole optical stratigraphy and neutron-scattering density measurements at Summit, Greenland, 491–496
 Time-lapse imaging of subglacial drainage conditions using three-dimensional inversion of borehole electrical resistivity data, 49–57
- Boulton, G. and S. Zatsepin, (paper: Hydraulic impacts of glacier advance over a sediment bed) 497–527
- Breuer, B., M.A. Lange and N. Blindow, (paper: Sensitivity studies on model modifications to assess the dynamics of a temperate ice cap, such as that on King George Island, Antarctica) 235–247
- British Columbia (Canada):
 Towards a field test for fracture propagation propensity in weak snowpack layers, 164–168
- Brock, B.W., I.C. Willis and M.J. Sharp, (paper: Measurement and parameterization of aerodynamic roughness length variations at Haut Glacier d'Arolla, Switzerland) 281–297
- Brown, G.H., see Kulesa, B. and others
- Buser, O., see Bartelt, P. and others
- Calving:
 Thermo-erosional notch development at fresh-water-calving Tasman Glacier, New Zealand, 203–213
- Canada:
 Towards a field test for fracture propagation propensity in weak snowpack layers, 164–168

- Catania, G.A., see Raymond, C.F. and others
- Caucasus Mountains (Russia/Georgia):
Late-20th-century changes in glacier extent in the Caucasus Mountains, Russia/Georgia, 99–109
- Chanudet, V. and M. Filella, (correspondence: Particle size and mineralogical composition of inorganic colloids in glacier-melting water and overlying ice in an Alpine glacier, Oberaargletscher, Switzerland) 473–475
- Chen, F., see Ye, Q. and others
- Cheng, B., see Granskog, M.A. and others
- Cheng, X. and G. Xu, (paper: The integration of JERS-1 and ERS SAR in differential interferometry for measurement of complex glacier motion) 80–88
- China:
Five decades of shrinkage of July 1st glacier, Qilian Shan, China, 11–16
Glacier change over the past four decades in the middle Chinese Tien Shan, 425–432
- Clifton, A., J-D. Rüedi and M. Lehning, (paper: Snow saltation threshold measurements in a drifting-snow wind tunnel) 585–596
- Climate change:
Calculating ice melt beneath a debris layer using meteorological data, 463–470
Developing a bubble number-density paleoclimatic indicator for glacier ice, 358–364
Five decades of shrinkage of July 1st glacier, Qilian Shan, China, 11–16
Glacier change over the past four decades in the middle Chinese Tien Shan, 425–432
Glacier change (1958–1998) in the North Cascades National Park Complex, Washington, USA, 251–256
Glacier mass balances (1993–2001), Taylor Valley, McMurdo Dry Valleys, Antarctica, 451–462
Glacier recession on Cerro Charquini (16° S), Bolivia, since the maximum of the Little Ice Age (17th century), 110–118
Ice-sheet modelling characteristics in sea-level-based temperature reconstructions over the last glacial cycle, 149–158
Late-20th-century changes in glacier extent in the Caucasus Mountains, Russia/Georgia, 99–109
Modelling the evolution of supraglacial lakes on the West Greenland ice-sheet margin, 608–618
Monitoring glacier variations on Geladandong mountain, central Tibetan Plateau, from 1969 to 2002 using remote-sensing and GIS technologies, 537–545
Past and future mass balance of 'Ka Roimata o Hine Hukatere' Franz Josef Glacier, New Zealand, 597–607
Retreat of glaciers on Puncak Jaya, Irian Jaya, determined from 2000 and 2002 IKONOS satellite images, 65–79
Sea-ice and North Atlantic climate response to CO₂-induced warming and cooling conditions, 433–439
- CO₂-induced effects:
Sea-ice and North Atlantic climate response to CO₂-induced warming and cooling conditions, 433–439
- Copland, L., see Glasser, N. and others
- Corr, H.F.J., see Rippin, D.M. and others
- Cunico, M., see Walder, J.S. and others
- Dahl-Jensen, D., see Durand, G. and others
- Damm, V., see Horwath, M. and others
- De Biase, L., see Deponti, A. and others
- Debris transport:
Debris characteristics and ice-shelf dynamics in the ablation region of the McMurdo Ice Shelf, Antarctica, 223–234
- Deponti, A., V. Pennati, L. de Biase, V. Maggi and F. Berta, (paper: A new fully three-dimensional numerical model for ice dynamics) 365–376
- Dietrich, R., see Horwath, M. and others
- Dome Fuji (Antarctica):
Na₂SO₄ and MgSO₄ salts during the Holocene period derived by high-resolution depth analysis of a Dome Fuji ice core, 58–64
- Dronning Maud Land (Antarctica):
Nivlisen, an Antarctic ice shelf in Dronning Maud Land: geodetic–glaciological results from a combined analysis of ice thickness, ice surface height and ice-flow observations, 17–30
- Duan, K., see Sakai, A. and others
- Durand, G., O. Gagliardini, Th. Thorsteinsson, A. Svensson, S. Kipfstuhl and D. Dahl-Jensen, (paper: Ice microstructure and fabric: an up-to-date approach for measuring textures) 619–630
- Eisen, O., F. Wilhelms, D. Steinhage and J. Schwander, (instruments and methods: Improved method to determine radio-echo sounding reflector depths from ice-core profiles of permittivity and conductivity) 299–310
- Electron backscatter diffraction:
Using electron backscatter diffraction patterns to examine recrystallization in polar ice sheets, 546–557
- Electron microscopy:
Etching channels and grain-boundary grooves on ice surfaces in the scanning electron microscope, 645–648
Grain boundary grooving in ice in a scanning electron microscope, 169–172
- Faria, S.H., see Kipfstuhl, S. and others
- Filella, M., see Chanudet, V. and M. Filella
- Fitzpatrick, J.J., see Spencer, M.K. and others
- Fountain, A.G., see Granshaw, F.D. and A.G. Fountain
- Fountain, A.G., see Walder, J.S. and others
- Fountain, A.G., T.H. Nylén, K.L. MacClune and G.L. Dana, (paper: Glacier mass balances (1993–2001), Taylor Valley, McMurdo Dry Valleys, Antarctica) 451–462
- Francou, B., see Rabatel, A. and others
- Freitag, J., see Kipfstuhl, S. and others
- Fritzsche, D., see Horwath, M. and others
- Fujii, Y., see Iizuka, Y. and others
- Fujita, K., see Sakai, A. and others
- Fujita, S., H. Maeno and K. Matsuoka, (paper: Radio-wave depolarization and scattering within ice sheets: a matrix-based model to link radar and ice-core measurements and its application) 407–424
- Funk, M., see Pralong, A. and M. Funk
- Funk, M., see Schwerzmann, A. and others
- Gagliardini, O., see Durand, G. and others
- Gauthier, D. and B. Jamieson, (instruments and methods: Towards a field test for fracture propagation propensity in weak snowpack layers) 164–168
- Glacier dynamics:
Dynamics of tidewater glaciers: comparison of three models, 183–190
Time-dependent basal stress conditions beneath Black Rapids Glacier, Alaska, USA, inferred from measurements of ice deformation and surface motion, 347–357
- Glacier modelling:
A new fully three-dimensional numerical model for ice dynamics, 365–376

- Dynamics of tidewater glaciers: comparison of three models, 183–190
- Glaciers:
- A new fully three-dimensional numerical model for ice dynamics, 365–376
 - Basal conditions beneath enhanced-flow tributaries of Slessor Glacier, East Antarctica, 481–490
 - Developing a bubble number-density paleoclimatic indicator for glacier ice, 358–364
 - Dynamics of tidewater glaciers: comparison of three models, 183–190
 - Five decades of shrinkage of July 1st glacier, Qilian Shan, China, 11–16
 - Glacier change over the past four decades in the middle Chinese Tien Shan, 425–432
 - Glacier change (1958–1998) in the North Cascades National Park Complex, Washington, USA, 251–256
 - Glacier mass balances (1993–2001), Taylor Valley, McMurdo Dry Valleys, Antarctica, 451–462
 - Glacier recession on Cerro Charquini (16° S), Bolivia, since the maximum of the Little Ice Age (17th century), 110–118
 - Hydraulic impacts of glacier advance over a sediment bed, 497–527
 - In situ measurements of till deformation and water pressure, 175–182
 - Late-20th-century changes in glacier extent in the Caucasus Mountains, Russia/Georgia, 99–109
 - Measurement and parameterization of aerodynamic roughness length variations at Haut Glacier d'Arolla, Switzerland, 281–297
 - Monitoring glacier variations on Geladandong mountain, central Tibetan Plateau, from 1969 to 2002 using remote-sensing and GIS technologies, 537–545
 - On the instability of avalanching glaciers, 31–48
 - Overview of the ice-dam formation and collapse of Glacier Perito Moreno, southern Patagonia, in 2003/04, 318–320, (erratum) 476–478
 - Particle size and mineralogical composition of inorganic colloids in glacier-melting water and overlying ice in an Alpine glacier, Oberaargletscher, Switzerland, 473–475
 - Retreat of glaciers on Puncak Jaya, Irian Jaya, determined from 2000 and 2002 IKONOS satellite images, 65–79
 - The development of brittle structures in an alpine valley glacier: Pasterzenkees, Austria, 1887–1997, 128–136
 - The integration of JERS-1 and ERS SAR in differential interferometry for measurement of complex glacier motion, 80–88
 - Thermo-erosional notch development at fresh-water-calving Tasman Glacier, New Zealand, 203–213
 - Time-dependent basal stress conditions beneath Black Rapids Glacier, Alaska, USA, inferred from measurements of ice deformation and surface motion, 347–357
- Glasser, N., B. Goodsell, L. Copland and W. Lawson, (paper: Debris characteristics and ice-shelf dynamics in the ablation region of the McMurdo Ice Shelf, Antarctica) 223–234
- Goodsell, B., see Anderson, B. and others
- Goodsell, N., see Glasser, N. and others
- Granshaw, F.D. and A.G. Fountain, (paper: Glacier change (1958–1998) in the North Cascades National Park Complex, Washington, USA) 251–256
- Granskog, M.A., T. Vihma, R. Pirazzini and B. Cheng, (paper: Superimposed ice formation and surface energy fluxes on sea ice during the spring melt–freeze period in the Baltic Sea) 119–127
- Greenland:
- Relating microwave backscatter azimuth modulation to surface properties of the Greenland ice sheet, 257–266
- Greenland:
- Borehole optical stratigraphy and neutron-scattering density measurements at Summit, Greenland, 491–496
 - Detection of main channel thickness from radar data at Jakobshavn Isbræ, Greenland, 315–317
 - Modelling the evolution of supraglacial lakes on the West Greenland ice-sheet margin, 608–618
- Greuell, W., see Lühje, M. and others
- Grigoriev, D., see Kipfstuhl, S. and others
- Grinsted, A., see Moore, J.C. and A. Grinsted
- Gudmundsson, A., see Jaenicke, J. and others
- Gurney, S.D., see Stokes, C.R. and others
- Hagen, J.O., see Lappégard, G. and others
- Haidong, H., D. Yongjing and L. Shiyin, (paper: A simple model to estimate ice ablation under a thick debris layer) 528–536
- Hamann, I., see Kipfstuhl, S. and others
- Hansen, J., see Nazarenko, L. and others
- Harrison, W.D., see Truffer, M. and W.D. Harrison
- Hart, J.K., K. Martinez, R. Ong, A. Riddoch, K.C. Rose and P. Padhy, (instruments and methods: A wireless multi-sensor subglacial probe: design and preliminary results) 389–397
- Hawley, R.L. and E.M. Morris, (instruments and methods: Borehole optical stratigraphy and neutron-scattering density measurements at Summit, Greenland) 491–496
- Herbst, P., F. Neubauer and M.P.J. Schöpfer, (paper: The development of brittle structures in an alpine valley glacier: Pasterzenkees, Austria, 1887–1997) 128–136
- Hindmarsh, R.C.A., see Parrenin, F. and others
- Hondoh, T., see Iizuka, Y. and others
- Horwath, M., R. Dietrich, M. Baessler, U. Nixdorf, D. Steinhage, D. Fritzsche, V. Damm and G. Reitmayr, (paper: Nivlisen, an Antarctic ice shelf in Dronning Maud Land: geodetic–glaciological results from a combined analysis of ice thickness, ice surface height and ice-flow observations) 17–30
- Huang, H. see Legarsky, J. and H. Huang
- Hubbard, B., see Kulesa, B. and others
- Hydrology:
- Characteristics of subglacial drainage systems deduced from load-cell measurements, 137–148
 - Hydraulic impacts of glacier advance over a sediment bed, 497–527
 - In situ measurements of till deformation and water pressure, 175–182
 - Time-lapse imaging of subglacial drainage conditions using three-dimensional inversion of borehole electrical resistivity data, 49–57
- Ice ablation models:
- Calculating ice melt beneath a debris layer using meteorological data, 463–470
- Ice cores:
- Analytical solutions for the effect of topography, accumulation rate and lateral flow divergence on isochrone layer geometry, 191–202
 - Etching channels and grain-boundary grooves on ice surfaces in the scanning electron microscope, 645–648
 - Grain boundary grooving in ice in a scanning electron microscope, 169–172
 - Ice microstructure and fabric: an up-to-date approach for measuring textures, 619–630
 - Improved method to determine radio-echo sounding reflector depths from ice-core profiles of permittivity and conductivity, 299–310
 - Developing a bubble number-density paleoclimatic indicator for glacier ice, 358–364
 - Na₂SO₄ and MgSO₄ salts during the Holocene period derived by high-resolution depth analysis of a Dome Fuji ice core, 58–64
 - Radio-wave depolarization and scattering within ice sheets: a matrix-based model to link radar and ice-core measurements and its application, 407–424

- Ice deformation:
 Microstructure mapping: a new method for imaging deformation-induced microstructural features of ice on the grain scale. 398–406
- Ice dynamics:
 A new fully three-dimensional numerical model for ice dynamics, 365–376
- Ice flow:
 Analytical solutions for the effect of topography, accumulation rate and lateral flow divergence on isochrone layer geometry, 191–202
 Nivlisen, an Antarctic ice shelf in Dronning Maud Land: geodetic–glaciological results from a combined analysis of ice thickness, ice surface height and ice-flow observations, 17–30
 Steady radial ice-sheet flow with fabric evolution, 267–280
 The development of brittle structures in an alpine valley glacier: Pasterzenkees, Austria, 1887–1997, 128–136
- Ice recrystallization:
 Using electron backscatter diffraction patterns to examine recrystallization in polar ice sheets, 546–557
- Ice sheets/Ice caps:
 Analytical solutions for the effect of topography, accumulation rate and lateral flow divergence on isochrone layer geometry, 191–202
 Detection of main channel thickness from radar data at Jakobshavn Isbræ, Greenland, 315–317
 Ice-sheet modelling characteristics in sea-level-based temperature reconstructions over the last glacial cycle, 149–158
 Modelling the evolution of supraglacial lakes on the West Greenland ice-sheet margin, 608–618
 Radio-wave depolarization and scattering within ice sheets: a matrix-based model to link radar and ice-core measurements and its application, 407–424
 Relating microwave backscatter azimuth modulation to surface properties of the Greenland ice sheet, 257–266
 Sensitivity studies on model modifications to assess the dynamics of a temperate ice cap, such as that on King George Island, Antarctica, 235–247
 Steady radial ice-sheet flow with fabric evolution, 267–280
 The use of remote-sensing data for mass-balance studies at Mýrdalsjökull ice cap, Iceland, 565–573
 Using electron backscatter diffraction patterns to examine recrystallization in polar ice sheets, 546–557
- Ice shelves:
 Debris characteristics and ice-shelf dynamics in the ablation region of the McMurdo Ice Shelf, Antarctica, 223–234
 Nivlisen, an Antarctic ice shelf in Dronning Maud Land: geodetic–glaciological results from a combined analysis of ice thickness, ice surface height and ice-flow observations, 17–30
- Ice streams:
 Bed radar reflectivity across the north margin of Whillans Ice Stream, West Antarctica, and implications for margin processes, 3–10
- Ice:
 A wireless multi-sensor subglacial probe: design and preliminary results, 389–397
 Brittle compressive failure of ice: proportional straining vs proportional loading, 248–250
 Developing a bubble number-density paleoclimatic indicator for glacier ice, 358–364
 Grain boundary grooving in ice in a scanning electron microscope, 169–172
 Ice microstructure and fabric: an up-to-date approach for measuring textures, 619–630
 Microstructure mapping: a new method for imaging deformation-induced microstructural features of ice on the grain scale, 398–406
 Time-dependent basal stress conditions beneath Black Rapids Glacier, Alaska, USA, inferred from measurements of ice deformation and surface motion, 347–357
- Ice-dams:
 Overview of the ice-dam formation and collapse of Glaciar Perito Moreno, southern Patagonia, in 2003/04, 318–320, (erratum) 476–478
- Iceland:
 Hydraulic impacts of glacier advance over a sediment bed, 497–527
 The use of remote-sensing data for mass-balance studies at Mýrdalsjökull ice cap, Iceland, 565–573
- Ice-sheet modelling:
 Effects of spatial discretization in ice-sheet modelling using the shallow-ice approximation, 89–98
 Ice-sheet modelling characteristics in sea-level-based temperature reconstructions over the last glacial cycle, 149–158
 Radio-wave depolarization and scattering within ice sheets: a matrix-based model to link radar and ice-core measurements and its application, 407–424
 Sensitivity studies on model modifications to assess the dynamics of a temperate ice cap, such as that on King George Island, Antarctica, 235–247
- Iizuka, Y., T. Hondoh and Y. Fujii, (paper: Na₂SO₄ and MgSO₄ salts during the Holocene period derived by high-resolution depth analysis of a Dome Fuji ice core) 58–64
- Iliescu, D., see Obbard, R. and others
- Iliescu, D., see Schulson, E.M. and D. Iliescu
- Indonesia:
 Retreat of glaciers on Puncak Jaya, Irian Jaya, determined from 2000 and 2002 IKONOS satellite images, 65–79
- Ionic profiling:
 Na₂SO₄ and MgSO₄ salts during the Holocene period derived by high-resolution depth analysis of a Dome Fuji ice core, 58–64
- Jackson, M., see Lappégard, G. and others
- Jaenicke, J., C. Mayer, K. Scharrer, U. Münzer and A. Gudmundsson, (paper: The use of remote-sensing data for mass-balance studies at Mýrdalsjökull ice cap, Iceland) 565–573
- Jakobshavn Isbræ (Greenland):
 Detection of main channel thickness from radar data at Jakobshavn Isbræ, Greenland, 315–317
- Jamieson, B., see Gauthier, D. and B. Jamieson
- Jenkins, A., H.F.J. Corr, K.W. Nicholls, C.L. Stewart and C.S.M. Doake, (paper: Interactions between ice and ocean observed with phase-sensitive radar near an Antarctic ice-shelf grounding line) 325–346
- Jomelli, V., see Rabatel, A. and others
- Kaasalainen, M., see Kaasalainen, S. and others
- Kaasalainen, S., M. Kaasalainen, T. Mielonen, J. Suomalainen, J.I. Peltoniemi and J. Näränen, (paper: Optical properties of snow in backscatter) 574–584
- Kang, S., see Ye, Q. and others
- Kincaid, J.L., see Klein A.G., and J.L. Kincaid
- King George Island (Antarctica):
 Sensitivity studies on model modifications to assess the dynamics of a temperate ice cap, such as that on King George Island, Antarctica, 235–247
- Kipfstuhl, S., I. Hamann, A. Lambrecht, J. Freitag, S.H. Faria, D. Grigoriev and N. Azuma, (paper: Microstructure mapping: a new method for imaging deformation-induced microstructural features of ice on the grain scale) 398–406
- Kipfstuhl, S., see Durand, G. and others
- Klein A.G., and J.L. Kincaid, (paper: Retreat of glaciers on Puncak Jaya, Irian Jaya, determined from 2000 and 2002 IKONOS satellite images) 65–79
- Kohler, J., see Lappégard, G. and others

- Kulesa, B., B. Hubbard and G.H. Brown, (paper: Time-lapse imaging of subglacial drainage conditions using three-dimensional inversion of borehole electrical resistivity data) 49–57
- Lambert Glacier (Antarctica):
The integration of JERS-1 and ERS SAR in differential interferometry for measurement of complex glacier motion, 80–88
- Lambrecht, A., see Kipfstuhl, S. and others
- Lange, M.A., see Breuer, B. and others
- Lappegard, G., J. Kohler, M. Jackson and J.O. Hagen, (paper: Characteristics of subglacial drainage systems deduced from load-cell measurements) 137–148
- Lawson, W., see Anderson, B. and others
- Lawson, W., see Glasser, N. and others
- Legarsky, J. and H. Huang, (correspondence: Detection of main channel thickness from radar data at Jakobshavn Isbræ, Greenland) 315–317
- Lehning, M., see Clifton, A. and others
- Li, B., A-X. Zhu, Y. Zhang, T. Pei, C. Qin and C. Zhou, (paper: Glacier change over the past four decades in the middle Chinese Tien Shan) 425–432
- Long, D.G., see Ashcraft, I.S. and D.G. Long
- Lüthi, M.P., see Amundson, J.M. and others
- Lüthje, M., L.T. Pedersen, N. Reeh and W. Greuell, (paper: Modelling the evolution of supraglacial lakes on the West Greenland ice-sheet margin) 608–618
- Machaca, A., see Rabatel, A. and others
- Maeno, H., see Fujita, S. and others
- Maggi, V., see Deponti, A. and others
- Mallard, D.C., see Barnes, P.R.F. and others
- Malm, A., see Walder, J.S. and others
- Martinez, K., see Hart, J.K. and others
- Mass balance:
Glacier mass balances (1993–2001), Taylor Valley, McMurdo Dry Valleys, Antarctica, 451–462
Past and future mass balance of ‘Ka Roimata o Hine Hukatere’ Franz Josef Glacier, New Zealand, 597–607
The use of remote-sensing data for mass-balance studies at Mýrdalsjökull ice cap, Iceland, 565–573
- Matsuoka, K., see Fujita, S. and others
- Matzl, M. and M. Schneebeli, (paper: Measuring specific surface area of snow by near-infrared photography) 558–564
- Mayer, C., see Jaenicke, J. and others
- McMurdo Dry Valleys (Antarctica):
Glacier mass balances (1993–2001), Taylor Valley, McMurdo Dry Valleys, Antarctica, 451–462
- McMurdo Ice Shelf (Antarctica):
Debris characteristics and ice-shelf dynamics in the ablation region of the McMurdo Ice Shelf, Antarctica, 223–234
- Meltwater:
Particle size and mineralogical composition of inorganic colloids in glacier-melting water and overlying ice in an Alpine glacier, Oberaargletscher, Switzerland, 473–475
- Mielonen, T., see Kaasalainen, S. and others
- Moore, J.C. and A. Grinsted, (instruments and methods: Singular spectrum analysis and envelope detection: methods of enhancing the utility of ground-penetrating radar data) 159–163
- Morland, L.W. and R. Staroszczyk, (paper: Steady radial ice-sheet flow with fabric evolution) 267–280
- Morris, E.M., see Hawley, R.L. and E.M. Morris
- Münzer, U., see Jaenicke, J. and others
- Nakawo, M., see Sakai, A. and others
- Näränen, J., see Kaasalainen, S. and others
- Naruse, R., see Skvarca, P. and R. Naruse
- Nazarenko, L., N. Tausnev and J. Hansen, (paper: Sea-ice and North Atlantic climate response to CO₂-induced warming and cooling conditions) 433–439
- Near-infrared photography:
Measuring specific surface area of snow by near-infrared photography, 558–564
- Nereson, N., see Raymond, C.F. and others
- Neubauer, F., see Herbst, P. and others
- New Zealand:
Past and future mass balance of ‘Ka Roimata o Hine Hukatere’ Franz Josef Glacier, New Zealand, 597–607
Thermo-erosional notch development at fresh-water-calving Tasman Glacier, New Zealand, 203–213
- Nicholson, L. and D.I. Benn, (paper: Calculating ice melt beneath a debris layer using meteorological data) 463–470
- Nick, F.M. and J. Oerlemans, (paper: Dynamics of tidewater glaciers: comparison of three models) 183–190
- Nixdorf, U., see Horwath, M. and others
- Norway:
Characteristics of subglacial drainage systems deduced from load-cell measurements, 137–148
- Obbard, R., I. Baker and D. Iliescu, (correspondence: Grain boundary grooving in ice in a scanning electron microscope) 169–172
- Obbard, R., I. Baker and K. Sieg, (paper: Using electron backscatter diffraction patterns to examine recrystallization in polar ice sheets) 546–557
- Oerlemans, J., see Nick, F.M. and J. Oerlemans
- Oerlemans, J., see Van den Berg, J. and others
- Ong, R., see Hart, J.K. and others
- Owens, I., see Anderson, B. and others
- Padhy, P., see Hart, J.K. and others
- Parrenin, F., R.C.A. Hindmarsh and F. Rémy, (paper: Analytical solutions for the effect of topography, accumulation rate and lateral flow divergence on isochrone layer geometry) 191–202
- Patagonia:
Overview of the ice-dam formation and collapse of Glaciar Perito Moreno, southern Patagonia, in 2003/04, 318–320, (erratum) 476–478
- Pedersen, L.T., see Lüthje, M. and others
- Pei, T., see Li, B. and others
- Peltoniemi, J.I., see Kaasalainen, S. and others
- Pennati, V., see Deponti, A. and others
- Pirazzini, R., see Granskog, M.A. and others
- Platzer, K., see Bartelt, P. and others
- Popovnin, V., see Stokes, C.R. and others
- Pralong, A. and M. Funk, (paper: On the instability of avalanching glaciers) 31–48
- Pu, J., see Sakai, A. and others
- Qilian Shan (China)
Five decades of shrinkage of July 1st glacier, Qilian Shan, China, 11–16
- Qin, C., see Li, B. and others

- Rabatel, A., A. Machaca, B. Francou and V. Jomelli, (paper: Glacier recession on Cerro Charquini (16° S), Bolivia, since the maximum of the Little Ice Age (17th century), 110–118
- Radar:
- Basal conditions beneath enhanced-flow tributaries of Slessor Glacier, East Antarctica, 481–490
 - Bed radar reflectivity across the north margin of Whillans Ice Stream, West Antarctica, and implications for margin processes, 3–10
 - Detection of main channel thickness from radar data at Jakobshavn Isbræ, Greenland, 315–317
 - Radio-wave depolarization and scattering within ice sheets: a matrix-based model to link radar and ice-core measurements and its application, 407–424
 - Relating microwave backscatter azimuth modulation to surface properties of the Greenland ice sheet, 257–266
 - Singular spectrum analysis and envelope detection: methods of enhancing the utility of ground-penetrating radar data, 159–163
- Radio-echo sounding:
- Improved method to determine radio-echo sounding reflector depths from ice-core profiles of permittivity and conductivity, 299–310
- Radio-wave depolarization:
- Radio-wave depolarization and scattering within ice sheets: a matrix-based model to link radar and ice-core measurements and its application, 407–424
- Raymond, C.F., G.A. Catania, N. Nereson and C.J. van der Veen, (paper: Bed radar reflectivity across the north margin of Whillans Ice Stream, West Antarctica, and implications for margin processes) 3–10
- Reeh, N., see Lüthje, M. and others
- Rees, W.G. and N.S. Arnold, (paper: Scale-dependent roughness of a glacier surface: implications for radar backscatter and aerodynamic roughness modelling) 214–222
- Reitmayr, G., see Horwath, M. and others
- Remote sensing:
- Monitoring glacier variations on Geladandong mountain, central Tibetan Plateau, from 1969 to 2002 using remote-sensing and GIS technologies, 537–545
 - Optical properties of snow in backscatter, 574–584
 - Retreat of glaciers on Puncak Jaya, Irian Jaya, determined from 2000 and 2002 IKONOS satellite images, 65–79
 - The integration of JERS-1 and ERS SAR in differential interferometry for measurement of complex glacier motion, 80–88
 - The use of remote-sensing data for mass-balance studies at Mýrdalsjökull ice cap, Iceland, 565–573
 - Using electron backscatter diffraction patterns to examine recrystallization in polar ice sheets, 546–557
- Rémy, F., see Parrenin, F. and others
- Riddoch, A., see Hart, J.K. and others
- Rippin, D.M., J.L. Bamber, M.J. Siegert, D.G. Vaughan and H.F.J. Corr, (paper: Basal conditions beneath enhanced-flow tributaries of Slessor Glacier, East Antarctica) 481–490
- Röhl, K., (paper: Thermo-erosional notch development at fresh-water-calving Tasman Glacier, New Zealand) 203–213
- Rose, K.C., see Hart, J.K. and others
- Rüedi, J-D., see Clifton, A. and others
- Russia/Georgia:
- Late-20th-century changes in glacier extent in the Caucasus Mountains, Russia/Georgia, 99–109
- Sakai, A., K. Fujita, K. Duan, J. Pu, M. Nakawo and T. Yao, (paper: Five decades of shrinkage of July 1st glacier, Qilian Shan, China) 11–16
- Scharrer, K., see Jaenicke, J. and others
- Schöpfer, M.P.J., see Herbst, P. and others
- Schneebeli, M., see Matzl, M. and M. Schneebeli
- Schulson, E.M. and D. Iliescu, (paper: Brittle compressive failure of ice: proportional straining vs proportional loading) 248–250
- Schwander, J., see Eisen, O. and others
- Schwerzmann, A., M. Funk and H. Blatter, (instruments and methods: Borehole logging with an eight-arm caliper–inclinometer probe) 381–388
- Sea ice:
- Brittle compressive failure of ice: proportional straining vs proportional loading, 248–250
 - Sea-ice and North Atlantic climate response to CO₂-induced warming and cooling conditions, 433–439
 - Superimposed ice formation and surface energy fluxes on sea ice during the spring melt–freeze period in the Baltic Sea, 119–127
- Seig, K., see Obbard, R. and others
- Shahgedanova, M., see Stokes, C.R. and others
- Sharp, M.J., see Brock, B.W. and others
- Siegert, M.J., see Rippin, D.M. and others
- Skvarca, P. and R. Naruse, (correspondence: Overview of the ice-dam formation and collapse of Glaciar Perito Moreno, southern Patagonia, in 2003/04) 318–320, (erratum) 476–478
- Snow:
- Fluctuation–dissipation relations for granular snow avalanches, 631–643
 - Measuring specific surface area of snow by near-infrared photography, 558–564
 - Optical properties of snow in backscatter, 574–584
 - Snow saltation threshold measurements in a drifting-snow wind tunnel, 585–596
- Snowdrift:
- Snow saltation threshold measurements in a drifting-snow wind tunnel, 585–596
- Snowpack:
- Towards a field test for fracture propagation propensity in weak snowpack layers, 164–168
- Spencer, M.K., R.B. Alley and J.J. Fitzpatrick, (paper: Developing a bubble number-density paleoclimatic indicator for glacier ice) 358–364
- Staroszczyk, R., see Morland, L.W. and R. Staroszczyk
- Steinhage, D., see Eisen, O. and others
- Steinhage, D., see Horwath, M. and others
- Stokes, C.R., S.D. Gurney, M. Shahgedanova and V. Popovnin, (paper: Late-20th-century changes in glacier extent in the Caucasus Mountains, Russia/Georgia) 99–109
- Subglacial drainage:
- Characteristics of subglacial drainage systems deduced from load-cell measurements, 137–148
 - Time-lapse imaging of subglacial drainage conditions using three-dimensional inversion of borehole electrical resistivity data, 49–57
- Suomalainen, J., see Kaasalainen, S. and others
- Supraglacial lakes:
- Modelling the evolution of supraglacial lakes on the West Greenland ice-sheet margin, 608–618
- Surface properties:
- Measurement and parameterization of aerodynamic roughness length variations at Haut Glacier d’Arolla, Switzerland, 281–297
 - Relating microwave backscatter azimuth modulation to surface properties of the Greenland ice sheet, 257–266
 - Steady radial ice-sheet flow with fabric evolution, 267–280
- Svensson, A., see Durand, G. and others

- Switzerland:
 Measurement and parameterization of aerodynamic roughness length variations at Haut Glacier d'Arolla, Switzerland, 281–297
 Particle size and mineralogical composition of inorganic colloids in glacier-melting water and overlying ice in an Alpine glacier, Oberaargletscher, Switzerland, 473–475
 Time-lapse imaging of subglacial drainage conditions using three-dimensional inversion of borehole electrical resistivity data, 49–57
- Tausnev, N., see Nazarenko, L. and others
- Thorsteinsson, Th., see Durand, G. and others
- Tibetan Plateau:
 Monitoring glacier variations on Geladandong mountain, central Tibetan Plateau, from 1969 to 2002 using remote-sensing and GIS technologies, 537–545
- Tien Shan (China):
 Glacier change over the past four decades in the middle Chinese Tien Shan, 425–432
- Till:
 A wireless multi-sensor subglacial probe: design and preliminary results, 389–397
 In situ measurements of till deformation and water pressure, 175–182
 Scale independence of till rheology, 377–380
- Trabant, D.C., see Walder, J.S. and others
- Truffer, M. and W.D. Harrison, (paper: In situ measurements of till deformation and water pressure) 175–182
- Truffer, M., see Amundson, J.M. and others
- Tulaczyk, S., (paper: Scale independence of till rheology) 377–380
- Van de Wal, R.S.W., see Van den Berg, J. and others
- Van de Wal, R.S.W., see Wilschut, F. and others
- Van den Berg, J., R.S.W. van de Wal and J. Oerlemans, (paper: Effects of spatial discretization in ice-sheet modelling using the shallow-ice approximation) 89–98
- Van der Veen, C.J., see Raymond, C.F. and others
- Vaughan, D.G., see Rippin, D.M. and others
- Vihma, T., see Granskog, M.A. and others
- Walder, J.S., D.C. Trabant, M. Cunico, A.G. Fountain, S.P. Anderson, R.S. Anderson and A. Malm, (paper: Local response of a glacier to annual filling and drainage of an ice-marginal lake) 440–450
- Wang, J., see Ye, Q. and others
- Washington (USA):
 Glacier change (1958–1998) in the North Cascades National Park Complex, Washington, USA, 251–256
- Whillans Ice Sheet (Antarctica):
 Bed radar reflectivity across the north margin of Whillans Ice Stream, West Antarctica, and implications for margin processes, 3–10
 Scale independence of till rheology, 377–380
- Wilhelms, F., see Eisen, O. and others
- Willis, I.C., see Brock, B.W. and others
- Wilschut, F., R. Bintanja and R.S.W. van de Wal, (paper: Ice-sheet modelling characteristics in sea-level-based temperature reconstructions over the last glacial cycle) 149–158
- Wolff, E.W., see Barnes, P.R.F. and others
- Xu, G., see Cheng, X. and G. Xu
- Yao, T., see Sakai, A. and others
- Ye, Q., S. Kang, F. Chen and J. Wang, (paper: Monitoring glacier variations on Geladandong mountain, central Tibetan Plateau, from 1969 to 2002 using remote-sensing and GIS technologies) 537–545
- Zatsepin, S., see Boulton, G. and S. Zatsepin
- Zhang, Y., see Li, B. and others
- Zhou, C., see Li, B. and others
- Zhu, A-X., see Li, B. and others