

INDEX

	PAGE
Aldous, D. J. Self-intersections of random walks on discrete groups	155
Alpern, S. Search for point in interval, with high-low feedback	569
Baker, R. C. & Harman, G. Unbalanced quadratic residues and non-residues	9
Batty, C. J. K. Topologies and continuous functions on extreme points and pure states	501
Bayer-Fluckiger, E. Cancellation of hyperbolic ϵ -hermitian forms and of simple knots	111
Boyer, S. Shake-slice knots and smooth contractible 4-manifolds	93
Brown, G. & Dooley, A. H. Ergodic measures are of weak product type	129
Brown, M. L. On automorphisms of unique factorization domains	427
Burn, R. P. Corrigenda: Finite Bol loops: III	381
Cámara, G. A. Unbounded subharmonic functions bounded in one tract	327
Canarutto, D. & Dodson, C. T. J. On the bundle of principal connections and the stability of b -incompleteness of manifolds	51
Cooke, R. M., Keane, M. & Moran, W. An elementary proof of Gleason's theorem	117
Crampin, M. & Thompson, G. Affine bundles and integrable almost tangent structures	61
Csörgő, S. & Mason, D. M. Central limit theorems for sums of extreme values	547
Dawson, R. J. MacG. On the mobility of bodies in \mathbb{R}^n	403
Dodson, C. T. J. & Canarutto, D. On the bundle of principal connections and the stability of b -incompleteness of manifolds	51
Dooley, A. H. & Brown, G. Ergodic measures are of weak product type	129
Edwards, C. M. & Rüttimann, G. T. On the facial structure of the unit balls in a GL-space and its dual	305
Evans, S. N. On the Hausdorff dimension of Brownian cone points	327
Fountain, J. & Petrich, M. Brandt semigroups of quotients	413
Furusawa, H. The Hausdorff dimension of limit sets of Fuchsian groups of the type $(g; m)$	147
Ghahramani, F. & Medgalchi, A. R. Compact multipliers on weighted hypergroup algebras	493
Granville, A. J. Refining the conditions on the Fermat quotient	5
Györi, E., Rothschild, B. & Ruciński, A. Every graph is contained in a sparsest possible balanced graph	397
Harman, G. & Baker, R. C. Unbalanced quadratic residues and non-residues	9
Hill, R. On the micro-to-macro transition in constitutive analyses of elasto-plastic response at finite strain	579
Hillman, J. A. Topological concordance and F -isotopy	107
Horváth, L. Strong laws for randomly indexed U -statistics	559
Huggins, R. M. & Scott, D. J. A law of the iterated logarithm for weakly exchangeable arrays	541
Hurley, D. Note on uniform visibility manifolds	73
Kaneta, H. Note on propagation of classical waves: I	147
Kaneta, H. Note on propagation of classical waves: II	367
Keane, M., Moran, M. & Cooke, R. M. An elementary proof of Gleason's theorem	117
Kingman, J. F. C. Random variables with unsymmetrical linear regressions	343
Kourouniotis, C. Deformations of hyperbolic structures	247

Kravvaritis, D. Nonlinear random equations with maximal monotone operators in Banach spaces	529
Kropholler, P. H. A note on the cohomology of metabelian groups	437
Kuhn, N. J. & Priddy, S. B. The transfer and Whitehead's conjecture	459
Kwasik, S. On realization of Whitehead torsion	271
Lettl, G. Finding fundamental units in algebraic number fields	383
Lewis, D. W. Periodicity of Clifford algebras and exact octagons of Witt groups	263
Lorenz-Petzold, D. Exact anisotropic solutions of $d = 11$ supergravity	187
Lozano, M. T. & Przytycki, J. H. Incompressible surfaces in the exterior of a closed 3-braid. I. Surfaces with horizontal boundary components.	275
McCarthy, P. J. Projective actions, invariant sigma-curves and quadratic functional equations	195
Mason, D. M. and Csörgö, S. Central limit theorems for sums of extreme values	547
Medgalchi, A. R. & Ghahramani, F. Compact multipliers on weighted hypergroup algebras	493
Moran, M., Cooke, R. M. & Keane, M. An elementary proof of Gleason's theorem	117
Nazarov, V. U. Time-dependent variational principle and self-consistent field equations	373
Nowak, W. G. On the average order of the lattice rest of a convex planar domain	1
Odoni, R. W. K. Trigonometric sums of Heilbronn's type	389
Orbanz, U. Transversal parameters and tangential flatness	37
Petrich, M. & Fountain, J. Brandt semigroups of quotients	413
Pizer, A. Hermitian character and the first problem of R. H. Fox.	447
Priddy, S. B. & Kuhn, N. J. The transfer and Whitehead's conjecture	459
Przytycki, J. H. & Lozano, M. T. Incompressible surfaces in the exterior of a closed 3-braid. I. Surfaces with horizontal boundary components	275
Rees, D. A note on asymptotically unmixed ideals	33
Rosický, J. & Šmarda, B. T_1 -locales	81
Rothschild, B., Ruciński, A. & Györi, E. Every graph is contained in a sparsest possible balanced graph	397
Ruciński, A., Rothschild, B. & Györi, E. Every graph is contained in a sparsest possible balanced graph	397
Rüttimann, G. T. & Edwards, C. M. On the facial structure of the unit balls in a GL-space and its dual	305
Saab, P. & Talagrand, M. A Choquet theorem for general subspaces of vector-valued functions	323
Scott, D. J. & Huggins, R. M. A law of the iterated logarithm for weakly exchangeable arrays	541
Sharp, R. Y. & Zakeri, H. Generalized fractions, Buchsbaum modules and generalized Cohen-Macaulay modules	429
Sheil-Small, T. On the Fourier series of a finitely described convex curve and a conjecture of H. S. Shapiro	513
Singer, M. A. Duality in twistor theory without Minkowski space	591
Šmarda, B. & Rosický, J. T_1 -locales	81
Smith, P. F. Some examples of maximal orders	19
Spouge, J. L. An existence theorem for the discrete coagulation-fragmentation equations. II. Inclusion of source and efflux terms	183
Strickland, P. Knots which are branched cyclic covers of only finitely many knots	301
Suciu, A. I. Infinitely many ribbon knots with the same fundamental group	481

Talagrand, M. & Saab, P. A Choquet theorem for general subspaces of vector-valued functions	323
Thompson, G. & Crampin, M. Affine bundles and integrable almost tangent structures	61
Truss, J. K. The group of the countable universal graph	213
Tsukiyama, K. Equivariant self equivalences of principal fibre bundles	87
Wilson, P. M. H. A note concerning the global 2-forms on a $\kappa = 0$ threefold	191
Yukich, J. E. The convolution metric d_ρ	533
Zakeri, H. & Sharp, R. Y. Generalized fractions, Buchsbaum modules and generalized Cohen–Macaulay modules	429

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.
The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \varnothing ; l , 1 ; ϵ , \in ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \blacksquare may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) **72** (1960), 20–104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302–401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 98 (Pt 3) 383–605 (1985) 0305–0041 November 1985

CONTENTS

	PAGE
LETTL, GÜNTER. Finding fundamental units in algebraic number fields	383
ODONI, R. W. K. Trigonometric sums of Heilbronn's type	389
GYÖRI, E., ROTHSCHILD, B. & RUNCIŃSKI, A. Every graph is contained in a sparsest possible balanced graph	397
DAWSON, R. J. MACG. On the mobility of bodies in \mathbb{R}^n	403
FOUNTAIN, JOHN & PETRICH, MARIO. Brandt semigroups of quotients	413
BROWN, M. L. On automorphisms of unique factorization domains	427
SHARP, R. Y. & ZAKERI, H. Generalized fractions, Buchsbaum modules and generalized Cohen–Macaulay modules	429
KROPHOLLER, P. H. A note on the cohomology of metabelian groups	437
PIZER, ADRIAN. Hermitian character and the first problem of R. H. Fox	447
KUHN, NICHOLAS J. & PRIDDY, STEWART B. The transfer and Whitehead's conjecture	459
SUCIU, ALEXANDER I. Infinitely many ribbon knots with the same fundamental group	481
GHAHRAMANI, F. & MEDGALCHI, A. R. Compact multipliers on weighted hypergroup algebras	493
BATTY, C. J. K. Topologies and continuous functions on extreme points and pure states	501
SHEIL-SMALL, T. On the Fourier series of a finitely described convex curve and a conjecture of H. S. Shapiro	513
KRAVVARITIS, DIMITRIOS. Nonlinear random equations with maximal monotone operators in Banach spaces	529
YUKICH, J. E. The convolution metric d_g	533
SCOTT, D. J. & HUGGINS, R. M. A law of the iterated logarithm for weakly exchangeable arrays	541
CSÖRGŐ, SÁNDOR & MASON, DAVID M. Central limit theorems for sums of extreme values	547
HORVÁTH, LAJOS. Strong laws for randomly indexed U -statistics	559
ALPERN, STEVE. Search for point in interval, with high–low feedback	569
HILL, R. On the micro-to-macro transition in constitutive analyses of elastoplastic response at finite strain	579
SINGER, M. A. Duality in twistor theory without Minkowski space	591
PROCEEDINGS 1984–85	601

© The Cambridge Philosophical Society 1985

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP
32 EAST 57TH STREET, NEW YORK, NY 10022, USA
10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £18.40 net (USA and Canada US \$44.00)

*Subscription price £46.00 per volume (£92.00 per annum) net post free
(US \$110.00 per volume (US \$220.00 per annum) in USA and Canada)*

Printed in Great Britain by the University Press, Cambridge