

Papers to appear in forthcoming issues

Aaronson, J.	Rational weak mixing in infinite measure spaces
Abért, M. and Elek, G.	Dynamical properties of profinite actions
Abért, M. and Weiss, B.	Bernoulli actions are weakly contained in any free action
Alves, J. F. and Vilarinho, H.	Strong stochastic stability for non-uniformly expanding maps
Anderegg, M. and Henry, P.	Actions of amenable equivalence relations on CAT(0) fields
Ara, P., Exel, R. and Katsura, T.	Dynamical systems of type (m, n) and their C^* -algebras
Arbieto, A. and Catalan, T.	Hyperbolicity in the volume-preserving scenario
Arbieto, A., Markarian, R., Pacifico, M. J. and Soares, R.	Scaling rate for semi-dispersing billiards with non-compact cusps
Arnaud, M.-C.	Lower and upper bounds for the Lyapunov exponents of twisting dynamics: a relationship between the exponents and the angle of the Oseledec's splitting
Austin, T.	Equidistribution of joinings under off-diagonal polynomial flows of nilpotent Lie groups
Babichev, A., Burton, R. M. and Fieldsteel, A.	Speedups of ergodic group extensions
Bandt, C. and Käenmäki, A.	Local structure of self-affine sets
Baraviera, A. T., Lopes, A. O. and Mengue, J. K.	On the selection of subaction and measure for a subclass of potentials defined by P. Walters
Barge, M. and Ollim, C.	Asymptotic structure in substitution tiling spaces
Bergweiler, W.	Fatou–Julia theory for non-uniformly quasiregular maps
Bessa, M. and Rocha, J.	Contributions to the geometric and ergodic theory of conservative flows
Blokh, A., Curry, C. and Oversteegen, L.	Cubic critical portraits and polynomials with wandering gaps
Bonatti, Ch., Crovisier, S., Díaz, L. J. and Gourmelon, N.	Internal perturbations of homoclinic classes: non-domination, cycles, and self-replication
Bowen, L. and Gutman, Y.	A Juzvinskiĭ addition theorem for finitely generated free groups actions
Bowen, L. and Gutman, Y.	Nonabelian free group actions: Markov processes, the Abramov–Rohlin formula and Yuzvinskii's formula – CORRIGENDUM
Bowen, L. and Nevo, A.	Pointwise ergodic theorems beyond amenable groups
Brémont, J. and Buczolich, Z.	Maximizing points and coboundaries for an irrational rotation on a circle
Calcut, J. S. and Gompf, R. E.	Orbit spaces of gradient vector fields
Cao, Y., Hu, H. and Zhao, Y.	Non-additive measure-theoretic pressure and applications to dimensions of an ergodic measure

- Chazottes, J.-R. and Collet, P. Poisson approximation for the number of visits to balls in non-uniformly hyperbolic dynamical systems
- Chen, J., Hu, H. and Pesin, Ya. A volume preserving flow with essential coexistence of zero and non-zero Lyapunov exponents
- Cheung, Y., Goetz, A. and Quas, A. Piecewise isometries, uniform distribution and $3 \log 2 - \pi^2/8$
- Chung, N.-P. Topological pressure and the variational principle for actions of sofic groups
- Conley, C. T., Kechris, A. S. and Tucker-Drob, R. D. Ultraproducts of measure preserving actions and graph combinatorics
- Cornelissen, G. and Kool, J. Measure-theoretic rigidity for Mumford curves
- Coutinho, R. and Fernandez, B. Extensive bounds on the topological entropy of repellers in piecewise expanding coupled map lattices
- Danilenko, A. I. A survey on spectral multiplicities of ergodic actions
- de Lima, A. and Smiana, D. On infinitely cohomologous to zero observables
- Del Magno, G. and Markarian, R. A local ergodic theorem for non-uniformly hyperbolic symplectic maps with singularities
- Deroin, B. The Poisson boundary of a locally discrete group of diffeomorphisms of the circle
- Dias, K. Enumerating combinatorial classes of the complex polynomial vector fields in \mathbb{C}
- Dirbák, M., Snoha, L. and Špitalský, V. Minimality, transitivity, mixing and topological entropy on spaces with a free interval
- Dong, P., Donoso, S., Maass, A., Shao, S. and Ye, X. Infinite-step nilsystems, independence and complexity
- Downarowicz, T. and Lacroix, Y. Measure-theoretic chaos
- Fan, Q. and Fang, X. Certain properties for crossed products by automorphisms with a certain non-simple tracial Rokhlin property
- Fiebig, D. Canonical compactifications for Markov shifts
- Fried, D., Marotta, S. M. and Stankewitz, R. Complex dynamics of Möbius semigroups
- Gadre, V. S. Dynamics of non-classical interval exchanges
- Gidea, M. and Robinson, C. Diffusion along transition chains of invariant tori and Aubry–Mather sets
- Gomes, J. B. and Ruggiero, R. O. On Finsler surfaces without conjugate points
- Gorodnik, A. and Nevo, A. On Arnol'd's and Kazhdan's equidistribution problems
- Grivaux, S. Non-recurrence sets for weakly mixing linear dynamical systems
- Hartman, Y. Large semigroups of cellular automata
- Haydn, N., Nicol, M., Persson, T. and Vaienti, S. A note on Borel–Cantelli lemmas for non-uniformly hyperbolic dynamical systems
- Homburg, A. J. Circle diffeomorphisms forced by expanding circle maps
- Iommi, G. and Todd, M. Transience in dynamical systems
- Jaerisch, J., Kesseböhmer, M. and Stratmann, B. O. A Fréchet law and an Erdős–Philipp law for maximal cuspidal windings

- Jäger, T. Strange non-chaotic attractors in quasi-periodically forced circle maps: Diophantine forcing
- Kalle, C. Isomorphisms between positive and negative β -transformations
- Kida, Y. Examples of amalgamated free products and coupling rigidity
- Kiriki, S. and Soma, T. Existence of generic cubic homoclinic tangencies for Hénon maps
- KloECKner, B. Optimal transport and dynamics of expanding circle maps acting on measures
- Kosloff, Z. The zero-type property and mixing of Bernoulli shifts
- Kozma, R. T. and Devaney, R. L. Julia sets converging to filled quadratic Julia sets
- Li, Z. and Góra, P. Instability of isolated spectrum for W -shaped maps
- Li, Z., Góra, P., Boyarsky, A., Proppe, H. and Eslami, P. Family of piecewise expanding maps having singular measure as a limit of ACIMs
- Liang, C., Sun, W. and Tian, X. Ergodic properties of invariant measures for $C^{1+\alpha}$ non-uniformly hyperbolic systems
- Liang, Z., Yan, J. and Yi, Y. Viscous stability of quasi-periodic tori
- Liao, L. and Seuret, S. Diophantine approximation by orbits of expanding Markov maps
- Lind, D., Schmidt, K. and Verbitskiy, E. Homoclinic points, atoroidal polynomials, and periodic points of algebraic \mathbb{Z}^d -actions
- Liverani, C. Multidimensional expanding maps with singularities: a pedestrian approach
- Lizana, C. and Pujals, E. Robust transitivity for endomorphisms
- Lyons, R. Fixed price of groups and percolation
- Marcus, B. and Pavlov, R. Approximating entropy for a class of \mathbb{Z}^2 Markov random fields and pressure for a class of functions on \mathbb{Z}^2 shifts of finite type
- Maruhashi, H. Parameter rigid actions of simply connected nilpotent Lie groups
- Matui, H. Some remarks on topological full groups of Cantor minimal systems II
- Meyerovitch, T. Gibbs and equilibrium measures for some families of subshifts
- Miernowski, T. and Nogueira, A. Exactness of the Euclidean algorithm and of the Rauzy induction on the space of interval exchange transformations
- Möller, M. and Pohl, A. D. Period functions for Hecke triangle groups, and the Selberg zeta function as a Fredholm determinant
- Moors, W. B. and Namioka, I. Furstenberg's structure theorem via CHART groups
- Müller, S. and Spaeth, P. Helicity of vector fields preserving a regular contact form and topologically conjugate smooth dynamical systems
- Naghmouchi, I. Pointwise-recurrent dendrite maps
- Nakane, S. Postcritical sets and saddle basic sets for Axiom A polynomial skew products on \mathbb{C}^2

- Navas, A. An L^1 ergodic theorem with values in a non-positively curved space via a canonical barycenter map
- Nishiyama, T. Meromorphic non-integrability of a steady Stokes flow inside a sphere
- Osborne, J. W. Spiders' webs and locally connected Julia sets of transcendental entire functions
- Peter, J. Hausdorff measure of escaping and Julia sets for bounded-type functions of finite order
- Petersen, C. L. and Roesch, P. Carrots for dessert
- Pinto-de-Carvalho, S. and Ramírez-Ros, R. Non-persistence of resonant caustics in perturbed elliptic billiards
- Poirier, A. Hubbard forests
- Ponce, M. Towards a semi-local study of parabolic invariant curves for fibered holomorphic maps
- Potrie, R. Wild Milnor attractors accumulated by lower dimensional dynamics
- Quas, A. and Siefken, J. Ergodic optimization of super-continuous functions in the shift
- Schapira, B. Density of half-horocycles on geometrically infinite hyperbolic surfaces
- Seward, B. A subgroup formula for f -invariant entropy
- Sharland, T. Thurston equivalence for rational maps with clusters
- Sørensen, A. P. W. Geometric classification of simple graph algebras
- Tanis, J. The cohomological equation and invariant distributions for horocycle maps
- Tsujii, M. Contact Anosov flows and the Fourier–Bros–Iagolnitzer transform
- Wang, Q. and Young, L.-S. Dynamical profile of a class of rank-one attractors
- Xavier, J. Handel's fixed point theorem revisited
- Ye, Y.-L. Ruelle operator with weakly contractive IFS
- Zhang, P. Fundamental domain of invariant sets and applications
- Zhang, Y. and Lin, C. Invariant measures with bounded variation densities for piecewise area preserving maps

INSTRUCTIONS FOR CONTRIBUTORS

Editorial Policy

The journal welcomes high quality contributions on topics closely related to dynamical systems and ergodic theory. Submissions in the field of differential geometry, number theory, operator algebra, differential, topological, symbolic, measurable dynamics and celestial and statistical mechanics are especially welcome. Expository survey papers and reviews of relevant books will be published from time to time.

Submission of manuscripts

Manuscripts should be submitted via the website: <http://mc.manuscriptcentral.com/etds>.

Submission of a paper is taken to imply that it has not been previously published and that it is not being considered for publication elsewhere. Authors of articles published in the journal assign copyright to Cambridge University Press (with certain rights reserved) and you will receive a copyright assignment form for signature on acceptance of your paper.

The journal strongly recommends submission of accepted papers in L^AT_EX using the ETDS L^AT_EX class file. Papers that use this class file will be processed more efficiently. A L^AT_EX2e file `etds.cls` is available via anonymous ftp from the Cambridge University Press site at <ftp.cup.cam.ac.uk> in the directory `/pub/texarchive/journals/latex/etds-cls/`. In case of difficulties with these files, please contact etds@sunrise-setting.co.uk or the Journal editorial office at etds@maths.warwick.ac.uk. Alternatively, authors may use 'article' style.

On acceptance of a paper, authors should upload the L^AT_EX source code including the figures (line figures only) and all author-defined macro and style files, together with a pdf produced using the same file, via the submission site <http://mc.manuscriptcentral.com/etds>.

The publisher reserves the right to typeset any article by conventional means if the author's T_EX code presents problems in production.

Manuscript

Papers should be typed with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. 'A new proof of the ergodic theorem', whereas 'Some applications of a theorem of Birkhoff' would be useless).

Notation

Avoid abbreviations such as Thm, Prop., Eq., iff. In the text do not use symbols \forall , \exists , \Rightarrow and \Leftrightarrow . Fractions are generally best expressed by a solidus. Complicated exponents like $\exp\{z^2 \sin \theta / (1 + y^2)\}$ should be shown in this and no other way.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.
If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

Figures

Graphics should be prepared to professional standards, preferably using Postscript or L^AT_EX drawing facilities. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript. Figures should be used sparingly and only when they greatly clarify the exposition. The preferred resolutions for submission of electronic artwork are: halftone images 300 dpi; line tone 600 dpi; bitmap 1200 dpi.

Tables

Tables should be numbered (above the table) as Table 1, Table 2, Indicate the position of each in the text as for figures.

References

References should be collected at the end of the paper numbered in alphabetical order of the author's names or by order of citation. Include in the list of references only those works that are cited. For the style of references please consult recent issues of the journal. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication:

[4] N. Dunford and J. T. Schwartz. *Linear Operators*. Part I. Wiley, New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Journal titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. *J. Analyse Math.* **23** (1970), 236–268.

Proofs

Authors receive one pdf proof for correction. Typographical and minor corrections only are permitted at this stage. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. It is important that proofs are corrected and returned promptly.

Offprints

No paper offprints are provided, but the corresponding author will be sent the pdf of the published article. Print offprints may be purchased at extra cost at proof stage.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Ergodic theory and dynamical systems

VOLUME 32 PART 5 OCTOBER 2012

CONTENTS

<i>Chazottes, J.-R., Gambaudo, J.-M., Hochman, M. and Ugalde, E.</i> On the finite-dimensional marginals of shift-invariant measures	1485
<i>Cortez, M. I. and Rivera-Letelier, J.</i> Topological orbit equivalence classes and numeration scales of logistic maps	1501
<i>Deaconu, V., Kumjian, A. and Quigg, J.</i> Group actions on topological graphs	1527
<i>Kenyon, R., Peres, Y. and Solomyak, B.</i> Hausdorff dimension for fractals invariant under multiplicative integers	1567
<i>Kerr, D. and Nowak, P. W.</i> Residually finite actions and crossed products	1585
<i>Kulaga, J.</i> On the self-similarity problem for smooth flows on orientable surfaces	1615
<i>Kwietniak, D. and Oprocha, P.</i> On weak mixing, minimality and weak disjointness of all iterates	1661
<i>Liao, L. and Steiner, W.</i> Dynamical properties of the negative beta-transformation	1673
<i>Mayer, V. and Rempe, L.</i> Rigidity and absence of line fields for meromorphic and Ahlfors islands maps	1691
<i>Peng, W., Yin, Y. and Zhai, Y.</i> Density of hyperbolicity for rational maps with Cantor Julia sets	1711
<i>Rousseau, J.</i> Recurrence rates for observations of flows	1727
<i>Wang, Z.</i> Rigidity of commutative non-hyperbolic actions by toral automorphisms	1752
<i>Yildiz, I. B.</i> Discontinuity of topological entropy for Lozi maps	1783
Papers to appear in forthcoming issues	1801

Cambridge Journals Online
For further information about this journal
please go to the journal website at:
journals.cambridge.org/ets



MIX
Paper from
responsible sources
FSC® C018575

CAMBRIDGE
UNIVERSITY PRESS