### VOL. XI.—1896.

THE

# JOURNAL OF LARYNGOLOGY.

RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

#### London:

THE REBMAN PUBLISHING COMPANY, LIMITED, Successors to F. J. REBMAN, 11, ADAM STREET, STRAND.

#### AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS HALL.

# THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by Morell Mackenzie and Norris Wolfenden.

#### EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,

JOHN MACINTYRE, M.B. Glasgow, F.R.S.E.,

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

DR. SANDFORD (Cork), R. LAKE, F.R.C.S. (London),

AND WITH THE CO-OPERATION OF

Drs. Baron (Bristol), Bettman (Rome), Botey (Barcelona),

Cartaz (Paris), Bryson Delavan (New York), Dodd (Chicago),

Draisful (St. Petersburg), Grazzi (Fiorence), Guye (Amsterdam),

Hicguet (Brussels), Middlemass Hunt (Liverpool), Hutchison (Glasgow),

Valerius Idelson (Berne), Joal (Paris), Karwowski (Warsaw),

A. B. Kelly (Glasgow), Lacoarret (Toulouse),

Lichtwitz (Bordeaux), John N. Mackenzie (Bultimore),

Prof. Massei (Naples), Meyjes (Amsterdam), E. Meyer (Berlin),

Michael (Hamburg), Holger Mygind (Copenhagen),

Porter (St. Louis), StGeorge Reid (London), Sajous (Paris),

Sendziak (Warsaw), Sota (Seville), StClair Thomson (London),

Waggett (London), And Ziem (Dantzie).

### CONTENTS.

| Original Article—  |
|--|
| School Boards and Diphtheria. By Dr. Wolfenden   |
| Societies' Meetings-   |
| AMERICAN LARYNGOLOGICAL ASSOCIATION.—Paly, President's Address.—Roc, Etiology of Deviations, etc., of Nasal Septum.—Watson, Operations for Deviation of Nasal Septum.—Porcher, Atrophic Rhimtis.—Ingal, Portable Compressed Air Apparatus: also New Saw—Seiler, Double Screw Hook.—Roc, Instruments for Septal Operations.—Polarian, Recent Progress in Treatment of Malignant Disease of Larynx—Casselberry, Intubation in the Adult, especially in Acute Stenosis.—Boylan, Sarcoma of Nasal Passages.—Ingals, Shields, Naso-Pharyngeal Fibromata   |
| British Laryngological, etc., Association,—Macintyre, Röntgen's Rays Pages 20 to 25  |
| Societe Francaise d'Otologie et de Laryngologie.—Poyet, Treatment of Diffuse Laryngeal Papillomata—Helme, Treatment of Adenoid Vegetations—Garel, Hereditary Syphilis simulating Adenoids—Martin, Reflexes due to Hypertrophy of Posterior Ends of Inferior Turbinals—Boulary, Epilepsy and Chronic Tonsillitis—Luket-Barcon, Mastoid Abscess—Escat, Coogenital Nasal Stenosis—Lamels and Jakeulary, Hemianopsia in Otitic Cerebral Abscess—Lermeyez, Anæmia of Labyrinth—Lawearyet, Post-Diphtheritic Tonsillitis.—Pages 25 to 30   |
| HARVEIAN SOCIETY OF LONDON Johnson, Parotitis Hill, Non-Suppurative Otitis Media Page 31   |
| CONGRESS FUR INNERS MEDICIN, WIESBADENEwald, Therapy of Thyroid GlandPage 32   |
| ROYAL ACADEMY OF MEDICINE, IRELAND Nixon, Stenosis of Trachea and Bronchi Pages 33, 34   |
| AUSTRIAN OTOLOGICAL SOCIETY.—Kaufmann, Sinus Pyamia—Politzer, Defect of Outer Attic Wall—Kreidl, Cat with Acoustic Nerves Destroyed—Falt, Mcnière's Disease  |
| Society of Hungarian Otologists and Laryngologists,—Zwillinger, Laryngeal Paralysis from Basal Disease—Stipanits, Turbinotomy—Nemai, Laryngeal Phthisis—Synes, Mastoid Caries, Pages 33 to 43  |
| SECOND PAN-AMERICAN MEDICAL CONGRESS   |
| WESTER: OPHTHALMOLOGICAL, OTOLOGICAL, LARVINGOLOGICAL, AND RHINOLOGICAL ASSOCIATION  |
| Abstracts Page 45  |
| Diphtheria.—Blumenfeld, Prace, Kasseveit., Laks. Martin, Paltauf, Rubens, Antitoxin—kak, Calomel in Diphtheria.—Wartmann, Diphtheria in St. Gallen   |
| Mouth and Pharynx.—(amphell, Leptothrix——(lark, Lingual T  |
| Nose and Naso-Pharynx.—Baldewein, Rhinology of Hippocrates.—Laurens, Nasal Disease and Ocular Reflex.—Africs, Diseases of Accessory Cavities.—Skirr, Deviation of Septum.—Tissier, Nasal Syphilis.—Il right, Dermoids, Nasal Larynx.—Bianchi and Massei. Hystero-Traumatic Aphonia.—Guément, Influenzal Paralysis.—Semen, Malignant Disease of Larynx.—Thempson. S. A. Sarcoma.  |
| Thyroid, etc.—Bannann, Honnig, Thyro-Iodine—Fisher, Thyroid and Sexual Organs— Thyroid Thyroid—Gottlieb, Thyroid in Deg., after Removal of Gland— Thyroid Tablets  Bars.—Aldorton, Upper Tone Limit—Gradenigo, Sinus Thrombosis—Pilocarpin Administration—Somers, Acetanilid in Otitis Suppurativa  Pages 53 to 50   |
| Reviews  |
| PASSOW—Eine Neue Transplantation-Methode für die Radikaloperation bei Chronischen Eiterungen tes Mittelohres Page 56 GLeason—Diseases of the Throat and Nose. 57 GARDINER—History of Surgical Anasthesia 57 ROWLAND—Archives of Skiagraphy. 58 SMITH—Our Growing Children 37 AVELLIS—Der Gesangsarzt. 37 58  |
| New Instruments—   |
| Post-Nasal Forceps, Water Pressure Accumulators  |
|  |
| <ul> <li>may at least and administration of the standard setting</li> </ul>  |
| GUIDE TO ADVERTISEMENTS.   |
| No. of the Contract of the Con |
| Bullock & Co.         PAGE           Burroughs, Wellcome & Co.         vii.           Central London Throat Hospital         xii.           Ingram & Royle         vii., x.           Lambert Pharmacal Co.         ii.           Mayer & Meltzer         xi.           Rebman Publishing Company         iv. vii., viii., ix.   |
|  |

## Important Discoveries in the

### Preparation of Antitoxic Serums.

### ANTI-TYPHOID SERUM.

It will be remembered that we were the first firm in the British Empire to issue, in the dry form, Anti-Diphtheritic Serum possessing the full potency of the liquid preparation. Dried Serums are much more resistant to adverse climatic conditions



than the liquid preparations. Further, they may be readily dissolved in small quantities of cooled sterilized water, and the bulk of the injection thus materially reduced. An important addition to the list of Antitoxic Serums has been made by the application of an exactly similar process of desiccation to Anti-

Typhoid Serum, which is thereby obtained in the form of perfectly germ-free, lustrous golden scales. These, when dissolved in water, form a Serum of the same character and potency as the liquid Anti-Typhoid Serum we have been issuing for some time.

#### ANTI-SYPHILITIC SERUM.

Investigations, undertaken with an object similar to that in the case of Anti-Typhoid Serum, have terminated with equal success, and we are now in a position to offer Anti-Syphilitic Serum of full potency in a dried form. This, we believe, establishes another record. The treatment of secondary and tertiary manifestations of syphilis by antitoxin is fast emerging from the experimental stage. Private as well as public English reports, confirming the results obtained by Continental observers, show that the new Serum may be used with every prospect of success.—(See British Medical Journal, Feb. 8th, 1896.)

### ANTI-DIPHTHERITIC SERUM.

The report on the use, during 1895, of Anti-Diphtheritic Serum in the hospitals of the Metropolitan Asylums Board contains some important statistics which will repay careful and detailed perusal. In this place it is possible to draw general conclusions only. One of the most striking facts seems to be that, in the six hospitals in question, about 250 lives that would have been lost under other methods of treatment have been saved by antitoxin during the year under consideration.

Dried Anti-Diphtheritic Serum is little liable to undergo decomposition, or changes of any nature, and is quite as effective as the liquid form. As it is readily soluble in a small quantity of water, it may be injected by means of an ordinary hypodermic syringe.



# BURROUGHS, WELLCOME & Co.,

SNOW HILL BUILDINGS, LONDON, E.C.

Australian Address:—456, Collins Street, West Melbourne. Cable and Telegraphic Address: "Burcome, London."