

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| J | O | U | R | N | A | L | O | F | | | |
| P | A | L | E | O | N | T | O | L | O | G | Y |

MIDDLE PENNSYLVANIAN GASTROPODS
FROM THE FLECHADO FORMATION,
NORTH-CENTRAL NEW MEXICO

BARRY S. KUES AND ROGER L. BATTEN

THE PALEONTOLOGICAL SOCIETY MEMOIR 54

SUPPLEMENT TO JOURNAL OF PALEONTOLOGY □ ISSN 0022-3360 □ JPALAZ 75 1 II 1-95 JANUARY 2001

Memoirs of The Paleontological Society are occasional publications consisting of monographs and symposia that are too extensive for publication in the *Journal of Paleontology* as part of the regular issues. Ordinarily, memoirs are published as supplements to a regular issue of the *Journal*. Inquiries concerning submittal of manuscripts for inclusion in the Memoir Series may be made to the Managing Editors of the *Journal of Paleontology*.

For information on cost and availability of back numbers of the Memoir Series, please contact: SEPM Business Office, 1731 East 71st St., Tulsa, OK 74136-5108, for numbers 1 (1968) through 16 (1985) or *Journal of Paleontology*, P.O. Box 1897, Lawrence, KS 66044-8897, for number 17 (1986) and following.

The JOURNAL OF PALEONTOLOGY (ISSN 0022-3360) is published bimonthly by the Paleontological Society, 810 East 10th St., Lawrence, KS 66044, USA. Dues and subscriptions for members of The Paleontological Society are \$65 per year. Subscription price is \$110 per year. Periodical postage paid at Lawrence, KS. For information on prices of back issues of the JOURNAL, please contact: SEPM Business Office, P.O. Box 4756, Tulsa, OK 74159, for volumes 1 (1927) through 59 (1985) or Paleontological Society Business Office, P.O. Box 1897, 810 East 10th St., Lawrence, KS 66044-8897, for volumes 60 (1986) and following.

Communications about the JOURNAL, notices, subscriptions, rates, changes of address, and nonreceipt of preceding numbers should be addressed to: JOURNAL OF PALEONTOLOGY Subscriptions Office, P.O. Box 1897, 810 East 10th St., Lawrence, KS 66044-8897, U.S.A. Claims for nonreceipt of preceding numbers must be submitted within three months (six months if foreign) of the date of publication in order to be filled gratis. Communications about membership and requests for blanks for nomination of new members in The Paleontological Society should be directed to the Secretary: Carl W. Stock, Department of Geological Sciences, University of Alabama, Box 870338, Tuscaloosa, AL 35487-0338.

Address manuscripts to:

Editors, *Journal of Paleontology*
Department of Geology
121 Trowbridge Hall
University of Iowa
Iowa City, IA 52242-1379
fossils@uiowa.edu

Managing Editors for the Journal are Ann F. Budd, Brian J. Witzke, and Julia Golden, Department of Geology, University of Iowa, Iowa City, IA 52242-1379. Technical editors are: Laurie C. Anderson, Department of Geology and Geophysics, Louisiana State University, Baton Rouge, LA 70803; William I. Ausich, Department of Geology, The Ohio State University, Columbus, Ohio 43210; Gordon C. Baird, Department of Geology, SUNY-Fredonia, Fredonia, NY 14063; James E. Day, Department of Geology, Illinois State University, Normal, IL 61761; William P. Elder, 3252 Camino Diablo, Lafayette, CA 94549; Robert J. Elias, Department of Geological Sciences, University of Manitoba, Winnipeg, MB R3T 2N2; John R. Groves, BP Amoco, P.O. Box 3092, Houston, TX 77253; Thomas E. Guensburg, Division of Physical Sciences, Rock Valley College, Rockford, IL 61111; Martin J. Head, Department of Earth Sciences, University of Cambridge, Cambridge CB2 3EN, UK; Richard D. Hoare, Department of Geology, Bowling Green State University, Bowling Green, OH 43403; Nigel C. Hughes, Department of Earth Sciences, University of California, Riverside, CA 92521; Patricia H. Kelley, Department of Earth Sciences, University of North Carolina at Wilmington, Wilmington, NC 28403; Joanne K. Kluessendorf, Department of Geology, University of Illinois, Urbana, IL 61801; Thomas M. Lehman, Department of Geosciences, Texas Tech University, Lubbock, TX 79409; Steven LoDuca, Department of Geology, Eastern Michigan University, Ypsilanti, MI 48197; Rosalie M. Maddocks, Department of Geosciences, University of Houston, Houston, TX 77204; Carl Mendelson, Department of Geology, Beloit College, Beloit, WI 53511; Donald G. Mikulic, Illinois State Geological Survey, Champaign, IL 61820; Holmes A. Semken, Department of Geology, University of Iowa, Iowa City, IA 52242.

The JOURNAL OF PALEONTOLOGY is printed offset by Allen Press, Inc., Lawrence, KS 66044.

Copyright © 2001, The Paleontological Society
ALLEN PRESS, INC., LAWRENCE, KANSAS

COPYRIGHT STATEMENT

The appearance of the code at the top of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc., P.O. Box 765, Schenectady, New York 12301, for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Ⓢ This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

CONTENTS

| | | | |
|--|----|--|----|
| ABSTRACT | 1 | <i>Luciellina ocultabanda</i> new species | 25 |
| INTRODUCTION | 1 | GENUS <i>Ptychomphalina</i> Fischer, 1885 | 25 |
| LOCATION AND STRATIGRAPHIC/SEDIMENTOLOGIC CONTEXT | 1 | <i>Ptychomphalina</i> sp. | 26 |
| FAUNAL OVERVIEW | 2 | GENUS <i>Spiroscala</i> Knight, 1945b | 26 |
| AGE | 3 | <i>Spiroscala georgiannae</i> new species | 26 |
| PREVIOUS PALEONTOLOGICAL STUDIES | 3 | <i>Spiroscala</i> cf. <i>rockymontana</i> (Girty, 1934a) | 26 |
| CHARACTER OF THE FLECHADO GASTROPOD FAUNA | 3 | GENUS <i>Glabrocingulum</i> Thomas, 1940 | 27 |
| SYSTEMATIC PALEONTOLOGY | 7 | SUBGENUS <i>Glabrocingulum</i> Thomas, 1940 | 27 |
| GENUS <i>Euphemites</i> Warthin, 1930 | 7 | <i>Glabrocingulum (Glabrocingulum) grayvillense</i> (Norwood and Pratten, 1855) | 27 |
| <i>Euphemites enodis</i> Sturgeon, 1964a | 7 | <i>Glabrocingulum (Glabrocingulum) globosum</i> new species .. | 27 |
| <i>Euphemites hermosus</i> new species | 9 | SUBGENUS <i>Ananias</i> Knight, 1945b | 29 |
| <i>Euphemites</i> aff. <i>kingi</i> Yochelson, 1960 | 9 | <i>Glabrocingulum (Ananias) talpaensis</i> new species | 29 |
| <i>Euphemites nodocarيناتus</i> (Hall, 1858) | 10 | GENUS <i>Apachella</i> Winters, 1956 | 29 |
| <i>Euphemites</i> sp. 1 | 11 | <i>Apachella</i> sp. | 30 |
| GENUS <i>Warthia</i> Waagen, 1880 | 11 | GENUS <i>Lunulazona</i> Sadlick and Neilsen, 1963 | 30 |
| <i>Warthia</i> cf. <i>kingi</i> Moore, 1941 | 11 | <i>Lunulazona?</i> sp. | 30 |
| GENUS <i>Bellerophon</i> Montfort, 1808 | 11 | GENUS <i>Worthenia</i> deKoninck, 1883 | 31 |
| SUBGENUS <i>Bellerophon</i> Montfort, 1808 | 11 | <i>Worthenia speciosa</i> (Meek and Worthen, 1860) | 31 |
| <i>Bellerophon (Bellerophon) crassus</i> Meek and Worthen, 1860 | 11 | <i>Worthenia legrandi</i> new species | 32 |
| <i>Bellerophon (Bellerophon)</i> cf. <i>incomptus</i> Gurley, 1884 | 12 | <i>Worthenia tabulata</i> (Conrad, 1835) | 32 |
| <i>Bellerophon (Bellerophon) wewokanus</i> Girty, 1912 | 12 | GENUS <i>Amaurotoma</i> Knight, 1945b | 33 |
| <i>Bellerophon (Bellerophon)</i> sp. 1 | 12 | <i>Amaurotoma humerosa</i> (Meek and Hayden, 1858) | 33 |
| GENUS <i>Pharkidonotus</i> Girty, 1912 | 13 | GENUS <i>Cyclites</i> Knight, 1940 | 33 |
| <i>Pharkidonotus percarinatus</i> (Conrad, 1842) | 13 | <i>Cyclites diminutus</i> new species | 33 |
| <i>Pharkidonotus</i> aff. <i>westi</i> Yochelson, 1960 | 13 | GENUS <i>Gosseletina</i> Fischer, 1885 | 35 |
| <i>Pharkidonotus</i> sp. 1 | 15 | <i>Gosseletina spironema</i> (Meek and Worthen, 1866a) | 35 |
| GENUS <i>Knightites</i> Moore, 1941 | 15 | GENUS <i>Platyzona</i> Knight, 1945b | 37 |
| SUBGENUS <i>Cymatospira</i> Knight, 1942 | 15 | <i>Platyzona hespera</i> new species | 37 |
| <i>Knightites (Cymatospira) montfortianus</i> (Norwood and Prat- ten, 1855) | 15 | GENUS <i>Shansiella</i> Yin, 1932 | 38 |
| <i>Knightites (Cymatospira)</i> sp. 1 | 16 | <i>Shansiella beckwithana</i> (McChesney, 1859) | 38 |
| GENUS <i>Retispira</i> Knight, 1945a | 16 | <i>Shansiella carbonaria</i> (Norwood and Pratten, 1855) | 38 |
| <i>Retispira tenuilineata</i> (Gurley, 1884) | 16 | GENUS <i>Phymatopleura</i> Girty, 1939 | 39 |
| GENUS <i>Patellilabia</i> Knight, 1945a | 18 | <i>Phymatopleura nodosa</i> (Girty, 1912) | 39 |
| <i>Patellilabia</i> sp. | 18 | GENUS <i>Glyptotomaria</i> Knight, 1945b | 39 |
| GENUS <i>Euomphalus</i> Sowerby, 1814 | 19 | SUBGENUS <i>Dictyotomaria</i> Knight, 1945b | 39 |
| <i>Euomphalus serratus</i> (Knight, 1934a) | 19 | <i>Glyptotomaria (Dictyotomaria) quadrilineata</i> (Girty, 1934) .. | 39 |
| <i>Euomphalus plummeri</i> (Knight, 1934a) | 19 | <i>Glyptotomaria (Dictyotomaria) scitula</i> (Meek and Worthen, 1860) | 40 |
| GENUS <i>Amphiscapha</i> Knight, 1942 | 20 | <i>Glyptotomaria (Dictyotomaria)</i> sp. | 41 |
| <i>Amphiscapha catilloides</i> (Conrad, 1842) | 20 | GENUS <i>Paragoniozona</i> Nelson, 1947 | 41 |
| <i>Amphiscapha reedsi?</i> (Knight, 1934a) | 20 | <i>Paragoniozona nodolirata</i> Nelson, 1947 | 41 |
| GENUS <i>Trepospira</i> Ulrich and Scofield, 1897 | 20 | <i>Paragoniozona multilirata</i> Nelson, 1947 | 41 |
| SUBGENUS <i>Trepospira</i> Ulrich and Scofield, 1897 | 20 | GENUS <i>Araeonema</i> Knight, 1933a | 42 |
| <i>Trepospira (Trepospira) illinoisensis</i> (Worthen, 1884) | 20 | <i>Araeonema</i> sp. | 00 |
| GENUS <i>Baylea</i> deKoninck, 1883 | 21 | GENUS <i>Microdoma</i> Meek and Worthen, 1866b | 42 |
| <i>Baylea kuesi</i> Batten, 1995 | 21 | SUBGENUS <i>Euconodoma</i> Kues, 1990 | 42 |
| <i>Baylea? inclinata</i> (Weller, 1929a) | 23 | <i>Microdoma (Euconodoma) gavinae</i> (Kues, 1990) | 42 |
| GENUS <i>Ambozone</i> Batten, 1972a | 23 | GENUS <i>Eucochlis</i> Knight, 1933a | 43 |
| <i>Ambozone</i> cf. <i>gilliana</i> (White and St. John, 1867) | 23 | <i>Eucochlis perminuta</i> Knight 1933a | 43 |
| GENUS <i>Euconospira</i> Ulrich in Ulrich and Scofield, 1897 | 24 | <i>Eucochlis?</i> sp. | 43 |
| <i>Euconospira hermosana</i> Girty, 1934 | 24 | GENUS <i>Anomphalus</i> Meek and Worthen, 1866b | 43 |
| <i>Euconospira turbiniformis</i> (Meek and Worthen, 1860) | 24 | <i>Anomphalus verruculiferus</i> (White, 1881) | 43 |
| <i>Euconospira</i> sp. 1 | 25 | <i>Anomphalus? blancus</i> new species | 44 |
| GENUS <i>Luciellina</i> Kittl, 1900 | 25 | GENUS <i>Platyceras</i> Conrad, 1840 | 44 |
| | | SUBGENUS <i>Orthonychia</i> Hall, 1843 | 44 |

| | |
|---|----|
| <i>Platyceras (Orthonychia) parvum</i> (Swallow in Shumard and Swallow, 1858) | 44 |
| GENUS <i>Strophostylus</i> Hall, 1859 | 44 |
| <i>Strophostylus girtyi</i> (Knight, 1934a) | 44 |
| GENUS <i>Stegocoelia</i> Donald, 1889 | 45 |
| SUBGENUS <i>Donaldospira</i> Batten, 1966 | 45 |
| <i>Stegocoelia (Donaldospira) taosensis</i> new species | 45 |
| <i>Stegocoelia? (Donaldospira)?</i> sp. | 45 |
| SUBGENUS <i>Goniasma</i> Tomlin, 1930 | 47 |
| <i>Stegocoelia (Goniasma) lasallensis</i> (Worthen, 1890) | 47 |
| SUBGENUS <i>Hypergonia</i> Donald, 1892 | 48 |
| <i>Stegocoelia (Hypergonia) aff. percostata</i> (Girty, 1939) | 48 |
| <i>Stegocoelia (Hypergonia) hoffmani</i> new species | 48 |
| <i>Stegocoelia (Hypergonia) agraciada</i> new species | 48 |
| SUBGENUS <i>Taosia</i> Girty, 1939 | 49 |
| <i>Stegocoelia (Taosia) copei</i> (White, 1881) | 49 |
| <i>Stegocoelia (Taosia) wortheni</i> Knight, 1942 | 49 |
| <i>Stegocoelia (Taosia)</i> sp. 1 | 50 |
| <i>Stegocoelia (Taosia)</i> sp. 2 | 50 |
| GENUS <i>Arribazona</i> Kues, 1990 | 50 |
| <i>Arribazona hesperia</i> Kues, 1990 | 50 |
| GENUS <i>Bellazona</i> Gordon and Yochelson, 1987 | 50 |
| <i>Bellazona</i> new species A | 50 |
| GENUS <i>Cerithioides</i> Haughton, 1859 | 51 |
| <i>Cerithioides?</i> sp. 1 | 51 |
| <i>Cerithioides?</i> sp. 2 | 51 |
| GENUS <i>Orthonema</i> Meek and Worthen, 1861 | 52 |
| <i>Orthonema salteri</i> (Meek and Worthen, 1860) | 52 |
| <i>Orthonema telescopiforme</i> Erwin, 1988b | 52 |
| <i>Orthonema aff. ascensus</i> Anderson, Hoare, and Sturgeon, 1985 | 53 |
| <i>Orthonema semiornamentum</i> Anderson, Hoare, and Sturgeon, 1985 | 53 |
| <i>Orthonema subtaeniatum</i> (Geinitz, 1866) | 53 |
| <i>Orthonema inornatum</i> Knight, 1934b | 55 |
| <i>Orthonema conicum</i> Meek and Worthen, 1866b | 55 |
| <i>Orthonema amissidecoris</i> Anderson, Hoare, and Sturgeon, 1985 | 56 |
| <i>Orthonema?</i> sp. 1 | 57 |
| <i>Orthonema?</i> sp. 2 | 57 |
| <i>Orthonema?</i> sp. 3 | 57 |
| <i>Orthonema?</i> sp. 4 | 57 |
| GENUS <i>Bicuerda</i> new genus | 57 |
| <i>Bicuerda procolumbare</i> new species | 58 |
| GENUS <i>Hermosanema</i> new genus | 58 |
| <i>Hermosanema varium</i> new species | 58 |
| GENUS <i>Callispira</i> Nelson, 1947 | 59 |
| <i>Callispira quinquecostata</i> Nelson, 1947 | 59 |
| <i>Callispira?</i> new species A | 60 |
| GENUS <i>Naticopsis</i> M'Coy, 1846 | 60 |
| SUBGENUS <i>Jedria</i> Yochelson, 1953 | 60 |
| <i>Naticopsis (Jedria) ventrica</i> (Norwood and Pratten, 1855) | 60 |
| SUBGENUS <i>Naticopsis</i> M'Coy, 1846 | 61 |
| <i>Naticopsis (Naticopsis) scintilla</i> Girty, 1915b | 61 |
| GENUS <i>Trachydomia</i> Meek and Worthen, 1866a | 61 |
| <i>Trachydomia nodosa</i> (Meek and Worthen, 1860) | 63 |
| <i>Trachydomia raymondi</i> Sturgeon, 1964b | 64 |
| <i>Trachydomia aff. turbonitella</i> Batten, 1995 | 64 |
| GENUS <i>Pseudozygopleura</i> Knight, 1930 | 66 |
| SUBGENUS <i>Pseudozygopleura</i> Knight, 1930 | 66 |
| <i>Pseudozygopleura (Pseudozygopleura) angusta</i> Hoare and Sturgeon, 1985 | 66 |
| <i>Pseudozygopleura (Pseudozygopleura) girtyi</i> Knight, 1930 | 66 |
| <i>Pseudozygopleura (Pseudozygopleura) gradata</i> Hoare and Sturgeon, 1981b | 67 |
| <i>Pseudozygopleura (Pseudozygopleura) kellestae</i> Knight, 1930 | 67 |
| <i>Pseudozygopleura (Pseudozygopleura) aff. macra</i> Knight, 1930 | 67 |
| <i>Pseudozygopleura (Pseudozygopleura) aff. multicostata</i> (Meek and Worthen, 1861) | 67 |
| <i>Pseudozygopleura (Pseudozygopleura) panda</i> Hoare and Sturgeon, 1981b | 69 |
| <i>Pseudozygopleura (Pseudozygopleura) plummeri</i> Knight, 1930 | 69 |
| <i>Pseudozygopleura (Pseudozygopleura) pupa?</i> Knight, 1930 | 70 |
| <i>Pseudozygopleura (Pseudozygopleura) restis</i> Knight, 1930 | 70 |
| <i>Pseudozygopleura (Pseudozygopleura) scitula</i> (Meek and Worthen, 1860) | 70 |
| <i>Pseudozygopleura (Pseudozygopleura) semicostata</i> (Meek, 1871) | 71 |
| <i>Pseudozygopleura (Pseudozygopleura) variegata</i> Hoare and Sturgeon, 1985 | 71 |
| <i>Pseudozygopleura (Pseudozygopleura)?</i> sp. 1 | 71 |
| <i>Pseudozygopleura (Pseudozygopleura)</i> sp. 2 | 72 |
| <i>Pseudozygopleura (Pseudozygopleura)</i> sp. 3 | 72 |
| <i>Pseudozygopleura (Pseudozygopleura)</i> sp. 4 | 72 |
| <i>Pseudozygopleura (Pseudozygopleura)</i> sp. 5 | 72 |
| <i>Pseudozygopleura (Pseudozygopleura)</i> sp. 6 | 72 |
| SUBGENUS <i>Stephanozyga</i> Knight, 1930 | 73 |
| <i>Pseudozygopleura (Stephanozyga) subnodose</i> Knight, 1930 | 73 |
| <i>Pseudozygopleura (Stephanozyga) granda</i> new species | 73 |
| <i>Pseudozygopleura (Stephanozyga) lisaspira</i> new species | 73 |
| GENUS <i>Hemizyga</i> Girty, 1915 | 75 |
| SUBGENUS <i>Hemizyga</i> Girty, 1915 | 75 |
| <i>Hemizyga (Hemizyga) illineata</i> Knight, 1930 | 75 |
| <i>Hemizyga (Hemizyga) elegans?</i> Girty, 1915b | 75 |
| <i>Hemizyga (Hemizyga) attenuata</i> (Hoare and Sturgeon, 1980a) | 75 |
| <i>Hemizyga (Hemizyga) larga</i> new species | 76 |
| <i>Hemizyga (Hemizyga)</i> sp. 1 | 76 |
| <i>Hemizyga (Hemizyga)</i> sp. 2 | 76 |
| <i>Hemizyga (Hemizyga)</i> sp. 3 | 76 |
| SUBGENUS <i>Hyphantozyga</i> Knight, 1930 | 77 |
| <i>Hemizyga (Hyphantozyga) knighti</i> (Hoare and Sturgeon, 1980a) | 77 |
| <i>Hemizyga (Hyphantozyga) fenestrata</i> (Hoare and Sturgeon, 1980a) | 77 |
| SUBGENUS <i>Plocezyga</i> Knight, 1930 | 77 |
| <i>Hemizyga (Plocezyga) percostata</i> Knight, 1930 | 77 |
| <i>Hemizyga (Plocezyga) tenuilirata</i> Knight, 1930 | 77 |
| <i>Hemizyga (Plocezyga) corona</i> Knight, 1930 | 77 |

| | |
|---|----|
| <i>Hemizyga (Plocezyga) aff. delicata</i> (Hoare and Sturgeon, 1980a) | 79 |
| <i>Hemizyga (Plocezyga) sp. 1</i> | 79 |
| GENUS <i>Cyclozyga</i> Knight, 1930 | 79 |
| <i>Cyclozyga mirabilis</i> Knight, 1930 | 79 |
| GENUS <i>Microptychis</i> Longstaff, 1912 | 79 |
| <i>Microptychis aff. cerithiformis</i> (Meek and Worthen, 1860) | 80 |
| <i>Microptychis williamsi</i> (Knight, 1930) | 80 |
| <i>Microptychis turbineus</i> Hoare and Sturgeon, 1981a | 80 |
| <i>Microptychis trochus</i> (Knight, 1930) | 80 |
| GENUS <i>Leptoptygma</i> Knight, 1936 | 81 |
| <i>Leptoptygma virgatum</i> (Knight, 1931b) | 81 |
| <i>Leptoptygma subtilistriatum</i> (Knight, 1931b) | 81 |
| <i>Leptoptygma simplex</i> (Knight, 1931b) | 83 |
| GENUS <i>Ceraunocochlis</i> Knight (1931b) | 83 |
| <i>Ceraunocochlis fulminula</i> Knight, 1931b | 83 |
| GENUS <i>Soleniscus</i> Meek and Worthen, 1860 | 83 |
| <i>Soleniscus typicus</i> Meek and Worthen, 1860 | 83 |
| GENUS <i>Strobeus</i> deKoninck, 1881 | 83 |
| <i>Strobeus brevis</i> (White, 1881) | 83 |
| <i>Strobeus paludinaeformis</i> (Hall, 1858) | 84 |
| <i>Strobeus poromus</i> Kues, 1990 | 85 |
| <i>Strobeus primigenius?</i> (Conrad, 1835) | 85 |
| <i>Strobeus regularis</i> (Cox, 1857) | 85 |
| <i>Strobeus welleri</i> (Knight, 1931b) | 85 |
| <i>Strobeus immanis</i> new species | 85 |
| GENUS <i>Cylindritopsis</i> Gemmellaro, 1889 | 87 |
| <i>Cylindritopsis vaningeni</i> (Knight, 1931b) | 87 |
| GENUS <i>Meekospira</i> Ulrich in Ulrich and Scofield, 1897 | 87 |
| <i>Meekospira choctawensis</i> Girty, 1912 | 87 |
| <i>Meekospira peracuta</i> (Meek and Worthen, 1860) | 87 |
| <i>Meekospira delgada</i> new species | 87 |
| GENUS <i>Girtyspira</i> Knight, 1936 | 88 |
| <i>Girtyspira minuta</i> (Stevens, 1858) | 88 |
| GENUS <i>Streptacis</i> Meek, 1872 | 88 |
| <i>Streptacis whitfieldi</i> Meek, 1872 | 88 |
| <i>Streptacis?</i> sp. | 89 |
| GENUS <i>Donaldina</i> Knight, 1933a | 90 |
| <i>Donaldina stevensana</i> (Meek and Worthen, 1866a) | 90 |
| <i>Donaldina robusta</i> (Stevens, 1858) | 90 |
| ACKNOWLEDGMENTS | 90 |
| REFERENCES | 91 |

ILLUSTRATIONS

FIGURES

| | |
|---|----|
| 1–Locality of main Flechado section | 2 |
| 2– <i>Euphemites enodis</i> Sturgeon, <i>Euphemites hermosus</i> new species, <i>Euphemites aff. kingi</i> Yochelson, <i>Euphemites nodocarinatus</i> (Hall), <i>Euphemites sp. 1</i> , <i>Bellerophon (Bellerophon) sp.</i> , <i>Bellerophon (Bellerophon) crassus</i> Meek and Worthen | 8 |
| 3– <i>Bellerophon (Bellerophon) cf. incomptus</i> Gurley, <i>Bellerophon (Bellerophon) wewokanus</i> Girty, <i>Bellerophon (Bellerophon) sp. 1</i> , <i>Pharkidonotus percarinatus</i> (Conrad), <i>Pharkidonotus aff. westi</i> (Yochelson), <i>Pharkidonotus sp. 1</i> , <i>Knightites (Cymatospira) montfortianus</i> (Norwood and Pratten), <i>Knightites (Cymatospira) sp. 1</i> , <i>Patellilabia sp.</i> , <i>Retispira tenuilineata</i> (Gurley) | 14 |
| 4– <i>Retispira tenuilineata</i> (Gurley), <i>Euomphalus serratus</i> (Knight), <i>Euomphalus plummeri</i> (Knight), <i>Amphiscapha catilloides</i> (Conrad), <i>Amphiscapha reedsi?</i> (Knight) | 17 |
| 5– <i>Trepospira (Trepospira) illinoisensis</i> (Worthen), <i>Baylea kuesi</i> Batten, <i>Baylea? inclinata</i> (Weller), <i>Ambozone cf. gilliana</i> (White and St. John), <i>Euconospira hermosana</i> Girty, <i>Euconospira sp. 1</i> , <i>Euconospira turbiniformis</i> (Meek and Worthen), <i>Luciellina oculatbanda</i> new species, <i>Ptychomphalina sp.</i> | 22 |
| 6– <i>Spiroscala georgiannae</i> new species, <i>Spiroscala cf. rockymontana</i> (Girty), <i>Glabrocingulum (Glabrocingulum) grayvillense</i> (Norwood and Pratten), <i>Glabrocingulum (Glabrocingulum) globosum</i> new species, <i>Glabrocingulum (Ananias) talpaensis</i> new species, <i>Apachella sp.</i> , <i>Lunulazona? sp.</i> , <i>Worthenia speciosa</i> (Worthen), <i>Worthenia legrandi</i> new species | 28 |
| 7– <i>Worthenia tabulata</i> (Conrad), <i>Gosseletina spironema</i> (Meek and Worthen), <i>Platyzona hespera</i> new species, <i>Shansiella beckwithiana</i> (McChesney), <i>Shansiella carbonaria</i> (Norwood and Pratten), <i>Phymatopleura nodosa</i> (Girty), <i>Glyptotomaria (Dictyotomaria) quadrilineata</i> (Girty), <i>Glyptotomaria (Dictyotomaria) scitula</i> (Meek and Worthen), <i>Glyptotomaria (Dictyotomaria) sp.</i> , <i>Paragoniozona nodolirata</i> Nelson, <i>Paragoniozona multilirata</i> Nelson | 34 |
| 8– <i>Amaurotoma humerosa</i> (Meek and Hayden), <i>Cyclites diminutus</i> new species, <i>Platyceras (Orthonychia) parvum</i> (Swallow), <i>Strophostylus girtyi</i> (Knight), <i>Araeonema sp.</i> , <i>Anomphalus verruculiferus</i> (White), <i>Anomphalus? blaucus</i> new species, <i>Microdoma (Euconodoma) gaviniae</i> (Kues), <i>Eucochlis perminuta</i> Knight, <i>Eucochlis?</i> sp. | 36 |
| 9– <i>Stegocoelia? (Donaldospira)? sp.</i> , <i>Stegocoelia (Goniasma) lasallensis</i> (Worthen), <i>Stegocoelia (Hypergonia) aff. percostata</i> (Girty), <i>Stegocoelia (Hypergonia) hoffmani</i> new species, <i>Stegocoelia (Hypergonia) agraciada</i> new species, <i>Stegocoelia (Taosia) copei</i> (White), <i>Stegocoelia (Taosia) wortheni</i> Knight, <i>Stegocoelia (Taosia) sp. 1</i> , <i>Stegocoelia (Taosia) sp. 2</i> , <i>Arribazona hesperia</i> Kues, <i>Bellazona</i> new species A, <i>Cerithioides? sp. 1</i> , <i>Cerithioides? sp. 2</i> , <i>Stegocoelia (Donaldospira) taosensis</i> new species. | 46 |
| 10– <i>Orthonema salteri</i> (Meek and Worthen), <i>Orthonema telescopiforme</i> Erwin, <i>Orthonema aff. ascensus</i> Anderson, Hoare and Sturgeon, <i>Orthonema semiornamentum</i> Anderson, Hoare and Sturgeon, <i>Orthonema subtaeniatum</i> (Geintiz), <i>Orthonema inornatum</i> Knight, <i>Orthonema conicum</i> Meek and Worthen, <i>Orthonema amissidecoris</i> Anderson, Hoare and Sturgeon, <i>Bicuerda procolumbare</i> new GENUS and species, <i>Orthonema? sp. 1</i> , <i>Orthonema sp. 2</i> , <i>Orthonema? sp. 3</i> , <i>Orthonema? sp. 4</i> , <i>Callispira quinquecostata</i> Nelson, <i>Callispira? new species A</i> | 54 |
| 11– <i>Hermosanema varium</i> new GENUS and species. | 59 |
| 12– <i>Naticopsis (Jedria) ventrica</i> (Norwood and Pratten), <i>Naticopsis (Naticopsis) scintilla</i> Girty, <i>Trachydomia nodosa</i> (Meek and Worthen), <i>Trachydomia raymondi</i> Sturgeon, <i>Trachydomia aff. turbonitella</i> Batten, <i>Trachydomia spp.</i> | 62 |
| 13– <i>Pseudozygopleura (Pseudozygopleura) angusta</i> Hoare and Sturgeon, <i>Pseudozygopleura (Pseudozygopleura) girtyi</i> Knight, | |

| | | |
|-----|---|----|
| | <i>Pseudozygopleura (Pseudozygopleura) gradata</i> Hoare and Sturgeon, <i>Pseudozygopleura (Pseudozygopleura) kellestae</i> Knight, <i>Pseudozygopleura (Pseudozygopleura) aff. macra</i> Knight, <i>Pseudozygopleura (Pseudozygopleura) aff. multicostata</i> (Meek and Worthen), <i>Pseudozygopleura (Pseudozygopleura) panda</i> Hoare and Sturgeon, <i>Pseudozygopleura (Pseudozygopleura) plummeri</i> Knight, <i>Pseudozygopleura (Pseudozygopleura) pupa?</i> Knight, <i>Pseudozygopleura (Pseudozygopleura) restis</i> Knight, <i>Pseudozygopleura (Pseudozygopleura) scitula</i> (Meek and Worthen), <i>Pseudozygopleura (Pseudozygopleura) semicostata</i> (Meek), <i>Pseudozygopleura (Pseudozygopleura) variegata</i> Hoare and Sturgeon, <i>Pseudozygopleura? (Pseudozygopleura) sp. 1</i> , <i>Pseudozygopleura (Pseudozygopleura) sp. 2</i> , <i>Pseudozygopleura (Pseudozygopleura) sp. 3</i> | 68 |
| 14– | <i>Pseudozygopleura (Pseudozygopleura) sp. 4</i> , <i>Pseudozygopleura (Pseudozygopleura) sp. 5</i> , <i>Pseudozygopleura (Pseudozygopleura) sp. 6</i> , <i>Pseudozygopleura (Stephanozyga) subnodosa</i> Knight, <i>Pseudozygopleura (Stephanozyga) granda</i> new species, <i>Pseudozygopleura (Stephanozyga) lisaspira</i> new species, <i>Hemizyga (Hemizyga) illineata</i> Knight, <i>Hemizyga (Hemizyga) attenuata</i> (Hoare and Sturgeon), <i>Hemizyga (Hemizyga) elegans?</i> Girty, <i>Hemizyga (Hemizyga) larga</i> new species, <i>Hemizyga (Hemizyga) sp. 1</i> , <i>Hemizyga (Hemizyga) sp. 2</i> , <i>Hemizyga (Hemizyga) sp. 3</i> , <i>Hemizyga (Hyphantozyga) knighti</i> (Hoare and Sturgeon), <i>Hemizyga (Hyphantozyga) fenestrata</i> (Hoare and Sturgeon) | 74 |
| 15– | <i>Hemizyga (Plocezyga) percostata</i> Knight, <i>Hemizyga (Plocezyga) tenuilirata</i> Knight, <i>Hemizyga (Plocezyga) corona</i> Knight, <i>Hemizyga (Plocezyga) cf. delicata</i> (Hoare and Sturgeon), <i>Hemizyga (Plocezyga) sp. 1</i> , <i>Cyclozyga mirabilis</i> Knight, <i>Microptychis aff. cerithiformis</i> (Meek and Worthen), <i>Microptychis williamsi</i> (Knight), <i>Microptychis turbineus</i> Hoare and Sturgeon, <i>Microptychis trochus</i> (Knight) | 78 |
| 16– | <i>Leptoptygma virgatum</i> (Knight), <i>Leptoptygma subtilistriatum</i> (Knight), <i>Leptoptygma simplex</i> (Knight), <i>Ceraunocochlis fulminula</i> Knight, <i>Soleniscus typicus</i> Meek and Worthen, <i>Strobeus brevis</i> (White), <i>Strobeus paludinaeformis</i> (Hall), <i>Strobeus poromus</i> Kues, <i>Strobeus primigenius?</i> (Conrad), <i>Strobeus regularis</i> (Cox), <i>Strobeus welleri</i> (Knight), <i>Cylindritopsis vaningeni</i> (Knight) | 82 |

| | | |
|-----|--|----|
| 17– | <i>Strobeus immanis</i> new species, <i>Meekospira choctawensis</i> Girty, <i>Meekospira peracuta</i> (Meek and Worthen), <i>Meekospira delgada</i> new species | 86 |
| 18– | <i>Streptacis whitfieldi</i> Meek, <i>Streptacis?</i> sp., <i>Donaldina stevensana</i> (Meek and Worthen), <i>Donaldina robusta</i> (Stevens), <i>Girtyspira minuta</i> (Stevens). | 89 |

TABLES

| | | |
|-----|--|----|
| 1– | Synoptic classification (to superfamily) of gastropods from the Flechado Formation, with numbers of specimens of each taxon | 4 |
| 2– | Diversity and abundance of major groups of Flechado gastropods | 5 |
| 3– | Most abundant Flechado gastropod species | 5 |
| 4– | Similarity of three Desmoinesian gastropod faunas with the Flechado fauna | 6 |
| 5– | Measurements of <i>Euphemites hermosus</i> new species and <i>Euphemites nodocarينات</i> (Hall) | 10 |
| 6– | Measurements of <i>Pharkidonotus percarinatus</i> (Conrad) | 15 |
| 7– | Measurements of <i>Retispira tenuilineata</i> (Gurley) | 16 |
| 8– | Measurements of <i>Baylea? inclinata</i> (Weller) and <i>Spiroscala georgiannae</i> new species | 24 |
| 9– | Measurements of <i>Glabrocingulum (Glabrocingulum) grayvillense</i> (Norwood and Pratten), <i>Glabrocingulum (Glabrocingulum) globosum</i> new species, and <i>Glabrocingulum (Ananias) talpaensis</i> new species | 30 |
| 10– | Measurements of <i>Worthenia speciosa</i> (Worthen), <i>Worthenia legrandi</i> new species, and <i>Worthenia tabulata</i> (Conrad) | 31 |
| 11– | Measurements of <i>Cyclites diminutus</i> new species | 37 |
| 12– | Measurements of <i>Glyptotomaria (Dictyotomaria) quadrilineata</i> (Girty), <i>Paragoniozona nodolirata</i> Nelson, and <i>Paragoniozona multilirata</i> Nelson | 40 |
| 13– | Measurements of <i>Anomphalus verruculiferus</i> (White) and <i>Anomphalus? blancus</i> new species | 43 |
| 14– | Measurements of <i>Stegocoelia (Taosia) copei</i> (Girty) and <i>Stegocoelia (Taosia) wortheni</i> Knight | 49 |
| 15– | Measurements of species of <i>Orthonema</i> , <i>Bicuerda</i> new genus, <i>Hermosanema</i> new genus and <i>Callispira</i> | 56 |
| 16– | Measurements of subulitid and <i>Meekospira</i> species | 84 |
| 17– | Measurements of species of <i>Donaldina</i> and <i>Girtyspira</i> | 89 |