

General Notes

THE TRUSTEES OF THE TWJ FOUNDATION

invite applications for

A CLINICAL AND RESEARCH FELLOWSHIP IN OTOLOGY

FUNDED JOINTLY WITH THE UNIVERSITY OF TORONTO

and tenable in

THE DEPARTMENT OF OTOLARYNGOLOGY, THE UNIVERSITY OF TORONTO

for a period of six months during 1987.

The holder will work in the Department of Otolaryngology of the University of Toronto under the direction of Professor Peter Alberti. There will be opportunities to study the clinical work of the Department and the holder will also be expected to carry out research work in both the Otolological and Laryngological Laboratories and eventually prepare papers for publication.

Applicants must be Fellows of one of the Royal Colleges of Surgeons and a Senior Registrar in Otolaryngology in an appointment recognized for Higher Surgical Training.

Further details concerning applications should be obtained *now* from:

The Trustees of the TWJ Foundation,
Courtlands,
61 Kingswood Firs,
Grayshott,
Hindhead,
Surrey GU26 6ER.

The Closing Date for formal applications will be
Saturday, 10 January 1987.

SEVENTH BRITISH ACADEMIC CONFERENCE

GLASGOW 1987

POSTERS

Participants are invited to submit applications to mount a poster display as part of the Scientific Exhibition at the above Conference. Depending on the number of submissions it may be necessary for the Academic Committee to limit the number of posters displayed.

Correspondingly it is requested that an abstract of what it is intended to demonstrate should accompany the application, along the following lines:

- Name, address and academic position of applicant.
- Abstract of poster, written in English, in not more than 250 words.
- All to be typed on *one* side of paper (A4 preferably).
- To be sent to Mr G. G. Browning, University of Glasgow, Department of Otolaryngology, Royal Infirmary, Glasgow G4 0SF so that it is in his hands by 31 March, 1987.

The Academic Committee will inform applicants by 30 April, 1987 of whether space allows inclusion of their poster. Full details of the display system, siting and timing will be made at that time, but the module size of the background cards for display will be A1 (841×594 mm) with a maximum of 6 per applicant/poster.

SEVENTH BRITISH ACADEMIC CONFERENCE
IN OTOLARYNGOLOGY

GLASGOW 1987

VIDEOS

Participants are invited to submit video tapes prior to the Conference to the Academic Committee for consideration for inclusion in the video programme. A tape would have to satisfy the following requirements:

- Be recorded on U-Matic.
- Last no longer than 15 minutes.
- Commentary to be in the English language.
- Be in the hands of Mr G. G. Browning, Glasgow University Department of Otolaryngology, Royal Infirmary, Glasgow G4 0SF by 31 March 1987.

The Academic Committee will inform participants by 30 April 1987, of the results of their selection and will issue a provisional programme. Presenters of the tape will be expected to be in attendance at the time of replay to answer questions.

FIRST INTERNATIONAL CONGRESS IN ORAL CANCER

11–13 November, 1987

Singapore

The above Congress is being organized by the Department of Oral and Maxillo-facial Surgery of the National University of Singapore in conjunction with the Department of Oral and Maxillo-facial Surgery, Johns Hopkins Medical Institution, Baltimore, U.S.A. The Scientific Programme includes Guest Lectures, Symposia, Workshops and Free Papers. Special features include Reconstructive and Microvascular Surgery.

Invited overseas speakers include Professor Harrison and Mr O. E. Shaheen (Royal National Throat, Nose and Ear Hospital, U.K.), Professor Westbury (Royal Marsden Hospital, U.K.), D. Jaques (Johns Hopkins Medical Institution, U.S.A.), J. D. Langdon (King's College Hospital, U.K.) and Dr Robert E. Marx (Jackson Memorial Hospital, Miami, U.S.A.).

Please contact:

Dr N. Ravindranathan,
Organising Secretary,
First International Congress in Oral Cancer,
Department of Oral and Maxillofacial Surgery,
Faculty of Dentistry,
National University of Singapore,
Kent Ridge,
Singapore.

OTOLOGY ON THE NILE

March 1988

The third international symposium on 'Recent Advances in Ear Surgery', will be held in March of 1988, in a cruise ship between Luxor and Aswan, Egypt.

The course entails round table discussions on 'How I Do It', in myringotomy, tympanoplasty, mastoidectomy, stapedectomy, cochlear implantation, surgery of dizziness, and skull base.

For further information contact:

A. Belal Jr., M.D.,
El Maghraby Specialist Hospital,
P.O. Box 7344,
Jeddah, 21462,
Kingdom of Saudi Arabia.

TEMPORAL BONE SURGICAL DISSECTION COURSE**OFFERED BY****THE DEPARTMENT OF OTOLARYNGOLOGY****THE UNIVERSITY OF MICHIGAN MEDICAL SCHOOL, ANN ARBOR, MICHIGAN****COURSE DIRECTOR: JOHN L. KEMINK, M.D.****6–10 April 1987
5–9 October 1987****18–22 May 1987
2–6 November 1987**

Intensive one-week courses emphasize the surgical and anatomical approaches to the temporal bone, and are presented in a manner relevant for the otologic surgeon, utilizing lectures, videotapes, and dissection.

Mornings and afternoons are spent in the dissection laboratory, giving extensive drilling experience in temporal bone anatomy and surgical techniques. All instruments and high-speed handpieces will be provided.

Course fee is \$1.000.00.

For further information write: John L. Kemink, M.D.,
Box 0312 Taubman Medical Center,
1500 E. Medical Center Drive,
Ann Arbor,
Michigan 48109, U.S.A.
Tel: (313) 936-8006

X COURSE ON TEMPORAL BONE DISSECTION**9–11 November, 1987 BARCELONA (SPAIN)**

Dr. Pedro Clarós and Prof. J. P. Bebear (Portmann Foundation).

For further information:

**Pedro Clarós, M.D., Ph.D.,
ENT Department,
Hospital San Juan De Dios,
Carretera de Esplugues, s/n,
08034-Barcelona (España).**

CAMBRIDGE MICROSURGICAL COURSES AT ADDENBROOKE'S HOSPITAL

Five-day courses take place every two months in microsurgery including Microvascular Anastomosis and Microsurgery to Peripheral Nerves. One and a half days are spent on temporal bone dissection with emphasis on surgical approaches to the intracranial contents through the temporal bone.

The courses are primarily designed for head and neck surgeons and otologists interested in otoneurosurgery and surgery to the skull base.

Further details from:

Mr. D. A. Moffat B.Sc., M.A., F.R.C.S.,
Consultant ENT Surgeon,
Department of Otolaryngology,
Addenbrooke's Hospital,
Hills Road,
Cambridge CB2 2QQ

THE WHIPPS CROSS**F.R.C.S. (ENT) COURSE**

9-18 February 1987
(Non-Resident)

Intensive programme to include tutorials by distinguished invited Otolaryngologists, controversial issues, mock clinical examinations and vivas, with emphasis on clinical examination techniques. Candidates must possess Part I and numbers will be restricted to 20.

Course Supervisor: Nicholas Frootko, M.Sc., F.R.C.S.

Course approved for Study Leave under Section HM(67)27.

Fees: £245.00. Closing date: 27 December 1986.

Application forms and accommodation information from:

The Administrator,
Medical Education Centre,
Whipps Cross Hospital,
London E11 1NR.

Index

Orig. Art Original Article

Clin. Rec. Clinical Record

AUTHORS

- Abraham, A., Sidi, J., Shvero, J., Hadar, T. and Avidor, I. Heterotopic salivary tissue and branchial sinuses. *Clin. Rec.*, 243.
- Abraham, S., Sadé, J., Wolfson, S., Sachs, Z. and Levit, I. The infant's eustachian tube lumen: The pharyngeal part. *Orig. Art.*, 129.
- Abramovich, S., O'Grady, J., Fuller, A., MacKinnon, M. and Lavelle, R. Naproxen in otitis media with effusion. *Orig. Art.*, 263.
- Ademiluyi, S. A. and Ijaduola, T. G. A. Otorhinolaryngological manifestations of von Recklinghausen's disease in Nigerians. *Orig. Art.*, 115.
- Ademiluyi, S. A., Olarenwaju, D. A. and Ijaduola, G. T. A. Skeletal lesions in von Recklinghausen's disease of the head and neck in Nigerian Africans. *Orig. Art.*, 823.
- Agrawal, S. R., Bhalla, A. S. and Khare, P. An unusual laryngeal foreign body. *Clin. Rec.*, 357.
- Albert, D. M. and Williams, S. R. Clinical and anatomical considerations of the Tobey-Ayer test in lateral sinus thrombosis. *Clin. Rec.*, 1311.
- Ali, M. H. and Hanna, G. S. Chemodectoma of the larynx. *Clin. Rec.*, 1081.
- Ali, S., Tiwari, R., Snow, G. B. and Waal, I. v. d. Incidence of squamous cell carcinoma of the head and neck. *Orig. Art.*, 315.
- Almqvist, U. Cryosurgical treatment of tonsillar hypertrophy in children. *Orig. Art.*, 311.
- Ambegaokar, A. G. and Narula, A. A. Choanal atresia: Early management and an association with marble bone disease. *Clin. Rec.*, 959.
- Amr, S. S., Tarawneh, M. S., Jamal, M. N. and Dajani, A. M. Idiopathic subcutaneous and laryngeal fibrosis. *Clin. Rec.*, 851.
- Andersen, T., Ulsoe, C., Overgaard, J. and Ringsted, J. Intracranial glossopharyngeal schwannoma, a tumour imitating an acoustic schwannoma. *Clin. Rec.*, 831.
- Andréasson, L., Ingelstedt, S. and Tjernström, Ö. Peristaltic closure of a safety pin. *Orig. Art.*, 385.
- Arao, H., Nakashima, T. and Watanabe, Y. Computed tomographic evaluation of multiple mucocoeles of paranasal sinuses. *Orig. Art.*, 1139.
- Archer, D. J., Hamlyn, P. J. and Meredith, A. P. d'E. A further approach to the infra-temporal fossa. *Orig. Art.*, 675.
- Archer, D. J., Shaw, H. J., Frampton, M. C. and Breach, N. M. The use of free tissue transfer in reconstruction following head and neck tumour resection. *Orig. Art.*, 97.
- Ataya, N. L. Craniocervical chordomas in the Mersey Region. *Orig. Art.*, 1391.
- Ataya, N. L. Extradural haematoma secondary to chronic sinusitis. *Clin. Rec.*, 951.
- Atkins, J., Neil, W. F. and Bandey, S. A. Silastic foam dressing in pinnaplasty. *Clin. Rec.*, 201.
- Atkins, M. J., Dawkins, R. S. and Glick, I. W. A black ear without frostbite. *Clin. Rec.*, 1061.
- Avant, G. R., Wackym, P. A. and Gray, G. F., Jr. Herpes zoster of the larynx after intubational trauma. *Clin. Rec.*, 839.
- Avidor, I., Abraham, A., Sidi, J., Shvero, J. and Hadar, T. Heterotopic salivary tissue and branchial sinuses. *Clin. Rec.*, 243.
- Baer, S., Randall, C., Stafford, N., Youngs, R. and Waldron, J. Obstructive sleep apnoea in association with retrosternal goitre and acromegaly. *Clin. Rec.*, 861.
- Bagley, J. and Youngs, R. Sphenoidal sinusitis secondary to malignant external otitis. *Clin. Rec.*, 341.
- Bahadur, S., Kacker, S. K. and Ramakrishna, T. B. Is stapedectomy worthwhile before the age of twenty? *Orig. Art.*, 879.
- Bahadur, S., Shenoy, A. M. and Singh, M. K. Fibro-osseous lesions of the maxilla. *Orig. Art.*, 653.
- Bailey, C. M., Choa, D. I., Smith, M. C. F. and Evans, J. N. G. Subglottic haemangioma in children. *Orig. Art.*, 447.
- Bailey, C. M., Evans, J. N. G., Irwin, B. C., Hendrickse, W. A. and Pincott, J. R. Juvenile laryngeal papillomatosis. *Orig. Art.*, 435.
- Bailey, Q. R. and Weiner, J. M. Middle ear adenoma. *Clin. Rec.*, 467.

- Balm, A. J. M., Snow, G. B., Tiwari, R. M. and Gerritsen, G. J. A critical evaluation of the role of CT scanning in ethmoidal cancer. *Orig. Art.*, 421.
- Balm, A. J. M., Tiwari, R. M. and de Vries, W. A. E. J. Intracranial hypertension following neck dissection. *Clin. Rec.*, 1427.
- Bandey, S. A., Atkins, J. and Neil, W. F. Silastic foam dressing in pinnaplasty. *Clin. Rec.*, 201.
- Banerjee, S., Kashnia, B. R., Chatterji, P., Soni, N. K. and Chaudhuri, J. N. Marble bone disease in a child. *Clin. Rec.*, 935.
- Bangash, W. and Kapur, T. R. Tegmental and petromastoid defects in the temporal bone. *Orig. Art.*, 1129.
- Barkai, A., Holdstein, Y., Pratt, H., Goldsher, M., Rosen, G., Shenhav, R., Linn, S. and Mor, A. Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *Orig. Art.*, 1031.
- Bartal, N. and Leiberman, A. Untreated persistent middle ear effusion. *Orig. Art.*, 875.
- Bartal, N. and Puterman, M. Vallicular papilloma simulating chronic pulmonary disease. *Clin. Rec.*, 1195.
- Barton, R. P. E., Shuttleworth, D. and Graham-Brown, R. A. C. Median nasal dermoid fistulae. *Clin. Rec.*, 947.
- Bassiouny, A., Kamel, T., Moawad, M. K. and Hindawy, D. S. Broad spectrum antifungal agents in otomycosis. *Orig. Art.*, 867.
- Batch, A. G., Stevens, D. J. and Cable, H. R. The relevance of physical signs in recurrent tonsillitis in children. *Orig. Art.*, 1047.
- Bates, G. J. and Herdman, R. C. D. Childhood tonsillectomy and discharge after 24 hours. *Orig. Art.*, 1053.
- Bates, G. J., Curley, J. W. A. and Byron, M. A. Crico-arytenoid joint involvement in acute systemic lupus erythematosus. *Clin. Rec.*, 727.
- Batsakis, J. G. and Ordonez, N. G. Acinic cell carcinoma of the nasal cavity: Electron-optic and immunohistochemical observations. *Clin. Rec.*, 345.
- Batsakis, J. G., Luna, M. A., Mackay, B., Byers, R. M. and Hui, K. K. Salivary duct adenocarcinoma: A high grade malignancy. *Orig. Art.*, 105.
- Batsakis, J. G., Manning, J. T. and Raymond, A. K. Extrasosseous osteogenic sarcoma of the parotid gland. *Clin. Rec.*, 239.
- Batsakis, J. G., Ordonez, N. G., Ro, J., Meis, J. M. and Bruner, J. M. S-100 protein and myoepithelial neoplasms. *Orig. Art.*, 687.
- Bebear, J.-P., Williams, K. R., Portmann, M. and Blayney, A. W. Ceravital © in ossiculoplasty: Experimental studies and early clinical results. *Orig. Art.*, 1359.
- Belal, A., Jr. and Glorig, A. Dysequilibrium of ageing (presbyastasis). *Orig. Art.*, 1037.
- Bellini, M. and Milford, C. A. Wegener's granulomatosis arising in pregnancy. *Clin. Rec.*, 475.
- Ben-David, J., Gertner, R., Podoshin, L., Fradis, M., Pratt, H. and Rabina, A. Auditory brain stem evoked potentials in patients suffering from peripheral facial nerve palsy and diabetes mellitus. *Orig. Art.*, 629.
- Bende, M. and Löth, S. Vascular effects of topical oxymetazoline on human nasal mucosa. *Orig. Art.*, 285.
- Benghiat, A. Juvenile nasopharyngeal angiofibroma treated by radiotherapy. *Clin. Rec.*, 351.
- Benjamin, B. The role of the paediatric endoscopist. *Orig. Art.*, 1397.
- Berco, E., Fuchs, C. and Sadé, J. Results of preservation of the posterior canal wall in cholesteatoma surgery as related to middle-ear aeration. *Orig. Art.*, 1351.
- Berger, G., Proops, D. W. and Hawke, W. M. Microfractures of the otic capsule. *Orig. Art.*, 749.
- Bhalla, A. S., Khare, P. and Agrawal, S. R. An unusual laryngeal foreign body. *Clin. Rec.*, 357.
- Bhansali, S., Wilner, H. and Jacobs, J. R. Arterial embolization for control of bleeding in advanced head and neck carcinoma. *Orig. Art.*, 1289.
- Bhanu, T. S. and Rupa, V. Haemangiopericytoma-like tumour of the nose. *Clin. Rec.*, 715.
- Bhogoliwal, S. K., Nandi, N. B. and Iqbal, S. M. Laryngeal leiomyoma. *Clin. Rec.*, 723.
- Bickerton, R. C., Milton, C. M. and Yazdanie, N. Prosthetic management following bilateral total or subtotal maxillectomy. *Orig. Art.*, 1145.
- Birch, L., Elbrønd, O. and Pedersen, U. Hearing improvement after stapedectomy: Up to 19 years' follow-up period. *Orig. Art.*, 1.
- Bird, C. C., Terry, R. M. and Gray, C. Aberrant expression of low molecular weight cytokeratins in primary and secondary squamous carcinoma of the head and neck. *Orig. Art.*, 1283.
- Bird, C. C., Terry, R. M., Gray, C. and Jackson, P. Expression of low molecular weight cytokeratins in the neoplastic vocal cord. *Orig. Art.*, 1279.
- Bitnun, S., Rakover, Y. and Rosen, G. Acute bilateral total deafness complicating mumps. *Clin. Rec.*, 943.
- Blair, R. L. and Ruckley, R. W. Neurofibroma of the cervical sympathetic chain presenting with Horner's syndrome. *Clin. Rec.*, 1433.
- Blayney, A. W. and El Tayeb, A. A. The 'hybrid' fibro-osseous lesion. *Orig. Art.*, 291.
- Blayney, A. W., Bebear, J.-P., Williams, K. R. and Portmann, M. Ceravital © in ossiculoplasty: Experimental studies and early clinical results. *Orig. Art.*, 1359.
- Bonding, P. and Jensen, J. H. Silastic coated incus in tympanoplasty: a preliminary report. *Orig. Art.*, 9.
- Boss, J. H., Rosenman, D., Gertner, R., Fradis, M., Podoshin, L. and Misslevitsch, A. Rhabdomyoma of the larynx. *Clin. Rec.*, 607.

- Bradley, M. E. A new ear syringing model. *Orig. Art.*, 635.
- Brandrick, J., Rhys-Evans, P. H. and Frame, J. W. A review of Carbon Dioxide laser surgery in the oral cavity and pharynx. *Orig. Art.*, 69.
- Brandrick, J., Weighill, J. S., Proops, D. W. and Jeffries, D. Pain relief following tonsillectomy. *Orig. Art.*, 307.
- Breach, N. M., Archer, D. J., Shaw, H. J. and Frampton, M. C. The use of free tissue transfer in reconstruction following head and neck tumour resection. *Orig. Art.*, 97.
- Brookes, G. B. and Newland, A. C. Plasma exchange in the treatment of immune complex-associated sensorineural deafness. *Orig. Art.*, 25.
- Brooks, D. N. An onion in your ear. *Orig. Art.*, 1043.
- Bruner, J. M., Batsakis, J. G., Ordóñez, N. G., Ro, J. and Meis, J. M. S-100 protein and myoepithelial neoplasms. *Orig. Art.*, 687.
- Buchanan, G., Zakzouk, M. S. and Ramsay, A. D. Merkel cell tumour of the skin. *Orig. Art.*, 561.
- Buffa, P., Pesce, C. and Colacino, R. Duct carcinoma of the minor salivary glands. *Clin. Rec.*, 611.
- Buller, N., Laurian, N., Shvili, I. and Laurian, L. Delayed brainstem auditory evoked responses in experimental diabetes mellitus. *Orig. Art.*, 883.
- Byers, R. M., Hui, K. K., Batsakis, J. G., Luna, M. A. and Mackay, B. Salivary duct adenocarcinoma: a high grade malignancy. *Orig. Art.*, 105.
- Byron, M. A., Bates, G. J. and Curley, J. W. A. Crico-arytenoid joint involvement in acute systemic lupus erythematosus. *Clin. Rec.*, 727.
- Cable, H. R., Batch, A. G. and Stevens, D. J. The relevance of physical signs in recurrent tonsillitis in children. *Orig. Art.*, 1047.
- Campbell, J. B., Pearman, K. and Nahl, S. S. Basilar artery ectasia: A rare cause of sensorineural deafness. *Clin. Rec.*, 333.
- Carlin, W. V. and John, D. G. An unusual case of surgical emphysema. *Clin. Rec.*, 1209.
- Carrick, D. G., Jones, W. I. and El Sharkawi, A. Branchiogenic carcinoma—or cystic lymph node metastasis. *Clin. Rec.*, 1089.
- Chatterjee, A. K., Misra, A. K. and De, S. K. An unusual presentation of meningioma of the frontal sinus. *Clin. Rec.*, 711.
- Chatterji, P., Soni, N. K., Chaudhuri, J. N., Banerjee, S. and Kashnia, B. R. Marble bone disease in a child. *Clin. Rec.*, 935.
- Chaudhuri, J. N., Banerjee, S., Kashnia, B. R., Chatterji, P. and Soni, N. K. Marble bone disease in a child. *Clin. Rec.*, 935.
- Cheesman, A. D. and Tankel, J. W. Symptom relief by adenoidectomy and relationship to adenoid and post-nasal airway size. *Orig. Art.*, 637.
- Cheesman, A. D., Knight, J., McIvor, J. and Perry, A. Tracheo-oesophageal 'Puncture Speech'. *Orig. Art.*, 191.
- Cheesman, A. D., Warwick-Brown, N. P. and Richards, A. E. S. Epigottopexy: A modification using additional hyoid suspension. *Orig. Art.*, 1155.
- Cheesman, A. D., Warwick-Brown, N. P. and Richards, A. E. S. Glomus vagale: an unusual presentation. *Clin. Rec.*, 1205.
- Cheesman, A. D., Warwick-Brown, N. P. and Richards, A. E. S. Radical surgical treatment for extensive chronic fronto-ethmoidal sinusitis. *Clin. Rec.*, 1323.
- Cherry, J. R. Current conservative treatment of childhood chronic secretory otitis media. *Orig. Art.*, 1019.
- Choa, D. I., Smith, M. C. F., Evans, J. N. G. and Bailey, C. M. Subglottic haemangioma in children. *Orig. Art.*, 447.
- Christensen, P.-H., Koch-Henricksen, N., Schønsted-Madsen, U. and Stoksted, P. Chronic headache related to nasal obstruction. *Orig. Art.*, 165.
- Chui, P. and Skinner, D. W. The hazards of 'button-sized' batteries as foreign bodies in the nose and ear. *Clin. Rec.*, 1315.
- Clayton, M. I. and Lesser, T. H. J. The role of radiography in the management of nasal fractures. *Orig. Art.*, 797.
- Clayton, M. I., Skinner, D. and Lesser, T. H. J. Efficacy of medical treatment as an adjunct to surgery in the treatment of secretory otitis media. *Orig. Art.*, 1347.
- Colacino, R., Buffa, P. and Pesce, C. Duct carcinoma of the minor salivary glands. *Clin. Rec.*, 611.
- Collan, Y., Valtonen, H., Nuutinen, J. and Kärjä, J. Congenital dermoid cysts of the tongue. *Clin. Rec.*, 965.
- Comis, S. D., Jeffries, D. J., Pickles, J. O., Osborne, M. P. and Rhys-Evans, P. H. Crosslinks between stereocilia in hair cells of the human and guinea pig vestibular labyrinth. *Orig. Art.*, 1367.
- Comis, S. D., Rhys-Evans, P. H., Osborne, M. P., Pickles, J. O., Jeffries, D. J. R. and Pearce, H. A. C. Early morphological and chemical changes induced by cisplatin in the guinea pig organ of Corti. *Orig. Art.*, 1375.
- Cousins, V. C. and Milton, C. M. A radiological assessment of the usefulness of Macewen's triangle as a surgical landmark. *Orig. Art.*, 1225.
- Cowie, J. W., Pickles, J. M. and Tucker, A. G. Computed tomography of vascular middle ear masses. *Orig. Art.*, 405.

- Cremin, M. D., Freemont, A. J. and Tun, T. An unusual case of laryngeal carcinoma. *Clin. Rec.*, 477.
- Croft, C., Stafford, N., von Haacke, N. and Sene, A. The treatment of recurrent tonsillitis in adults. *Orig. Art.*, 175.
- Croll, T. L. and Gibb, A. G. Linear measurements in middle ear surgery. *Orig. Art.*, 625.
- Cruickshank, A. H., Stoney, P. and Stell, P. M. Adenoid cystic carcinoma presenting as a mass in the neck. *Clin. Rec.*, 1203.
- Curley, J. W. A., Byron, M. A. and Bates, G. J. Crico-arytenoid joint involvement in acute systemic lupus erythematosus. *Clin. Rec.*, 727.
- Dajani, A. M., Amr, S. S., Tarawneh, M. S. and Jamal, M. N. Idiopathic subcutaneous and laryngeal fibrosis. *Clin. Rec.*, 851.
- Das Gupta, A. R. and To, S. S. Traumatic neuroma of the internal laryngeal nerve as a cause of severe cough. *Clin. Rec.*, 843.
- Dawkins, R. S., Glick, I. W. and Atkins, M. J. A black ear without frostbite. *Clin. Rec.*, 1061.
- De, S. K., Chatterjee, A. K. and Misra, A. K. An unusual presentation of meningioma of the frontal sinus. *Clin. Rec.*, 711.
- de Vries, N. and Snow, G. B. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 915.
- de Vries, N., Versluis, R. J. J., Valk, J. and Snow, G. B. Facial nerve paralysis following embolization for severe epistaxis. *Clin. Rec.*, 207.
- de Vries, W. A. E. J., Balm, A. J. M. and Tiwari, R. M. Intracranial hypertension following neck dissection. *Clin. Rec.*, 1427.
- Deka, R. C., Kacker, S. K., Kapila, K. and Sooknundun, M. Congenital mid-line sinus of the dorsum of the nose. *Clin. Rec.*, 1319.
- Dewangan, G. L., Iqbal, S. M. and Singh, R. R. Sailocele of Stenson's duct. *Clin. Rec.*, 363.
- Dickson, M. G. and Sharpe, D. T. A prospective study of nasal fractures. *Orig. Art.*, 543.
- Dogheim, Y. and Shehata, M. Surgical treatment of primary chronic atrophic rhinitis. *Orig. Art.*, 803.
- Dogheim, Y., Maher, A. and El-Sawy, M. Serum immunoglobulin levels in rhinoscleroma contacts. *Orig. Art.*, 171.
- Dommerby, H. and Jensen, J. H. Routine radiological examination of the sinuses before septoplasty. *Orig. Art.*, 893.
- Dommerby, H., Stangerup, S.-E., Stangerup, M. and Hancke, S. Hepatosplenomegaly in infectious mononucleosis, assessed by ultrasonic scanning. *Orig. Art.*, 573.
- East, D. The use of Per-Lee ventilation tubes in the management of refractory secretory otitis media. *Orig. Art.*, 509.
- El-Sawy, M., Dogheim, Y. and Maher, A. Serum immunoglobulin levels in rhinoscleroma contacts. *Orig. Art.*, 171.
- El Sharkawi, A., Carrick, D. G. and Jones, W. I. Branchiogenic carcinoma—or cystic lymph node metastasis. *Clin. Rec.*, 1089.
- El Tayeb, A. A. and Blayney, A. W. The 'hybrid' fibro-osseous lesion. *Orig. Art.*, 291.
- Elbrønd, O., Pedersen, U. and Birch, L. Hearing improvement after stapedectomy: Up to 19 years' follow-up period. *Orig. Art.*, 1.
- Elwany, S., Kamel, T. and Mekhamer, A. Pneumatic nasal catheters. *Orig. Art.*, 641.
- Engström-Laurent, A., Laurent, C. and Tengblad, A. Hyaluronic acid in secretory otitis media. *Orig. Art.*, 135.
- Eriksen, K. D. and Skau, N. K. Pre-auricular fistula communicating with the external auditory meatus, combined with second branchial cleft anomalies. *Clin. Rec.*, 203.
- Evans, J. N. G., Bailey, C. M., Choa, D. I. and Smith, M. C. F. Subglottic haemangioma in children. *Orig. Art.*, 447.
- Evans, J. N. G., Irwin, B. C., Hendrickse, W. A., Pincott, J. R. and Bailey, C. M. Juvenile laryngeal papillomatosis. *Orig. Art.*, 435.
- Fajdiga, I., Fischinger, J. and Kambič, V. A simple and inexpensive method for laryngeal photography with the operating microscope. *Orig. Art.*, 1269.
- Farrington, W. T., Weighill, J. S. and Jones, P. H. Post-cricoid carcinoma. *Orig. Art.*, 79.
- Farrington, W. T., Weighill, J. S. and Jones, P. H. Surgical salvage in postcricoid cancer. *Orig. Art.*, 85.
- Farrington, W. T., Weighill, J. S. and Jones, P. H. Total laryngectomy for cancer of the larynx. *Orig. Art.*, 53.
- Felding, J. U., Skov, J. and Lindeberg, H. The nevoid basal cell carcinoma syndrome. *Clin. Rec.*, 1181.
- Ferlito, A., Recher, G. and Visonà, A. Laryngeal cancer metastatic to lymph nodes with lymphocytic leukaemia. *Clin. Rec.*, 233.
- Fernandes, C. M. C., Nel, J. P., Steinberg, J. L. and Khane, G. J. Anatomy of the recurrent laryngeal nerve: A Redescription. *Orig. Art.*, 919.

- Festenstien, H., Xenellis, J., Morrison, A. W. and McClowskey, D. HLA antigens in the pathogenesis of Menière's disease. *Orig. Art.*, 21.
- Fischinger, J., Kambič, V. and Fajdiga, I. A simple and inexpensive method for laryngeal photography with the operating microscope. *Orig. Art.*, 1269.
- Fogh, A., Nielsen, O. G. and Gadegaard, L. Osteochondroma of the cervical spine. *Clin. Rec.*, 733.
- Fradis, M., Podoshin, L., Misslevitsch, A., Boss, J. H., Rosenman, D. and Gertner, R. Rhabdomyoma of the larynx. *Clin. Rec.*, 607.
- Fradis, M., Pratt, H., Rabina, A., Ben-David, J., Gertner, R. and Podoshin, L. Auditory brain stem evoked potentials in patients suffering from peripheral facial nerve palsy and diabetes mellitus. *Orig. Art.*, 629.
- Frame, J. W., Brandrick, J. and Rhys-Evans, P. H. A review of Carbon Dioxide laser surgery in the oral cavity and pharynx. *Orig. Art.*, 69.
- Frampton, M. C. and Squires, S. J. The use of mini-tracheostomy and high frequency jet ventilation in the management of acute airway obstruction. *Clin. Rec.*, 1199.
- Frampton, M. C., Breach, N. M., Archer, D. J. and Shaw, H. J. The use of free tissue transfer in reconstruction following head and neck tumour resection. *Orig. Art.*, 97.
- Freeland, A. P. The long-term results of hyoid-sternohyoid grafts in the correction of subglottic stenosis. *Orig. Art.*, 665.
- Freemont, A. J., Tun, T. and Cremin, M. D. An unusual case of laryngeal carcinoma. *Clin. Rec.*, 477.
- Friedmann, I., Wackym, P. A., Gray, G. F., Jr. and Rosenfeld, L. Papillary cystic oncocytoma and Warthin's tumour of the parotid gland. *Orig. Art.*, 679.
- Fuchs, C., Sadé, J. and Berco, E. Results of preservation of the posterior canal wall in cholesteatoma surgery as related to middle-ear aeration. *Orig. Art.*, 1351.
- Fuller, A., MacKinnon, M., Lavelle, R., Abramovich, S. and O'Grady, J. Naproxen in otitis media with effusion. *Orig. Art.*, 263.
- Gaafar, H. A. and Topozada, H. H. The effect of Streptomycin and irradiation on Rhinoscleroma. *Orig. Art.*, 809.
- Gadegaard, L., Fogh, A. and Nielsen, O. G. Osteochondroma of the cervical spine. *Clin. Rec.*, 733.
- Gerritsen, G. J., Balm, A. J. M., Snow, G. B. and Tiwari, R. M. A critical evaluation of the role of CT scanning in ethmoidal cancer. *Orig. Art.*, 421.
- Gertner, R., Fradis, M., Podoshin, L., Misslevitsch, A., Boss, J. H. and Rosenman, D. Rhabdomyoma of the larynx. *Clin. Rec.*, 607.
- Gertner, R., Podoshin, L., Fradis, M., Pratt, H., Rabina, A. and Ben-David, J. Auditory brain stem evoked potentials in patients suffering from peripheral facial nerve palsy and diabetes mellitus. *Orig. Art.*, 629.
- Gibb, A. G. Long-term tympanic ventilation by Per-Lee tube. *Orig. Art.*, 503.
- Gibb, A. G. and Croll, T. L. Linear measurements in middle ear surgery. *Orig. Art.*, 625.
- Gibbin, K. P., Noyelle, R. M. and Parker, D. A. Syrup formulations for post-tonsillectomy analgesia. *Orig. Art.*, 1055.
- Gil-Carcedo, L. M. and Gonzalez, M. Monostotic fibrous dysplasia of the ethmoid. *Orig. Art.*, 429.
- Giles, M. L., Harding, D. A., Morton, R. P. and Gordon, A. S. D. Surgery of snoring. *Orig. Art.*, 1263.
- Giltsdorf, J. and Mills, R. Middle-ear effusions following acute otitis media in the chinchilla animal model. *Orig. Art.*, 255.
- Gimsing, S. Inversion of the stapedial reflex in ossicular chain lesions. *Orig. Art.*, 399.
- Girgis, B. A. and Siegler, J. Nominal aphasia following a radical mastoidectomy. *Clin. Rec.*, 595.
- Glick, I. W., Atkins, M. J. and Dawkins, R. S. A black ear without frostbite. *Clin. Rec.*, 1061.
- Glorig, A. and Belal, A., Jr. Dysequilibrium of ageing (presbyastasis). *Orig. Art.*, 1037.
- Goel, H., Kohli, G. S. and Lal, H. Serum phosphohexose isomerase levels in patients with head and neck cancer. *Orig. Art.*, 581.
- Goldsher, M., Rosen, G., Shenhav, R., Linn, S., Mor, A., Barkai, A., Holdstein, Y. and Pratt, H. Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *Orig. Art.*, 1031.
- Golhar, S. Nasal mucus clearance. *Orig. Art.*, 533.
- Gonzalez, M. and Gil-Carcedo, L. M. Monostotic fibrous dysplasia of the ethmoid. *Orig. Art.*, 429.
- Gordon, A. S. D., Giles, M. L., Harding, D. A. and Morton, R. P. Surgery of snoring. *Orig. Art.*, 1263.
- Gordon, D. S., Primrose, W. J., Smyth, G. D. L. and Kerr, A. G. Vestibular nerve section and saccus decompression. *Orig. Art.*, 775.
- Gormley, P. K. Surgical management of labyrinthine fistula with cholesteatoma. *Orig. Art.*, 1115.
- Graham, M. and Mills, R. The development of cholesteatoma in association with congenital abnormalities of the ear. *Clin. Rec.*, 1063.
- Graham-Brown, R. A. C., Barton, R. P. E. and Shuttleworth, D. Median nasal dermoid fistulae. *Clin. Rec.*, 947.
- Gray, C., Bird, C. C. and Terry, R. M. Aberrant expression of low molecular weight cytokeratins in primary and secondary squamous carcinoma of the head and neck. *Orig. Art.*, 1283.

- Gray, C., Jackson, P., Bird, C. C. and Terry, R. M. Expression of low molecular weight cytokeratins in the neoplastic vocal cord. *Orig. Art.*, 1279.
- Gray, G. F., Jr., Avant, G. R. and Wackym, P. A. Herpes zoster of the larynx after intubational trauma. *Clin. Rec.*, 839.
- Gray, G. F., Jr., Rosenfeld, L., Friedmann, I. and Wackym, P. A. Papillary cystic oncocytoma and Warthin's tumour of the parotid gland. *Orig. Art.*, 679.
- Grewal, D. S. Reconstruction of the cheek after cancer surgery. *Orig. Art.*, 817.
- Grewal, D. S. and Shah, D. D. Round window membrane perforation—a complication of chronic suppurative otitis media. *Clin. Rec.*, 1307.
- Gupta, R. K., Singh, A. P., Prasad, U. and Singh, J. Computerized axial tomography of the nose, paranasal sinuses, nasopharynx and pterygoid regions. *Orig. Art.*, 907.
- Hadar, T., Avidor, I., Abraham, A., Sidi, J. and Shvero, J. Heterotopic salivary tissue and branchial sinuses. *Clin. Rec.*, 243.
- Hamid, A., Mackenzie, I. J., Maran, A. G. D. and Hardcastle, P. F. An analysis of 102 cases of Polytef injection of the vocal cord. *Orig. Art.*, 47.
- Hamilton, J. R. L., Varghese, G., Shepperd, H. W. H. and Stevenson, H. M. Tuberculous left vocal cord palsy: a timely reminder. *Clin. Rec.*, 837.
- Hamlyn, P. J., Meredith, A. P. D'E. and Archer, D. J. A further approach to the infra-temporal fossa. *Orig. Art.*, 675.
- Hamlyn, P. J., O'Brien, C. J. and Shaw, H. J. Uncommon malignant tumours of the larynx. *Orig. Art.*, 1163.
- Hancke, S., Dommerby, H., Stangerup, S.-E. and Stangerup, M. Hepatosplenomegaly in infectious mononucleosis, assessed by ultrasonic scanning. *Orig. Art.*, 573.
- Hanna, G. S. Acute supraglottic laryngitis in adults. *Clin. Rec.*, 971.
- Hanna, G. S. Sudden deafness and the contraceptive pill. *Clin. Rec.*, 701.
- Hanna, G. S. and Ali, M. H. Chemodectoma of the larynx. *Clin. Rec.*, 1081.
- Harada, Y., Tagashira, N. and Takumida, M. Development of the crista ampullaris in the mouse. *Orig. Art.*, 759.
- Harada, Y., Takumida, M., Taira, T., Suzuki, M. and Yajin, K. Neurilemmoma of the larynx. *Clin. Rec.*, 847.
- Hardcastle, P. F., Hamid, A., Mackenzie, I. J. and Maran, A. G. D. An analysis of 102 cases of Polytef injection of the vocal cord. *Orig. Art.*, 47.
- Harding, D. A., Morton, R. P., Gordon, A. S. D. and Giles, M. L. Surgery of snoring. *Orig. Art.*, 1263.
- Härmä, R., Vartiainen, E. and Kärjä, J. Re-operation after failure of surgery for chronic ears. *Orig. Art.*, 1027.
- Hast, M. H. and Sahgal, V. Effect of denervation on primate laryngeal muscles: a morphologic and morphometric study. *Orig. Art.*, 553.
- Hawke, W. M., Berger, G. and Proops, D. W. Microfractures of the otic capsule. *Orig. Art.*, 749.
- Helisten, L., Laitakari, K., Sorri, M., Pirilä, T. and Löppönen, H. Ear protection against water-borne infection: an objective evaluation. *Orig. Art.*, 1337.
- Hendrickse, W. A., Pincott, J. R., Bailey, C. M., Evans, J. N. G. and Irwin, B. C. Juvenile laryngeal papillomatosis. *Orig. Art.*, 435.
- Herdman, R. C. D. and Bates, G. J. Childhood tonsillectomy and discharge after 24 hours. *Orig. Art.*, 1053.
- Hindawy, D. S., Bassiouny, A., Kamel, T. and Moawad, M. K. Broad spectrum antifungal agents in otomycosis. *Orig. Art.*, 867.
- Hirano, M. and Ohkubo, H. Acquired laryngo-pharyngeal fistula. *Clin. Rec.*, 719.
- Højslet, P. E., Karlsmore, M. and Nielsen, V. M. Surgical treatment of Reinke's oedema. *Orig. Art.*, 187.
- Højslet, P. E., Palvio, D. and Nielsen, V. M. Reinke's oedema: a premalignant condition? *Orig. Art.*, 1159.
- Holdstein, Y., Pratt, H., Goldsher, M., Rosen, G., Shenhav, R., Linn, S., Mor, A. and Barkai, A. Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *Orig. Art.*, 1031.
- Horslen, S., Madden, F. J. F. and Phipps, J. H. Tracheal carcinoma following short term tracheostomy in childhood. *Clin. Rec.*, 977.
- Hui, K. K., Batsakis, J. G., Luna, M. A., Mackay, B. and Byers, R. M. Salivary duct adenocarcinoma: a high grade malignancy. *Orig. Art.*, 105.
- Hultcrantz, E. Haxthausen's disease. *Clin. Rec.*, 1329.
- Humaidan, P., Manthorpe, R., Rasmussen, N. and Velandar, B. Behçet's disease. *Clin. Rec.*, 367.
- Hussain, S. S. M. and Webber, P. A. Late reactions of skin prick test in allergy. *Clin. Rec.*, 377.
- Hussain, S. S. M., Radcliffe, G. J. and Webber, P. A. Cartilaginous neoplasms of the head and neck. *Clin. Rec.*, 615.
- Ijaduola, G. T. A., Ademiluyi, S. A. and Olarenwaju, D. A. Skeletal lesions in von Recklinghausen's disease of the head and neck in Nigerian Africans. *Orig. Art.*, 823.
- Ijaduola, T. G. A. A new suspension device for laryngeal endoscopy in developing countries. *Orig. Art.*, 659.
- Ijaduola, T. G. A. Transcannular maxillary antral biopsy with Tru-Cut needle. *Orig. Art.*, 649.

- Ijaduola, T. G. A. and Ademiluyi, S. A. Otorhinolaryngological manifestations of von Recklinghausen's disease in Nigerians. *Orig. Art.*, 115.
- Illum, P. Long-term results after treatment of nasal fractures. *Orig. Art.*, 273.
- Ingelstedt, S., Tjernström, O. and Andréasson, L. Peristaltic closure of a safety pin. *Orig. Art.*, 385.
- Iqbal, S. M., Bhogoliwal, S. K. and Nandi, N. B. Laryngeal leiomyoma. *Clin. Rec.*, 723.
- Iqbal, S. M., Singh, R. R. and Dewangan, G. L. Sialocele of Stenson's duct. *Clin. Rec.*, 363.
- Irwin, B. C., Hendrickse, W. A., Pincott, J. R., Bailey, C. M. and Evans, J. N. G. Juvenile laryngeal papillomatosis. *Orig. Art.*, 435.
- Irwin, J. Hearing-loss and calciferol deficiency. *Orig. Art.*, 1245.
- Isago, H., Kimura, T. and Kataura, A. A case of Weber-Christian disease accompanied by a nasal symptom. *Clin. Rec.*, 221.
- Jackson, P., Bird, C. C., Terry, R. M. and Gray, C. Expression of low molecular weight cytokeratins in the neoplastic vocal cord. *Orig. Art.*, 1279.
- Jacobs, J. R., Bhansali, S. and Wilner, H. Arterial embolization for control of bleeding in advanced head and neck carcinoma. *Orig. Art.*, 1289.
- Jakobsen, J., Outzen, K. E. and Lunding, J. Leiomyosarcoma of the trachea. *Clin. Rec.*, 979.
- Jamal, M. N., Dajani, A. M., Amr, S. S. and Tarawneh, M. S. Idiopathic subcutaneous and laryngeal fibrosis. *Clin. Rec.*, 851.
- Jan, A. Primary laryngeal tuberculosis. *Clin. Rec.*, 605.
- Jeffries, D., Brandrick, J., Weighill, J. S. and Proops, D. W. Pain relief following tonsillectomy. *Orig. Art.*, 307.
- Jeffries, D. J., Pickles, J. O., Osborne, M. P., Rhys-Evans, P. H. and Comis, S. D. Crosslinks between stereocilia in hair cells of the human and guinea pig vestibular labyrinth. *Orig. Art.*, 1367.
- Jeffries, D. J. R., Pearse, H. A. C., Comis, S. D., Rhys-Evans, P. H., Osborne, M. P. and Pickles, J. O. Early morphological and chemical changes induced by cisplatin in the guinea pig organ of Corti. *Orig. Art.*, 1375.
- Jensen, J. H. and Bonding, P. Silastic coated incus in tympanoplasty: a preliminary report. *Orig. Art.*, 9.
- Jensen, J. H. and Dommerby, H. Routine radiological examination of the sinuses before septoplasty. *Orig. Art.*, 893.
- Jensen, J. H. and Poulsen, P. Brain-stem response audiometry and electronystagmographic findings in chronic toxic encephalopathy (chronic painter's syndrome). *Orig. Art.*, 155.
- John, D. G. and Carlin, W. V. An unusual case of surgical emphysema. *Clin. Rec.*, 1209.
- Jokinen, K., Laitinen, J. and Luotonen, J. Localisation of a CSF fistula by metrizamide CT cisternography. *Clin. Rec.*, 955.
- Jokinen, K., Nieminen, P., Tuuponen, T., Salminen, A., Syrjälä, H. and Sutinen, S. Bronchial changes in airborne tularemia. *Orig. Art.*, 1169.
- Jones, A. S. and Lancer, J. M. The Francis Alae Nasi Prop and nasal resistance to airflow. *Orig. Art.*, 539.
- Jones, A. S., Moir, A. A. and Lancer, J. M. Transient facial paralysis. *Clin. Rec.*, 211.
- Jones, P. H., Farrington, W. T. and Weighill, J. S. Post-cricoid carcinoma. *Orig. Art.*, 79.
- Jones, P. H., Farrington, W. T. and Weighill, J. S. Surgical salvage in postcricoid cancer. *Orig. Art.*, 85.
- Jones, P. H., Farrington, W. T. and Weighill, J. S. Total laryngectomy for cancer of the larynx. *Orig. Art.*, 53.
- Jones, W. I., El Sharkawi, A. and Carrick, D. G. Branchiogenic carcinoma—or cystic lymph node metastasis. *Clin. Rec.*, 1089.
- Kacker, S. K., Kapila, K. and Sooknundun, M. Benign osteoblastoma of the nasal bones. *Clin. Rec.*, 229.
- Kacker, S. K., Kapila, K. and Sooknundun, M. Oral-pharyngeal histoplasmosis. *Orig. Art.*, 179.
- Kacker, S. K., Kapila, K., Sooknundun, M. and Deka, R. C. Congenital mid-line sinus of the dorsum of the nose. *Clin. Rec.*, 1319.
- Kacker, S. K., Kapila, K., Verma, K., Narayan, P. and Sooknundun, M. Oral malignant melanoma. *Clin. Rec.*, 371.
- Kacker, S. K., Ramakrishna, T. B. and Bahadur, S. Is stapedectomy worthwhile before the age of twenty? *Orig. Art.*, 879.
- Kaluskar, S. K. and Nsamba, C. Inheritance of recurrent aphthous ulceration of the mouth. *Clin. Rec.*, 361.
- Kambič, V., Fajdiga, I. and Fischinger, J. A simple and inexpensive method for laryngeal photography with the operating microscope. *Orig. Art.*, 1269.
- Kamel, T., Mekhamer, A. and Elwany, S. Pneumatic nasal catheters. *Orig. Art.*, 641.
- Kamel, T., Moawad, M. K., Hindawy, D. S. and Bassiouny, A. Broad spectrum antifungal agents in otomycosis. *Orig. Art.*, 867.
- Kapila, K., Sooknundun, M. and Kacker, S. K. Benign osteoblastoma of the nasal bones. *Clin. Rec.*, 229.
- Kapila, K., Sooknundun, M. and Kacker, S. K. Oral-pharyngeal histoplasmosis. *Orig. Art.*, 179.
- Kapila, K., Sooknundun, M., Deka, R. C. and Kacker, S. K. Congenital mid-line sinus of the dorsum of the nose. *Clin. Rec.*, 1319.

- Kapila, K., Verma, K., Narayan, P., Sooknundun, M. and Kacker, S. K. Oral malignant melanoma. *Clin. Rec.*, 371.
- Kapur, T. R. and Bangash, W. Tegmental and petromastoid defects in the temporal bone. *Orig. Art.*, 1129.
- Kärjä, J., Collan, Y., Valtonen, H. and Nuutinen, J. Congenital dermoid cysts of the tongue. *Clin. Rec.*, 965.
- Kärjä, J., Härmä, R. and Vartiainen, E. Re-operation after failure of surgery for chronic ears. *Orig. Art.*, 1027.
- Kärjä, J., Karjalainen, S. and Vartiainen, E. Surgery of chronic otitis media in young patients. *Orig. Art.*, 515.
- Kärjä, J., Vartiainen, E. and Karjalainen, S. Postoperative evaluation of chronic otitis media caused by *pseudomonas aeruginosa*. *Orig. Art.*, 141.
- Karjalainen, S., Kärjä, J. and Vartiainen, E. Postoperative evaluation of chronic otitis media caused by *pseudomonas aeruginosa*. *Orig. Art.*, 141.
- Karjalainen, S., Vartiainen, E. and Kärjä, J. Surgery of chronic otitis media in young patients. *Orig. Art.*, 515.
- Karlslose, M., Nielsen, V. M. and Højslet, P. E. Surgical treatment of Reinke's oedema. *Orig. Art.*, 187.
- Kashnia, B. R., Chatterji, P., Soni, N. K., Chaudhuri, J. N. and Banerjee, S. Marble bone disease in a child. *Clin. Rec.*, 935.
- Kataura, A., Isago, H. and Kimura, T. A case of Weber-Christian disease accompanied by a nasal symptom. *Clin. Rec.*, 221.
- Kay, N. J., Terry, R. M. and Swinburne, L. Protease inhibitors in maxillary antral mucosa. *Orig. Art.*, 289.
- Keene, M. H. and Williams, D. C. Perilymph leak from the fissula ante fenestram. *Clin. Rec.*, 707.
- Kerr, A. G. and Walby, A. P. Hearing in patients with blast lung. *Orig. Art.*, 411.
- Kerr, A. G., Gordon, D. S., Primrose, W. J. and Smyth, G. D. L. Vestibular nerve section and saccus decompression. *Orig. Art.*, 775.
- Kerr, A. G., Smyth, G. D. L. and Lang, J. Long-term viability of transplanted ossicles. *Orig. Art.*, 741.
- Khan, N. U. and Raizada, R. M. Aural sebaceous adenomas. *Clin. Rec.*, 1413.
- Khane, G. J., Fernandes, C. M. C., Nel, J. P. and Steinberg, J. L. Anatomy of the recurrent laryngeal nerve: A redescription. *Orig. Art.*, 919.
- Khare, P., Agrawal, S. R. and Bhalla, A. S. An unusual laryngeal foreign body. *Clin. Rec.*, 357.
- Kimura, T., Kataura, A. and Isago, H. A case of Weber-Christian disease accompanied by a nasal symptom. *Clin. Rec.*, 221.
- Kirtane, M. V. and Merchant, S. N. Vestibular effects of intravenous lidocaine used in the treatment of tinnitus. *Orig. Art.*, 1249.
- Kirtane, M. V., Merchant, S. N. and Medikeri, S. B. Experiences with the butterfly chart. *Orig. Art.*, 157.
- Kirtane, M. V., Merchant, S. N. and Medikeri, S. B. The caloric response in the contralateral ear in acoustic neuroma. *Orig. Art.*, 267.
- Klinkenberg-Knol, E., Tiwari, R. M. and Vuyk, H. D. The role of the upper oesophageal sphincter in voice rehabilitation after laryngectomy and Staffieri's procedure. *Orig. Art.*, 59.
- Knight, J., McIvor, J., Perry, A. and Cheesman, A. D. Tracheo-oesophageal 'puncture Speech'. *Orig. Art.*, 191.
- Knudstrup, P. and Poulsen, P. Lightning causing inner ear damage and intracranial haematoma. *Clin. Rec.*, 1067.
- Koch-Henriksen, N., Schønsted-Madsen, U., Stoksted, P. and Christensen, P.-H. Chronic headache related to nasal obstruction. *Orig. Art.*, 165.
- Kohli, G. S., Lal, H. and Goel, H. Serum phosphohexose isomerase levels in patients with head and neck cancer. *Orig. Art.*, 581.
- Kristensen, S. and Tveterås, K. Warthin's tumour with bilateral synchronous presentation. *Clin. Rec.*, 487.
- Ladefoged, C. and Stoksted, P. Crushed cartilage in nasal reconstruction. *Orig. Art.*, 897.
- Laitakari, K., Sorri, M., Pirilä, T., Löppönen, H. and Helisten, L. Ear protection against water-borne infection: an objective evaluation. *Orig. Art.*, 1337.
- Laitinen, J., Luotonen, J. and Jokinen, K. Localisation of a CSF fistula by metrizamide CT cisternography. *Clin. Rec.*, 955.
- Lal, H., Goel, H. and Kohli, G. S. Serum phosphohexose isomerase levels in patients with head and neck cancer. *Orig. Art.*, 581.
- Lancer, J. M. Photography and the flexible fiberoptic rhinolaryngoscope. *Orig. Art.*, 41.
- Lancer, J. M. and Jones, A. S. The Francis Alae Nasi Prop and nasal resistance to airflow. *Orig. Art.*, 539.
- Lancer, J. M., Jones, A. S. and Moir, A. A. Transient facial paralysis. *Clin. Rec.*, 211.
- Lang, J., Kerr, A. G. and Smyth, G. D. L. Long-term viability of transplanted ossicles. *Orig. Art.*, 741.
- Laurent, C., Tengblad, A. and Engström-Laurent, A. Hyaluronic acid in secretory otitis media. *Orig. Art.*, 135.
- Laurian, L., Buller, N., Laurian, N. and Shvili, I. Delayed brainstem auditory evoked responses in experimental diabetes mellitus. *Orig. Art.*, 883.
- Laurian, N., Shvili, I., Laurian, L. and Buller, N. Delayed brainstem auditory evoked responses in experimental diabetes mellitus. *Orig. Art.*, 883.
- Lavelle, R., Abramovich, S., O'Grady, J., Fuller, A. and MacKinnon, M. Naproxen in otitis media with effusion. *Orig. Art.*, 263.
- Leiberman, A. and Bartal, N. Untreated persistent middle ear effusion. *Orig. Art.*, 875.

- Lesser, T. H. J. and Clayton, M. I. The role of radiography in the management of nasal fractures. *Orig. Art.*, 797.
- Lesser, T. H. J., Clayton, M. I. and Skinner, D. Efficacy of medical treatment as an adjunct to surgery in the treatment of secretory otitis media. *Orig. Art.*, 1347.
- Levit, I., Abraham, S., Sadé, J., Wolfson, S. and Sachs, Z. The infant's eustachian tube lumen: The pharyngeal part. *Orig. Art.*, 129.
- Lindeberg, H., Felding, J. U. and Skov, J. The nevoid basal cell carcinoma syndrome. *Clin. Rec.*, 1181.
- Linn, S., Mor, A., Barkai, A., Holdstein, Y., Pratt, H., Goldsher, M., Rosen, G. and Shenhav, R. Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *Orig. Art.*, 1031.
- Liu, K. C. and Rockley, T. J. Fibrosarcoma of the nose and paranasal sinuses. *Clin. Rec.*, 1417.
- Löppönen, H., Helisten, L., Laitakari, K., Sorri, M. and Pirilä, T. Ear protection against water-borne infection: an objective evaluation. *Orig. Art.*, 1337.
- Löth, S. and Bende, M. Vascular effects of topical oxymetazoline on human nasal mucosa. *Orig. Art.*, 285.
- Ludman, H. Neuronal activity in otology. *Orig. Art.*, 989.
- Luna, M. A., Mackay, B., Byers, R. M., Hui, K. K. and Batsakis, J. G. Salivary duct adenocarcinoma: a high grade malignancy. *Orig. Art.*, 105.
- Lund, V. J. The design and function of intranasal antrostomies. *Orig. Art.*, 35.
- Lunding, J., Jakobsen, J. and Outzen, K. E. Leiomyosarcoma of the trachea. *Clin. Rec.*, 979.
- Luotonen, J. Intracranial penetration of a nail from nailing gun through cheek and infratemporal fossa. *Clin. Rec.*, 247.
- Luotonen, J., Jokinen, K. and Laitinen, J. Localisation of a CSF fistula by metrizamide CT cisternography. *Clin. Rec.*, 955.
- Mackay, B., Byers, R. M., Hui, K. K., Batsakis, J. G. and Luna, M. A. Salivary duct adenocarcinoma: a high grade malignancy. *Orig. Art.*, 105.
- Mackenzie, I. J., Maran, A. G. D., Hardcastle, P. F. and Hamid, A. An analysis of 102 cases of Polytef injection of the vocal cord. *Orig. Art.*, 47.
- MacKinnon, M., Lavelle, R., Abramovich, S., O'Grady, J. and Fuller, A. Naproxen in otitis media with effusion. *Orig. Art.*, 263.
- Madden, F. J. F., Phipps, J. H. and Horslen, S. Tracheal carcinoma following short term tracheostomy in childhood. *Clin. Rec.*, 977.
- Maher, A., El-Sawy, M. and Dogheim, Y. Serum immunoglobulin levels in rhinoscleroma contacts. *Orig. Art.*, 171.
- Manning, J. T., Raymond, A. K. and Batsakis, J. G. Extraosseous osteogenic sarcoma of the parotid gland. *Clin. Rec.*, 239.
- Manthorpe, R., Rasmussen, N., Velander, B. and Humaidan, P. Behçet's Disease. *Clin. Rec.*, 367.
- Maran, A. G. D. Sjögren's syndrome. *Orig. Art.*, 1299.
- Maran, A. G. D., Hardcastle, P. F., Hamid, A. and Mackenzie, I. J. An analysis of 102 cases of Polytef injection of the vocal cord. *Orig. Art.*, 47.
- Mathews, T. J. Labyrinthine sequestrum. *Clin. Rec.*, 939.
- Mathias, D. B. and Stafford, F. W. Pharyngectomy for post-cricoid carcinoma with preservation of the larynx. *Orig. Art.*, 1385.
- Medikeri, S. B., Kirtane, M. V. and Merchant, S. N. Experiences with the butterfly chart. *Orig. Art.*, 157.
- Medikeri, S. B., Kirtane, M. V. and Merchant, S. N. The caloric response in the contralateral ear in acoustic neuroma. *Orig. Art.*, 267.
- Meis, J. M., Bruner, J. M., Batsakis, J. G., Ordonez, N. G. and Ro, J. S-100 protein and myoepithelial neoplasms. *Orig. Art.*, 687.
- Mekhamer, A., Elwany, S. and Karhel, T. Pneumatic nasal catheters. *Orig. Art.*, 641.
- Mene, A., Weighill, J. S. and Tankel, J. W. Carcinoid tumour of the larynx. *Clin. Rec.*, 1421.
- Merchant, S. N. and Kirtane, M. V. Vestibular effects of intravenous lidocaine used in the treatment of tinnitus. *Orig. Art.*, 1249.
- Merchant, S. N., Medikeri, S. B. and Kirtane, M. V. Experiences with the butterfly chart. *Orig. Art.*, 157.
- Merchant, S. N., Medikeri, S. B. and Kirtane, M. V. The caloric response in the contralateral ear in acoustic neuroma. *Orig. Art.*, 267.
- Meredith, A. P. D'E., Archer, D. J. and Hamlyn, P. J. A further approach to the infra-temporal fossa. *Orig. Art.*, 675.
- Miles, J. B. and Stell, P. M. The place of 'salvage' petrosectomy. *Orig. Art.*, 145.
- Milford, C. A. and Bellini, M. Wegener's granulomatosis arising in pregnancy. *Clin. Rec.*, 475.
- Mills, R. and Gilsdorf, J. Middle-ear effusions following acute otitis media in the chinchilla animal model. *Orig. Art.*, 255.
- Mills, R. and Graham, M. The development of cholesteatoma in association with congenital abnormalities of the ear. *Clin. Rec.*, 1063.

- Milton, C. M. and Cousins, V. C. A radiological assessment of the usefulness of Macewen's triangle as a surgical landmark. *Orig. Art.*, 1225.
- Milton, C. M., Yazdanie, N. and Bickerton, R. C. Prosthetic management following bilateral total or subtotal maxillectomy. *Orig. Art.*, 1145.
- Misra, A. K., De, S. K. and Chatterjee, A. K. An unusual presentation of meningioma of the frontal sinus. *Clin. Rec.*, 711.
- Misslevitsch, A., Boss, J. H., Rosenman, D., Gertner, R., Fradis, M. and Podoshin, L. Rhabdomyoma of the larynx. *Clin. Rec.*, 607.
- Moawad, M. K., Hindawy, D. S., Bassiouny, A. and Kamel, T. Broad spectrum antifungal agents in otomycosis. *Orig. Art.*, 867.
- Moesker, W. H. and Tange, R. A. Cranial hyperostosis and hearing loss. *Clin. Rec.*, 1187.
- Moffat, D. A. and Shone, G. R. Oto-admittance measurements in the diagnosis of otosclerosis. *Orig. Art.*, 149.
- Moir, A. A., Lancer, J. M. and Jones, A. S. Transient facial paralysis. *Clin. Rec.*, 211.
- Mor, A., Barkai, A., Holdstein, Y., Pratt, H., Goldsher, M., Rosen, G., Shenhav, R. and Linn, S. Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *Orig. Art.*, 1031.
- Morrison, A. W., McClowskey, D., Festenstein, H. and Xenellis, J. HLA antigens in the pathogenesis of Menière's disease. *Orig. Art.*, 21.
- Morton, R. P., Gordon, A. S. D., Giles, M. L. and Harding, D. A. Surgery of snoring. *Orig. Art.*, 1263.
- McClowskey, D., Festenstein, H., Xenellis, J. and Morrison, A. W. HLA antigens in the pathogenesis of Menière's disease. *Orig. Art.*, 21.
- McDonogh, M. The middle ear transformer mechanism: man versus mouse. *Orig. Art.*, 15.
- McIlwain, J. C. and Shepperd, H. W. H. Laser treatment of primary amyloidosis of the larynx. *Clin. Rec.*, 1079.
- McIntosh, W. A. Trans-septal approach to unilateral posterior choanal atresia. *Orig. Art.*, 1133.
- McIvor, J., Perry, A., Cheesman, A. D. and Knight, J. Tracheo-oesophageal 'Puncture Speech'. *Orig. Art.*, 191.
- Nahl, S. S., Campbell, J. B. and Pearman, K. Basilar artery ectasia: A rare case of sensorineural deafness. *Clin. Rec.*, 333.
- Nakashima, T., Watanabe, Y. and Arao, H. Computed tomographic evaluation of multiple mucocoeles of paranasal sinuses. *Orig. Art.*, 1139.
- Nandi, N. B., Iqbal, S. M. and Bhogoliwal, S. K. Laryngeal leiomyoma. *Clin. Rec.*, 723.
- Narayan, P., Sooknundun, M., Kacker, S. K., Kapila, K. and Verma, K. Oral malignant melanoma. *Clin. Rec.*, 371.
- Narula, A. A. and Ambegaokar, A. G. Choanal atresia: Early management and an association with marble bone disease. *Clin. Rec.*, 959.
- Neil, W. F., Bandey, S. A. and Atkins, J. Silastic foam dressing in pinnoplasty. *Clin. Rec.*, 201.
- Nel, J. P., Steinberg, J. L., Khane, G. J. and Fernandes, C. M. C. Anatomy of the recurrent laryngeal nerve: A redescription. *Orig. Art.*, 919.
- Newland, A. C. and Brookes, G. B. Plasma exchange in the treatment of immune complex-associated sensorineural deafness. *Orig. Art.*, 25.
- Nielsen, O. G., Gadegaard, L. and Fogh, A. Osteochondroma of the cervical spine. *Clin. Rec.*, 733.
- Nielsen, V. M., Højslet, P. E. and Karlsmose, M. Surgical treatment of Reinke's oedema. *Orig. Art.*, 187.
- Nielsen, V. M., Højslet, P. E. and Palvio, D. Reinke's oedema: a premalignant condition? *Orig. Art.*, 1159.
- Nieminen, P., Tuuponen, T., Salminen, A., Syrjälä, H., Sutinen, S. and Jokinen, K. Bronchial changes in airborne tularemia. *Orig. Art.*, 1169.
- Noyelle, R. M., Parker, D. A. and Gibbin, K. P. Syrup formulations for post-tonsillectomy analgesia. *Orig. Art.*, 1055.
- Nsamba, C. and Kaluskar, S. K. Inheritance of recurrent aphthous ulceration of the mouth. *Clin. Rec.*, 361.
- Nuutinen, J., Kärjä, J., Collan, Y. and Valtonen, H. Congenital dermoid cysts of the tongue. *Clin. Rec.*, 965.
- O'Brien, C. J., Shaw, H. J. and Hamlyn, P. J. Uncommon malignant tumours of the larynx. *Orig. Art.*, 1163.
- O'Donoghue, G. M. The migration theory of cholesteatoma formation. *Orig. Art.*, 395.
- O'Grady, J., Fuller, A., MacKinnon, M., Lavelle, R. and Abramovich, S. Naproxen in otitis media with effusion. *Orig. Art.*, 263.
- Odetoynbo, O. A comparison of endotracheal intubation and tracheostomy in the management of acute epiglottitis in children in the tropics. *Orig. Art.*, 1273.
- Ohkubo, H. and Hirano, M. Acquired laryngo-pharyngeal fistula. *Clin. Rec.*, 719.
- Olarenwaju, D. A., Ijaduola, G. T. A. and Ademiluyi, S. A. Skeletal lesions in von Recklinghausen's disease of the head and neck in Nigerian Africans. *Orig. Art.*, 823.
- Ordonez, N. G. and Batsakis, J. G. Acinic cell carcinoma of the nasal cavity: Electron-optic and immunohistochemical observations. *Clin. Rec.*, 345.
- Ordonez, N. G., Ro, J., Meis, J. M., Bruner, J. M. and Batsakis, J. G. S-100 protein and myoepithelial neoplasms. *Orig. Art.*, 687.

- Osborne, M. P., Pickles, J. O., Jeffries, D. J. R., Pearse, H. A. C., Comis, S. D. and Rhys-Evans, P. H. Early morphological and chemical changes induced by cisplatin in the guinea pig organ of Corti. *Orig. Art.*, 1375.
- Osborne, M. P., Rhys-Evans, P. H., Comis, S. D., Jeffries, D. J. and Pickles, J. O. Crosslinks between stereocilia in hair cells of the human and guinea pig vestibular labyrinth. *Orig. Art.*, 1367.
- Outzen, K. E., Lunding, J. and Jakobsen, J. Leiomyosarcoma of the trachea. *Clin. Rec.*, 979.
- Overgaard, J., Ringsted, J., Andersen, T. and Ulsoe, C. Intracranial glossopharyngeal schwannoma, a tumour imitating an acoustic schwannoma. *Clin. Rec.*, 831.
- Palvio, D., Nielsen, V. M. and Højslet, P. E. Reinke's oedema: a premalignant condition? *Orig. Art.*, 1159.
- Parker, D. A., Gibbin, K. P. and Noyelle, R. M. Syrup formulations for post-tonsillectomy analgesia. *Orig. Art.*, 1055.
- Pearman, K., Nahl, S. S. and Campbell, J. B. Basilar artery ectasia: A rare cause of sensorineural deafness. *Clin. Rec.*, 333.
- Pearse, H. A. C., Comis, S. D., Rhys-Evans, P. H., Osborne, M. P., Pickles, J. O. and Jeffries, D. J. R. Early morphological and chemical changes induced by cisplatin in the guinea pig organ of Corti. *Orig. Art.*, 1375.
- Pedersen, U., Birch, L. and Elbrønd, O. Hearing improvement after stapedectomy: Up to 19 years' follow-up period. *Orig. Art.*, 1.
- Perry, A., Cheesman, A. D., Knight, J. and McIvor, J. Tracheo-oesophageal 'Puncture Speech'. *Orig. Art.*, 191.
- Pesce, C., Colacino, R. and Buffa, P. Duct carcinoma of the minor salivary glands. *Clin. Rec.*, 611.
- Pettersson, G., Rådmark, T. and Sandberg, N. Instrumental perforation of the oesophagus. *Orig. Art.*, 461.
- Phelps, P. D. and Stansbie, J. M. Involution of residual juvenile nasopharyngeal angiofibroma. *Clin. Rec.*, 599.
- Phillipps, J. J. Bilateral oval window fistulae with recurrent meningitis. *Clin. Rec.*, 329.
- Phipps, J. H., Horslen, S. and Madden, F. J. F. Tracheal carcinoma following short term tracheostomy in childhood. *Clin. Rec.*, 977.
- Pickles, J. M., Tucker, A. G. and Cowie, J. W. Computed tomography of vascular middle ear masses. *Orig. Art.*, 405.
- Pickles, J. O., Jeffries, D. J. R., Pearse, H. A. C., Comis, S. D., Rhys-Evans, P. H. and Osborne, M. P. Early morphological and chemical changes induced by cisplatin in the guinea pig organ of Corti. *Orig. Art.*, 1375.
- Pickles, J. O., Osborne, M. P., Rhys-Evans, P. H., Comis, S. D. and Jeffries, D. J. Crosslinks between stereocilia in hair cells of the human and guinea pig vestibular labyrinth. *Orig. Art.*, 1367.
- Pincott, J. R., Bailey, C. M., Evans, J. N. G., Irwin, B. C. and Hendrickse, W. A. Juvenile laryngeal papillomatosis. *Orig. Art.*, 435.
- Pirilä, T., Löppönen, H., Helisten, L., Laitakari, K. and Sorri, M. Ear protection against water-borne infection: an objective evaluation. *Orig. Art.*, 1337.
- Podoshin, L., Fradis, M., Pratt, H., Rabina, A., Ben-David, J. and Gertner, R. Auditory brain stem evoked potentials in patients suffering from peripheral facial nerve palsy and diabetes mellitus. *Orig. Art.*, 629.
- Podoshin, L., Misslevitsch, A., Boss, J. H., Rosenman, D., Gertner, R. and Fradis, M. Rhabdomyoma of the larynx. *Clin. Rec.*, 607.
- Portmann, M., Blayney, A. W., Bebear, J.-P. and Williams, K. R. Ceravital © in ossiculoplasty: experimental studies and early clinical results. *Orig. Art.*, 1359.
- Poulsen, P. and Jensen, J. H. Brain-stem response audiometry and electronystagmographic findings in chronic toxic encephalopathy (chronic painter's syndrome). *Orig. Art.*, 155.
- Poulsen, P. and Knudstrup, P. Lightning causing inner ear damage and intracranial haematoma. *Clin. Rec.*, 1067.
- Prasad, U., Singh, J., Gupta, R. K. and Singh, A. P. Computerized axial tomography of the nose, paranasal sinuses, nasopharynx and pterygoid regions. *Orig. Art.*, 907.
- Pratt, H., Goldsher, M., Rosen, G., Shenhav, R., Linn, S., Mor, A., Barkai, A. and Holdstein, Y. Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *Orig. Art.*, 1031.
- Pratt, H., Rabina, A., Ben-David, J., Gertner, R., Podoshin, L. and Fradis, M. Auditory brain stem evoked potentials in patients suffering from peripheral facial nerve palsy and diabetes mellitus. *Orig. Art.*, 629.
- Prescott, C. A. J. Experience with bilateral congenital atresia of the posterior nasal choanae. *Orig. Art.*, 1255.
- Prescott, C. A. J. Possible implication of an efferent neuropathy in vestibular upset. *Orig. Art.*, 769.
- Primrose, W. J., Smyth, G. D. L., Kerr, A. G. and Gordon, D. S. Vestibular nerve section and saccus decompression. *Orig. Art.*, 775.
- Proops, D. W., Hawke, W. M. and Berger, G. Microfractures of the optic capsule. *Orig. Art.*, 749.
- Proops, D. W., Jeffries, D., Brandrick, J. and Weighill, J. S. Pain relief following tonsillectomy. *Orig. Art.*, 307.
- Puterman, M. and Bartal, N. Vallecular papilloma simulating chronic pulmonary disease. *Clin. Rec.*, 1195.
- Quiney, R. E. Intranasal topical cocaine: Moffett's method or topical cocaine paste? *Orig. Art.*, 279.
- Rabina, A., Ben-David, J., Gertner, R., Podoshin, L., Fradis, M. and Pratt, H. Auditory brain stem evoked potentials in patients suffering from peripheral facial nerve palsy and diabetes mellitus. *Orig. Art.*, 629.

- Radcliffe, G. J., Webber, P. A. and Hussain, S. S. M. Cartilaginous neoplasms of the head and neck. *Clin. Rec.*, 615.
- Rådmark, T., Sandberg, N. and Pettersson, G. Instrumental perforation of the oesophagus. *Orig. Art.*, 461.
- Raizada, R. M. and Khan, N. V. Aural sebaceous adenomas. *Clin. Rec.*, 1413.
- Raj, T. B. and Wickham, M. H. The effect of benzydamine hydrochloride (diffiam) spray on post-tonsillectomy symptoms. *Orig. Art.*, 303.
- Rakover, Y., Rosen, G. and Bitnun, S. Acute bilateral total deafness complicating mumps. *Clin. Rec.*, 943.
- Ramakrishna, T. B., Bahadur, S. and Kacker, S. K. Is stapedectomy worthwhile before the age of twenty? *Orig. Art.*, 879.
- Ramsay, A. D., Buchanan, G. and Zakzouk, M. S. Merkel cell tumour of the skin. *Orig. Art.*, 561.
- Randall, C., Stafford, N., Youngs, R., Waldron, J. and Baer, S. Obstructive sleep apnoea in association with retrosternal goitre and acromegaly. *Clin. Rec.*, 861.
- Randall, C. J. and Shaw, H. J. Malignant tumours of the tongue in young adults. *Orig. Art.*, 1295.
- Rasmussen, N., Velander, B., Humaidan, P. and Manthorpe, R. Behçet's Disease. *Clin. Rec.*, 367.
- Rasmy, E. Stapedius reflex after stapedectomy with preservation of the stapedius tendon. *Orig. Art.*, 521.
- Raymond, A. K., Batsakis, J. G. and Manning, J. T. Extrasosseous osteogenic sarcoma of the parotid gland. *Clin. Rec.*, 239.
- Recher, G., Visonà, A. and Ferlito, A. Laryngeal cancer metastatic to lymph nodes with lymphocytic leukaemia. *Clin. Rec.*, 233.
- Rhys-Evans, P. H. and Rockley, T. J. Secretory otitis media. *Orig. Art.*, 389.
- Rhys-Evans, P. H., Comis, S. D., Jeffries, D. J., Pickles, J. O. and Osborne, M. P. Crosslinks between stereocilia in hair cells of the human and guinea pig vestibular labyrinth. *Orig. Art.*, 1367.
- Rhys-Evans, P. H., Frame, J. W. and Brandrick, J. A review of Carbon Dioxide laser surgery in the oral cavity and pharynx. *Orig. Art.*, 69.
- Rhys-Evans, P. H., Osborne, M. P., Pickles, J. O., Jeffries, D. J. R., Pearse, H. A. C. and Comis, S. D. Early morphological and chemical changes induced by cisplatin in the guinea pig organ of Corti. *Orig. Art.*, 1375.
- Richards, A. E. S. and Warwick-Brown, N. P. Perichondritis of the ear following acupuncture. *Clin. Rec.*, 1177.
- Richards, A. E. S., Cheesman, A. D. and Warwick-Brown, N. P. Epigottopexy: A modification using additional hyoid suspension. *Orig. Art.*, 1155.
- Richards, A. E. S., Cheesman, A. D. and Warwick-Brown, N. P. Glomus vagale: an unusual presentation. *Clin. Rec.*, 1205.
- Richards, A. E. S., Cheesman, A. D. and Warwick-Brown, N. P. Radical surgical treatment for extensive chronic fronto-ethmoidal sinusitis. *Clin. Rec.*, 1323.
- Ringsted, J., Andersen, T., Ulsoe, C. and Overgaard, J. Intracranial glossopharyngeal schwannoma, a tumour imitating an acoustic schwannoma. *Clin. Rec.*, 831.
- Ro, J., Meis, J. M., Bruner, J. M., Batsakis, J. G. and Ordenez, N. G. S-100 protein and myoepithelial neoplasms. *Orig. Art.*, 687.
- Robb, P. J. Aspergillosis of the paranasal sinuses. *Clin. Rec.*, 1071.
- Rockley, T. J. and Liu, K. C. Fibrosarcoma of the nose and paranasal sinuses. *Clin. Rec.*, 1417.
- Rockley, T. J. and Rhys-Evans, P. H. Secretory otitis media. *Orig. Art.*, 389.
- Rosen, G., Bitnun, S. and Rakover, Y. Acute bilateral total deafness complicating mumps. *Clin. Rec.*, 943.
- Rosen, G., Shenhav, R., Linn, S., Mor, A., Barkai, A., Holdstein, Y., Pratt, H. and Goldsher, M. Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *Orig. Art.*, 1031.
- Rosenfeld, L., Friedmann, I., Wackym, P. A. and Gray, G. F., Jr. Papillary cystic oncocytoma and Warthin's tumour of the parotid gland. *Orig. Art.*, 679.
- Rosenman, D., Gertner, R., Fradis, M., Podoshin, L., Misslevitsch, A. and Boss, J. H. Rhabdomyoma of the larynx. *Clin. Rec.*, 607.
- Ruckley, R. W. and Blair, R. L. Neurofibroma of the cervical sympathetic chain presenting with Horner's syndrome. *Clin. Rec.*, 1433.
- Rupa, V. and Bhanu, T. S. Haemangiopericytoma-like tumour of the nose. *Clin. Rec.*, 715.
- Sachs, Z., Levit, I., Abraham, S., Sadé, J. and Wolfson, S. The infant's eustachian tube lumen: The pharyngeal part. *Orig. Art.*, 129.
- Sadé, J., Berco, E. and Fuchs, C. Results of preservation of the posterior canal wall in cholesteatoma surgery as related to middle-ear aeration. *Orig. Art.*, 1351.
- Sadé, J., Wolfson, S., Sachs, Z., Levit, I. and Abraham, S. The infant's eustachian tube lumen: The pharyngeal part. *Orig. Art.*, 129.
- Sahgal, V. and Hast, M. H. Effect of denervation on primate laryngeal muscles: a morphologic and morphometric study. *Orig. Art.*, 553.
- Saigal, G. S., Tilak, S. B. and Tepan, M. G. Use of tongue flap in submucous palatal fibrosis. *Orig. Art.*, 455.
- Salminen, A., Syrjälä, H., Sutinen, S., Jokinen, K., Nieminen, P. and Tuuponen, T. Bronchial changes in airborne tularemia. *Orig. Art.*, 1169.

- Samuel, J. and Wolff, L. Oto-laryngeal histoplasmosis. *Orig. Art.*, 587.
- Sandberg, N., Petterson, G. and Rådmark, T. Instrumental perforation of the oesophagus. *Orig. Art.*, 461.
- Schönsted-Madsen, U., Stoksted, P., Christensen, P.-H. and Koch-Henriksen, N. Chronic headache related to nasal obstruction. *Orig. Art.*, 165.
- Schuchman, G. and Uri, N. The variability of fixation suppression of caloric-induced nystagmus. *Orig. Art.*, 765.
- Schuchman, G. and Uri, N. Vestibular abnormalities in patients with Bell's palsy. *Orig. Art.*, 1125.
- Sene, A., Croft, C., Stafford, N. and von Haacke, N. The treatment of recurrent tonsillitis in adults. *Orig. Art.*, 175.
- Shah, D. D. and Grewal, D. S. Round window membrane perforation—a complication of chronic suppurative otitis media. *Clin. Rec.*, 1307.
- Shanmugham, M. S. Repair of pharyngo-cutaneous fistula using a bipediced tubed flap. *Clin. Rec.*, 493.
- Sharpe, D. T. and Dickson, M. G. A prospective study of nasal fractures. *Orig. Art.*, 543.
- Shaw, H. J. and Randall, C. J. Malignant tumours of the tongue in young adults. *Orig. Art.*, 1295.
- Shaw, H. J., Frampton, M. C., Breach, N. M. and Archer, D. J. The use of free tissue transfer in reconstruction following head and neck tumour resection. *Orig. Art.*, 97.
- Shaw, H. J., Hamlyn, P. J. and O'Brien, C. J. Uncommon malignant tumours of the larynx. *Orig. Art.*, 1163.
- Shehata, M. and Dogheim, Y. Surgical treatment of primary chronic atrophic rhinitis. *Orig. Art.*, 803.
- Shenhav, R., Linn, S., Mor, A., Barkai, A., Holdstein, Y., Pratt, H., Goldsher, M. and Rosen, G. Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects. *Orig. Art.*, 1031.
- Shenoy, A. M., Singh, M. K. and Bahadur, S. Fibro-osseous lesions of the maxilla. *Orig. Art.*, 653.
- Shepperd, H. W. H. and McIlwain, J. C. Laser treatment of primary amyloidosis of the larynx. *Clin. Rec.*, 1079.
- Shepperd, H. W. H., Stevenson, H. M., Hamilton, J. R. L. and Varghese, G. Tuberculous left vocal cord palsy: a timely reminder. *Clin. Rec.*, 837.
- Shone, G. R. and Moffat, D. A. Oto-admittance measurements in the diagnosis of otosclerosis. *Orig. Art.*, 149.
- Shuttleworth, D., Graham-Brown, R. A. C. and Barton, R. P. E. Median nasal dermoid fistulae. *Clin. Rec.*, 947.
- Shvero, J., Hadar, T., Avidor, I., Abraham, A. and Sidi, J. Heterotopic salivary tissue and branchial sinuses. *Clin. Rec.*, 243.
- Shvili, I., Laurian, L., Buller, N. and Laurian, N. Delayed brainstem auditory evoked responses in experimental diabetes mellitus. *Orig. Art.*, 883.
- Sidi, J., Shvero, J., Hadar, T., Avidor, I. and Abraham, A. Heterotopic salivary tissue and branchial sinuses. *Clin. Rec.*, 243.
- Siegler, J. and Girgis, B. A. Nominal aphasia following a radical mastoidectomy. *Clin. Rec.*, 595.
- Siegler, J. and Swift, A. C. Intraturbinate Ethanolamine oleate as a method of treatment in chronic non specific rhinitis. *Orig. Art.*, 417.
- Singh, A. P., Prasad, U., Singh, J. and Gupta, R. K. Computerized axial tomography of the nose, paranasal sinuses, nasopharynx and pterygoid regions. *Orig. Art.*, 907.
- Singh, J., Gupta, R. K., Singh, A. P. and Prasad, U. Computerized axial tomography of the nose, paranasal sinuses, nasopharynx and pterygoid regions. *Orig. Art.*, 907.
- Singh, M. K., Bahadur, S. and Shenoy, A. M. Fibro-osseous lesions of the maxilla. *Orig. Art.*, 653.
- Singh, R. R., Dewangan, G. L. and Iqbal, S. M. Sailocele of Stenson's duct. *Clin. Rec.*, 363.
- Skau, N. K. and Eriksen, K. D. Pre-auricular fistula communicating with the external auditory meatus, combined with second branchial cleft anomalies. *Clin. Rec.*, 203.
- Skinner, D., Lesser, T. H. J. and Clayton, M. I. Efficacy of medical treatment as an adjunct to surgery in the treatment of secretory otitis media. *Orig. Art.*, 1347.
- Skinner, D. W. and Chui, P. The hazards of 'button-sized' batteries as foreign bodies in the nose and ear. *Clin. Rec.*, 1315.
- Skov, J., Lindeberg, H. and Felding, J. U. The nevoid basal cell carcinoma syndrome. *Clin. Rec.*, 1181.
- Slack, R. W. T., Soucek, S. O. and Wong, K. Sonotubometry in the investigation of objective tinnitus and palatal myoclonus. *Orig. Art.*, 529.
- Smelt, G. J. C. and Swanston, A. R. A suspicious lump in the neck. *Clin. Rec.*, 483.
- Smith, M. C. F., Evans, J. N. G., Bailey, C. M. and Choa, D. I. Subglottic haemangioma in children. *Orig. Art.*, 447.
- Smyth, G. D. L., Kerr, A. G., Gordon, D. S. and Primrose, W. J. Vestibular nerve section and saccus decompression. *Orig. Art.*, 775.
- Smyth, G. D. L., Lang, J. and Kerr, A. G. Long-term viability of transplanted ossicles. *Orig. Art.*, 741.
- Snow, G. B. and de Vries, N. Multiple primary tumours in laryngeal cancer. *Orig. Art.*, 915.
- Snow, G. B., de Vries, N., Versluis, R. J. J. and Valk, J. Facial nerve paralysis following embolization for severe epistaxis. *Clin. Rec.*, 207.
- Snow, G. B., Tiwari, R. M., Gerritsen, G. J. and Balm, A. J. M. A critical evaluation of the role of CT scanning in ethmoidal cancer. *Orig. Art.*, 421.
- Snow, G. B., Waal, I. v. d., Ali, S. and Tiwari, R. Incidence of squamous cell carcinoma of the head and neck. *Orig. Art.*, 315.

- Soni, N. K., Chaudhuri, J. N., Banerjee, S., Kashnia, B. R. and Chatterji, P. Marble bone disease in a child. *Clin. Rec.*, 935.
- Sooknundun, M., Deka, R. C., Kacker, S. K. and Kapila, K. Congenital mid-line sinus of the dorsum of the nose. *Clin. Rec.*, 1319.
- Sooknundun, M., Kacker, S. K. and Kapila, K. Benign osteoblastoma of the nasal bones. *Clin. Rec.*, 229.
- Sooknundun, M., Kacker, S. K. and Kapila, K. Oral-pharyngeal histoplasmosis. *Orig. Art.*, 179.
- Sooknundun, M., Kacker, S. K., Kapila, K., Verma, K. and Narayan, P. Oral malignant melanoma. *Clin. Rec.*, 371.
- Sorri, M., Pirilä, T., Löppönen, H., Helisten, L. and Laitakari, K. Ear protection against water-borne infection: an objective evaluation. *Orig. Art.*, 1337.
- Soucek, S. O., Wong, K. and Slack, R. W. T. Sonotubometry in the investigation of objective tinnitus and palatal myoclonus. *Orig. Art.*, 529.
- Squires, S. J. and Frampton, M. C. The use of mini-tracheostomy and high frequency jet ventilation in the management of acute airway obstruction. *Clin. Rec.*, 1199.
- Stafford, F. W. and Mathias, D. B. Pharyngectomy for post-cricoid carcinoma with preservation of the larynx. *Orig. Art.*, 1385.
- Stafford, F. W. and Welch, A. R. The use of Acyclovir in Ramsay Hunt Syndrome. *Clin. Rec.*, 337.
- Stafford, N., von Haacke, N., Sene, A. and Croft, C. The treatment of recurrent tonsillitis in adults. *Orig. Art.*, 175.
- Stafford, N., Youngs, R., Waldron, J., Baer, S. and Randall, C. Obstructive sleep apnoea in association with retrosternal goitre and acromegaly. *Clin. Rec.*, 861.
- Stage, J. and Vinding, T. Metal spark perforation of the tympanic membrane with deafness and facial paralysis. *Clin. Rec.*, 699.
- Stangerup, M., Hancke, S., Dommerby, H. and Stangerup, S.-E. Hepatosplenomegaly in infectious mononucleosis, assessed by ultrasonic scanning. *Orig. Art.*, 573.
- Stangerup, S. E., Stangerup, M., Hancke, S. and Dommerby, H. Hepatosplenomegaly in infectious mononucleosis, assessed by ultrasonic scanning. *Orig. Art.*, 573.
- Stansbie, J. M. and Phelps, P. D. Involution of residual juvenile nasopharyngeal angiofibroma. *Clin. Rec.*, 599.
- Steinberg, J. L., Khane, G. J., Fernandes, C. M. C. and Nel, J. P. Anatomy of the recurrent laryngeal nerve: A redescription. *Orig. Art.*, 919.
- Stell, P. M. and Miles, J. B. The place of 'salvage' petrosectomy. *Orig. Art.*, 145.
- Stell, P. M., Cruickshank, A. H. and Stoney, P. Adenoid cystic carcinoma presenting as a mass in the neck. *Clin. Rec.*, 1203.
- Stevens, D. J., Cable, H. R. and Batch, A. G. The relevance of physical signs in recurrent tonsillitis in children. *Orig. Art.*, 1047.
- Stevenson, H. M., Hamilton, J. R. L., Varghese, G. and Shepperd, H. W. H. Tuberculous left vocal cord palsy: a timely reminder. *Clin. Rec.*, 837.
- Stoksted, P. and Ladefoged, C. Crushed cartilage in nasal reconstruction. *Orig. Art.*, 897.
- Stoksted, P., Christensen, P.-H., Koch-Henriksen, N. and Schönsted-Madsen, U. Chronic headache related to nasal obstruction. *Orig. Art.*, 165.
- Stoney, P., Stell, P. M. and Cruickshank, A. H. Adenoid cystic carcinoma presenting as a mass in the neck. *Clin. Rec.*, 1203.
- Sutinen, S., Jokinen, K., Nieminen, P., Tuuponen, T., Salminen, A. and Syrjälä, H. Bronchial changes in airborne tularemia. *Orig. Art.*, 1169.
- Suzuki, M., Yajin, K., Harada, Y., Takumida, M. and Taira, T. Neurilemmoma of the larynx. *Clin. Rec.*, 847.
- Swanston, A. R. and Smelt, G. J. C. A suspicious lump in the neck. *Clin. Rec.*, 483.
- Swift, A. C. and Siegler, J. Intraturbinat Ethanolamine oleate as a method of treatment in chronic non specific rhinitis. *Orig. Art.*, 417.
- Swinburne, L., Kay, N. J. and Terry, R. M. Protease inhibitors in maxillary antral mucosa. *Orig. Art.*, 289.
- Syrjälä, H., Sutinen, S., Jokinen, K., Nieminen, P., Tuuponen, T. and Salminen, A. Bronchial changes in airborne tularemia. *Orig. Art.*, 1169.
- Tagashira, N., Takumida, M. and Harada, Y. Development of the crista ampullaris in the mouse. *Orig. Art.*, 759.
- Taira, T., Suzuki, M., Yajin, K., Harada, Y. and Takumida, M. Neurilemmoma of the larynx. *Clin. Rec.*, 847.
- Takumida, M., Harada, Y. and Tagashira, N. Development of the crista ampullaris in the mouse. *Orig. Art.*, 759.
- Takumida, M., Taira, T., Suzuki, M., Yajin, K. and Harada, Y. Neurilemmoma of the larynx. *Clin. Rec.*, 847.
- Tange, R. A. and Moesker, W. H. Cranial hyperostosis and hearing loss. *Clin. Rec.*, 1187.
- Tankel, J. W. and Cheesman, A. D. Symptom relief by adenoidectomy and relationship to adenoid and post-nasal airway size. *Orig. Art.*, 637.
- Tankel, J. W., Mene, A. and Weighill, J. S. Carcinoid tumour of the larynx. *Clin. Rec.*, 1421.
- Tarawneh, M. S., Jamal, M. N., Dajani, A. M. and Amr, S. S. Idiopathic subcutaneous and laryngeal fibrosis. *Clin. Rec.*, 851.

- Tengblad, A., Engström-Laurent, A. and Laurent, C. Hyaluronic acid in secretory otitis media. *Orig. Art.*, 135.
- Tepan, M. G., Saigal, G. S. and Tilak, S. B. Use of tongue flap in submucous palatal fibrosis. *Orig. Art.*, 455.
- Terry, R. M., Gray, C. and Bird, C. C. Aberrant expression of low molecular weight cytokeratins in primary and secondary squamous carcinoma of the head and neck. *Orig. Art.*, 1283.
- Terry, R. M., Gray, C., Jackson, P. and Bird, C. C. Expression of low molecular weight cytokeratins in the neoplastic vocal cord. *Orig. Art.*, 1279.
- Terry, R. M., Swinburne, L. and Kay, N. J. Protease inhibitors in maxillary antral mucosa. *Orig. Art.*, 289.
- Tilak, S. B., Tepan, M. G. and Saigal, G. S. Use of tongue flap in submucous palatal fibrosis. *Orig. Art.*, 455.
- Tiwari, R., Snow, G. B., Waal, I. v.d. and Ali, S. Incidence of squamous cell carcinoma of the head and neck. *Orig. Art.*, 315.
- Tiwari, R. M. Reconstruction of the partially ablated auricle. *Clin. Rec.*, 929.
- Tiwari, R. M., de Vries, W. A. E. J. and Balm, A. J. M. Intracranial hypertension following neck dissection. *Clin. Rec.*, 1427.
- Tiwari, R. M., Gerritsen, G. J., Balm, A. J. M. and Snow, G. B. A critical evaluation of the role of CT scanning in ethmoidal cancer. *Orig. Art.*, 421.
- Tiwari, R. M., Vuyk, H. D. and Klinkenberg-Knol, E. The role of the upper oesophageal sphincter in voice rehabilitation after laryngectomy and Staffieri's procedure. *Orig. Art.*, 59.
- Tjernström, Ö., Andréasson, L. and Ingelstedt, S. Peristaltic closure of a safety pin. *Orig. Art.*, 385.
- To, S. S. and Das Gupta, A. R. Traumatic neuroma of the internal laryngeal nerve as a cause of severe cough. *Clin. Rec.*, 843.
- Topozada, H. H. and Gaafar, H. A. The effect of Streptomycin and irradiation on Rhinoscleroma. *Orig. Art.*, 809.
- Tos, M. Revision tympanoplasty. *Orig. Art.*, 1097.
- Tucker, A. G., Cowie, J. W. and Pickles, J. M. Computed tomography of vascular middle ear masses. *Orig. Art.*, 405.
- Tumarkin, A. Stereocilia versus kinocilia. Part I. *Orig. Art.*, 1009. Part II. *Orig. Art.*, 1107. Part III. *Orig. Art.*, 1219.
- Tun, T., Cremin, M. D. and Freemont, A. J. An unusual case of laryngeal carcinoma. *Clin. Rec.*, 477.
- Tuuponen, T., Salminen, A., Syrjälä, H., Sutinen, S., Jokinen, K. and Nieminen, P. Bronchial changes in airborne tularemia. *Orig. Art.*, 1169.
- Tveterås, K. and Kristensen, S. Warthin's tumour with bilateral synchronous presentation. *Clin. Rec.*, 487.
- Ulsoe, C., Overgaard, J., Ringsted, J. and Andersen, T. Intracranial glossopharyngeal schwannoma, a tumour imitating an acoustic schwannoma. *Clin. Rec.*, 831.
- Uri, N. and Schuchman, G. The variability of fixation suppression of caloric-induced nystagmus. *Orig. Art.*, 765.
- Uri, N. and Schuchman, G. Vestibular abnormalities in patients with Bell's palsy. *Orig. Art.*, 1125.
- Valk, J., Snow, G. B., de Vries, N. and Versluis, R. J. J. Facial nerve paralysis following embolization for severe epistaxis. *Clin. Rec.*, 207.
- Valtonen, H., Nuutinen, J., Kärjä, J. and Collan, Y. Congenital dermoid cysts of the tongue. *Clin. Rec.*, 965.
- Varghese, G., Shepperd, H. W. H., Stevenson, H. M. and Hamilton, J. R. L. Tuberculous left vocal cord palsy: a timely reminder. *Clin. Rec.*, 837.
- Vartiainen, E., Kärjä, J. and Härmä, R. Re-operation after failure of surgery for chronic ears. *Orig. Art.*, 1027.
- Vartiainen, E., Kärjä, J. and Karjalainen, S. Surgery of chronic otitis media in young patients. *Orig. Art.*, 515.
- Vartiainen, E., Karjalainen, S. and Kärjä, J. Post-operative evaluation of chronic otitis media caused by pseudomonas aeruginosa. *Orig. Art.*, 141.
- Velander, B., Humaidan, P., Manthorpe, R. and Rasmussen, N. Behçet's Disease. *Clin. Rec.*, 367.
- Verma, K., Narayan, P., Sooknundun, M., Kacker, S. K. and Kapila, K. Oral malignant melanoma. *Clin. Rec.*, 371.
- Versluis, R. J. J., Valk, J., Snow, G. B. and de Vries, N. Facial nerve paralysis following embolization for severe epistaxis. *Clin. Rec.*, 207.
- Vinding, T. and Stage, J. Metal spark perforation of the tympanic membrane with deafness and facial paralysis. *Clin. Rec.*, 699.
- Visonà, A., Ferlito, A. and Recher, G. Laryngeal cancer metastatic to lymph nodes with lymphocytic leukaemia. *Clin. Rec.*, 233.
- von Haacke, N., Sene, A., Croft, C. and Stafford, N. The treatment of recurrent tonsillitis in adults. *Orig. Art.*, 175.
- Vuyk, H. D., Klinkenberg-Knol, E. and Tiwari, R. M. The role of the upper oesophageal sphincter in voice rehabilitation after laryngectomy and Staffieri's procedure. *Orig. Art.*, 59.
- Waal, I. v.d., Ali, S., Tiwari, R. and Snow, G. B. Incidence of squamous cell carcinoma of the head and neck. *Orig. Art.*, 315.

- Wackym, P. A., Gray, G. F., Jr. and Avant, G. R. Herpes zoster of the larynx after intubational trauma. *Clin. Rec.*, 839.
- Wackym, P. A., Gray, G. F., Jr., Rosenfeld, L. and Friedmann, I. Papillary cystic oncocyoma and Warthin's tumour of the parotid gland. *Orig. Art.*, 679.
- Walby, A. P. and Kerr, A. G. Hearing in patients with blast lung. *Orig. Art.*, 411.
- Waldron, J. and Youngs, R. P. Respiratory arrest produced by anticoagulant-induced haemorrhage into parapharyngeal space. *Clin. Rec.*, 857.
- Waldron, J., Baer, S., Randall, C., Stafford, N. and Youngs, R. Obstructive sleep apnoea in association with retrosternal goitre and acromegaly. *Clin. Rec.*, 861.
- Warwick-Brown, N. P. and Richards, A. E. S. Perichondritis of the ear following acupuncture. *Clin. Rec.*, 1177.
- Warwick-Brown, N. P., Richards, A. E. S. and Cheesman, A. D. Epigottopexy: a modification using additional hyoid suspension. *Orig. Art.*, 1155.
- Warwick-Brown, N. P., Richards, A. E. S. and Cheesman, A. D. Glomus vagale: an unusual presentation. *Clin. Rec.*, 1205.
- Warwick-Brown, N. P., Richards, A. E. S. and Cheesman, A. D. Radical surgical treatment for extensive chronic fronto-ethmoidal sinusitis. *Clin. Rec.*, 1323.
- Watanabe, Y., Arao, H. and Nakashima, T. Computed tomographic evaluation of multiple mucocoeles of paranasal sinuses. *Orig. Art.*, 1139.
- Webber, P. A. and Hussain, S. S. M. Late reactions of skin prick test in allergy. *Clin. Rec.*, 377.
- Webber, P. A., Hussain, S. S. M. and Radcliffe, G. J. Cartilaginous neoplasms of the head and neck. *Clin. Rec.*, 615.
- Weighill, J. S., Jones, P. H. and Farrington, W. T. Post-cricoid carcinoma. *Orig. Art.*, 79.
- Weighill, J. S., Jones, P. H. and Farrington, W. T. Surgical salvage in postcricoid cancer. *Orig. Art.*, 85.
- Weighill, J. S., Jones, P. H. and Farrington, W. T. Total laryngectomy for cancer of the larynx. *Orig. Art.*, 53.
- Weighill, J. S., Proops, D. W., Jeffries, D. and Brandrick, J. Pain relief following tonsillectomy. *Orig. Art.*, 307.
- Weighill, J. S., Tankel, J. W. and Mene, A. Carcinoid tumour of the larynx. *Clin. Rec.*, 1421.
- Weiner, J. M. and Bailey, Q. R. Middle ear adenoma. *Clin. Rec.*, 467.
- Welch, A. R. and Stafford, F. W. The use of Acyclovir in Ramsay Hunt Syndrome. *Clin. Rec.*, 337.
- Wells, S. C. Chlamydia trachomatis as an aetiological agent of 'glue ear' infections in children. *Orig. Art.*, 1341.
- Wickham, M. H. and Raj, T. B. The effect of benzydamine hydrochloride (diffiam) spray on post-tonsillectomy symptoms. *Orig. Art.*, 303.
- Williams, D. C. Encephalocele of the middle ear. *Clin. Rec.*, 471.
- Williams, D. C. and Keene, M. H. Perilymph leak from the fissula ante fenestram. *Clin. Rec.*, 707.
- Williams, K. R., Portmann, M., Blayney, A. W. and Bebear, J.-P. Ceravital © in ossiculoplasty: experimental studies and early clinical results. *Orig. Art.*, 1359.
- Williams, S. R. and Albert, D. M. Clinical and anatomical considerations of the Tobey-Ayer test in lateral sinus thrombosis. *Clin. Rec.*, 1311.
- Wilner, H., Jacobs, J. R. and Bhansali, S. Arterial embolization for control of bleeding in advanced head and neck carcinoma. *Orig. Art.*, 1289.
- Wolff, L. and Samuel, J. Oto-laryngeal histoplasmosis. *Orig. Art.*, 587.
- Wolfson, S., Sachs, Z., Levit, I., Abraham, S. and Sadé, J. The infant's eustachian tube lumen: The pharyngeal part. *Orig. Art.*, 129.
- Wong, K., Slack, R. W. T. and Soucek, S. O. Sonotubometry in the investigation of objective tinnitus and palatal myoclonus. *Orig. Art.*, 529.
- Wright, A. and Yung, M. W. An improved morphological technique for the study of cochleotoxicity in guinea pigs. *Orig. Art.*, 1235.
- Xenellis, J., Morrison, A. W., McClowskey, D. and Festerstein, H. HLA antigens in the pathogenesis of Menière's disease. *Orig. Art.*, 21.
- Yajin, K., Harada, Y., Takumida, M., Taira, T. and Suzuki, M. Neurilemmoma of the larynx. *Clin. Rec.*, 847.
- Yazdanie, N., Bickerton, R. C. and Milton, C. M. Prosthetic management following bilateral total or subtotal maxillectomy. *Orig. Art.*, 1145.
- Ylikoski, J. Light and electron microscopic findings in a case of small acoustic schwannoma (associated with a schwannoma of the facial nerve). *Orig. Art.*, 785.
- Youngs, R. and Bagley, J. Sphenoidal sinusitis secondary to malignant external otitis. *Clin. Rec.*, 341.
- Youngs, R., Waldron, J., Baer, S., Randall, C. and Stafford, N. Obstructive sleep apnoea in association with retrosternal goitre and acromegaly. *Clin. Rec.*, 861.
- Youngs, R. P. and Waldron, J. Respiratory arrest produced by anticoagulant-induced haemorrhage into parapharyngeal space. *Clin. Rec.*, 857.
- Younus, M. Leprosy in ENT. *Clin. Rec.*, 1443.

Yung, M. W. and Wright, A. An improved morphological technique for the study of cochleotoxicity in guinea pigs. *Orig. Art.*, 1235.

Zakzouk, M. S. The congenital warfarin syndrome. *Clin. Rec.*, 215.

Zakzouk, M. S., Ramsay, A. D. and Buchanan, G. Merkel cell tumour of the skin. *Orig. Art.*, 561.

GENERAL

Aberrent expression of low molecular weight cytokeratins in primary and secondary squamous carcinoma of the head and neck—R. M. Terry, C. Gray and C. C. Bird. *Orig. Art.*, 1283.

Acinic cell carcinoma of the nasal cavity: Electron-optic and immunohistochemical observations—N. G. Ordóñez and J. G. Batsakis. *Clin. Rec.*, 345.

Acoustic neuroma. The caloric response in the contralateral ear in—M. V. Kirtane, S. N. Merchant and S. B. Medikeri. *Orig. Art.*, 267.

Acoustic schwannoma, A tumour imitating an. Intracranial glossopharyngeal schwannoma,—T. Andersen, C. Ulsoe, J. Overgaard and J. Ringsted. *Clin. Rec.*, 831.

Acoustic schwannoma. Light and electron microscopic findings in a case of small, (associated with a schwannoma of the facial nerve)—J. Ylikoski. *Orig. Art.*, 785.

Acromegaly. Obstructive sleep apnoea in association with retrosternal goitre and—N. Stafford, R. Youngs, J. Waldron, S. Baer and C. Randall. *Clin. Rec.*, 861.

Acupuncture. Perichondritis of the ear following—N. P. Warwick-Brown and A. E. S. Richards. *Clin. Rec.*, 1177.

Acute bilateral total deafness complicating mumps—S. Bitnun, Y. Rakover and G. Rosen. *Clin. Rec.*, 943.

Acute epiglottitis in children in the tropics. A comparison of endotracheal intubation and tracheostomy in the management of—O. Odetoyinbo. *Orig. Art.*, 1273.

Acute otitis media in the chinchilla animal model, Middle-ear effusions following—R. Mills and J. Gilsdorf. *Orig. Art.*, 255.

Acute supraglottic laryngitis in adults—G. S. Hanna. *Clin. Rec.*, 971.

Acute systemic lupus erythematosus, Crico-arytenoid joint involvement in—J. W. A. Curley, M. A. Byron and G. J. Bates. *Clin. Rec.*, 727.

Acyclovir in Ramsay Hunt Syndrome. The use of—F. W. Stafford and A. R. Welch. *Clin. Rec.*, 337.

Adenocarcinoma, Salivary duct.; a high grade malignancy—K. K. Hui, J. G. Batsakis, M. A. Luna, B. Mackay and R. M. Byers. *Orig. Art.*, 105.

Adenoid cystic carcinoma presenting as a mass in the neck—P. M. Stell, A. H. Cruickshank and P. Stoney. *Clin. Rec.*, 1203.

Adenoidectomy and relationship to adenoid and post-nasal airway size, Symptom relief by—J. W. Tankel and A. D. Cheesman. *Orig. Art.*, 637.

Adenoma, Middle ear—Q. R. Bailey and J. M. Weiner. *Clin. Rec.*, 467.

Adenomas, Aural sebaceous—R. M. Raizada and N. U. Khan. *Clin. Rec.*, 1413.

Aetiological agent of 'glue ear' infections in children, Chlamydia trachomatis as an—S. C. Wells. *Orig. Art.*, 1341.

Ageing (presbyastasis), Dysequilibrium of—A. Belal, Jr. and A. Glorig. *Orig. Art.*, 1037.

Airborne Tularemia, Bronchial changes in—H. Syrjälä, S. Sutinen, K. Jokinen, P. Nieminen, T. Tuuponen and A. Salminen. *Orig. Art.*, 1169.

Airway obstruction. The use of mini-tracheostomy and high frequency jet ventilation in the management of acute—S. J. Squires and M. C. Frampton. *Clin. Rec.*, 1199.

Allergy. Late reactions of skin prick test in—S. S. M. Hussain and P. A. Webber. *Clin. Rec.*, 377.

Amyloidosis of the larynx, Laser treatment of primary—J. C. McIlwain and H. W. H. Shepperd. *Clin. Rec.*, 1079.

Analgesia. Syrup formulations for post-tonsillectomy—D. A. Parker, K. P. Gibbin and R. M. Noyelle. *Orig. Art.*, 1055.

Analysis of 102 cases of Polytef injection of the vocal cord. An—A. G. D. Maran, P. F. Hardcastle, A. Hamid and I. J. Mackenzie. *Orig. Art.*, 47.

Anatomical considerations of the Tobey-Ayer test in lateral sinus thrombosis, Clinical and—D. M. Albert and S. R. Williams. *Clin. Rec.*, 1311.

Anatomy of the recurrent laryngeal nerve: A redescription—J. L. Steinberg, G. J. Khane, C. M. C. Fernandes and J. P. Nel. *Orig. Art.*, 919.

Angiofibroma. Involution of residual juvenile nasopharyngeal—J. M. Stansbie and P. D. Phelps. *Clin. Rec.*, 599.

Angiofibroma treated by radiotherapy. Juvenile nasopharyngeal—A. Benghiat. *Clin. Rec.*, 351.

- Anticoagulant-induced haemorrhage into parapharyngeal space, Respiratory arrest produced by—J. Waldron and R. P. Youngs. *Clin. Rec.*, 857.
- Antifungal agents in otomycosis, Broad spectrum—A. Bassiouny, T. Kamel, M. K. Moawad and D. S. Hindawy. *Orig. Art.*, 867.
- Antrostomies, The design and function of intranasal—V. J. Lund. *Orig. Art.*, 35.
- Aphthous ulceration of the mouth, Inheritance of recurrent—C. Nsamba and S. K. Kaluskar. *Clin. Rec.*, 361.
- Apnoea in association with retrosternal goitre and acromegaly, Obstructive sleep—N. Stafford, R. Youngs, J. Waldron, S. Baer and C. Randall. *Clin. Rec.*, 861.
- Acquired laryngo-pharyngeal fistula—M. Hirano and H. Ohkubo. *Clin. Rec.*, 719.
- Arterial embolization for control of bleeding in advanced head and neck carcinoma—S. Bhansali, H. Wilner and J. R. Jacobs. *Orig. Art.*, 1289.
- Aspergillosis of the paranasal sinuses—P. J. Robb. *Clin. Rec.*, 1071.
- Asymptomatic lead-exposed subjects, Auditory brainstem evoked potentials in—Y. Holdstein, H. Pratt, M. Goldsher, G. Rosen, R. Shenhav, S. Linn, A. Mor and A. Barkai. *Orig. Art.*, 1031.
- Atresia of the posterior nasal choanae, Experience with bilateral congenital—C. A. J. Prescott. *Orig. Art.*, 1255.
- Audiometry and electronystagmographic findings in chronic toxic encephalopathy (chronic painter's syndrome) Brain-stem response—P. Poulsen and J. H. Jensen. *Orig. Art.*, 155.
- Auditory brain stem evoked potentials in patients suffering from peripheral facial nerve palsy and diabetes mellitus—J. Ben-David, R. Gertner, L. Podoshin, M. Fradis, H. Pratt and A. Rabina. *Orig. Art.*, 629.
- Auditory brainstem evoked potentials in asymptomatic lead-exposed subjects—Y. Holdstein, H. Pratt, M. Goldsher, G. Rosen, R. Shenhav, S. Linn, A. Mor and A. Barkai. *Orig. Art.*, 1031.
- Aural sebaceous adenomas—R. M. Raizada and N. U. Khan. *Clin. Rec.*, 1413.
- Auricle, Reconstruction of the partially ablated—R. M. Tiwari. *Clin. Rec.*, 929.
- Basal cell carcinoma syndrome, The nevoid—H. Lindeberg, J. U. Felding and J. Skov. *Clin. Rec.*, 1181.
- Basilar artery ectasia: A rare cause of sensorineural deafness—J. B. Campbell, K. Pearman and S. S. Nahl. *Clin. Rec.*, 333.
- Batteries as foreign bodies in the nose and ear, The hazards of 'button-sized'—D. W. Skinner and P. Chui. *Clin. Rec.*, 1315.
- Behçet's Disease—P. Humaidan, R. Manthorpe, N. Rasmussen and B. Velandar. *Clin. Rec.*, 367.
- Bell's palsy, Vestibular abnormalities in patients with—N. Uri and G. Schuchman. *Orig. Art.*, 1125.
- Benign osteoblastoma of the nasal bones—M. Sooknundun, S. K. Kacker and K. Kapila. *Clin. Rec.*, 229.
- Benzydamine hydrochloride (difflam) spray on post-tonsillectomy symptoms, The effect of—T. B. Raj and M. H. Wickham. *Orig. Art.*, 303.
- Bilateral congenital atresia of the posterior nasal choanae, Experience with—C. A. J. Prescott. *Orig. Art.*, 1255.
- Bilateral oval window fistulae with recurrent meningitis—J. J. Philipps. *Clin. Rec.*, 329.
- Bilateral synchronous presentation, Warthin's tumour with—K. Tveterås and S. Kristensen. *Clin. Rec.*, 487.
- Bilateral total deafness complicating mumps, Acute—S. Bitnun, Y. Rakover and G. Rosen. *Clin. Rec.*, 943.
- Bilateral total or subtotal maxillectomy, Prosthetic management following—C. M. Milton, N. Yazdanie and R. C. Bickerton. *Orig. Art.*, 1145.
- Bipedicled tubed flap, Repair of pharyngo-cutaneous fistula using a—M. S. Shanmugham. *Clin. Rec.*, 493.
- Black ear without frostbite, A—M. J. Atkins, R. S. Dawkins and I. W. Glick. *Clin. Rec.*, 1061.
- Blast lung, hearing in patients with—A. P. Walby and A. G. Kerr. *Orig. Art.*, 411.
- Bleeding in advanced head and neck carcinoma, Arterial embolization for control of—S. Bhansali, H. Wilner and J. R. Jacobs. *Orig. Art.*, 1289.
- Brainstem auditory evoked responses in experimental diabetes mellitus, delayed—N. Buller, N. Laurian, I. Shvili and L. Laurian. *Orig. Art.*, 883.
- Brain-stem response audiometry and electronystagmographic findings in chronic toxic encephalopathy (chronic painter's syndrome)—P. Poulsen and J. H. Jensen. *Orig. Art.*, 155.
- Branchial cleft anomalies, Pre-auricular fistula communicating with the external auditory meatus, combined with second—N. K. Skau and K. D. Eriksen. *Clin. Rec.*, 203.
- Branchial sinuses, Heterotopic salivary tissue and—J. Shvero, T. Hadar, I. Avidor, A. Abraham and J. Sidi. *Clin. Rec.*, 243.
- Branchiogenic carcinoma—or cystic lymph node metastasis—D. G. Carrick, W. I. Jones and A. El Sharkawi. *Clin. Rec.*, 1089.
- Broad spectrum antifungal agents in otomycosis—A. Bassiouny, T. Kamel, M. K. Moawad and D. S. Hindawy. *Orig. Art.*, 867.
- Bronchial changes in airborne tularemia—H. Syrjälä, S. Sutinen, K. Jokinen, P. Nieminen, T. Tuuponen and A. Salminen. *Orig. Art.*, 1169.
- Butterfly chart, Experiences with the—M. V. Kirtane, S. N. Merchant and S. B. Medikeri. *Orig. Art.*, 157.
- Calciferol deficiency, Hearing-loss and—J. Irwin. *Orig. Art.*, 1245.

- Caloric-induced nystagmus, The variability of fixation suppression of—G. Schuchman and N. Uri. *Orig. Art.*, 765.
- Caloric response in the contralateral ear in acoustic neuroma, The—M. V. Kirtane, S. N. Merchant and S. B. Medikeri. *Orig. Art.*, 267.
- Cancer, ethmoidal, A critical evaluation of the role of CT scanning in—R. M. Tiwari, G. J. Gerritsen, A. J. M. Balm and G. B. Snow. *Orig. Art.*, 421.
- Cancer, head and neck, Serum phosphohexose isomerase levels in patients with—H. Goel, G. S. Kohli and H. Lal. *Orig. Art.*, 581.
- Cancer, laryngeal, Multiple primary tumours in—N. de Vries and G. B. Snow. *Orig. Art.*, 915.
- Cancer metastatic to lymph nodes with lymphocytic leukaemia, Laryngeal—A. Ferlito, G. Recher and A. Visonà. *Clin. Rec.*, 233.
- Cancer of the larynx, Total laryngectomy for—W. T. Farrington, J. S. Weighill and P. H. Jones. *Orig. Art.*, 53.
- Cancer surgery, Reconstruction of the cheek after—D. S. Grewal. *Orig. Art.*, 817.
- Cancer, Surgical salvage in postcricoid—P. H. Jones, W. T. Farrington and J. S. Weighill. *Orig. Art.*, 85.
- Carbon Dioxide laser surgery in the oral cavity and pharynx, A review of—P. H. Rhys-Evans, J. W. Frame and J. Brandrick. *Orig. Art.*, 69.
- Carcinoid tumour of the larynx—J. S. Weighill, J. W. Tankel and A. Mene. *Clin. Rec.*, 1421.
- Carcinoma, Acinic cell, of the nasal cavity: Electron-optic and immunohistochemical observations—N. G. Ordonez and J. G. Batsakis. *Clin. Rec.*, 345.
- Carcinoma, An unusual case of laryngeal—M. D. Cremin, A. J. Freemont and T. Tun. *Clin. Rec.*, 477.
- Carcinoma, Arterial embolization for control of bleeding in advanced head and neck—S. Bhansali, H. Wilner and J. R. Jacobs. *Orig. Art.*, 1289.
- Carcinoma, Branchiogenic,—or cystic lymph node metastasis—D. G. Carrick, W. I. Jones and A. El Sharkawi. *Clin. Rec.*, 1089.
- Carcinoma following short term tracheostomy in childhood, Tracheal—J. H. Phipps, S. Horslen and F. J. F. Madden. *Clin. Rec.*, 977.
- Carcinoma of the head and neck, Aberrant expression of low molecular weight cytokeratins in primary and secondary squamous—R. M. Terry, C. Gray and C. C. Bird. *Orig. Art.*, 1283.
- Carcinoma of the head and neck, Incidence of squamous cell—S. Ali, R. Tiwari, G. B. Snow and I. v.d. Waal. *Orig. Art.*, 315.
- Carcinoma of the minor salivary glands, Duct—C. Pesce, R. Colacino and P. Buffa. *Clin. Rec.*, 611.
- Carcinoma, post-cricoid—W. T. Farrington, J. S. Weighill and P. H. Jones. *Orig. Art.*, 79.
- Carcinoma syndrome, The nevoid basal cell—H. Lindeberg, J. U. Felding and J. Skov. *Clin. Rec.*, 1181.
- Carcinoma with preservation of the larynx, Pharyngectomy for post-cricoid—F. W. Stafford and D. B. Mathias. *Orig. Art.*, 1385.
- Cartilage in nasal reconstruction, Crushed—P. Stoksted and C. Ladefoged. *Orig. Art.*, 897.
- Cartilaginous neoplasms of the head and neck—P. A. Webber, S. S. M. Hussain and G. J. Radcliffe. *Clin. Rec.*, 615.
- Catheters, Pneumatic nasal—S. Elwany, T. Kamel and A. Mekhamer. *Orig. Art.*, 641.
- Cervical © in ossiculoplasty: experimental studies and early clinical results—A. W. Blayney, J.-P. Bebear, K. R. Williams and M. Portmann. *Orig. Art.*, 1359.
- Cervical spine, Osteochondroma of the—O. G. Nielsen, L. Gadegaard and A. Fogh. *Clin. Rec.*, 733.
- Cervical sympathetic chain presenting with Horner's syndrome, Neurofibroma of the—R. W. Ruckley and R. L. Blair. *Clin. Rec.*, 1433.
- Cheek after cancer surgery, Reconstruction of the—D. S. Grewal. *Orig. Art.*, 817.
- Cheek and infratemporal fossa, Intracranial penetration of a nail from nailing gun through—J. Luotonen. *Clin. Rec.*, 247.
- Chemodectoma of the larynx—G. S. Hanna and M. H. Ali. *Clin. Rec.*, 1081.
- Child, Marble bone disease in a—J. N. Chaudhuri, S. Banerjee, B. R. Kashnia, P. Chatterji and N. K. Soni. *Clin. Rec.*, 935.
- Childhood chronic secretory otitis media, Current conservative treatment of—J. R. Cherry. *Orig. Art.*, 1019.
- Childhood tonsillectomy and discharge after 24 hours—R. C. D. Herdman and G. J. Bates. *Orig. Art.*, 1053.
- Childhood, Tracheal carcinoma following short term tracheostomy in—J. H. Phipps, S. Horslen and F. J. F. Madden. *Clin. Rec.*, 977.
- Children, Chlamydia trachomatis as an aetiological agent of 'glue ear' infections in—S. C. Wells. *Orig. Art.*, 1341.
- Children in the tropics, A comparison of endotracheal intubation and tracheostomy in the management of acute epiglottitis in—O. Odetoyinbo. *Orig. Art.*, 1273.
- Children, Subglottic haemangioma in—D. I. Choa, M. C. F. Smith, J. N. G. Evans and C. M. Bailey. *Orig. Art.*, 447.
- Children, The relevance of physical signs in recurrent tonsillitis in—H. R. Cable, A. G. Batch and D. J. Stevens. *Orig. Art.*, 1047.

- Chinchilla animal model, Middle-ear effusions following acute otitis media in the—R. Mills and J. Gilsdorf. *Orig. Art.*, 255.
- Chlamydia tracheomatis as an aetiological agent of 'glue ear' infections in children—S. C. Wells. *Orig. Art.*, 1341.
- Choanal atresia: Early management and an association with marble bone disease—A. A. Narula and A. G. Ambegaokar. *Clin. Rec.*, 959.
- Choanal atresia, Trans-septal approach to unilateral posterior—W. A. McIntosh. *Orig. Art.*, 1133.
- Cholesteatoma formation, The migration theory of—G. M. O'Donoghue. *Orig. Art.*, 395.
- Cholesteatoma in association with congenital abnormalities of the ear, The development of—R. Mills and M. Graham. *Clin. Rec.*, 1063.
- Cholesteatoma surgery as related to middle-ear aeration, results of preservation of the posterior canal wall in—J. Sadé, E. Berco and C. Fuchs. *Orig. Art.*, 1351.
- Cholesteatoma, Surgical management of labyrinthine fistula with—P. K. Gormley. *Orig. Art.*, 1115.
- Chordomas in the Mersey Region, Craniocervical—N. L. Ataya. *Orig. Art.*, 1391.
- Chronic atrophic rhinitis, Surgical treatment of primary—M. Shehata and Y. Dogheim. *Orig. Art.*, 803.
- Chronic ears, Re-operation after failure of surgery for—E. Vartiainen, J. Kärjä and R. Härmä. *Orig. Art.*, 1027.
- Chronic fronto-ethmoidal sinusitis, radical surgical treatment for extensive—N. P. Warwick-Brown, A. E. S. Richards and A. D. Cheesman. *Clin. Rec.*, 1323.
- Chronic headache related to nasal obstruction—U. Schønsted-Madsen, P. Stoksted, P.-H. Christensen and N. Koch-Henriksen. *Orig. Art.*, 165.
- Chronic non specific rhinitis, Intratubinate Ethanolamine oleate as a method of treatment in—A. C. Swift and J. Siegler. *Orig. Art.*, 417.
- Chronic otitis media caused by pseudomonas aeruginosa, Postoperative evaluation of—E. Vartiainen, S. Karjalainen and J. Kärjä. *Orig. Art.*, 141.
- Chronic otitis media in young patients, Surgery of—E. Vartiainen, J. Kärjä and S. Karjalainen. *Orig. Art.*, 515.
- (Chronic painter's syndrome), Brain-stem response audiometry and electronystagmographic findings in chronic toxic encephalopathy—P. Poulsen and J. H. Jensen. *Orig. Art.*, 155.
- Chronic pulmonary disease, Vallecular papilloma simulating—N. Bartal and M. Puterman. *Clin. Rec.*, 1195.
- Chronic secretory otitis media, Current conservative treatment of childhood—J. R. Cherry. *Orig. Art.*, 1019.
- Chronic suppurative otitis media, A complication of, Round window membrane perforation—D. S. Grewal and D. D. Shah. *Clin. Rec.*, 1307.
- Chronic toxic encephalopathy (chronic painter's syndrome), Brain-stem response audiometry and electronystagmographic findings in—P. Poulsen and J. H. Jensen. *Orig. Art.*, 155.
- Cisplatin in the guinea pig organ of Corti, Early morphological and chemical changes induced by—S. D. Comis, P. H. Rhys-Evans, M. P. Osborne, J. O. Pickles, D. J. R. Jeffries and H. A. C. Pearse. *Orig. Art.*, 1375.
- Cisternography, Localisation of a CSF fistula by metrizamide CT—J. Luotonen, K. Jokinen and J. Laitinen. *Clin. Rec.*, 955.
- Clinical and anatomical considerations of the Tobey-Ayer test in lateral sinus thrombosis—D. M. Albert and S. R. Williams. *Clin. Rec.*, 1311.
- Cocaine, Intranasal topical, Moffett's method or topical cocaine paste?—R. E. Quiney. *Orig. Art.*, 279.
- Cochleotoxicity in guinea pigs, An improved morphological technique for the study of—M. W. Yung and A. Wright. *Orig. Art.*, 1235.
- Comparison of endotracheal intubation and tracheostomy in the management of acute epiglottitis in children in the tropics, A—O. Odetoyinbo. *Orig. Art.*, 1273.
- Computed tomographic evaluation of multiple mucocoeles of paranasal sinuses—T. Nakashima, Y. Watanabe and H. Arao. *Orig. Art.*, 1139.
- Computed tomography of vascular middle-ear masses—J. M. Pickles, A. G. Tucker and J. W. Cowie. *Orig. Art.*, 405.
- Computerized axial tomography of the nose, paranasal sinuses, nasopharynx and pterygoid regions—A. P. Singh, U. Prasad, J. Singh and R. K. Gupta. *Orig. Art.*, 907.
- Congenital abnormalities of the ear, The development of cholesteatoma in association with—R. Mills and M. Graham.—*Clin. Rec.*, 1063.
- Congenital atresia of the posterior nasal choanae, Experience with bilateral—C. A. J. Prescott. *Orig. Art.*, 1255.
- Congenital dermoid cysts of the tongue—H. Valtonen, J. Nuutinen, J. Kärjä and Y. Collan. *Clin. Rec.*, 965.
- Congenital mid-line sinus of the dorsum of the nose—M. Sooknundun, R. C. Deka, S. K. Kacker and K. Kapila. *Clin. Rec.*, 1319.
- Congenital warfarin syndrome, The—M. S. Zakzouk. *Clin. Rec.*, 215.
- Contraceptive pill, Sudden deafness and the—G. S. Hanna. *Clin. Rec.*, 701.
- Contralateral ear in acoustic neuroma, The caloric response in the—M. V. Kirtane, S. N. Merchant and S. B. Medikeri. *Orig. Art.*, 267.
- Correction of subglottic stenosis, The long-term results of hyoid-sternohyoid grafts in the—A. P. Freeland. *Orig. Art.*, 665.

- Corti, organ of, Early morphological and chemical changes induced by cisplatin in the guinea pig—S. D. Comis, P. H. Rhys-Evans, M. P. Osborne, J. O. Pickles, D. J. R. Jeffries and H. A. C. Pearse. *Orig. Art.*, 1375.
- Cough, Traumatic neuroma of the internal laryngeal nerve as a cause of severe—S. S. To and A. R. Das Gupta. *Clin. Rec.*, 843.
- Cranial hyperostosis and hearing loss—W. H. Moesker and R. A. Tange. *Clin. Rec.*, 1187.
- Cranio-cervical chordomas in the Mersey Region—N. L. Ataya. *Orig. Art.*, 1391.
- Crico-arytenoid joint involvement in acute systemic lupus erythematosus—J. W. A. Curley, M. A. Byron and G. J. Bates. *Clin. Rec.*, 727.
- Crista ampullaris in the mouse, Development of the—M. Takumida, Y. Harada and N. Tagashira. *Orig. Art.*, 759.
- Critical evaluation of the role of CT scanning in ethmoidal cancer, A—R. M. Tiwari, G. J. Gerritsen, A. J. M. Balm and G. B. Snow. *Orig. Art.*, 421.
- Crosslinks between stereocilia in hair cells of the human and guinea pig vestibular labyrinth—D. J. Jeffries, J. O. Pickles, M. P. Osborne, P. H. Rhys-Evans and S. D. Comis. *Orig. Art.*, 1367.
- Crushed cartilage in nasal reconstruction—P. Stoksted and C. Ladefoged. *Orig. Art.*, 897.
- Cryosurgical treatment of tonsillar hypertrophy in children—U. Almqvist. *Orig. Art.*, 311.
- CSF fistula by metrizamide CT cisternography, Localisation of a—J. Luotonen, K. Jokinen and J. Laitinen. *Clin. Rec.*, 955.
- CT cisternography, Localisation of a CSF fistula by metrizamide—J. Luotonen, K. Jokinen and J. Laitinen. *Clin. Rec.*, 955.
- CT scanning in ethmoidal cancer, A critical evaluation of the role of—R. M. Tiwari, G. J. Gerritsen, A. J. M. Balm and G. B. Snow. *Orig. Art.*, 421.
- Current conservative treatment of childhood chronic secretory otitis media—J. R. Cherry. *Orig. Art.*, 1019.
- Cystic lymph node metastasis, Branchiogenic carcinoma—D. G. Carrick, W. I. Jones and A. El Sharkawi. *Clin. Rec.*, 1089.
- Cysts of the tongue, Congenital dermoid—H. Valtonen, J. Nuutinen, J. Kärjä and Y. Collan. *Clin. Rec.*, 965.
- Cytokeratins in primary and secondary squamous carcinoma of the head and neck, Aberrant expression of low molecular weight—R. M. Terry, C. Gray and C. C. Bird. *Orig. Art.*, 1283.
- Cytokeratins in the neoplastic vocal cord, Expression of low molecular weight—R. M. Terry, C. Gray, P. Jackson and C. C. Bird. *Orig. Art.*, 1279.
- Deafness, A rare cause of sensorineural, Basilar artery ectasia—J. B. Campbell, K. Pearman and S. S. Nahl. *Clin. Rec.*, 333.
- Deafness and facial paralysis, Metal spark perforation of the tympanic membrane with—J. Stage and T. Vinding. *Clin. Rec.*, 699.
- Deafness and the contraceptive pill, Sudden—G. S. Hanna. *Clin. Rec.*, 701.
- Deafness complicating mumps, Acute bilateral total—S. Bitnun, Y. Rakover and G. Rosen. *Clin. Rec.*, 943.
- Deafness, sensorineural, Plasma exchange in the treatment of immune complex-associated—G. B. Brookes and A. C. Newland. *Orig. Art.*, 25.
- Delayed brainstem auditory evoked responses in experimental diabetes mellitus—N. Buller, N. Laurian, I. Shvili and L. Laurian. *Orig. Art.*, 883.
- Denervation on primate laryngeal muscles, Effect of, a morphologic and morphometric study—V. Sahgal and M. H. Hast. *Orig. Art.*, 553.
- Dermoid cysts of the tongue, Congenital—H. Valtonen, J. Nuutinen, J. Kärjä and Y. Collan. *Clin. Rec.*, 965.
- Design and function of intranasal antrostomies, The—V. J. Lund. *Orig. Art.*, 35.
- Developing countries, A new suspension device for laryngeal endoscopy in—T. G. A. Ijaduola. *Orig. Art.*, 659.
- Development of cholesteatoma in association with congenital abnormalities of the ear, The—R. Mills and M. Graham. *Clin. Rec.*, 1063.
- Development of the crista ampullaris in the mouse—M. Takumida, Y. Harada and N. Tagashira. *Orig. Art.*, 759.
- Diabetes mellitus, Auditory brain stem evoked potentials in patients suffering from peripheral facial nerve palsy and—J. Ben-David, R. Gertner, L. Podoshin, M. Fradis, H. Pratt and A. Rabina. *Orig. Art.*, 629.
- Diabetes mellitus, Delayed brainstem auditory evoked responses in experimental—N. Buller, N. Laurian, I. Shvili and L. Laurian. *Orig. Art.*, 883.
- Dorsum of the nose, Congenital mid-line sinus of the—M. Sooknundun, R. C. Deka, S. K. Kacker and K. Kapila. *Clin. Rec.*, 1319.
- Duct carcinoma of the minor salivary glands—C. Pesce, R. Colacino and P. Buffa. *Clin. Rec.*, 611.
- Dysequilibrium of ageing (presbyastasis)—A. Belal, Jr. and A. Glorig. *Orig. Art.*, 1037.
- Ear, An onion in your—D. N. Brooks. *Orig. Art.*, 1043.
- Ear following acupuncture, Perichondritis of the—N. P. Warwick-Brown and A. E. S. Richards. *Clin. Rec.*, 1177.

- Ear protection against water-borne infection—K. Laitakari, M. Sorri, T. Pirilä, H. Löppönen and L. Helisten. *Orig. Art.*, 1337.
- Ear syringing model, A new—M. E. Bradley. *Orig. Art.*, 635.
- Ear, The development of cholesteatoma in association with congenital abnormalities of the—R. Mills and M. Graham. *Clin. Rec.*, 1063.
- Ear, The hazards of 'button-sized' batteries as foreign bodies in the nose and—D. W. Skinner and P. Chui. *Clin. Rec.*, 1315.
- Early morphological and chemical changes induced by cisplatin in the guinea pig organ of Corti—S. D. Comis, P. H. Rhys-Evans, M. P. Osborne, J. O. Pickles, D. J. R. Jeffries and H. A. C. Pearse. *Orig. Art.*, 1375.
- Ears, Re-operation after failure of surgery for chronic—E. Vartiainen, J. Kärjä and R. Härmä. *Orig. Art.*, 1027.
- Effect of benzydamine hydrochloride (difflam) spray on post-tonsillectomy symptoms, The—T. B. Raj and M. H. Wickham. *Orig. Art.*, 303.
- Effect of denervation on primate laryngeal muscles: a morphologic and morphometric study—V. Sahgal and M. H. Hast. *Orig. Art.*, 553.
- Effect of Streptomycin and irradiation on Rhinoscleroma, The—H. H. Topozada and H. A. Gaafar. *Orig. Art.*, 809.
- Efferent neuropathy in vestibular upset, Possible implication of an—C. A. J. Prescott. *Orig. Art.*, 769.
- Efficacy of medical treatment as an adjunct to surgery in the treatment of secretory otitis media—T. H. J. Lesser, M. I. Clayton and D. Skinner. *Orig. Art.*, 1347.
- Effusion, Naproxen in otitis media with—S. Abramovich, J. O'Grady, A. Fuller, M. MacKinnon and R. Lavelle. *Orig. Art.*, 263.
- Electron-optic and immunohistochemical observations, Acinic cell carcinoma of the nasal cavity:—N. G. Ordonez and J. G. Batsakis. *Clin. Rec.*, 345.
- Electronystagmographic findings in chronic toxic encephalopathy (chronic painter's syndrome), Brain-stem response audiometry and—P. Poulsen and J. H. Jensen. *Orig. Art.*, 155.
- Embolization for control of bleeding in advanced head and neck carcinoma, Arterial—S. Bhansali, H. Wilner and J. R. Jacobs. *Orig. Art.*, 1289.
- Embolization for severe epistaxis, Facial nerve paralysis following—N. de Vries, R. J. J. Versluis, J. Valk and G. B. Snow. *Clin. Rec.*, 207.
- Empysema, An unusual case of surgical—D. G. John and W. V. Carlin. *Clin. Rec.*, 1209.
- Encephalocele of the middle ear—D. C. Williams. *Clin. Rec.*, 471.
- Endoscopist, The role of the paediatric—B. Benjamin. *Orig. Art.*, 1397.
- Endotracheal intubation and tracheostomy in the management of acute epiglottitis in children in the tropics. A comparison of—O. Odetoynbo. *Orig. Art.*, 1273.
- ENT, Leprosy in—M. Younus. *Clin. Rec.*, 1437.
- Epiglottitis in children in the tropics. A comparison of endotracheal intubation and tracheostomy in the management of acute—O. Odetoynbo. *Orig. Art.*, 1273.
- Epigottopexy: A modification using additional hyoid suspension—N. P. Warwick-Brown, A. E. S. Richards and A. D. Cheesman. *Orig. Art.*, 1155.
- Epistaxis, Facial nerve paralysis following embolization for severe—N. de Vries, R. J. J. Versluis, J. Valk and G. B. Snow. *Clin. Rec.*, 207.
- Ethanolamine oleate as a method of treatment in chronic non specific rhinitis, Intraturbinate—A. C. Swift and J. Siegler. *Orig. Art.*, 417.
- Ethmoid, Monostotic fibrous dysplasia of the—L. M. Gil-Carcedo and M. Gonzalez. *Orig. Art.*, 429.
- Ethmoidal cancer, A critical evaluation of the role of CT scanning in—R. M. Tiwari, G. J. Gerritsen, A. J. M. Balm and G. B. Snow. *Orig. Art.*, 421.
- Eustachian tube lumen, The infant's.: The pharyngeal part—J. Sadé, S. Wolfson, Z. Sachs, I. Levit and S. Abraham. *Orig. Art.*, 129.
- Experience with bilateral congenital atresia of the posterior nasal choanae—C. A. J. Prescott. *Orig. Art.*, 1255.
- Experiences with the butterfly chart—M. V. Kirtane, S. N. Merchant and S. B. Medikeri. *Orig. Art.*, 157.
- Expression of low molecular weight cytokeratins in the neoplastic vocal cord—R. M. Terry, C. Gray, P. Jackson and C. C. Bird. *Orig. Art.*, 1279.
- External auditory meatus, combined with second branchial cleft anomalies, Pre-auricular fistula communicating with the—N. K. Skau and K. D. Eriksen. *Clin. Rec.*, 203.
- External otitis, Sphenoidal sinusitis secondary to malignant—R. Youngs and J. Bagley. *Clin. Rec.*, 341.
- Extradural haematoma secondary to chronic sinusitis—N. L. Ataya. *Clin. Rec.*, 951.
- Extrasosseous osteogenic sarcoma of the parotid gland—J. T. Manning, A. K. Raymond and J. G. Batsakis. *Clin. Rec.*, 239.
- Facial nerve palsy and diabetes mellitus Auditory brain stem evoked potentials in patients suffering from peripheral—J. Ben-David, R. Gertner, L. Podoshin, M. Fradis, H. Pratt and A. Rabina. *Orig. Art.*, 629.

- Facial nerve paralysis following embolization for severe epistaxis—N. de Vries, R. J. J. Versluis, J. Valk and G. B. Snow. *Clin. Rec.*, 207.
- Facial paralysis, Metal spark perforation of the tympanic membrane with deafness and—J. Stage and T. Vinding. *Clin. Rec.*, 699.
- Facial paralysis, Transient—J. M. Lancer, A. S. Jones and A. A. Moir. *Clin. Rec.*, 211.
- Fibro-osseous lesion, The 'hybrid'—A. W. Blayney and A. A. El Tayeb. *Orig. Art.*, 291.
- Fibro-osseous lesions of the maxilla—S. Bahadur, A. M. Shenoy and M. K. Singh. *Orig. Art.*, 653.
- Fibrosarcoma of the nose and paranasal sinuses—T. J. Rockley and K. C. Liu. *Clin. Rec.*, 1417.
- Fibrosis, Idiopathic subcutaneous and laryngeal—M. N. Jamal, A. M. Dajani, S. S. Amr and M. S. Tarawneh. *Clin. Rec.*, 851.
- Fissula ante fenestram, Perilymph leak from the—D. C. Williams and M. H. Keene. *Clin. Rec.*, 707.
- Fistula, Acquired laryngo-pharyngeal—M. Hirano and H. Ohkubo. *Clin. Rec.*, 719.
- Fistula by metrizamide CT cisternography, Localisation of a CSF—J. Luotonen, K. Jokinen and J. Laitinen. *Clin. Rec.*, 955.
- Fistula communicating with the external auditory meatus, combined with second branchial cleft anomalies, Preauricular—N. K. Skau and K. D. Eriksen. *Clin. Rec.*, 203.
- Fistula, pharyngo-cutaneous, using a bipediced tubed flap, Repair of—M. S. Shanmugham. *Clin. Rec.*, 493.
- Fistula with cholesteatoma, Surgical management of labyrinthine—P. K. Gormley. *Orig. Art.*, 1115.
- Fistulae with recurrent meningitis, Bilateral oval window—J. J. Phillipps. *Clin. Rec.*, 329.
- Fixation suppression of caloric-induced nystagmus, The variability of—G. Schuchman and N. Uri. *Orig. Art.*, 765.
- Flexible fiberoptic rhinolaryngoscope, Photography and the—J. M. Lancer. *Orig. Art.*, 41.
- Foreign bodies in the nose and ear, The hazards of 'button-sized' batteries as—D. W. Skinner and P. Chui. *Clin. Rec.*, 1315.
- Fractures, nasal, A prospective study of—M. G. Dickson and D. T. Sharpe. *Orig. Art.*, 543.
- Francis Alae Nasi Prop and nasal resistance to airflow, The—J. M. Lancer and A. S. Jones. *Orig. Art.*, 539.
- Free tissue transfer in reconstruction following head and neck tumour resection, The use of—M. C. Frampton, N. M. Breach, D. J. Archer and H. J. Shaw. *Orig. Art.*, 97.
- Frontal sinus, An unusual presentation of meningioma of the—S. K. De, A. K. Chatterjee and A. K. Misra. *Clin. Rec.*, 711.
- Fronto-ethmoidal sinusitis, Radical surgical treatment for extensive chronic—N. P. Warwick-Brown, A. E. S. Richards and A. D. Cheesman. *Clin. Rec.*, 1323.
- Frostbite, A black ear without—M. J. Atkins, R. S. Dawkins and I. W. Glick. *Clin. Rec.*, 1061.
- Further approach to the infra-temporal fossa, A—P. J. Hamlyn, A. P. d'E. Meredith and D. J. Archer. *Orig. Art.*, 675.
- Glomus vagale: an unusual presentation—N. P. Warwick-Brown, A. E. S. Richards and A. D. Cheesman. *Clin. Rec.*, 1205.
- 'Glue ear' infections in children, Chlamydia trachomatis as an aetiological agent of—S. C. Wells. *Orig. Art.*, 1341.
- Goitre and acromegaly, Obstructive sleep apnoea in association with retrosternal—N. Stafford, R. Youngs, J. Waldron, S. Baer and C. Randall. *Clin. Rec.*, 861.
- Haemangioma in children, Subglottic—D. I. Choa, M. C. F. Smith, J. N. G. Evans and C. M. Bailey. *Orig. Art.*, 447.
- Haemangiopericytoma-like tumour of the nose—V. Rupa and T. S. Bhanu. *Clin. Rec.*, 715.
- Haematoma, Lightning causing inner ear damage and intracranial—P. Poulsen and P. Knudstrup. *Clin. Rec.*, 1067.
- Haematoma secondary to chronic sinusitis, Extradural—N. L. Ataya. *Clin. Rec.*, 951.
- Haemorrhage into parapharyngeal space, Respiratory arrest produced by anticoagulant-induced—J. Waldron and R. P. Youngs. *Clin. Rec.*, 857.
- Hair cells of the human and guinea pig vestibular labyrinth, Crosslinks between stereocilia in—D. J. Jeffries, J. O. Pickles, M. P. Osborne, P. H. Rhys-Evans and S. D. Comis. *Orig. Art.*, 1367.
- Haxthausen's disease—E. Hultcrantz. *Clin. Rec.*, 1329.
- Hazards of 'button-sized' batteries as foreign bodies in the nose and ear, The—D. W. Skinner and P. Chui. *Clin. Rec.*, 1315.
- Head and neck, Aberrant expression of low molecular weight cytokeratins in primary and secondary squamous carcinoma of the—R. M. Terry, C. Gray and C. C. Bird. *Orig. Art.*, 1283.
- Head and neck cancer, Serum phosphohexose isomerase levels in patients with—H. Goel, G. S. Kohli and H. Lal. *Orig. Art.*, 581.
- Head and neck carcinoma, Arterial embolization for control of bleeding in advanced—S. Bhansali, H. Wilner and J. R. Jacobs. *Orig. Art.*, 1289.

- Head and neck, Cartilaginous neoplasms of the—P. A. Webber, S. S. M. Hussain and G. J. Radcliffe. *Clin. Rec.*, 615.
- Head and neck in Nigerian Africans, Skeletal lesions in von Recklinghausen's disease of the—G. T. A. Ijaduola, S. A. Ademiluyi and D. A. Olarenwaju. *Orig. Art.*, 823.
- Head and neck, Incidence of squamous cell carcinoma of the—S. Ali, R. Tiwari, G. B. Snow and I. v.d. Waal. *Orig. Art.*, 315.
- Head and neck tumour resection, The use of free tissue transfer in reconstruction following—M. C. Frampton, N. M. Breach, D. J. Archer and H. J. Shaw. *Orig. Art.*, 97.
- Headache related to nasal obstruction, Chronic—U. Schønsted-Madsen, P. Stoksted, P.-H. Christensen and N. Koch-Henriksen. *Orig. Art.*, 165.
- Hearing improvement after stapedectomy: Up to 19 years' follow-up period—L. Birch, O. Elbrønd and U. Pedersen. *Orig. Art.*, 1.
- Hearing in patients with blast lung—A. P. Walby and A. G. Kerr. *Orig. Art.*, 411.
- Hearing-loss and calciferol deficiency—J. Irwin. *Orig. Art.*, 1245.
- Hearing loss, Cranial hyperostosis and—W. H. Moesker and R. A. Tange. *Clin. Rec.*, 1187.
- Hepatosplenomegaly in infectious mononucleosis, assessed by ultrasonic scanning—H. Dommerby, S.-E. Stangerup, M. Stangerup and S. Hancke. *Orig. Art.*, 573.
- Herpes zoster of the larynx after intubational trauma—P. A. Wackym, G. F. Gray, Jr. and G. R. Avant. *Clin. Rec.*, 839.
- Heterotopic salivary tissue and branchial sinuses—J. Shvero, T. Hadar, I. Avidor, A. Abraham and J. Sidi. *Clin. Rec.*, 243.
- High frequency jet ventilation in the management of acute airway obstruction, The use of mini-tracheostomy and—S. J. Squires and M. C. Frampton. *Clin. Rec.*, 1199.
- High grade malignancy, a, Salivary duct adenocarcinoma:—K. K. Hui, J. G. Batsakis, M. A. Luna, B. Mackay and R. M. Byers. *Orig. Art.*, 105.
- Histoplasmosis, Oral-pharyngeal—M. Sooknundun, S. K. Kacker and K. Kapila. *Orig. Art.*, 179.
- Histoplasmosis, Oto-laryngeal—J. Samuel and L. Wolff. *Orig. Art.*, 587.
- HLA antigens in the pathogenesis of Menière's disease—J. Xenellis, A. W. Morrison, D. McClowskey and H. Festenstein. *Orig. Art.*, 21.
- Horner's syndrome, Neurofibroma of the cervical sympathetic chain presenting with—R. W. Ruckley and R. L. Blair. *Clin. Rec.*, 1433.
- Hyaluronic acid in secretory otitis media—C. Laurent, A. Tengblad and A. Engström-Laurent. *Orig. Art.*, 135.
- 'Hybrid' fibro-osseous lesion, The—A. W. Blayney and A. A. El Tayeb. *Orig. Art.*, 291.
- Hyoid-sternohyoid grafts in the correction of subglottic stenosis, The long-term results of—A. P. Freeland. *Orig. Art.*, 665.
- Hyperostosis and hearing loss, Cranial—W. H. Moesker and R. A. Tange. *Clin. Rec.*, 1187.
- Hypertension following neck dissection, Intracranial—W. A. E. J. de Vries, A. J. M. Balm and R. M. Tiwari. *Clin. Rec.*, 1427.
- Idiopathic subcutaneous and laryngeal fibrosis—M. N. Jamal, A. M. Dajani, S. S. Amr and M. S. Tarawneh. *Clin. Rec.*, 851.
- Immune complex-associated sensorineural deafness, Plasma exchange in the treatment of—G. B. Brookes and A. C. Newland. *Orig. Art.*, 25.
- Immunoglobulin levels in rhinoscleroma contacts, Serum—Y. Dogheim, A. Maher and M. El-Sawy. *Orig. Art.*, 171.
- Immunohistochemical observations, Electron-optic and, Acinic cell carcinoma of the nasal cavity:—N. G. Ordonez and J. G. Batsakis. *Clin. Rec.*, 345.
- Improved morphological technique for the study of cochleotoxicity in guinea pigs, An—M. W. Yung and A. Wright. *Orig. Art.*, 1235.
- Incidence of squamous cell carcinoma of the head and neck—S. Ali, R. Tiwari, G. B. Snow and I. v.d. Waal. *Orig. Art.*, 315.
- Incus in tympanoplasty, Silastic coated,; a preliminary report—P. Bonding and J. H. Jensen. *Orig. Art.*, 9.
- Infant's eustachian tube lumen, The,; The pharyngeal part—J. Sadé, S. Wolfson, Z. Sachs, I. Levit and S. Abraham. *Orig. Art.*, 129.
- Infectious mononucleosis, assessed by ultrasonic scanning, hepatosplenomegaly in—H. Dommerby, S.-E. Stangerup, M. Stangerup and S. Hancke. *Orig. Art.*, 573.
- Infra-temporal fossa, A further approach to the—P. J. Hamlyn, A. P. d'E. Meredith and D. J. Archer. *Orig. Art.*, 675.
- Infratemporal fossa, Intracranial penetration of a nail from nailing gun through cheek and—J. Luotonen. *Clin. Rec.*, 247.
- Inheritance of recurrent aphthous ulceration of the mouth—C. Nsamba and S. K. Kaluskar. *Clin. Rec.*, 361.

- Inner ear damage and intracranial haematoma, Lightning causing—P. Poulsen and P. Knudstrup. *Clin. Rec.*, 1067.
- Instrumental perforation of the oesophagus—T. Rådmark, N. Sandberg and G. Pettersson. *Orig. Art.*, 461.
- Internal laryngeal nerve as a cause of severe cough, Traumatic neuroma of the—S. S. To and A. R. Das Gupta. *Clin. Rec.*, 843.
- Intracranial glossopharyngeal schwannoma, a tumour imitating an acoustic schwannoma—T. Andersen, C. Ulsoe, J. Overgaard and J. Ringsted. *Clin. Rec.*, 831.
- Intracranial haematoma, Lightning causing inner ear damage and—P. Poulsen and P. Knudstrup. *Clin. Rec.*, 1067.
- Intracranial hypertension following neck dissection—W. A. E. J. de Vries, A. J. M. Balm and R. M. Tiwari. *Clin. Rec.*, 1427.
- Intracranial penetration of a nail from nailing gun through cheek and infratemporal fossa—J. Luotonen. *Clin. Rec.*, 247.
- Intranasal anrostomies, The design and function of—V. J. Lund. *Orig. Art.*, 35.
- Intranasal topical cocaine: Moffett's method or topical cocaine paste?—R. E. Quiney. *Orig. Art.*, 279.
- Intratubinate Ethanalamine oleate as a method of treatment in chronic non specific rhinitis—A. C. Swift and J. Siegler. *Orig. Art.*, 417.
- Intravenous lidocaine used in the treatment of tinnitus, Vestibular effects of—S. N. Merchant and M. V. Kirtane. *Orig. Art.*, 1249.
- Intubation, endotracheal, and tracheostomy in the management of acute epiglottitis in children in the tropics, A comparison of—O. Odetoyinbo. *Orig. Art.*, 1273.
- Intubation trauma, herpes zoster of the larynx after—P. A. Wackym, G. F. Gray, Jr. and G. R. Avant. *Clin. Rec.*, 839.
- Inversion of the stapedia reflex in ossicular chain lesions—S. Gimsing. *Orig. Art.*, 399.
- Involution of residual juvenile nasopharyngeal angiofibroma—J. M. Stansbie and P. D. Phelps. *Clin. Rec.*, 599.
- Irradiation on Rhinoscleroma, The effect of Streptomycin and—H. H. Topozada and H. A. Gaafar. *Orig. Art.*, 809.
- Jet ventilation in the management of acute airway obstruction, The use of mini-tracheostomy and high frequency—S. J. Squires and M. C. Frampton. *Clin. Rec.*, 1199.
- Juvenile laryngeal papillomatosis—B. C. Irwin, W. A. Hendrickse, J. R. Pincott, C. M. Bailey and J. N. G. Evans. *Orig. Art.*, 435.
- Juvenile nasopharyngeal angiofibroma, Involution of residual—J. M. Stansbie and P. D. Phelps. *Clin. Rec.*, 599.
- Juvenile nasopharyngeal angiofibroma treated by radiotherapy—A. Benghiat. *Clin. Rec.*, 351.
- Kinocilia, Stereocilia versus—A. Tumarkin. Part I. *Orig. Art.*, 1009. Part II. *Orig. Art.*, 1107. Part III. *Orig. Art.*, 1219.
- Labyrinthine fistula with cholesteatoma, Surgical management of—P. K. Gormley. *Orig. Art.*, 1115.
- Labyrinthine sequestrum—T. J. Mathews. *Clin. Rec.*, 939.
- Laryngeal cancer metastatic to lymph nodes with lymphocytic leukaemia—A. Ferlito, G. Recher and A. Visonà. *Clin. Rec.*, 233.
- Laryngeal cancer, Multiple primary tumours in—N. de Vries and G. B. Snow. *Orig. Art.*, 915.
- Laryngeal carcinoma, An unusual case of—M. D. Cremin, A. J. Freemont and T. Tun. *Clin. Rec.*, 477.
- Laryngeal endoscopy in developing countries, A new suspension device for—T. G. A. Ijaduola. *Orig. Art.*, 659.
- Laryngeal fibrosis, Idiopathic subcutaneous and—M. N. Jamal, A. M. Dajani, S. S. Amr and M. S. Tarawneh. *Clin. Rec.*, 851.
- Laryngeal foreign body, An unusual—S. R. Agrawal, A. S. Bhalla and P. Khare. *Clin. Rec.*, 357.
- Laryngeal leiomyoma—S. M. Iqbal, S. K. Bhogoliwal and N. B. Nandi. *Clin. Rec.*, 723.
- Laryngeal muscles, Effect of denervation on primate.: a morphologic and morphometric study—V. Sahgal and M. H. Hast. *Orig. Art.*, 553.
- Laryngeal nerve, Anatomy of the recurrent.: A redescription—J. L. Steinberg, G. J. Khane, C. M. C. Fernandes and J. P. Nel. *Orig. Art.*, 919.
- Laryngeal photography with the operating microscope, A simple and inexpensive method for—V. Kambič, I. Fajdiga and J. Fischinger. *Orig. Art.*, 1269.
- Laryngeal tuberculosis, Primary—A. Jan. *Clin. Rec.*, 605.
- Laryngectomy and Staffieri's procedure, The role of the upper oesophageal sphincter in voice rehabilitation after—H. D. Vuyk, E. Klinkenberg-Knol and R. M. Tiwari. *Orig. Art.*, 59.
- Laryngectomy for cancer of the larynx, Total—W. T. Farrington, J. S. Weighill and P. H. Jones. *Orig. Art.*, 53.
- Laryngitis in adults, Acute supraglottic—G. S. Hanna. *Clin. Rec.*, 971.
- Laryngo-pharyngeal fistula, Aquired—M. Hirano and H. Ohkubo. *Clin. Rec.*, 719.

- Larynx after intubational trauma, Herpes zoster of the—P. A. Wackym, G. F. Gray, Jr. and G. R. Avant. *Clin. Rec.*, 839.
- Larynx, Carcinoid tumour of the—J. S. Weighill, J. W. Tankel and A. Mene. *Clin. Rec.*, 1421.
- Larynx, Chemodectoma of the—G. S. Hanna and M. H. Ali. *Clin. Rec.*, 1081.
- Larynx, Laser treatment of primary amyloidosis of the—J. C. McIlwain and H. W. H. Shepperd. *Clin. Rec.*, 1079.
- Larynx, Neurilemmoma of the—M. Takumida, T. Taira, M. Suzuki, K. Yajin and Y. Harada. *Clin. Rec.*, 847.
- Larynx, Pharyngectomy for post-cricoid carcinoma with preservation of the—F. W. Stafford and D. B. Mathias. *Orig. Art.*, 1385.
- Larynx, Rhabdomyoma of the—D. Rosenman, R. Gertner, M. Fradis, L. Podoshin, A. Misslevitsch and J. H. Boss. *Clin. Rec.*, 607.
- Larynx, Total laryngectomy for cancer of the—W. T. Farrington, J. S. Weighill and P. H. Jones. *Orig. Art.*, 53.
- Larynx, Uncommon malignant tumours of the—P. J. Hamlyn, C. J. O'Brien and H. J. Shaw. *Orig. Art.*, 1163.
- Laser surgery in the oral cavity and pharynx, A review of Carbon Dioxide—P. H. Rhys-Evans, J. W. Frame and J. Brandrick. *Orig. Art.*, 69.
- Laser treatment of primary amyloidosis of the larynx—J. C. McIlwain and H. W. H. Shepperd. *Clin. Rec.*, 1079.
- Late reactions of skin prick test in allergy—S. S. M. Hussain and P. A. Webber. *Clin. Rec.*, 377.
- Lateral sinus thrombosis, Clinical and anatomical considerations of the Tobey-Ayer test in—D. M. Albert and S. R. Williams. *Clin. Rec.*, 1311.
- Leiomyoma, Laryngeal—S. M. Iqbal, S. K. Bhogoliwal and N. B. Nandi. *Clin. Rec.*, 723.
- Leiomyosarcoma of the trachea—K. E. Outzen, J. Lunding and J. Jakobsen. *Clin. Rec.*, 979.
- Leprosy in ENT—M. Younus. *Clin. Rec.*, 1437.
- Leukaemia, lymphocytic, Laryngeal cancer metastatic to lymph nodes with—A. Ferlito, G. Recher and A. Visonà. *Clin. Rec.*, 233.
- Lidocaine used in the treatment of tinnitus, Vestibular effects of intravenous—S. N. Merchant and M. V. Kirtane. *Orig. Art.*, 1249.
- Light and electron microscopic findings in a case of small acoustic schwannoma (associated with a schwannoma of the facial nerve)—J. Ylikoski. *Orig. Art.*, 785.
- Lightning causing inner ear damage and intracranial haematoma—P. Poulsen and P. Knudstrup. *Clin. Rec.*, 1067.
- Linear measurements in middle ear surgery—A. G. Gibb and T. L. Croll. *Orig. Art.*, 625.
- Localisation of a CSF fistula by metrizamide CT cisternography—J. Luotonen, K. Jokinen and J. Laitinen. *Clin. Rec.*, 955.
- Long-term results after treatment of nasal fractures—P. Illum. *Orig. Art.*, 273.
- Long-term results of hyoid-sternohyoid grafts in the correction of subglottic stenosis, The—A. P. Freeland. *Orig. Art.*, 665.
- Long-term tympanic ventilation by Per-Lee tube—A. G. Gibb. *Orig. Art.*, 503.
- Long-term viability of transplanted ossicles—J. Lang, A. G. Kerr and G. D. L. Smyth. *Orig. Art.*, 741.
- Low molecular weight cytokeratins in primary and secondary squamous carcinoma of the head and neck, Aberrant expression of—R. M. Terry, C. Gray and C. C. Bird. *Orig. Art.*, 1283.
- Low molecular weight cytokeratins in the neoplastic vocal cord, Expression of—R. M. Terry, C. Gray, P. Jackson and C. C. Bird. *Orig. Art.*, 1279.
- Lump in the neck, A suspicious—A. R. Swanston and G. J. C. Smelt. *Clin. Rec.*, 483.
- Lymph node metastasis, or cystic, Branchiogenic carcinoma—D. G. Carrick, W. I. Jones and A. El Sharkawi. *Clin. Rec.*, 1089.
- Lymph nodes with lymphocytic leukaemia, Laryngeal cancer metastatic to—A. Ferlito, G. Recher and A. Visonà. *Clin. Rec.*, 233.
- Lymphocytic leukaemia, Laryngeal cancer metastatic to lymph nodes with—A. Ferlito, G. Recher and A. Visonà. *Clin. Rec.*, 233.
- Macewen's triangle as a surgical landmark, A radiological assessment of the usefulness of—C. M. Milton and V. C. Cousins. *Orig. Art.*, 1225.
- Malignancy, a high grade, Salivary duct adenocarcinoma:—K. K. Hui, J. G. Batsakis, M. A. Luna, B. Mackay and R. M. Byers. *Orig. Art.*, 105.
- Malignant external otitis, Sphenoidal sinusitis secondary to—R. Youngs and J. Bagley. *Clin. Rec.*, 341.
- Malignant melanoma, Oral—M. Sooknundun, S. K. Kacker, K. Kapila, K. Verma and P. Narayan. *Clin. Rec.*, 371.
- Malignant tumours of the larynx, Uncommon—P. J. Hamlyn, C. J. O'Brien and H. J. Shaw. *Orig. Art.*, 1163.
- Malignant tumours of the tongue in Young adults—C. J. Randall and H. J. Shaw. *Orig. Art.*, 1295.
- Marble bone disease, Early management and an association with, Choanal atresia:—A. A. Narula and A. G. Ambegaokar. *Clin. Rec.*, 959.

- Marble bone disease in a child—J. N. Chaudhuri, S. Banerjee, B. R. Kashnia, P. Chatterji and N. K. Soni. *Clin. Rec.*, 935.
- Mass in the neck, Adenoid cystic carcinoma presenting as a—P. M. Stell, A. H. Cruickshank and P. Stoney. *Clin. Rec.*, 1203.
- Mastoidectomy, Nominal aphasia following a radical—B. A. Girgis and J. Siegler. *Clin. Rec.*, 595.
- Maxilla, Fibro-osseous lesions of the—S. Bahadur, A. M. Shenoy and M. K. Singh. *Orig. Art.*, 653.
- Maxillary antral biopsy with Tru-Cut needle, Transcannular—T. G. A. Ijaduola. *Orig. Art.*, 649.
- Maxillary antral mucosa, Protease inhibitors in—N. J. Kay, R. M. Terry and L. Swinburne. *Orig. Art.*, 289.
- Maxillectomy, Prosthetic management following bilateral total or subtotal—C. M. Milton, N. Yazdanie and R. C. Bickerton. *Orig. Art.*, 1145.
- Median nasal dermoid fistulae—R. P. E. Barton, D. Shuttleworth and R. A. C. Graham-Brown. *Clin. Rec.*, 947.
- Melanoma, Oral malignant—M. Sooknundun, S. K. Kacker, K. Kapila, K. Verma and P. Narayan. *Clin. Rec.*, 371.
- Menière's disease, HLA antigens in the pathogenesis of—J. Xenellis, A. W. Morrison, D. McClowskey and H. Festenstein. *Orig. Art.*, 21.
- Meningioma of the frontal sinus, An unusual presentation of—S. K. De, A. K. Chatterjee and A. K. Misra. *Clin. Rec.*, 711.
- Meningitis, Bilateral oval window fistulae with recurrent—J. J. Phillipps. *Clin. Rec.*, 329.
- Merkel cell tumour of the skin—M. S. Zakzouk, A. D. Ramsay and G. Buchanan. *Orig. Art.*, 561.
- Mersey Region, Craniocervical chordomas in the—N. L. Ataya. *Orig. Art.*, 1391.
- Metal spark perforation of the tympanic membrane with deafness and facial paralysis—J. Stage and T. Vinding. *Clin. Rec.*, 699.
- Metastasis, or cystic lymph node, Branchiogenic carcinoma—D. G. Carrick, W. I. Jones and A. El Sharkawi. *Clin. Rec.*, 1089.
- Metrizamide CT cisternography, Localisation of a CSF fistula by—J. Luotonen, K. Jokinen and J. Laitinen. *Clin. Rec.*, 955.
- Microfractures of the otic capsule—D. W. Proops, W. M. Hawke and G. Berger. *Orig. Art.*, 749.
- Microscope, A simple and inexpensive method for laryngeal photography with the operating—V. Kambič, I. Fajdiga and J. Fischinger. *Orig. Art.*, 1269.
- Middle ear adenoma—Q. R. Bailey and J. M. Weiner. *Clin. Rec.*, 467.
- Middle-ear aeration, results of preservation of the posterior canal wall in cholesteatoma surgery as related to—J. Sadé, E. Berco and C. Fuchs. *Orig. Art.*, 1351.
- Middle ear effusion, Untreated persistent—A. Lieberman and N. Bartal. *Orig. Art.*, 875.
- Middle-ear effusions following acute otitis media in the chinchilla animal model—R. Mills and J. Gilsdorf. *Orig. Art.*, 255.
- Middle ear, Encephalocele of the—D. C. Williams. *Clin. Rec.*, 471.
- Middle ear masses, Computed tomography of vascular—J. M. Pickles, A. G. Tucker and J. W. Cowie. *Orig. Art.*, 405.
- Middle ear surgery, Linear measurements in—A. G. Gibb and T. L. Croll. *Orig. Art.*, 625.
- Middle ear transformer mechanism, The: man versus mouse—M. McDonogh. *Orig. Art.*, 15.
- Migration theory of cholesteatoma formation, The—G. M. O'Donoghue. *Orig. Art.*, 395.
- Mini-tracheostomy and high frequency jet ventilation in the management of acute airway obstruction, The use of—S. J. Squires and M. C. Frampton. *Clin. Rec.*, 1199.
- Minor salivary glands, Duct carcinoma of the—C. Pesce, R. Colacino and P. Buffa. *Clin. Rec.*, 611.
- Moffett's method or topical cocaine paste?, Intranasal topical cocaine:—R. E. Quiney. *Orig. Art.*, 279.
- Monostotic fibrous dysplasia of the ethmoid—L. M. Gil-Carcedo and M. Gonzalez. *Orig. Art.*, 429.
- Morphologic and morphometric study, A, Effect of denervation on primate laryngeal muscles:—V. Sahgal and M. H. Hast. *Orig. Art.*, 553.
- Morphological technique for the study of cochleotoxicity in guinea pigs, An improved—M. W. Yung and A. Wright. *Orig. Art.*, 1235.
- Mouth, Inheritance of recurrent apthous ulceration of the—C. Nsamba and S. K. Kaluskar. *Clin. Rec.*, 361.
- Mucocoeles of paranasal sinuses, Computed tomographic evaluation of multiple—T. Nakashima, Y. Watanabe and H. Arao. *Orig. Art.*, 1139.
- Multiple primary tumours in laryngeal cancer—N. de Vries and G. B. Snow. *Orig. Art.*, 915.
- Mumps, Acute bilateral total deafness complicating—S. Bitnun, Y. Rakover and G. Rosen. *Clin. Rec.*, 943.
- Myoepithelial neoplasms, S-100 protein and—J. G. Batsakis, N. G. Ordenez, J. Ro, J. M. Meis and J. M. Bruner. *Orig. Art.*, 687.
- Nail from nailing gun through cheek and infratemporal fossa, Intracranial penetration of a—J. Luotonen. *Clin. Rec.*, 247.
- Naproxen in otitis media with effusion—S. Abramovich, J. O'Grady, A. Fuller, M. MacKinnon and R. Lavelle. *Orig. Art.*, 263.

- Nasal bones, Benign osteoblastoma of the—M. Sooknundun, S. K. Kacker and K. Kapila. *Clin. Rec.*, 229.
- Nasal catheters, Pneumatic—S. Elwany, T. Kamel and A. Mekhamer. *Orig. Art.*, 641.
- Nasal cavity, Acinic cell carcinoma of the,; Electron-optic and immunohistochemical observations—N. G. Ordonez and J. G. Batsakis. *Clin. Rec.*, 345.
- Nasal choanae, Experience with bilateral congenital atresia of the posterior—C. A. J. Prescott. *Orig. Art.*, 1255.
- Nasal dermoid fistulae, Median—R. P. E. Barton, D. Shuttleworth and R. A. C. Graham-Brown. *Clin. Rec.*, 947.
- Nasal fractures, A prospective study of—M. G. Dickson and D. T. Sharpe. *Orig. Art.*, 543.
- Nasal fractures, Long-term results after treatment of—P. Illum. *Orig. Art.*, 273.
- Nasal fractures, The role of radiography in the management of—M. I. Clayton and T. H. J. Lesser. *Orig. Art.*, 797.
- Nasal mucosa, Vascular effects of topical oxymetazoline on human—M. Bende and S. Löth. *Orig. Art.*, 285.
- Nasal mucus clearance—S. Golhar. *Orig. Art.*, 533.
- Nasal obstruction, Chronic headache related to—U. Schønsted-Madsen, P. Stoksted, P.-H. Christensen and N. Koch-Henricksen. *Orig. Art.*, 165.
- Nasal reconstruction, Crushed cartilage in—P. Stoksted and C. Ladefoged. *Orig. Art.*, 897.
- Nasal resistance to airflow, The Francis Alae Nasi Prop and—J. M. Lancer and A. S. Jones. *Orig. Art.*, 539.
- Nasal symptom, A case of Weber-Christian disease accompanied by a—H. Isago, T. Kimura and A. Kataura. *Clin. Rec.*, 221.
- Nasopharyngeal angiofibroma, Involution of residual juvenile—J. M. Stansbie and P. D. Phelps. *Clin. Rec.*, 599.
- Nasopharyngeal angiofibroma treated by radiotherapy, Juvenile—A. Benghiat. *Clin. Rec.*, 351.
- Nasopharynx and pterygoid regions, Computerized axial tomography of the nose, paranasal sinuses,—A. P. Singh, U. Prasad, J. Singh and R. K. Gupta. *Orig. Art.*, 907.
- Neck, A suspicious lump in the—A. R. Swanson and G. J. C. Smelt. *Clin. Rec.*, 483.
- Neck, Adenoid cystic carcinoma presenting as a mass in the—P. M. Stell, A. H. Cruickshank and P. Stoney. *Clin. Rec.*, 1203.
- Neck dissection, Intracranial hypertension following—W. A. E. J. de Vries, A. J. M. Balm and R. M. Tiwari. *Clin. Rec.*, 1427.
- Neoplasms of the head and neck, Cartilaginous—P. A. Webber, S. S. M. Hussain and G. J. Radcliffe. *Clin. Rec.*, 615.
- Neoplasms, S-100 protein and myoepithelial—J. G. Batsakis, N. G. Ordonez, J. Ro, J. M. Meis and J. M. Bruner. *Orig. Art.*, 687.
- Neoplastic vocal cord, Expression of low molecular weight cytokeratins in the—R. M. Terry, C. Gray, P. Jackson and C. C. Bird. *Orig. Art.*, 1279.
- Neurilemmoma of the larynx—M. Takumida, T. Taira, M. Suzuki, K. Yajin and Y. Harada. *Clin. Rec.*, 847.
- Neurofibroma of the cervical sympathetic chain presenting with Horner's syndrome—R. W. Ruckley and R. L. Blair. *Clin. Rec.*, 1433.
- Neuronal activity in otology—H. Ludman. *Orig. Art.*, 989.
- Neuropathy in vestibular upset, Possible implication of an efferent—C. A. J. Prescott. *Orig. Art.*, 769.
- Nevoid basal cell carcinoma syndrome, The—H. Lindberg, J. U. Felding and J. Skov. *Clin. Rec.*, 1181.
- Nigerian Africans, Skeletal lesions in von Recklinghausen's disease of the head and neck in—G. T. A. Ijaluola, S. A. Ademiluyi and D. A. Olarenwaju. *Orig. Art.*, 823.
- Nigerians, Otorhinolaryngological manifestations of von Recklinghausen's disease in—T. G. A. Ijaluola and S. A. Ademiluyi. *Orig. Art.*, 115.
- Nominal aphasia following a radical mastoidectomy—B. A. Girgis and J. Siegler. *Clin. Rec.*, 595.
- Nose and ear, The hazards of 'button-sized' batteries as foreign bodies in the—D. W. Skinner and P. Chui. *Clin. Rec.*, 1315.
- Nose and paranasal sinuses, Fibrosarcoma of the—T. J. Rockley and K. C. Liu. *Clin. Rec.*, 1417.
- Nose, Congenital mid-line sinus of the dorsum of the—M. Sooknundun, R. C. Deka, S. K. Kacker and K. Kapila. *Clin. Rec.*, 1319.
- Nose, Haemangiopericytoma-like tumour of the—V. Rupa and T. S. Bhanu. *Clin. Rec.*, 715.
- Nose, Paranasal sinuses, nasopharynx and pterygoid regions, Computerized axial tomography of the—A. P. Singh, U. Prasad, J. Singh and R. K. Gupta. *Orig. Art.*, 907.
- Nystagmus, The variability of fixation suppression of caloric-induced—G. Schuchman and N. Uri. *Orig. Art.*, 765.
- Obstructive sleep apnoea in association with retrosternal goitre and acromegaly—N. Stafford, R. Youngs, J. Waldron, S. Baer and C. Randall. *Clin. Rec.*, 861.
- Oedema, Reinke's,; a premalignant condition?—V. M. Nielsen, P. E. Højslet and D. Palvio. *Orig. Art.*, 1159.
- Oedema, Surgical treatment of Reinke's—V. M. Nielsen, P. E. Højslet and M. Karlsmose. *Orig. Art.*, 187.
- Oesophageal sphincter in voice rehabilitation after laryngectomy and Staffieri's procedure, The role of the upper—H. D. Vuyk, E. Klinkenberg-Knol and R. M. Tiwari. *Orig. Art.*, 59.

- Oesophagus, Instrumental perforation of the—T. Rådmark, N. Sandberg and G. Pettersson. *Orig. Art.*, 461.
- Oncocytoma, Papillary cystic, and Warthin's tumour of the parotid gland—P. A. Wackym, G. F. Gray, Jr., L. Rosenfeld and I. Friedmann. *Orig. Art.*, 679.
- Onion in your ear, An—D. N. Brooks. *Orig. Art.*, 1043.
- Oral cavity and pharynx, A review of Carbon Dioxide laser surgery in the—P. H. Rhys-Evans, J. W. Frame and J. Brandrick. *Orig. Art.*, 69.
- Oral malignant melanoma—M. Sooknundun, S. K. Kacker, K. Kapila, K. Verma and P. Narayan. *Clin. Rec.*, 371.
- Oral-pharyngeal histoplasmosis—M. Sooknundun, S. K. Kacker and K. Kapila. *Orig. Art.*, 179.
- Organ of Corti, Early morphological and chemical changes induced by cisplatin in the guinea pig—S. D. Comis, P. H. Rhys-Evans, M. P. Osborne, J. O. Pickles, D. J. R. Jeffries and H. A. C. Pearse. *Orig. Art.*, 1375.
- Ossicles, Long-term viability of transplanted—J. Lang, A. G. Kerr and G. D. L. Smyth. *Orig. Art.*, 741.
- Ossicular chain lesions, Inversion of the stapedial reflex in—S. Gimsing. *Orig. Art.*, 399.
- Ossiculoplasty, Ceravital © in.; experimental studies and early clinical results—A. W. Blayney, J.-P. Bebear, K. R. Williams and M. Portmann. *Orig. Art.*, 1359.
- Osteoblastoma of the nasal bones, Benign—M. Sooknundun, S. K. Kacker and K. Kapila. *Clin. Rec.*, 229.
- Osteochondroma of the cervical spine—O. G. Nielsen, L. Gadegaard and A. Fogh. *Clin. Rec.*, 733.
- Osteogenic sarcoma of the parotid gland, Extraosseous—J. T. Manning, A. K. Raymond and J. G. Batsakis. *Clin. Rec.*, 239.
- Otic capsule, Microfractures of the—D. W. Proops, W. M. Hawke and G. Berger. *Orig. Art.*, 749.
- Otitis media, a complication of chronic suppurative, Round window membrane perforation—D. S. Grewal and D. D. Shah. *Clin. Rec.*, 1307.
- Otitis media caused by pseudomonas aeruginosa, Postoperative evaluation of chronic—E. Vartiainen, S. Karjalainen and J. Kärjä. *Orig. Art.*, 141.
- Otitis media, Current conservative treatment of childhood chronic secretory—J. R. Cherry. *Orig. Art.*, 1019.
- Otitis media, Efficacy of medical treatment as an adjunct to surgery in the treatment of secretory—T. H. J. Lesser, M. I. Clayton and D. Skinner. *Orig. Art.*, 1347.
- Otitis media, Hyaluronic acid in secretory—C. Laurent, A. Tengblad and A. Engström-Laurent. *Orig. Art.*, 135.
- Otitis media in the chinchilla animal model, Middle-ear effusions following acute—R. Mills and J. Gilsdorf. *Orig. Art.*, 255.
- Otitis media in young patients, Surgery of chronic—E. Vartiainen, J. Kärjä and S. Karjalainen. *Orig. Art.*, 515.
- Otitis media, Secretory—T. J. Rockley and P. H. Rhys Evans. *Orig. Art.*, 389.
- Otitis media, The use of Per-Lee ventilation tubes in the management of refractory secretory—D. East. *Orig. Art.*, 509.
- Otitis media with effusion, Naproxen in—S. Abramovich, J. O'Grady, A. Fuller, M. MacKinnon and R. Lavelle. *Orig. Art.*, 263.
- Otitis, Sphenoidal sinusitis secondary to malignant external—R. Youngs and J. Bagley. *Clin. Rec.*, 341.
- Oto-admittance measurements in the diagnosis of otosclerosis—G. R. Shone and D. A. Moffat. *Orig. Art.*, 149.
- Oto-laryngeal histoplasmosis—J. Samuel and L. Wolff. *Orig. Art.*, 587.
- Otology, Neuronal activity in—H. Ludman. *Orig. Art.*, 989.
- Otomycosis, Broad spectrum antifungal agents in—A. Bassiouny, T. Kamel, M. K. Moawad and D. S. Hindawy. *Orig. Art.*, 867.
- Otorhinolaryngological manifestations of von Recklinghausen's disease in Nigerians—T. G. A. Ijaduola and S. A. Ademiluyi. *Orig. Art.*, 115.
- Otosclerosis, Oto-admittance measurements in the diagnosis of—G. R. Shone and D. A. Moffat. *Orig. Art.*, 149.
- Oval window fistulae with recurrent meningitis, Bilateral—J. J. Philipps. *Clin. Rec.*, 329.
- Oxymetazoline on human nasal mucosa, Vascular effects of topical—M. Bende and S. Löth. *Orig. Art.*, 285.
- Paediatric endoscopist, The role of the—B. Benjamin. *Orig. Art.*, 1397.
- Pain relief following tonsillectomy—J. S. Weighill, D. W. Proops, D. Jeffries and J. Brandrick. *Orig. Art.*, 307.
- Palatal myoclonus, Sonotubometry in the investigation of objective tinnitus and—R. W. T. Slack, S. O. Soucek and K. Wong. *Orig. Art.*, 529.
- Papillary cystic oncocytoma and Warthin's tumour of the parotid gland—P. A. Wackym, G. F. Gray, Jr., L. Rosenfeld and I. Friedmann. *Orig. Art.*, 679.
- Papilloma simulating chronic pulmonary disease, Valvular—N. Bartal and M. Puterman. *Clin. Rec.*, 1195.
- Paranasal sinuses, Aspergillosis of the—P. J. Robb. *Clin. Rec.*, 1071.
- Paranasal sinuses, Computed tomographic evaluation of multiple mucocoeles of—T. Nakashima, Y. Watanabe and H. Arao. *Orig. Art.*, 1139.
- Paranasal sinuses, Fibrosarcoma of the nose and—T. J. Rockley and K. C. Liu. *Clin. Rec.*, 1417.
- Paranasal sinuses, nasopharynx and pterygoid regions, Computerized axial tomography of the nose,—A. P. Singh, U. Prasad, J. Singh and R. K. Gupta. *Orig. Art.*, 907.

- Parapharyngeal space, Respiratory arrest produced by anticoagulant-induced haemorrhage into—J. Waldron and R. P. Youngs. *Clin. Rec.*, 857.
- Parotid gland, Extraosseous osteogenic sarcoma of the—J. T. Manning, A. K. Raymond and J. G. Batsakis. *Clin. Rec.*, 239.
- Parotid gland, Papillary cystic oncocyoma and Warthin's tumor of the—P. A. Wackym, G. F. Gray, Jr., L. Rosenfeld and I. Friedmann. *Orig. Art.*, 679.
- Partially ablated auricle, Reconstruction of the—R. M. Tiwari. *Clin. Rec.*, 929.
- Per-Lee tube, Long-term tympanic ventilation by—A. G. Gibb. *Orig. Art.*, 503.
- Per-Lee ventilation tubes in the management of refractory secretory otitis media, The use of—D. East. *Orig. Art.*, 509.
- Perforation of the oesophagus, Instrumental—T. Rådmark, N. Sandberg and G. Pettersson. *Orig. Art.*, 461.
- Perforation of the tympanic membrane with deafness and facial paralysis, Metal spark—J. Stage and T. Vinding. *Clin. Rec.*, 699.
- Perichondritis of the ear following acupuncture—N. P. Warwick-Brown and A. E. S. Richards. *Clin. Rec.*, 1177.
- Perilymph leak from the fissula ante fenestram—D. C. Williams and M. H. Keene. *Clin. Rec.*, 707.
- Peripheral facial nerve palsy and diabetes mellitus, Auditory brain stem evoked potentials in patients suffering from—J. Ben-David, R. Gertner, L. Podoshin, M. Fradis, H. Pratt and A. Rabina. *Orig. Art.*, 629.
- Peristaltic closure of a safety pin—L. Andréasson, S. Ingelstedt and Ö. Tjernström. *Orig. Art.*, 385.
- Petromastoid defects in the temporal bone, Tegmental and—T. R. Kapur and W. Bangash. *Orig. Art.*, 1129.
- Petrosectomy, The place of 'salvage'—P. M. Stell and J. B. Miles. *Orig. Art.*, 145.
- Pharyngectomy for post-cricoid carcinoma with preservation of the larynx—F. W. Stafford and D. B. Mathias. *Orig. Art.*, 1385.
- Pharyngo-cutaneous fistula using a bipediced tubed flap, Repair of—M. S. Shanmugham. *Clin. Rec.*, 493.
- Pharynx, A review of Carbon Dioxide laser surgery in the oral cavity and—P. H. Rhys Evans, J. W. Frame and J. Brandrick. *Orig. Art.*, 69.
- Photography and the flexible fiberoptic rhinolaryngoscope—J. M. Lancer. *Orig. Art.*, 41.
- Photography with the operating microscope, A simple and inexpensive method for laryngeal—V. Kambić, I. Fajdiga and J. Fischinger. *Orig. Art.*, 1269.
- Physical signs in recurrent tonsillitis in children, The relevance of—H. R. Cable, A. G. Batch and D. J. Stevens. *Orig. Art.*, 1047.
- Pinnaplasty, Silastic foam dressing in—S. A. Bandey, J. Atkins and W. F. Neil. *Clin. Rec.*, 201.
- Place of 'salvage' petrosectomy, The—P. M. Stell and J. B. Miles. *Orig. Art.*, 145.
- Plasma exchange in the treatment of immune complex-associated sensorineural deafness—G. B. Brookes and A. C. Newland. *Orig. Art.*, 25.
- Pneumatic nasal catheters—S. Elwany, T. Kamel and A. Mekhamer. *Orig. Art.*, 641.
- Polytef injection of the vocal cord, An analysis of 102 cases of—A. G. D. Maran, P. F. Hardcastle, A. Hamid and I. J. Mackenzie. *Orig. Art.*, 47.
- Possible implication of an efferent neuropathy in vestibular upset—C. A. J. Prescott. *Orig. Art.*, 769.
- Post-cricoid cancer, Surgical salvage in—P. H. Jones, W. T. Farrington and J. S. Weighill. *Orig. Art.*, 85.
- Post-cricoid carcinoma—W. T. Farrington, J. S. Weighill and P. H. Jones. *Orig. Art.*, 79.
- Post-cricoid carcinoma with preservation of the larynx, Pharyngectomy for—F. W. Stafford and D. B. Mathias. *Orig. Art.*, 1385.
- Posterior canal wall in cholesteatoma surgery as related to middle-ear aeration, results of preservation of the—J. Sadé, E. Berco and C. Fuchs. *Orig. Art.*, 1351.
- Posterior nasal choanae, Experience with bilateral congenital atresia of the—C. A. J. Prescott. *Orig. Art.*, 1255.
- Post-nasal airway size, Symptom relief by adenoidectomy and relationship to adenoid and—J. W. Tankel and A. D. Cheesman. *Orig. Art.*, 637.
- Postoperative evaluation of chronic otitis media caused by pseudomonas-aeruginosa—E. Vartiainen, S. Karjalainen and J. Kärjä. *Orig. Art.*, 141.
- Post-tonsillectomy analgesia, Syrup formulations for—D. A. Parker, K. P. Gibbin and R. M. Noyelle. *Orig. Art.*, 1055.
- Post-tonsillectomy symptoms, The effect of benzydamine hydrochloride (difflam) spray on—T. B. Raj and M. H. Wickham. *Orig. Art.*, 303.
- Pre-auricular fistula communicating with the external auditory meatus, combined with second branchial cleft anomalies—N. K. Skau and K. D. Eriksen. *Clin. Rec.*, 203.
- Pregnancy, Wegener's granulomatosis arising in—C. A. Milford and M. Bellini. *Clin. Rec.*, 475.
- Primary amyloidosis of the larynx, Laser treatment of—J. C. McIlwain and H. W. H. Shepperd. *Clin. Rec.*, 1079.
- Primary chronic atrophic rhinitis, Surgical treatment of—M. Shehata and Y. Dogheim. *Orig. Art.*, 803.
- Primary laryngeal tuberculosis—A. Jan. *Clin. Rec.*, 605.
- Primary tumours in laryngeal cancer, Multiple—N. de Vries and G. B. Snow. *Orig. Art.*, 915.
- Primate laryngeal muscles, Effect of denervation on: a morphologic and morphometric study—V. Sahgal and M. H. Hast. *Orig. Art.*, 553.

- Prospective study of nasal fractures, A—M. G. Dickson and D. T. Sharpe. *Orig. Art.*, 543.
- Prosthetic management following bilateral total or subtotal maxillectomy—C. M. Milton, N. Yazdanie and R. C. Bickerton. *Orig. Art.*, 1145.
- Protease inhibitors in maxillary antral mucosa—N. J. Kay, R. M. Terry and L. Swinburne. *Orig. Art.*, 289.
- Pseudomonas aeruginosa*. Postoperative evaluation of chronic otitis media caused by—E. Vartiainen, S. Karjalainen and J. Kärjä. *Orig. Art.*, 141.
- Pterygoid regions, Computerized axial tomography of the nose, paranasal sinuses, nasopharynx and—A. P. Singh, U. Prasad, J. Singh and R. K. Gupta. *Orig. Art.*, 907.
- Pulmonary disease, Vallecular papilloma simulating chronic—N. Bartal and M. Puterman. *Clin. Rec.*, 1195.
- 'Puncture speech', Tracheo-oesophageal—A. D. Cheesman, J. Knight, J. McIvor and A. Perry. *Orig. Art.*, 191.
- Radical surgical treatment for extensive chronic fronto-ethmoidal sinusitis—N. P. Warwick-Brown, A. E. S. Richards and A. D. Cheesman. *Clin. Rec.*, 1323.
- Radiography in the management of nasal fractures, The role of—M. I. Clayton and T. H. J. Lesser. *Orig. Art.*, 797.
- Radiological assessment of the usefulness of Macewen's triangle as a surgical landmark, A—C. M. Milton and V. C. Cousins. *Orig. Art.*, 1225.
- Radiological examination of the sinuses before septoplasty, Routine—J. H. Jensen and H. Dommerby. *Orig. Art.*, 893.
- Radiotherapy, Juvenile nasopharyngeal angiofibroma treated by—A. Benghiat. *Clin. Rec.*, 351.
- Ramsay Hunt Syndrome, The use of Acyclovir in—F. W. Stafford and A. R. Welch. *Clin. Rec.*, 337.
- Reconstruction of the cheek after cancer surgery—D. S. Grewal. *Orig. Art.*, 817.
- Reconstruction of the partially ablated auricle—R. M. Tiwari. *Clin. Rec.*, 929.
- Recurrent aphthous ulceration of the mouth, Inheritance of—C. Nsamba and S. K. Kaluskar. *Clin. Rec.*, 361.
- Recurrent laryngeal nerve, Anatomy of the.: A redescription—J. L. Steinberg, G. J. Khane, C. M. C. Fernandes and J. P. Nel. *Orig. Art.*, 919.
- Recurrent tonsillitis in adults, The treatment of—N. Stafford, N. von Haacke, A. Sene and C. Croft. *Orig. Art.*, 175.
- Recurrent tonsillitis in children, The relevance of physical signs in—H. R. Cable, A. G. Batch and D. J. Stevens. *Orig. Art.*, 1047.
- Reinke's oedema: a premalignant condition?—V. M. Nielsen, P. E. Højslet and D. Palvio. *Orig. Art.*, 1159.
- Reinke's oedema, Surgical treatment of—V. M. Nielsen, P. E. Højslet and M. Karlsmose. *Orig. Art.*, 187.
- Relevance of physical signs in recurrent tonsillitis in children, The—H. R. Cable, A. G. Batch and D. J. Stevens. *Orig. Art.*, 1047.
- Re-operation after failure of surgery for chronic ears—E. Vartiainen, J. Kärjä and R. Härmä. *Orig. Art.*, 1027.
- Repair of pharyngo-cutaneous fistula using a bipediced tubed flap—M. S. Shanmugham. *Clin. Rec.*, 493.
- Respiratory arrest produced by anticoagulant-induced haemorrhage into parapharyngeal space—J. Waldron and R. P. Youngs. *Clin. Rec.*, 857.
- Results of preservation of the posterior canal wall in cholesteatoma surgery as related to middle-ear aeration—J. Sadé, E. Berco and C. Fuchs. *Orig. Art.*, 1351.
- Retrosternal goitre and acromegaly, Obstructive sleep apnoea in association with—N. Stafford, R. Youngs, J. Waldron, S. Baer and C. Randall. *Clin. Rec.*, 861.
- Review of Carbon Dioxide laser surgery in the oral cavity and pharynx, A—P. H. Rhys Evans, J. W. Frame and J. Brandrick. *Orig. Art.*, 69.
- Revision tympanoplasty—M. Tos and T. Lau. *Orig. Art.*, 1097.
- Rhabdomyoma of the larynx—D. Rosenman, R. Gertner, M. Fradis, L. Podoshin, A. Misslevitsch and J. H. Boss. *Clin. Rec.*, 607.
- Rhinitis, Intraturbinate Ethanolamine oleate as a method of treatment in chronic non specific—A. C. Swift and J. Siegler. *Orig. Art.*, 417.
- Rhinitis, Surgical treatment of primary chronic atrophic—M. Shehata and Y. Dogheim. *Orig. Art.*, 803.
- Rhinoscleroma contacts, Serum immunoglobulin levels in—Y. Dogheim, A. Maher and M. El-Sawy. *Orig. Art.*, 171.
- Rhinoscleroma, The effect of Streptomycin and irradiation on—H. H. Topozada and H. A. Gaafar. *Orig. Art.*, 809.
- Role of radiography in the management of nasal fractures, The—M. I. Clayton and T. H. J. Lesser. *Orig. Art.*, 797.
- Role of the paediatric endoscopist, The—B. Benjamin. *Orig. Art.*, 1397.
- Role of the upper oesophageal sphincter in voice rehabilitation after laryngectomy and Staffieri's procedure, The—H. D. Vuyk, E. Klinkenberg-Knol and R. M. Tiwari. *Orig. Art.*, 59.
- Round window membrane perforation—a complication of chronic suppurative otitis media.—D. S. Grewal and D. D. Shah. *Clin. Rec.*, 1307.

- Routine radiological examination of the sinuses before septoplasty—J. H. Jensen and H. Dommerby. *Orig. Art.*, 893.
- S-100 protein and myoepithelial neoplasms—J. G. Batsakis, N. G. Ordóñez, J. Ro, J. M. Meis and J. M. Bruner. *Orig. Art.*, 687.
- Sacculus decompression, Vestibular nerve section and—W. J. Primrose, G. D. L. Smyth, A. G. Kerr and D. S. Gordon. *Orig. Art.*, 775.
- Safety pin, Peristaltic closure of a—L. Andréasson, S. Ingelstedt and Ö Tjernström. *Orig. Art.*, 385.
- Sailocele of Stenson's duct—S. M. Iqbal, R. R. Singh and G. L. Dewangan. *Clin. Rec.*, 363.
- Salivary duct adenocarcinoma: a high grade malignancy—K. K. Hui, J. G. Batsakis, M. A. Luna, B. Mackay and R. M. Byers. *Orig. Art.*, 105.
- Salivary glands, Duct carcinoma of the minor—C. Pesce, R. Colacino and P. Buffa. *Clin. Rec.*, 611.
- Salivary tissue and branchial sinuses, Heterotopic—J. Shvero, T. Hadar, I. Avidor, A. Abraham and J. Sidi. *Clin. Rec.*, 243.
- 'Salvage' petrosectomy, The place of—P. M. Stell and J. B. Miles. *Orig. Art.*, 145.
- Sarcoma of the parotid gland, Extrasosseous osteogenic—J. T. Manning, A. K. Raymond and J. G. Batsakis. *Clin. Rec.*, 239.
- Schwannoma, Intracranial glossopharyngeal, a tumour imitating an acoustic schwannoma—T. Andersen, C. Ulsoe, J. Overgaard and J. Ringsted. *Clin. Rec.*, 831.
- Schwannoma, Light and electron microscopic findings in a case of small acoustic, (associated with a schwannoma of the facial nerve)—J. Ylikoski. *Orig. Art.*, 785.
- Second branchial cleft anomalies, Pre-auricular fistula communicating with the external auditory meatus, combined with—N. K. Skau and K. D. Eriksen. *Clin. Rec.*, 203.
- Secretory otitis media—T. J. Rockley and P. H. Rhys Evans. *Orig. Art.*, 389.
- Secretory otitis media, Current conservative treatment of childhood chronic—J. R. Cherry. *Orig. Art.*, 1019.
- Secretory otitis media, Efficacy of medical treatment as an adjunct to surgery in the treatment of—T. H. J. Lesser, M. I. Clayton and D. Skinner. *Orig. Art.*, 1347.
- Secretory otitis media, hyaluronic acid in—C. Laurent, A. Tengblad and A. Engström-Laurent. *Orig. Art.*, 135.
- Secretory otitis media, The use of Per-Lee ventilation tubes in the management of refractory—D. East. *Orig. Art.*, 509.
- Sensorineural deafness, A rare cause of, Basilar artery ectasia:—J. B. Campbell, K. Pearman and S. S. Nahl. *Clin. Rec.*, 333.
- Sensorineural deafness, Plasma exchange in the treatment of immune complex-associated—G. B. Brookes and A. C. Newland. *Orig. Art.*, 25.
- Septoplasty, Routine radiological examination of the sinuses before—J. H. Jensen and H. Dommerby. *Orig. Art.*, 893.
- Serum immunoglobulin levels in rhinoscleroma contacts—Y. Dogheim, A. Maher and M. El-Sawy. *Orig. Art.*, 171.
- Serum phosphohexose isomerase levels in patients with head and neck cancer—H. Goel, G. S. Kohli and H. Lal. *Orig. Art.*, 581.
- Silastic coated incus in tympanoplasty: a preliminary report—P. Bonding and J. H. Jensen. *Orig. Art.*, 9.
- Silastic foam dressing in pinnaplasty—S. A. Bandey, J. Atkins and W. F. Neil. *Clin. Rec.*, 201.
- Simple and inexpensive method for laryngeal photography with the operating microscope, A—V. Kambič, I. Fajdiga and J. Fischinger. *Orig. Art.*, 1269.
- Sinus of the dorsum of the nose, Congenital mid-line—M. Sooknundun, R. C. Deka, S. K. Kacker and K. Kapila. *Clin. Rec.*, 1319.
- Sinuses, Aspergillosis of the paranasal—P. J. Robb. *Clin. Rec.*, 1071.
- Sinuses before septoplasty, Routine radiological examination of the—J. H. Jensen and H. Dommerby. *Orig. Art.*, 893.
- Sinuses, branchial, Heterotopic salivary tissue and—J. Shvero, T. Hadar, I. Avidor, A. Abraham and J. Sidi. *Clin. Rec.*, 243.
- Sinuses, Computed tomographic evaluation of multiple mucocoeles of paranasal—T. Nakashima, Y. Watanabe and H. Arao. *Orig. Art.*, 1139.
- Sinuses, Fibrosarcoma of the nose and paranasal—T. J. Rockley and K. C. Liu. *Clin. Rec.*, 1417.
- Sinuses, nasopharynx and pterygoid regions. Computerized axial tomography of the nose, paranasal—A. P. Singh, U. Prasad, J. Singh and R. K. Gupta. *Orig. Art.*, 907.
- Sinusitis, Extradural haematoma secondary to chronic—N. L. Ataya. *Clin. Rec.*, 951.
- Sinusitis, Radical surgical treatment for extensive chronic fronto-ethmoidal—N. P. Warwick-Brown, A. E. S. Richards and A. D. Cheesman. *Clin. Rec.*, 1323.
- Sinusitis, Sphenoidal, secondary to malignant external otitis—R. Youngs and J. Bagley. *Clin. Rec.*, 341.
- Sjögren's syndrome—A. G. D. Maran. *Orig. Art.*, 1299.

- Skeletal lesions in von Recklinghausen's disease of the head and neck in Nigerian Africans—G. T. A. Ijaluola, S. A. Ademiluyi and D. A. Olarenwaju. *Orig. Art.*, 823.
- Skin prick test in allergy, Late reactions of—S. S. M. Hussain and P. A. Webber. *Clin. Rec.*, 377.
- Sleep apnoea in association with retrosternal goitre and acromegaly, Obstructive—N. Stafford, R. Youngs, J. Waldron, S. Baer and C. Randall. *Clin. Rec.*, 861.
- Snoring, Surgery of—A. S. D. Gordon, M. L. Giles, D. A. Harding and R. P. Morton. *Orig. Art.*, 1263.
- Sonotubometry in the investigation of objective tinnitus and palatal myoclonus—R. W. T. Slack, S. O. Soucek and K. Wong. *Orig. Art.*, 529.
- Sphenoidal sinusitis secondary to malignant external otitis—R. Youngs and J. Bagley. *Clin. Rec.*, 341.
- Squamous carcinoma of the head and neck, Aberrant expression of low molecular weight cytokeratins in primary and secondary—R. M. Terry, C. Gray and C. C. Bird. *Orig. Art.*, 1283.
- Squamous cell carcinoma of the head and neck, Incidence of—S. Ali, R. Tiwari, G. B. Snow and I. v.d. Waal. *Orig. Art.*, 315.
- Staffieri's procedure, The role of the upper oesophageal sphincter in voice rehabilitation after laryngectomy and—H. D. Vuyk, E. Klinkenberg-Knol and R. M. Tiwari. *Orig. Art.*, 59.
- Stapedectomy, Hearing improvement after, Up to 19 years' follow-up period—L. Birch, O. Elbrønd and U. Pedersen. *Orig. Art.*, 1.
- Stapedectomy with preservation of the stapedius tendon, Stapedius reflex after—E. Rasmy. *Orig. Art.*, 521.
- Stapedectomy worthwhile before the age of twenty?, Is—T. B. Ramakrishna, S. Bahadur and S. K. Kacker. *Orig. Art.*, 879.
- Stapedial reflex in ossicular chain lesions, Inversion of the—S. Gimsing. *Orig. Art.*, 399.
- Stapedius reflex after stapedectomy with preservation of the stapedius tendon—E. Rasmy. *Orig. Art.*, 521.
- Stenson's duct, Salivocoe of—S. M. Iqbal, R. R. Singh and G. L. Dewangan. *Clin. Rec.*, 363.
- Stereocilia in hair cells of the human and guinea pig vestibular labyrinth, Crosslinks between—D. J. Jeffries, J. O. Pickles, M. P. Osborne, P. H. Rhys-Evans and S. D. Comis. *Orig. Art.*, 1367.
- Stereocilia versus kinocilia—A. Tumarkin. Part I. *Orig. Art.*, 1009. Part II. *Orig. Art.*, 1107. Part III. *Orig. Art.*, 1219.
- Streptomycin and irradiation on Rhinoscleroma, The effect of—H. H. Topozada and H. A. Gaafar. *Orig. Art.*, 809.
- Subcutaneous and laryngeal fibrosis, Idiopathic—M. N. Jamal, A. M. Dajani, S. S. Amr and M. S. Tarawneh. *Clin. Rec.*, 851.
- Subglottic haemangioma in children—D. I. Choa, M. C. F. Smith, J. N. G. Evans and C. M. Bailey. *Orig. Art.*, 447.
- Subglottic stenosis, The long-term results of hyoid-sternohyoid grafts in the correction of—A. P. Freeland. *Orig. Art.*, 665.
- Submucous palatal fibrosis, Use of tongue flap in—M. G. Tepan, G. S. Saigal and S. B. Tilak. *Orig. Art.*, 455.
- Sudden deafness and the contraceptive pill—G. S. Hanna. *Clin. Rec.*, 701.
- Supraglottic laryngitis in adults, Acute—G. S. Hanna. *Clin. Rec.*, 971.
- Surgery for chronic ears, Re-operation after failure of—E. Vartiainen, J. Kärjä and R. Härmä. *Orig. Art.*, 1027.
- Surgery of chronic otitis media in young patients—E. Vartiainen, J. Kärjä and S. Karjalainen. *Orig. Art.*, 515.
- Surgery of snoring—A. S. D. Gordon, M. L. Giles, D. A. Harding and R. P. Morton. *Orig. Art.*, 123.
- Surgical emphysema, An unusual case of—D. G. John and W. V. Carlin. *Clin. Rec.*, 1209.
- Surgical management of labyrinthine fistula with cholesteatoma—P. K. Gormley. *Orig. Art.*, 1115.
- Surgical salvage in postcricoid cancer—P. H. Jones, W. T. Farrington and J. S. Weighill. *Orig. Art.*, 85.
- Surgical treatment of primary chronic atrophic rhinitis—M. Shehata and Y. Dogheim. *Orig. Art.*, 803.
- Surgical treatment of Reinke's oedema—V. M. Nielsen, P. E. Højslet and M. Karlsmose. *Orig. Art.*, 187.
- Suspension device for laryngeal endoscopy in developing countries, A new—T. G. A. Ijaluola. *Orig. Art.*, 659.
- Suspicious lump in the neck, A—A. R. Swanston and G. J. C. Smelt. *Clin. Rec.*, 483.
- Symptom relief by adenoidectomy and relationship to adenoid and post-nasal airway size—J. W. Tinkel and A. D. Cheesman. *Orig. Art.*, 637.
- Syrup formulations for post-tonsillectomy analgesia—D. A. Parker, K. P. Gibbin and R. M. Noyelle. *Orig. Art.*, 1055.
- Systemic lupus erythematosus, Crico-arytenoid joint involvement in acute—J. W. A. Curley, M. A. Byron and G. J. Bates. *Clin. Rec.*, 727.
- Tegmental and petromastoid defects in the temporal bone—T. R. Kapur and W. Bangash. *Orig. Art.*, 1129.
- Temporal bone, Tegmental and petromastoid defects in the—T. R. Kapur and W. Bangash. *Orig. Art.*, 1129.
- Thrombosis, Clinical and anatomical considerations of the Tobey-Ayer test in lateral sinus—D. M. Albert and S. R. Williams. *Clin. Rec.*, 1311.
- Tinnitus and palatal myoclonus, Sonotubometry in the investigation of objective—R. W. T. Slack, S. O. Soucek and K. Wong. *Orig. Art.*, 529.

- Tinnitus, Vestibular effects of intravenous lidocaine used in the treatment of—S. N. Merchant and M. V. Kirtane. *Orig. Art.*, 1249.
- Tobey-Ayer test in lateral sinus thrombosis, Clinical and anatomical considerations of the—D. M. Albert and S. R. Williams. *Clin. Rec.*, 1311.
- Tomographic evaluation of multiple mucocoeles of paranasal sinuses, Computed—T. Nakashima, Y. Watanabe and H. Arao. *Orig. Art.*, 1139.
- Tomography of vascular middle ear masses, Computed—J. M. Pickles, A. G. Tucker and J. W. Cowie. *Orig. Art.*, 405.
- Tongue, Congenital dermoid cysts of the—H. Valtonen, J. Nuutinen, J. Kärjä and Y. Collan. *Clin. Rec.*, 965.
- Tongue flap in submucous palatal fibrosis, Use of—M. G. Tepan, G. S. Saigal and S. B. Tilak. *Orig. Art.*, 455.
- Tongue in young adults, Malignant tumours of the—C. J. Randall and H. J. Shaw. *Orig. Art.*, 1295.
- Tonsillar hypertrophy in children, Cryosurgical treatment of—U. Almqvist. *Orig. Art.*, 311.
- Tonsillectomy and discharge after 24 hours, Childhood—R. C. D. Herdman and G. J. Bates. *Orig. Art.*, 1053.
- Tonsillectomy, Pain relief following—J. S. Weighill, D. W. Proops, D. Jeffries and J. Brandrick. *Orig. Art.*, 307.
- Tonsillitis in adults, The treatment of recurrent—N. Stafford, N. von Haacke, A. Sene and C. Croft. *Orig. Art.*, 175.
- Tonsillitis in children, The relevance of physical signs in recurrent—H. R. Cable, A. G. Batch and D. J. Stevens. *Orig. Art.*, 1047.
- Topical cocaine, Intranasal; Moffett's method or topical cocaine paste?—R. E. Quiney. *Orig. Art.*, 279.
- Topical oxymetazoline on human nasal mucosa, Vascular effects of—M. Bende and S. Löth. *Orig. Art.*, 285.
- Total laryngectomy for cancer of the larynx—W. T. Farrington, J. S. Weighill and P. H. Jones. *Orig. Art.*, 53.
- Trachea, Leiomyosarcoma of the—K. E. Outzen, J. Lunding and J. Jakobsen. *Clin. Rec.*, 979.
- Tracheal carcinoma following short term tracheostomy in childhood—J. H. Phipps, S. Horslen and F. J. F. Madden. *Clin. Rec.*, 977.
- Tracheo-oesophageal 'Puncture Speech'—A. D. Cheesman, J. Knight, J. McIvor and A. Perry. *Orig. Art.*, 191.
- Tracheostomy in childhood, Tracheal carcinoma following short term—J. H. Phipps, S. Horslen and F. J. F. Madden. *Clin. Rec.*, 977.
- Tracheostomy in the management of acute epiglottitis in children in the tropics, A comparison of endotracheal intubation and—O. Odetoyinbo. *Orig. Art.*, 1273.
- Transcannular maxillary antral biopsy with Tru-Cut needle—T. G. A. Ijaduola. *Orig. Art.*, 649.
- Transient facial paralysis—J. M. Lancer, A. S. Jones and A. A. Moir. *Clin. Rec.*, 211.
- Transplanted ossicles, Long-term viability of—J. Lang, A. G. Kerr and G. D. L. Smyth. *Orig. Art.*, 741.
- Trans-septal approach to unilateral posterior choanal atresia—W. A. McIntosh. *Orig. Art.*, 1133.
- Traumatic neuroma of the internal laryngeal nerve as a cause of severe cough—S. S. To and A. R. Das Gupta. *Clin. Rec.*, 843.
- Treatment of recurrent tonsillitis in adults, The—N. Stafford, N. von Haacke, A. Sene and C. Croft. *Orig. Art.*, 175.
- Tropics, A comparison of endotracheal intubation and tracheostomy in the management of acute epiglottitis in children in the—O. Odetoyinbo. *Orig. Art.*, 1273.
- Tru-Cut needle, Transcannular maxillary antral biopsy with—T. G. A. Ijaduola. *Orig. Art.*, 649.
- Tuberculosis, Primary laryngeal—A. Jan. *Clin. Rec.*, 605.
- Tuberculous left vocal cord palsy: a timely reminder—J. R. L. Hamilton, G. Varghese, H. W. H. Shepperd and H. M. Stevenson. *Clin. Rec.*, 837.
- Tularemia, Bronchial changes in airborne—H. Syrjäälä, S. Sutinen, K. Jokinen, P. Nieminen, T. Tuuponen and A. Salminen. *Orig. Art.*, 1169.
- Tumour imitating an acoustic schwannoma, Intracranial glossopharyngeal schwannoma. A—T. Andersen, C. Ulsoe, J. Overgaard and J. Ringsted. *Clin. Rec.*, 831.
- Tumour of the larynx, carcinoid—J. S. Weighill, J. W. Tankel and A. Mene. *Clin. Rec.*, 1421.
- Tumour of the nose, Haemangiopericytoma-like—V. Rupa and T. S. Bhanu. *Clin. Rec.*, 715.
- Tumour of the skin, Merkel cell—M. S. Zakzouk, A. D. Ramsay and G. Buchanan. *Orig. Art.*, 561.
- Tumour resection, The use of free tissue transfer in reconstruction following head and neck—M. C. Frampton, N. M. Breach, D. J. Archer and H. J. Shaw. *Orig. Art.*, 97.
- Tumours in laryngeal cancer, Multiple primary—N. de Vries and G. B. Snow. *Orig. Art.*, 915.
- Tumours of the larynx, Uncommon malignant—P. J. Hamlyn, C. J. O'Brien and H. J. Shaw. *Orig. Art.*, 1163.
- Tumours of the tongue in young adults, Malignant—C. J. Randall and H. J. Shaw. *Orig. Art.*, 1295.
- Tympanic membrane with deafness and facial paralysis, Metal spark perforation of the—J. Stage and T. Vinding. *Clin. Rec.*, 699.
- Tympanic ventilation by Per-Lee tube, Long-term—A. G. Gibb. *Orig. Art.*, 503.
- Tympanoplasty, revision—M. Tos and T. Lau. *Orig. Art.*, 1097.
- Tympanoplasty, Silastic coated incus in.: a preliminary report—P. Bonding and J. H. Jensen. *Orig. Art.*, 9.
- Ulceration of the mouth, Inheritance of recurrent aphthous—C. Nsamba and S. K. Kaluskar. *Clin. Rec.*, 361.

- Ultrasonic scanning, Hepatosplenomegaly in infectious mononucleosis, assessed by—H. Dommerby, S.-E. Stangerup, M. Stangerup and S. Hancke. *Orig. Art.*, 573.
- Uncommon malignant tumours of the larynx—P. J. Hamlyn, C. J. O'Brien and H. J. Shaw. *Orig. Art.*, 1163.
- Unilateral posterior choanal atresia, Trans-septal approach to—W. A. McIntosh. *Orig. Art.*, 1133.
- Untreated persistent middle ear effusion—A. Leiberman and N. Bartal. *Orig. Art.*, 875.
- Unusual case of laryngeal carcinoma, An—M. D. Cremin, A. J. Freemont and T. Tun. *Clin. Rec.*, 477.
- Unusual case of surgical emphysema, An—D. G. John and W. V. Carlin. *Clin. Rec.*, 1209.
- Unusual presentation of meningioma of the frontal sinus, An—S. K. De, A. K. Chatterjee and A. K. Misra. *Clin. Rec.*, 711.
- Upper oesophageal sphincter in voice rehabilitation after laryngectomy and Staffieri's procedure, The role of the—H. D. Vuyk, E. Klinkenberg-Knol and R. M. Tiwari. *Orig. Art.*, 59.
- Use of Acyclovir in Ramsay Hunt Syndrome, The—F. W. Stafford and A. R. Welch. *Clin. Rec.*, 337.
- Use of free tissue transfer in reconstruction following head and neck tumour resection, The—M. C. Frampton, N. M. Breach, D. J. Archer and H. J. Shaw. *Orig. Art.*, 97.
- Use of Per-Lee ventilation tubes in the management of refractory secretory otitis media, The—D. East. *Orig. Art.*, 509.
- Use of tongue flap in submucous palatal fibrosis—M. G. Tepan, G. S. Saigal and S. B. Tilak. *Orig. Art.*, 455.
- Vallecular papilloma simulating chronic pulmonary disease—N. Bartal and M. Puterman. *Clin. Rec.*, 1195.
- Variability of fixation suppression of caloric-induced nystagmus, The—G. Schuchman and N. Uri. *Orig. Art.*, 765.
- Vascular effects of topical oxymetazoline on human nasal mucosa—M. Bende and S. Löth. *Orig. Art.*, 285.
- Vascular middle ear masses, Computed tomography of—J. M. Pickles, A. G. Tucker and J. W. Cowie. *Orig. Art.*, 405.
- Vestibular abnormalities in patients with Bell's palsy—N. Uri and G. Schuchman. *Orig. Art.*, 1125.
- Vestibular effects of intravenous lidocaine used in the treatment of tinnitus—S. N. Merchant and M. V. Kirtane. *Orig. Art.*, 1249.
- Vestibular labyrinth, Crosslinks between stereocilia in hair cells of the human and guinea pig—D. J. Jeffries, J. O. Pickles, M. P. Osborne, P. H. Rhys-Evans and S. D. Comis. *Orig. Art.*, 1367.
- Vestibular nerve section and saccus decompression—W. J. Primrose, G. D. L. Smyth, A. G. Kerr and D. S. Gordon. *Orig. Art.*, 775.
- Vestibular upset, Possible implication of an efferent neuropathy in—C. A. J. Prescott. *Orig. Art.*, 769.
- Vocal cord, An analysis of 102 cases of Polytef injection of the—A. G. D. Maran, P. F. Hardcastle, A. Hamid and I. J. Mackenzie. *Orig. Art.*, 47.
- Vocal cord, Expression of low molecular weight cytokeratins in the neoplastic—R. M. Terry, C. Gray, P. Jackson and C. C. Bird. *Orig. Art.*, 1279.
- Vocal cord palsy, Tuberculous left, a timely reminder—J. R. L. Hamilton, G. Varghese, H. W. H. Shepperd and H. M. Stevenson. *Clin. Rec.*, 837.
- Voice rehabilitation after laryngectomy and Staffieri's procedure, The role of the upper oesophageal sphincter in—H. D. Vuyk, E. Klinkenberg-Knol and R. M. Tiwari. *Orig. Art.*, 59.
- Von Recklinghausen's disease in Nigerians, Otorhinolaryngological manifestations of—T. G. A. Ijaluola and S. A. Ademiluyi. *Orig. Art.*, 115.
- Von Recklinghausen's disease of the head and neck in Nigerian Africans, Skeletal lesions in—G. T. A. Ijaluola, S. A. Ademiluyi and D. A. Olarenwaju. *Orig. Art.*, 823.
- Warfarin syndrome, The congenital—M. S. Zakzouk. *Clin. Rec.*, 215.
- Warthin's tumour of the parotid gland, Papillary cystic oncocytoma and—P. A. Wackym, G. F. Gray, Jr., L. Rosenfeld and I. Friedmann. *Orig. Art.*, 679.
- Warthin's tumour with bilateral synchronous presentation—K. Tveterås and S. Kristensen. *Clin. Rec.*, 487.
- Water-borne infection, ear protection against—K. Laitakari, M. Sorri, T. Pirilä, H. Löppönen and L. Helisten. *Orig. Art.*, 1337.
- Weber-Christian disease accompanied by a nasal symptom, A case of—H. Isago, T. Kimura and A. Kataura. *Clin. Rec.*, 221.
- Wegener's granulomatosis arising in pregnancy—C. A. Milford and M. Bellini. *Clin. Rec.*, 475.
- Young patients, Surgery of chronic otitis media in—E. Vartiainen, J. Kärjä and S. Karjalainen. *Orig. Art.*, 515.

