

CAMBRIDGE


JOURNALS

CNS Spectrums

Editor-in-Chief

Stephen M. Stahl, *University of California San Diego, School of Medicine, USA*

CNS Spectrums aims to be the premier journal covering all aspects of clinical neurosciences, neurotherapeutics and neuropsychopharmacology, particularly those pertinent to the clinician and clinical investigator. The journal, now bimonthly, features focused, in-depth, illustrated, readable reviews, commentaries, and original research articles. New therapeutics of all types in psychiatry, mental health, and neurology are emphasized, especially first in studies on humans and proof of concept studies. Subject coverage spans the full spectrum of neuropsychiatry, focusing on translational issues and those crossing traditional boundaries between neurology and psychiatry.



CNS Spectrums

is available online at:
<http://journals.cambridge.org/cns>

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

Free email alerts

Keep up-to-date with new
material – sign up at
journals.cambridge.org/cns-alerts

For more information please visit:
<http://journals.cambridge.org/cns>



CAMBRIDGE

JOURNALS

Epidemiology and Psychiatric Sciences

Editor

Michele Tansella, University of Verona, Italy

Epidemiology and Psychiatric Sciences is an international, peer-reviewed journal published quarterly. It provides updated data and scientific information to epidemiologists, psychiatrists, psychologists, statisticians and other research and mental health workers primarily concerned with public health and epidemiological and social psychiatry.

Price information

is available at: <http://journals.cambridge.org/eps>

Free email alerts

Keep up-to-date with new material – sign up at
<http://journals.cambridge.org/alerts>



Epidemiology and Psychiatric Sciences

is available online at:
<http://journals.cambridge.org/eps>

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
Email
subscriptions_newyork@cambridge.org

For free online content visit:
<http://journals.cambridge.org/eps>



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE

JOURNALS

Irish Journal of Psychological Medicine

The official journal of College of Psychiatrists of Ireland

Editor-in-Chief

Brendan D. Kelly, *University College Dublin, Ireland*

The *Irish Journal of Psychological Medicine* is the official research journal of the College of Psychiatry of Ireland. The journal's central objectives are: to disseminate the results of original scientific research to a national and international readership, to express the unique identity of Irish psychiatry, and to underscore the importance of cross-cultural differences in psychiatry.

The *Irish Journal of Psychological Medicine* publishes national and international research papers, editorials, review papers, case reports and book reviews.



Irish Journal of Psychological Medicine

is available online at:

<http://journals.cambridge.org/ipm>

To subscribe contact Customer Services

Americas:

Phone +1 (845) 353 7500

Fax +1 (845) 353 4141

Email

subscriptions_newyork@cambridge.org

Rest of world:

Phone +44 (0)1223 326070

Fax +44 (0)1223 325150

Email journals@cambridge.org

Free email alerts

Keep up-to-date with new material – sign up at

journals.cambridge.org/ipm-alerts

For free online content visit:
<http://journals.cambridge.org/ipm>



CAMBRIDGE
UNIVERSITY PRESS

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLE

A systematic review with meta-analysis of the role of anxiety and depression in irritable bowel syndrome onset

Sibelli A, Chalder T, Everitt H, Workman P, Windgassen S & Moss-Morris R 3065

ORIGINAL ARTICLES

Chronic exposure to haloperidol and olanzapine leads to common and divergent shape changes in the rat hippocampus in the absence of grey-matter volume loss

Crum WR, Danckaers F, Huysmans T, Cotel M-C, Natesan S, Modo MM, Sijbers J, Williams SCR, Kapur S & Vernon AC 3081

Cognitive reserve lessens the burden of white matter lesions on executive functions in bipolar disorder

Rolstad S, Abé C, Olsson E, Eckerström C & Landén M 3095

Post-traumatic stress disorder symptoms and risk of hypertension over 22 years in a large cohort of younger and middle-aged women

Sumner JA, Kubzansky LD, Roberts AL, Gilsanz P, Chen Q, Winning A, Forman JP, Rimm EB & Koenen KC 3105

The longitudinal mental health impact of Fukushima nuclear disaster exposures and public criticism among power plant workers: the Fukushima NEWS Project study

Tanisho Y, Shigemura J, Kubota K, Tanigawa T, Bromet EJ, Takahashi S, Matsuoka Y, Nishi D, Nagamine M, Harada N, Tanichi M, Takahashi Y, Shimizu K, Nomura S & Yoshino A 3117

Premorbid cannabis use is associated with more symptoms and poorer functioning in schizophrenia spectrum disorder

Ringen PA, Nesvåg R, Helle S, Lagerberg TV, Lange EH, Loberg EM, Agartz I, Andreassen OA & Melle I 3127

Delay discounting and response disinhibition under acute experimental stress in women with borderline personality disorder and adult attention deficit hyperactivity disorder

Krause-Utz A, Cackowski S, Daffner S, Esther Sobanski, Michael M Plichta, Bohus M, Ende G & Schmahl C 3137

Associations between mood instability and emotional processing in a large cohort of bipolar patients

Bilderbeck AC, Reed ZE, McMahon HC, Atkinson LZ, Price J, Geddes JR, Goodwin GM & Harmer CJ 3151

The cross-national epidemiology of DSM-IV intermittent explosive disorder

Scott KM, Lim CCW, Hwang I, Adamowski T, Al-Hamzawi A, Bromet E, Bunting B, Ferrand MP, Florescu S, Gureje O, Hinkov H, Hu C, Karam E, Lee S, Posada-Villa J, Stein D, Tachimori H, Viana MC, Xavier M & Kessler RC 3161

Differential effects of methylphenidate and atomoxetine on intrinsic brain activity in children with attention deficit hyperactivity disorder

Shang CY, Yan CG, Lin HY, Tseng WY, Castellanos FX & Gau SS 3173

Neural alterations of fronto-striatal circuitry during reward anticipation in euthymic bipolar disorder

Schreier S, Spengler S, Willert A, Mohnke S, Herold D, Erk S, Romanczuk-Seiferth N, Quinlivan E, Hindi-Attar C, Banzhaf C, Wackerhagen C, Romund L, Garbusow M, Stamm T, Heinz A, Walter H & Berman F 3187

Anticholinergic burden in schizophrenia and ability to benefit from psychosocial treatment programmes: a 3-year prospective cohort study

O'Reilly K, O'Connell P, Donohoe G, Coyle C, O'Sullivan D, Azvee Z, Maddock C, Sharma K, Sadi H, McMahon M & Kennedy HG 3199

The effects of stress-tension on depression and anxiety symptoms: evidence from a novel twin modelling analysis

Davey CG, López-Solà C, Bui M, Hopper JL, Pantelis C, Fontenelle LF & Harrison BJ 3213

Impaired glucose tolerance in first-episode drug-naïve patients with schizophrenia: relationships with clinical phenotypes and cognitive deficits

Chen DC, Du XD, Yin GZ, Yang KB, Nie Y, Wang N, Li YL, Xiu MH, He SC, Yang FD, Cho RY, Kosten TR, Soares JC, Zhao JP & Zhang XY 3219

Two distinct patterns of treatment resistance: clinical predictors of treatment resistance in first-episode schizophrenia spectrum psychoses

Lally J, Ajnakina O, Di Forti M, Trotta A, Demjaha A, Koliakou A, Mondelli V, Reis Marques T, Pariante C, Dazzan P, Shergil SS, Howes OD, David AS, MacCabe JH, Gaughran F & Murray RM 3231

Towards an exposure-dependent model of post-traumatic stress: longitudinal course of post-traumatic stress symptomatology and functional impairment after the 2011 Oslo bombing

Solberg Ø, Birkeland MS, Blix I, Hansen MB & Heir T 3241

Correspondence

3255, 3259