

THE BRITISH JOURNAL OF PSYCHIATRY

VOLUME 155



1989

© The Royal College of Psychiatrists

A MASTERPIECE IN OILS



This painting depicts the troubled mind. In schizophrenia, Depixol® provides a proven anti-psychotic effect and is particularly useful in patients who are depressed, apathetic or withdrawn.^{1,2,3} Depixol® injection is available in a range of standard and concentrate depot injection formulations.



Goya, Corral de Locos



DEPIXOL[®] Injection

cis(Z) – flupenthixol decanoate

CARING FOR THE TROUBLED MIND

PRESCRIBING INFORMATION

Depixol Injection and Depixol Conc. Injection contain cis (Z)-flupenthixol decanoate 20 mg/ml and 100 mg/ml respectively, in thin vegetable oil.

Indications The treatment of schizophrenia and paranoid psychoses, especially where compliance with oral medication is a problem.

Dosage and Administration By deep intramuscular injection, 20 mg-200 mg every 2-4 weeks to a maximum of 400mg weekly. Not recommended for children.

Adverse Effects Early (frequent) and late (rare) dyskinesias. Extrapyramidal side effects sometimes require dose reduction or antiparkinson drug treatment.

Contraindications Comatose states. Not recommended for excitable or agitated patients. Pregnancy.

Precautions Caution should be exercised in patients having: liver disease; cardiac disease or arrhythmias; severe respiratory disease; renal failure; epilepsy (and conditions predisposing to epilepsy, eg. alcohol withdrawal or brain damage); Parkinson's disease;

patients who have shown hypersensitivity to other neuroleptics; myasthenia gravis; pheochromocytoma; narrow angle glaucoma; prostatic hypertrophy; hypothyroidism. The elderly require close supervision.

Overdosage should be treated (a) by anticholinergic antiparkinson drugs if extrapyramidal symptoms occur; (b) by sedation (with benzodiazepines) in the unlikely event of agitation or excitement;

(c) by noradrenaline in saline intravenous drip if the patient is shocked.

Further information Depixol is particularly beneficial in patients who are withdrawn, apathetic, anergic or depressed in mood or in whom neuroleptics with a marked sedative effect cause fatigue or drowsiness.

Package Quantities and Basic NHS Prices

Boxes of 10 x 20 mg (1 ml) ampoules £15.53,

10 x 40 mg (2 ml) ampoules £25.99,

10 x 100 mg (1 ml) ampoules £59.53,

10 x 50 mg (0.5 ml) ampoules £32.50,

5 x 20 mg (1 ml) syringes £8.51,

5 x 40 mg (2 ml) syringes £13.74,

1 x 200 mg (10 ml) vial £14.74,

1 x 500 mg (5 ml) vial £28.27.

Prices correct at time of printing.

PL Nos: 0458/0007, 0015


PA Nos: 115/1/1, 2, 3, 5, 6, 7, 8, 9

REFERENCES

1. Johnson DAW and Malik NA; Acta Psychiat Scand 1975; 51: 257-267.

2. Pinto R, Bannerjee A and Ghosh N; Acta Psychiat Scand 1979; 60: 313-322.

3. Hamilton M, Card IR, Wallis GG and Mahmoud MR; Psychopharmacol 1979; 64: 225-229.



Further information is available from:

LUNDBECK LIMITED, Lundbeck House, Hastings Street, LUTON, Beds. LU1 5BE

The only journal providing a complete and systematic review of the entire field

Complete Coverage
Each issue provides a complete systematic review of the past year's developments in two sections of psychiatry. Together the six bimonthly issues cover the entire subject of psychiatry.

Authoritative Reviews
Each section consists of a series of short, highly illustrated review articles. Using a comprehensive bibliography specially compiled by psychiatrists, leading experts evaluate new findings and developments in their fields.

Editors HL Freeman DJ Kupfer Editorial Board J Angst GB Cassano	TJ Crow L Eisenberg AM Freedman MG Gelder H Katschnig S Kellam	M H Lader CA León JJ López-Ibzo Jr HY Meltzer HG Morgan PE Mullen	T Okuma G Parker E Strömgren
--	---	--	------------------------------------

Annotated References
With each review, the author selects and annotates the year's most significant papers, highlighting the key findings.

World Bibliography
In each issue, the current world literature lists all relevant papers published in the past year. The bibliography is specially compiled by psychiatrists who scan over 200 journals worldwide.

Volume 2 Number 1 February 1989
Psychoses
edited by J.M. Davis

J.M. Davis	Editorial overview
K.A. Bush	Psychotic states in human immunodeficiency virus illness
P.C. Jenack	Recent advances in the assessment and treatment of psychotic affective disorders
C.A. Tamminga and G.K. Thase	Tardive dyskinesia
F.N. Sallak	Neuroleptic malignant syndrome
S.S. Gorman, D.J. Luchins and M. Hamer	Positive and negative symptoms and the neurology of schizophrenia
S. Mathysse	Genetics of schizophrenia
D.J. Cantor	Schizophrenia spectrum
J.A. Haskett and G.A. Hollander	Cross-cultural research on schizophrenia and depression
E.S. Condon	Genetics of manic-depressive illness
S.C. Schulz	Clinical schizophrenia treatment, prognosis and syndrome
R. Shurma	Alcohol and psychiatric disorders
J.M. Davis	Psychotic neuroleptic side-effects

Neurosciences and neuropsychiatry
edited by J.F.W. Deakin

J.F.W. Deakin	Editorial overview
S.J. Herdley	New directions in benzodiazepine research
R. Alkana	Electroconvulsive therapy

The Royal College of Physicians
Current Opinion in PSYCHIATRY
Review articles · Recommended reading
Bibliography of the world literature
Vol 2 · 1989 · No 1

No	THIS ISSUE	February
No 1	Psychoses · J Davis Neurosciences and neuropsychiatry · JFW Deakin	
No 2	Neuroses and personality disorders Social psychiatry and rehabilitation	April
No 3	Psychotherapy and psychoanalysis, Substance misuse	June
No 4	Child and adolescent psychiatry, Psychogeriatrics	August
No 5	Mental retardation History, philosophy and economics of psychiatry	October
No 6	Forensic psychiatry, Behavioral sciences	December

CS
Cambridge Scientific Abstracts

Introduction
Tardive dyskinesia is a hyperkinetic motor disorder which occurs in association with chronic neuroleptic drug use. Facial dyskinesias, limb involuntary movements, and vocal abnormalities typically characterize the syndrome. These lesions are more vulnerable to the disorder, but, it is relatively certain that cognitive dysfunction is more prevalent among patients compared with matched non-neuroleptic schizophrenics. These clinical demographics provide clues to the pathophysiology and/or etiology of this disorder [1].

Neuroleptic neurobiology correlates
... *Gen Pharmacol* 1988, 10:91-95 [14]
... *Schizophrenia*, just the facts. What do we know, how well do we know it. *Schizophrenia Bull* 1989, 15:3-18 [8]
... *J Clin Psychopharmacol* 1989, 9:136-140 [15]
... *J Clin Psychopharmacol* 1989, 9:136-140 [15]
... *J Clin Psychopharmacol* 1989, 9:136-140 [15]

Tardive dyskinesia
C.A. Tamminga and G.K. Thase
Molecular Psychiatry Research Center, University of Maryland, Baltimore, Maryland, USA
Current Opinion in Psychiatry 1989, 2:13-16

13. ... Physical complaints are part of the core depressive syndrome—evidence from a cross-cultural study in Israel. *J Clin Psychiatry* 1987, 48:140-142.
No differences based on ethnic origin were found when Israeli expatriates of Western and Oriental origin suffering from depressive and non-depressive illness were compared using the self-report Physical Complaints List. Depressed patients consistently scored higher than non-depressed patients suggesting that physical illness is related more to illness variables than to ethnic differences.

14. ... *Psychoses* · J Davis
... *Neurosciences and neuropsychiatry* · JFW Deakin
... *Neuroses and personality disorders*
... *Social psychiatry and rehabilitation*

15. ... *Current world literature*
... *Depression*
... *Genetics of schizophrenia*
... *Schizophrenia spectrum*
... *Cross-cultural research on schizophrenia and depression*
... *Genetics of manic-depressive illness*
... *Clinical schizophrenia treatment, prognosis and syndrome*
... *Alcohol and psychiatric disorders*
... *Psychotic neuroleptic side-effects*

ORDER FORM for Current Opinion in Psychiatry, Volume 2, 1989 (6 issues)

(tick boxes as applicable) ISSN 0951-7367

- Please enter my subscription at the following rate:
 Personal rate (from personal funds only) £60/US\$ 100*
 Institutional rate £90/US\$ 135*
Subscription rates include surface postage, airmail rates available on request
* Prices in US\$ apply to subscribers in USA and Canada ONLY
Subscriptions run on a calendar year basis
£ sterling must be drawn on a UK bank, US\$ on a US bank

METHOD OF PAYMENT

- Cheque enclosed payable to Current Science Ltd (formerly Gower Academic Journals)
 Bank transfer to Lloyds Bank plc
Account no: 0440917; Bank no: 30-83-68
 Please invoice (institutional subscriptions ONLY)
 Am Ex VISA MasterCard Amount Payable

Card no Exp date

Signature Date

Name (BLOCK CAPITALS PLEASE)

Address

Zip/Postcode Country

Specialty

Return this form together with payment to:
In USA & Canada: CURRENT SCIENCE Ltd
Subscriptions
1201 Locust Street, Philadelphia
PA 19107, USA
Outside USA & Canada:
CURRENT SCIENCE Ltd
Subscriptions
34-42 Cleveland Street
London, W1P 5FB, UK
Guarantee: Your money will be refunded if you write cancelling our subscription within 30 days of receiving the first issue.

PS07

A VSO CHALLENGE*

Psychiatrist for Belize

***Do you have the experience and qualifications to plan the psychiatric service for an entire country?**

Belize is a small English-speaking country of 180,000 people. VSO have been asked to recruit a psychiatrist who will develop the mental health services for the country, as well as providing clinical care.

You should be a qualified doctor with a minimum of three years in psychiatry. You should have an interest in planning, management and training.

For details and application form call:

01-780-1331 NOW.

Or write to:

Rebecca Macnair
Enquiries Unit, VSO,
317 Putney Bridge Road,
London SW15 2PN.

Helping the Third World help itself.

19p stamp appreciated

Charity no. 313757

VSO

NOTICE TO ADVERTISERS

Applications for advertisement
space in
The British Journal of Psychiatry
should be made to:

**PTM
PUBLISHERS
LIMITED**

282 High Street,
Sutton, Surrey SM1 1PQ
Telephone: 01-642 0162

THE 18TH EUROPEAN CONFERENCE ON PSYCHOSOMATIC RESEARCH

August 13-17, 1990

Finlandia-Hall, Helsinki, Finland

The main theme:

**PSYCHOSOMATICS — A CHALLENGE
TO HEALTH CARE**

Correspondence:

Conference Secretariat,
Congress Management Systems,
P.O. Box 189,
SF-00717 Helsinki, Finland

Telephone int. 358-0-602 163
Telefax int. 358-0-170 122
Telex 12 585 CMS SF

Scientific correspondence:

Professor Pekka Tienari,
University of Oulu,
Department of Psychiatry,
SF-90210 Oulu, Finland

COMPREHENSIVE PRIVATE PSYCHIATRIC TREATMENT

St. Andrew's Hospital offers a complete range of psychiatric treatment programmes for:

Acute Psychiatric Disorders

Eating Disorders

Alcohol and Addiction Problems

Behaviour Disorders


Elderly Mentally Infirm

Set in 100 acres of parkland, easily accessible from Junction 15 of the M1, the hospital has extensive recreational and sporting facilities.

St. Andrew's has an associated unit in North London, **Bowden House Clinic** is located in the village of Harrow-on-the-Hill, within easy reach of central London. The Clinic offers treatment for all acute psychiatric disorders.

For further details, write or telephone:

Medical Director

St. Andrew's Hospital 

Billing Road

Northampton NN1 5DG

Telephone (0604) 29696

THOMAS PRICHARD UNIT

Treatment for Alcohol and Drug Dependency

A cognitive behavioural course for clients experiencing alcohol or drug dependency problems.

The course is of five weeks duration, and attendance can be residential or on a day basis.

The unit offers a structured directive group therapy programme, with an integrated didactic course. The emphasis is on the teaching of relapse prevention and relapse management skills.

The professional unit staff are all trained in motivational interviewing, and clients explore the possible goals via individual and group counselling. Controlled drinking may be a goal for some clients.

The ultimate aim is for patients to reach their own conclusions as to their treatment goal, but such a decision is expected to be based on proper information, advice and with the full knowledge and implications of their physical and psychological condition.


Problems related to dependency can also be treated at the unit, either in parallel with the course, or in other acute areas of the hospital.

For further details, write or telephone:

Medical Director

St. Andrew's Hospital 

**Billing Road
Northampton NN1 5DG
Telephone (0604) 29696**



BOWDEN HOUSE CLINIC

**London Road, Harrow-on-the-Hill,
Middlesex HA1 3JL**

This long established Psychiatric Clinic has recently been extended by the building of a new wing. Conveniently situated for Central London, the Clinic provides treatment for all forms of Psychiatric disorders. Occupying a woodland setting only minutes from the centre of Harrow-on-the-Hill the Clinic offers treatment on an inpatient or day patient basis.

**For further information write to the
Consultant in Charge or telephone
01-864 0221.**

THE BRITISH JOURNAL OF PSYCHIATRY

July 1989

Volume 155

Lecture

Neuronal lipopigment: a marker for cognitive impairment and long-term effects of psychotropic drugs. *J. H. Dowson* 1

Papers

The evaluation of mental health care systems. *H. Häfner and W. an der Heiden* 12

The functional discrimination of attachment and affiliation: theory and empirical demonstration. *A. E. R. Sheldon and M. West* 18

Adult personality functioning assessment (APFA): an investigator-based standardised interview. *J. Hill, R. Harrington, H. Fudge, M. Rutter and A. Pickles* 24

Psychiatric symptoms, cognitive stress and vulnerability factors: a study in a remand prison. *T. Harding and E. Zimmermann* 36

Epidemiology of mental disorders in young adults of a newly urbanised area in Khartoum, Sudan. *S. I. A. Rahim and M. Cederblad* 44

DSM-III major depressive disorder in the community: a latent class analysis of data from the NIMH epidemiologic catchment area programme. *W. W. Eaton, A. Dryman, A. Sorenson and A. McCutcheon* 48

Tardive dyskinesia in bipolar affective disorder: relationship to lithium therapy. *T. G. Dinan and D. Kohen* 55

Physical illness in chronic psychiatric patients from a community psychiatric unit: the implications for daily practice. *A. Honig, P. Pop, E. S. Tan, H. Philipsen and M. A. J. Romme* 58

Benefits and problems of routine laboratory investigations in adult psychiatric admissions. *A. J. White and B. Barraclough* 65

Brain white-matter lesions and psychosis. *B. L. Miller, I. M. Lesser, K. Boone, M. Goldberg, E. Hill, M. H. Miller, D. F. Benson and M. Mehringer* 73

Mood changes after right-hemisphere lesions. *S. E. Starkstein, R. G. Robinson, M. A. Honig, R. M. Parikh, J. Joselyn and T. R. Price* 79

Cognitive aspects of panic attacks: content, course and relationship to laboratory stressors. *D. Zucker, C. B. Taylor, M. Brouillard, A. Ehlers, J. Margraf, M. Telch, W. T. Roth and W. S. Agras* 86

Point of View

Concordance by sex in sibling pairs with schizophrenia is paternally inherited: evidence for a pseudoautosomal locus. *T. J. Crow, L. E. DeLisi, and E. C. Johnstone* 92

The Current Literature

Liaison psychiatry in a breast cancer unit. *C. Dean and P. Hopwood* 98

Case Conference

Self-neglect and frontal lobe dysfunction. *M. W. Orrell, B. J. Sahakian and K. Bergmann* 101

Brief Reports

Minaprine: an anticholinergic-free antidepressant? Results of a controlled trial of mianserin. *D. Wheatley* 106

Trichotillomania and incest. *A. N. Singh and J. Maguire* 108

Transient recurrence of auditory hallucinations during acute dystonia. *L. P. W. Chiu* 110

Tardive dystonia: the benefits of time. *S. J. Cooper, M. M. Doherty and D. J. King* 113

Obsessive-compulsive disorder in a mentally retarded woman. *R. J. McNally and J. E. Calamari* 116

Mania in a five-year-old child with tuberous sclerosis. *R. Khanna and M. Borde* 117

Status epilepticus after electroconvulsive therapy. *A. I. F. Scott and W. Riddle* 119

Correspondence 122

A hundred years ago. Research by Henry Rollin 132

Books Reconsidered

The Doctor, His Patient and the Illness (M. Balint). *P. C. Pietroni* 134

Book Reviews 139

American Journal of Psychiatry, Volume 146, Number 6, June 1989 146

The Journal of Nervous and Mental Disease, Volume 177, Number 6, June 1989 facing 146

THE BRITISH JOURNAL OF PSYCHIATRY

August 1989

Volume 155

Review Article

- The role of electroconvulsive therapy in the treatment of depressive illness in old age. *S. M. Benbow* 147

Papers

- French empirical criteria for the diagnosis of non-affective non-organic psychoses: comparison between the criteria suggested by Professors Pull and Pichot and those of DSM-III-R. *A. M. P. Kellam* 153
- The delineation of schizophrenia from other psychiatric illnesses. *E. Ph. Kazanetz* 160
- Slowly progressive schizophrenia – myth or clinical reality? *A. B. Smulevitch* 166
- The factor structure of the General Health Questionnaire (GHQ-30): a reliability study on 6317 community residents. *F. A. Huppert, D. E. Walters, N. E. Day and B. J. Elliott* 178
- Chronic psychiatric complaints and the General Health Questionnaire. *M. W. J. Koeter, W. van den Brink and J. Ormel* 186
- Differential classification in school refusal. *L. Atkinson, B. Quarrington, J. J. Cyr and F. V. Atkinson* 191
- Distorting patient or distorting instrument? Body shape disturbance in patients with anorexia nervosa and bulimia. *P. K. Bowden, S. W. Touyz, P. J. Rodriguez, R. Hensley and P. J. V. Beumont* 196
- Major depression in Down's syndrome. *A. C. Warren, S. Holroyd and M. F. Folstein* 202
- Wilson's disease: a prospective study of psychopathology in 31 cases. *T. R. Dening and G. E. Berrios* 206
- An epidemiological study of dementia in a rural population of elderly women. *C. Brayne and P. Calloway* 214
- Mania in the elderly. *K. Stone* 220
- Schizophrenia and the perception of emotions: how accurately do schizophrenics judge the emotional states of others? *P. Cramer, M. Weegmann and M. O'Neil* 225
- The contribution of problem drinking to the level of psychiatric morbidity in the general hospital. *M. A. Schofield* 229
- Resettlement of old long-stay psychiatric patients: the use of the private sector. *R. E. Perkins, S. A. King and J. A. Hollyman* 233
- Signal and noise in psychiatry: the role and control of non-specific factors. *H. Omer and P. London* 239
- ## **Brief Reports**
- Epilepsy and violence. *C. G. Hindler* 246
- Pimozide in pathological jealousy. *A. Byrne and L. N. Yatham* 249
- A Chinese classic phenylketonuria manifested as autism. *C. S. Chen and K. J. Hsiao* 251
- Depression-dependent exacerbation of tardive dyskinesia. *P. S. Sachdev* 253
- A case of doll phobia. *S. Hatcher* 255
- 'Puerperal psychosis' following male-to-female sex reassignment? *P. Mallett, E. J. Marshall and C. V. R. Blacker* 257
- Syphilis serology screening in a psychogeriatric population: is the effort worthwhile? *J. A. Boodhoo* 259
- ## **Correspondence**
- 263
- A hundred years ago. Researched by Henry Rollin* 270
- ## **Books Reconsidered**
- Psychopathic Personalities (Kurt Schneider). *K. Standage* 271
- ## **Book Reviews**
- 274
- American Journal of Psychiatry, Volume 146, Number 7, July 1989* 288
- The Journal of Nervous and Mental Disease, Volume 177, Number 7, July 1989* facing 288

THE BRITISH JOURNAL OF PSYCHIATRY

September 1989

Volume 155

Annotation

Foetal learning: implications for psychiatry? *P. G. Hepper* 289

Review Articles

The genetics of depression and manic-depressive disorder. *P. McGuffin and R. Katz* 294

Beyond the dopamine hypothesis. The neurochemical pathology of schizophrenia. *G. P. Reynolds* 305

Papers

The Guy's/Age Concern survey. Prevalence rates of cognitive impairment, depression and anxiety in an urban elderly community. *J. Lindsay, K. Briggs and E. Murphy* 317

Depression before and after age 65. A re-examination. *L. Musetti, G. Perugi, A. Soriani, V. M. Rossi, G. B. Cassano and H. S. Akiskal* 330

Socio-cultural parameters in Yoruba Nigerian patients with affective disorders. *R. O. A. Makanjuola* 337

A study of the effects of desipramine treatment alone and in combination with L-triiodothyronine on 6-sulphatoxymelatonin excretion in depressed patients. *J. Bearn, C. Franey, J. Arendt and S. A. Checkley* 341

The Scottish survey of new chronic in-patients: five-year follow-up. *R. G. McCreadie and E. McCannell* 348

The significance of stupor in the long-term outcome of chronic schizophrenia. *J. C. Rigby, S. M. Wood and R. H. S. Mindham* 352

Maternity blues.

I. Detection and measurement by questionnaire. *H. Kennerley and D. Gath* 356

II. A comparison between post-operative women and post-natal women. *S. Iles, D. Gath and H. Kennerley* 363

III. Associations with obstetric, psychological, and psychiatric factors. *H. Kennerley and D. Gath* 367

Sexual anxiety in sexual dysfunction. *D. G. Patterson and E. C. O'Gorman* 374

Measuring behaviour disorder in mental handicap. *J. Lund* 379

Violence by psychiatric in-patients. *P. Noble and S. Rodger* 384

Point of View

Hysteria, belief, and magic. *D. C. Taylor* 391

Brief Reports

Paedophilia: cognitive/behavioural treatment approach in a single case. *S. J. Enright* 399

Musical hallucinations in a deaf elderly woman. *G. W. Fenton and D. A. McRae* 401

Social phobia secondary to pathological sweating. *M. J. Edlund* 403

A family with Alzheimer's disease. *S. V. Patel* 405

Pericentric inversion chromosome 9 and personality disorder. *H. V. Kumar, K. J. McMahon, K. M. Allman, B. McCaffrey and A. Rowan* 408

Psychiatric features of adult GM₂ gangliosidosis. *J. Streifler, M. Golomb and N. Gadoth* 410

Adverse interaction between cimetidine and chlorpromazine in two cases of chronic schizophrenia. *A. Byrne and B. O'Shea* 413

Mianserin-induced restless legs syndrome. *I. Paik, C. Lee, B. Choi, Y. Chae, and C. Kim* 415

Correspondence 418

A hundred years ago. Researched by Henry Rollin 424

Books Reconsidered

The Myth of Mental Illness (Thomas S. Szasz). *J. Birtchnell* 425

Book Reviews 430

American Journal of Psychiatry, Volume 146, Number 8, July 1989 436

The Journal of Nervous and Mental Disease, Volume 177, Number 8, August 1989 facing 436

THE BRITISH JOURNAL OF PSYCHIATRY

October 1989

Volume 155

Annotation

The classification of the depressions: contemporary confusion revisited. *A. Farmer and P. McGuffin* 437

Papers

Computerised tomography in schizophrenia. Familial versus non-familial forms of illness. *H. Kaiya, M. Uematsu, M. Ofuji, A. Nishida, M. Morikiyo and S. Adachi* 444

Prospects of rehabilitation for elderly schizophrenics. *G. C. Lyketsos, S. C. Richardson, S. K. Aritzi and C. G. Lyketsos* 451

Disturbed endocrine function in the psychoses. I: Disordered homeostasis or disease process? *L. J. Whalley, J. E. Christie, D. H. R. Blackwood, J. Bennie, H. Dick, I. M. Blackburn and G. Fink* 455

Disturbed endocrine function in the psychoses. II: Discriminant function analysis of multihormone data. *L. J. Whalley, J. E. Christie, D. H. R. Blackwood, J. Bennie, H. Dick, I. M. Blackburn and G. Fink* 462

Consistent reduction of ACTH responses to stimulation with CRH, vasopressin and hypoglycaemia in patients with major depression. *R. G. Kathol, R. S. Jaeckle, J. F. Lopez and W. H. Meller* 468

Clinical assessment and performance tasks in depression: a comparison of amitriptyline and trazodone. *W. A. Botros, S. I. Ankier, R. G. Priest, I. C. McManus, J. Steinert and Z. Y. Samir* 479

Is diazepam an antidepressant? *J. Tiller, I. Schweitzer, K. Maguire and B. Davies* 483

Prodromes of depression and anxiety. *The Stirling County study. J. M. Murphy, A. M. Sobol, D. C. Olivier, R. R. Monson, A. H. Leighton and L. A. Pratt* 490

Efficacy of lithium prophylaxis in clinical practice. *H. R. Markar and A. J. Mander* 496

The measurement of transmembrane cation transport *in vivo* in acute manic illness. *A. J. Wood, J. K. Aronson, P. J. Cowen and D. G. Grahame-Smith* 501

The effect of lithium on cation transport measured *in vivo* in patients suffering from bipolar affective illness. *A. J. Wood, M. Elphick, J. K. Aronson and D. G. Grahame-Smith* 504

Role of modelling in in-patient suicide: a lack of supporting evidence. *J. Modestin and O. Wurmle* 511

Abnormal eating attitudes in young insulin-dependent diabetics. *J. M. Steel, R. J. Young, G. G. Lloyd and C. C. A Macintyre* 515

Clinical and therapeutic monitoring of epilepsy in a mental handicap unit. *R. A. Collacott, A. Dignon, A. Hauck and J. W. Ward* 522

Perceived parental rearing styles of agoraphobic and socially phobic in-patients. *W. A. Arrindell, M. G. T. Kwee, G. J. Methorst, J. Van Der Ende, E. Pol and B. J. M. Moritz* 526

Point of View

Age at puberty and mental illness. Towards a neurodevelopmental aetiology of Kraepelin's endogenous psychoses. *L. F. Saugstad* 536

Brief Reports

The evaluation of psychiatric illness in Asian patients by the Hospital Anxiety Depression Scale. *S. Nayani* 545

Outcome in unipolar affective disorder after stereotactic tractotomy. *L. M. Lovett, R. Crimmins and D. M. Shaw* 547

Familial association of albinism and schizophrenia. *D. J. Clarke and M. E. Buckley* 551

Erotomania in a Saudi woman. *A. El-Assra* 553

Successful treatment of chronic delusional parasitosis. *C. Mitchell* 556

Subacute sclerosing panencephalitis presenting as schizophreniform psychosis. *C. M. Duncalf, J. N. G. Kent, M. Harbord and E. P. Hicks* 557

Neurosyphilis presenting as psychiatric disorders. *P. Sirota, J. Eviatar, and B. Spivak* 559

Neuroleptic malignant syndrome with trifluoperidol. *S. P. Singh, C. Giridhar, and A. Avasthi* 561

Correspondence 564

A hundred years ago. Researched by Henry Rollin 571

Book Reviews 572

American Journal of Psychiatry, Volume 146, Number 9, September 1989 584

The Journal of Nervous and Mental Disease, Volume 177, Number 9, September 1989 facing 584

THE BRITISH JOURNAL OF PSYCHIATRY

November 1989

Volume 155

Annotations

- Melatonin: a new probe in psychiatric investigation? *J. Arendt* 585
Forensic aspects of mental handicap. *J. Turk* 591

Review Article

- Drug treatments of dementia. *L. J. Whalley* 595

Papers

- Winnicott: an introduction. *A. Phillips* 612
Small intestine permeability in schizophrenia. *M. T. Lambert, I. Bjarnason, J. Connelly, T. J. Crow, E. C. Johnstone, T. J. Peters and P. Smethurst* 619
Pre-morbid psychopathology in schizophrenia spectrum. *J. Parnas and A. Jorgensen* 623
Correlates of positive and negative schizophrenic syndromes in Nigerian patients. *O. Gureje* 628
Patterns of psychotropic drug use in a Spanish rural community. *J. L. Vázquez-Barquero, J. F. Diez Manrique, C. Peña, A. Arenal Gonzalez, M. J. Cuesta and J. A. Artal* 633
Anorexia nervosa in a Swedish urban region. A population-based study. *M. Råstam, C. Gillberg and M. Garton* 642
Prevalence of childhood and adolescent depression in the community. Ontario child health study. *J. E. Fleming, D. R. Offord and M. H. Boyle* 647
Season of birth and childhood psychosis. *E. Fombonne* 655
Season of birth in Alzheimer's disease. *M. Philpot, M. Rottenstein, A. Burns and G. Der* 662
The predictive value of the dexamethasone suppression test. A placebo-controlled study. *E. D. Peselow, M. Stanley, A.-M. Filippi, F. Barouche, P. Goodnick and R. R. Fieve* 667
A comparison of early-onset and late-onset depressive illness in the elderly. *P. W. Burvill, W. D. Hall, H. G. Stampfer and J. P. Emmerson* 673
Platelet monoamine oxidase activity and 5-hydroxytryptamine uptake in agoraphobic patients. *J. Flakos, N. Theophilopoulos and A. J. George* 680
The classification of psychiatric morbidity in attenders at a dermatology clinic. *S. C. Wessely and G. H. Lewis* 686
Pervasive developmental disorders and psychoses in adult life. *D. J. Clarke, C. S. Littlejohns, J. A. Corbett and S. Joseph* 692

Point of View

- Is your 'double-blind' design truly double-blind? *A. Oxtoby, A. Jones and M. Robinson* 700

The Current Literature

- Brief intermittent neuroleptic prophylaxis for selected schizophrenic out-patients. *H. A. McClelland, G. Harrison and S. D. Soni* 702

Case Conference

- Abnormal involuntary movements. *B. H. Green* 707

Correspondence

- A hundred years ago. Researched by Henry Rollin* 719

Special Review

- The history of the National Health Service. *Hugh Freeman* 720

Book Reviews

- American Journal of Psychiatry, Volume 146, Number 10, October 1989* 724
The Journal of Nervous and Mental Disease, Volume 177, Number 9, October 1989 facing 734

THE BRITISH JOURNAL OF PSYCHIATRY

December 1989

Volume 155

Annotation	
Psychiatric manifestations of frontal lobe tumours. <i>M. A. Ron</i>	735
Review Article	
Deinstitutionalisation – from hospital closure to service development. <i>G. Thornicroft and P. Bebbington</i>	739
Lecture	
Treatment of depression. The relevance of research for clinical practice. <i>E. S. Paykel</i>	754
Papers	
The history of general hospital psychiatry. <i>R. Mayou</i>	764
Physical health of long-term mentally ill in the community. Is there unmet need? <i>T. S. Brugha, J. K. Wing and B. L. Smith</i>	777
A profile of long-stay psychogeriatric patients. <i>Z. Hilton, Y. L. Ong, A. Richardson, M. P. Bender and A. F. Cooper</i>	782
Life events, life difficulties and confiding relationships in the depressed elderly. <i>J. P. Emmerson, P. W. Burvill, R. Rinlay-Jones and W. Hall</i>	787
Impaired lymphocyte stimulation by mitogens in severely depressed patients. A complex interface with HPA-axis hyperfunction, noradrenergic activity and the ageing process. <i>M. Maes, E. Bosmans, E. Suy, B. Minner and J. Raus</i>	793
The prevalence and patterns of care of Huntington's chorea in Grampian. <i>S. A. Simpton and A. W. Johnston</i>	799
Hyperventilation: is it a cause of panic attacks? <i>G. Hibbert and D. Pilsbury</i>	805
The psychiatric consequences of spontaneous abortion. <i>T. Friedman and D. Gath</i>	810
HIV infection: psychiatric findings in the Netherlands. <i>H. N. Sno, J. G. Storoosum and J. A. Swinkels</i>	814
Effects of ethanol on the NMR characteristics of rat brain acute administration, dependency, and long-term effects. <i>J. A. O. Besson, S. G. Greentree, M. A. Foster and J. E. Rimmington</i>	818
Olfaction and psychiatry. <i>P. J. Harrison and R. C. A. Pearson</i>	822
Suicide and related behaviour from river bridges. A clinical perspective. <i>C. H. Cantor, M. A. Hill and E. K. McLachlan</i>	829
Patterns of benzodiazepine use in Great Britain as measured by a general population survey. <i>G. C. Dunbar, M. H. Perera and F. A. Jenner</i>	836
Studying the 'Grammar of Psychotherapy' course using a student and control population. Some results, trends and disappointments. <i>S. Lieberman, J. Cobb and C. H. Jackson</i>	842
Point of View	
Aggressiveness, anxiety and drugs. <i>K. Kirov</i>	846
Brief Reports	
Paedophilia and hyperprolactinaemia. <i>P. Harrison, P. Strageway, J. McCann and J. Catalan</i>	847
Neuroleptic malignant syndrome in a case of post-partum psychosis. <i>D. K. Price, G. J. Turnbull, R. P. Gregory and D. G. Stevens</i>	849
Neuroleptic malignant syndrom and psychotic illness. <i>Adityanjee, P. Das and H. M. Chawla</i>	852
Anterior tumour of the corpus callosum with atypical depression. <i>A. Tanaghow, J. Lewis and G. H. Jones</i>	854
Familial manic-depressive illness with deleted short arm of chromosome 21: coincidental or causal? <i>M. H. El-Badramany, T. I. Farag, S. A. Al-Awadi, I. M. Hammad, A. Abdelkader and D. S. Krishna Murthy</i>	856
Chronic psychosis in Turner's syndrome. Case report and a review. <i>J. S. Bamrah and M. E. Mackay</i>	857
The effects of loss of taste and smell in a case of anorexia nervosa and bulimia nervosa. <i>T. A. Fahy, P. DeSilva, P. Silverstone and G. F. M. Russell</i>	860
Unresolved grief presenting with features of a negative therapeutic reaction. <i>A. M. Nightingale</i>	862
Correspondence	865
<i>A hundred years ago. Researched by Henry Rollin</i>	872
Book Reviews	873
<i>American Journal of Psychiatry, Volume 146, Number 11, November 1989</i>	878
<i>The Journal of Nervous and Mental Disease, Volume 177, Number 11, November 1989</i>	facing 878