

INDEX OF SUBJECTS

- Absorption of cluster light by dust 288
- Adiabatic invariants 164,235
- AC-211 63
- Action integrals 239,350
 - (see also Adiabatic invariant, Integral of motion)
- Active galactic nuclei (see Galactic nuclei)
- Ages of globular clusters 285
- Ages of open clusters 427,442,444, 449,450ff,461,471 (see also Lifetimes)
- Age-velocity relation for disk stars 451
- Alpha Persei 438
- Angular-momentum transport 152, 293ff
- Angular resolution 5,14,383ff,428
- Anisotropy in velocity distribution 2,22,24ff,28,65,78,96,113,116,120, 152,153,157,161,170ff,178,182,192 219ff,285,288ff,294,296,297ff, 301ff,386ff,395,439ff,444,502,515
- AXAF 46,519

- Binary stars
 - General 109,110,189,231ff,254,275, 381,422,433,471,502
 - Binary-binary encounters 128ff,176, 237ff,253,256,272,276,321,333, 335ff,347,349ff,362,364,
 - Binary-single-star encounters 126ff,176,232ff,253,321,347, 350ff,358,362ff,365ff,367ff,370 (see also Escape...binaries, Binary stars...as Energy source)
 - Close (Hard) binaries 126ff,131ff, 201,238,249,253,255ff,263,264, 279ff,321,335ff,363,374,416 (see also Binary stars -- Spec- troscopic)
 - Distribution of binding ener- gies 145,240ff,306
 - Disruption of 100,461
 - as Energy source or sink 1,15, 17,44,89,126ff,131,133ff,137, 141,144ff,151,155,157ff,161, 166,172ff,212,214,221,225, 229,231ff,251,255ff,268, 271ff,284,305ff,321,332ff, 347ff,361ff,365ff,367ff,374, 413,416,419,428,442,474,504, 508,512
 - Formation by three-body en- counters 128,131ff,133,137, 172ff,176,203,238,244ff,347, 348ff,354,361,363,366,419, 499,504,514,515
 - Formation by tidal capture 9, 47ff,52,60,133ff,137,152,176, 245,347ff,354,359,361,362, 363ff,365ff,419ff,499,504, 507,514,515
 - Hardening rate of 126,133,235, 264
 - Observations of in globular clusters 21,83,93,99ff,103ff, 358,360,507 (see also X-ray sources)
 - Observations of in open clus- ters 43ff,442ff
 - Permanent binary 244
 - Primordial 100,128ff,442,515
 - Radial distribution in open clusters 433 (see also Mass stratification)
 - Spectroscopic 21,99ff,435
 - Wide (Soft) binaries 126,238, 248,436,439,452,454,461 (see also X-ray sources)
- Binding energy of a star cluster 2,282,305ff,332,368ff
- Black holes

- in Gaseous spheres 149ff,211,302
- in Galactic halo 449,451,455ff, 459,462
- in Star clusters 17,52,89,109, 132,137,144,149ff,158,162, 166ff, 171ff,174,179,184ff,202, 227,373ff,413,415ff,421ff, 487ff,498,499,507,512ff
- Blue stragglers 359
- Boltzmann equation 162,180,217, 301,374ff,502
- Cataclysmic variables 103ff, 248, 356,360,514 (see also X-ray sources)
- Central angular velocity 25ff,28
- Central density 9,115,139,143ff, 150,192,208,214,222ff,254,268, 270,278ff,332,350ff,365ff,401 (see also Cusps)
- Central potential 24,28,122ff,192, 356 (see also Escape velocity)
- Central relaxation times 33ff,139, 154,155ff,267,347ff,415ff,511
- Central singularity (see Cusps)
- Central velocity dispersion 19,23, 24ff,28,113,118ff,141,142,146, 147,155,192ff,270,378
- Chang-Cooper differencing scheme 170
- Chemical gradients in globular clusters 33ff,499
- Chemical inhomogeneities in globular clusters 34ff,40,42,105
- Close two-body encounters 120ff, 161,179ff,187,251,253,263,290, 462,471,514,(see also Escape of stars -- by Close...encounters)
- CN stars 33ff,107
- Collapse time 267,269,333 (see also Core collapse -- rate of)
- Collisionless systems 217,324,373, 379,407ff (see also Vlasov equation)
- Color gradients in globular clusters 33ff,42,98
- Color-magnitude diagrams 6,34,81ff, 285
- Coma Berenices 438
- Compact objects 132,133 (see also Black holes, White dwarfs, Neutron stars)
- Concentration parameter 85,144, 218,290,293
- Conductive flux 115ff (see also Flux of energy)
- Core 43,89ff,137,150,155,190ff, 211,307,331ff,362,367ff,370, 421ff,468
- Definition of 143 (see also Central...,Core collapse, Core radius, Cusp)
- Core collapse 1ff,12ff,17,43, 113ff,120,123ff,128ff,134,137 139,142,147,150,151,152,153, 154,155,156,161,166ff,183ff, 207,212,251,253ff,261ff,267ff, 272,278ff,284,294,366,368, 391ff,401,415ff,421,443,468, 474,499ff,506ff,517
- rate of 120,125,129ff,178,183, 190ff,195,197,200 (see also Collapse time,Evaporative models, Gravothermal instability, Stability)
- Core radius 24ff,28,89ff,98,115, 143ff,157,171ff,255,268,270,307
- Crossing time 455
- Cross sections 231ff,335ff
- Crowding 483ff
- Cusps in central surface brightness or density 1ff,17,60,61, 89ff,132,140,150,166,169,184, 219,230,255,360,377,378,383ff, 413,416,487ff
- Dark Matter
 - in Globular clusters 169,507, 508,518ff (see also Black holes, Neutron stars, White Dwarfs)
 - in Open clusters 437ff
 - in Galactic halo 451,508
- Deflection time 25,28,289 (see also Relaxation time)
- Density contrast 111ff,121,191,209, 218,222,266
- Density profiles 1ff,9,12ff,42, 89ff,117,120,139,140ff,142,145ff, 147ff,149,150,153,155ff,157, 167ff,173ff,178,192,212,267,271, 272,381,382ff,400,404ff,416,421,

- 498,504 (see also Surface Photometry)
- Diffusion coefficients 164,264,289ff, 314ff
- Disruption of globular clusters 44, 56ff,110,155,368ff,392,423ff,461, 499,506ff
- Disruption of open clusters 449, 452ff 461
- Disruption of stars by a black hole (see Tidal disruption...)
- Dissipative effects 152 (see also Binary stars -- Formation by tidal capture, Binary stars -- as Energy...sink)
- Distant (Weak) two-body encounters 179,187,313,381,462 (see also Relaxation)
- Distances of globular clusters 19,22, 26
- Distribution function 2,19,22ff,27, 111,113,122,140,154,178,179,180, 182ff,196,259,313,317,323ff,327ff, 379,382,427,435ff,440ff,506,510ff (see also Anisotropy, Lowered maxwellian, Wilson model)
- Distribution of globular clusters in galaxy, 90,309ff (see also Orbits of globular clusters)
- 30 Doradus 467ff
- Draco dwarf spheroidal galaxy 345
- Dynamical evolution
of Open clusters 449ff,463ff
of Globular clusters (see Pre-collapse evolution, Post-collapse evolution)
- Dynamical models
of globular clusters 2ff,19ff,65ff, 97,202ff,327ff
of open clusters 429ff,437ff
- Dwarf spheroidal galaxies 21,77ff, 345ff
- Eccentricities of globular cluster orbits 309ff,343
- Elliptical galaxies 490ff
- Ellipticities of star clusters (see Flattening of star clusters)
- Encounters between stars 109,161,192 (see also Binary stars, Close two-body encounters, Distant two-body encounters, Relaxation)
- Energy flux (see Conductive flux, Flux of energy)
- Energy sources in star clusters 140,144,146,148ff,152,153, 157ff,166,219,221,223,229ff, 261,361ff,367ff,382,391,512ff (see also Binary stars, Black holes, Mass loss, Stochastic energy sources, Tidal heating)
- Entropy 111,113,209ff,220,223ff, 302,325,341,502
- Equilibria of stellar and gaseous systems 111ff,210,212, 219ff,240,301,313,382
- Equipartition of energy 23,27, 121ff,123,152,189,193ff,197ff, 205,221,279,317ff,421,428ff, 441,442ff,447
- Escape energy 423ff (see also Escape velocity)
- Escape of stars from clusters
General 189,220,282,503
by Close two-body encounters 60,121,179,182,184ff,368, 369ff,462
by Distant two-body encounters 110,162,182,291,369ff,511
by Interaction with binaries 60,100,129,141ff,158,241, 256ff,333,347,349ff,354, 366ff,370 (see also Tidal stripping)
- Escape velocity from cluster 2, 61,113,182,317,511 (see also Escape energy)
- Evaporation of stars 391ff
- Evaporative models cluster evolution 2,113,116,118,125,139, 144ff,149ff,292ff,499 (see also Escape of stars)
- Exchange reaction 235,238
- Field star 394ff
- Flattening of star clusters 23, 39,77ff,85ff,96,285ff,327ff, 434,438,474ff
- Fluid models (see Gaseous models, Moment equations, Thermal conductivity)
- Flux of energy 140,143,150,157,

- 301 (see also Conductive flux, Thermal conductivity)
- Fokker Planck Equation 110,113,118ff, 132,139,140,142,148ff,150,152,154, 161,179,180,183ff,192,195ff,217, 219,229,251,261ff,275,283,305, 313,324ff,341,358,373ff,389ff, 416,506,514,517
- Integration by finite difference methods 161,163ff (see also Chang-Cooper differencing)
- Integration by Monte-Carlo methods 373ff
- One-dimensional E-space form of 165ff,170
- Formation of globular clusters 35, 40ff,105ff,346,500,501,503ff,507, 509,517ff
- Formation of open clusters 428,463ff, 500,503ff
- Functional integral 313ff
- Galactic halo (see Halo of the galaxy)
- Galactic nuclei 171,373ff,403ff,419ff, 512,515,518
- Gaseous models 110,123,132,139,141ff, 146ff,151ff,166,169,192,207ff,219ff, 231ff,275,301ff,502,506,517 (see also Moment equations, Thermal conductivity)
- General-relativistic instability of star clusters 323ff,407ff
- General relativity 323ff,373ff (see also General-relativistic instability, Gravitational radiation)
- Giant molecular clouds 43,56ff,61, 449,451,454ff,461,471,508 (see also Interstellar clouds)
- Gravitational radiation 133,248ff, 323,353,359,419ff
- Gravothermal instability 2,109,111, 123,133,170,190,191,196,207ff, 219ff,229ff,302,361,379,401,511
- Gravothermal oscillations (see Oscillations)
- Half-mass relaxation time 137,174, 401,468,511 (see also Relaxation time)
- Half-mass radius 286,290,347,351ff
- Halo of the galaxy 43,44ff,309,449, 451,455ff
- Halo of star cluster 116,190ff, 211,278,303,434,518
- Heat conduction (see Thermal conductivity)
- Heating (see Energy sources)
- Hertzsprung-Russel diagrams (see Color-magnitude diagrams)
- Hierarchical multiple-star systems 53ff,233,237,257,271ff, 335ff
- HII regions 467ff
- Homologous evolution (see Self-similar evolution)
- Horizontal branch 33
- Hyades 433,437,442ff,447,448
- Hybrid programs 110,132,150, 153,219,261ff,283,331ff,362, 363,417,502
- Impulsive approximation 235,451
- Initial mass function 43,60, 71ff,74,422,447,467,507
- Integral of motion
General 23
Non-classical 293,327ff,343 (see also Action integral)
- Interstellar clouds
Effects on dynamics of open clusters 449ff,471ff
as Open-cluster progenitors 463ff (see also Giant molecular clouds)
- Isothermal 8,10,15,17,49,111, 113,115,118,121,123,140,143, 144,148,150,154ff,158,191, 196,207,210,212,219ff,222, 223,229,255,267,272,325,333, 350ff,356,382,389,421,440, 504,510ff
- Jeans length 464
- Jeans mass 459,501
- Jeans; theorem 381
- King models 22ff,65ff,74,77,89, 97ff,122,174,346,399,468
- Kustaanheimo-Stiefel regularization (see Regularization)
- Lagrangian points 343,345 (see

- also Tidal radius)
- Large Magellanic Cloud 85,205,285ff, 346
- Lifetimes of open clusters 456ff, 471ff (see also Ages of open clusters)
- Linear series method 112ff,123,218
- Loss cone 303,386ff,416ff
- Lowered-Maxwellian 139,154ff,429ff, 443
- Luminosity function
 - of Population II 483ff
 - of stars in globular clusters 34, 81ff,422
 - of stars in open clusters 447
 - of globular clusters 489ff,498
 - of X-ray sources in globulars 46ff,60,514,519
- M2 (see NGC 7089)
- M3 (see NGC 5272)
- M5 (see NGC 5904)
- M11 (see NGC 6705)
- M13 (see NGC 6205)
- M15 (see NGC 7078)
- M22 (see NGC 6656)
- M30 (see NGC 7099)
- M35 (see NGC 2168)
- M53 (see NGC 5024)
- M67 (see NGC 2682)
- M92 (see NGC 6341)
- Mass function (see Mass spectrum, Initial mass function)
- Masses of globular clusters 28
- Mass-to-light ratios of star clusters) 28,69ff,85,93
- Mass loss 100,148,189,471ff
 - as Energy source 141ff,158,205, 284,361,368ff,420,512ff
 - by Escape of stars (see Escape of stars)
 - by Stellar Evolution 44ff,125,153, 175,244,248,361,362,363,368ff, 427,447,449,499,515,519
 - by Physical Collisions 245,358,420
- Mass segregation (see Mass stratification)
- Mass spectrum
 - General 25,165,196ff,365,427,439, 441
 - Dynamical effects of 69ff,121, 129,131,152,153,161,170, 189ff,248,251,294,335,337ff, 417,448ff,449,463ff,471ff, 501,502,507ff (see also Binary stars, Mass loss, Mass stratification, Multi-component systems)
 - Observations of 155,167,268, 427ff,477
 - Modification by cluster evolution (see Mass loss, Escape of stars, Tidal stripping)
 - Mass stratification 2,14,17,110, 121ff,123ff,129,133,169,192ff, 202,256,278ff,317ff,365,429ff, 433,447,499,505
 - Master equation 180ff,183
 - Mean free path 112,113,115,506, 508
 - Median radius (see Half-mass radius)
 - Membership of stars in clusters 428ff,433ff,477ff
 - Metallicity of globular clusters 85,90
 - Moment equations 115,123,132,162, 217,251,301
 - Monte-Carlo simulations of cluster evolution 110,113ff,118ff, 123ff,139,147,148,150,162,196, 251,283,319,361ff,373ff,393ff, 416,432,502
 - Moving groups 459,506
 - Multicomponent models 69ff,121ff, 123ff,131,140,161,165,167ff, 189ff,278ff,317ff,365ff,515, (see also Dynamical models, Mass spectrum)
 - N-body simulations 110,129,132, 137,139,141,150,151,153,189, 202,214,219,229,237,251ff,261ff, 275ff,297ff,305ff,321,331,339, 344,345,415ff,423ff,433,440, 442,449ff,456ff,463ff,471ff,502
 - Neutron stars 44,46ff,52,60,132, 137,155,169,255,319,359,407ff, 422,499,507,514,518
 - NGC 104 (47 Tucanae) 3,7,20,33ff, 36ff,46,49ff,69ff,81ff,93ff,101,

- 287, 288, 296, 422, 498, 519
 NGC 188 438
 NGC 362 287
 NGC 1851 7, 50
 NGC 1904 (M79) 75
 NGC 2168 (M35) 432ff, 443
 NGC 2244 461
 NGC 2264 461
 NGC 2506 435ff
 NGC 2682 (M67) 432ff, 435ff, 439, 447
 NGC 3532 438
 NGC 3603 467ff
 NGC 5024 (M53) 63
 NGC 5139 (Omega Centauri) 33ff, 36ff, 45ff, 93ff, 287, 288, 296, 344, 346, 422, 519
 NGC 5272 (M3) 4, 6, 21ff, 63, 69ff, 99ff, 103ff, 288, 358, 422, 501
 NGC 5824 6ff
 NGC 5904 (M5) 22, 63, 104
 NGC 6093 7ff
 NGC 6205 (M13) 19ff, 22ff, 63, 65, 288, 328, 346
 NGC 6273 (M19) 287, 288
 NGC 6284 75
 NGC 6341 (M92) 19, 22ff, 63, 288, 328
 NGC 6342 74
 NGC 6397 63, 74
 NGC 6440 7
 NGC 6441 7
 NGC 6494 439
 NGC 6624 6ff, 10ff, 17, 51, 54, 74, 155, 170, 226, 359
 NGC 6642 74ff
 NGC 6656 (M22) 46, 287, 519
 NGC 6681 6ff, 10, 74
 NGC 6705 (M11) 429ff, 435ff, 439, 441, 447
 NGC 6712 218
 NGC 6717 74
 NGC 6752 105
 NGC 7078 (M15) 1, 4, 6, 9, 10ff, 15, 22, 60, 63, 74, 155, 422
 NGC 7089 (M2) 63
 NGC 7099 (M30) 6ff, 10ff, 17, 63, 74
- Orbit average (see Phase-space average)
 Orbits of globular clusters 44ff, 309ff (see also Eccentricities)
 Omega Cen (see NGC 5139)
- Open clusters 1, 85, 275, 427ff, 449ff, 463ff, 471ff, 510 (see also Ages, Dynamical evolution, Lifetimes)
 Ophiuchus cloud 464
 Oscillations in core radius 132, 137, 146, 150, 152, 157, 207, 212ff, 273, 333, 504, 517
- Phase-space average 154, 163, 179, 181ff, 187, 195ff
 Physical collisions of stars 134, 185, 245, 354, 358, 359, 364, 374, 403, 420, 499 (see also Binary stars... Formation by tidal capture)
 Pleiades 262, 433ff, 437, 438, 439, 441, 442ff, 447, 477ff, 517
 Plummer model 146, 147, 182, 192, 198, 221, 277, 343, 401, 451, 455, 463, 472
 Post-collapse dynamical evolution 12ff, 57ff, 61, 73ff, 89, 139ff, 145ff, 152, 153, 161, 166, 171ff, 189, 201ff, 203, 207, 212, 218, 219ff, 230, 253ff, 261, 273, 280, 331ff, 347ff, 362ff, 366ff, 380, 415ff, 506ff, 511ff, 517
 Praesepe 437, 438, 439, 441, 442
 Pre-collapse dynamical evolution 109ff, 189ff, 221, 261, 350, 365ff, 517
- Proper motions
 of Globular-cluster stars 19ff, 65ff, 288
 of Open-cluster stars 428, 428ff, 439, 447, 448, 477ff, 517
- Quasars 404ff
- Radial action 164 (see also Adiabatic invariants)
 Radial velocities
 of globular-cluster stars 19ff, 35, 38, 69ff, 93ff, 99ff, 288
 of open-cluster stars 428, 435ff
- Red giant stars 33
 Reddening of cluster light (see

- Absorption)
 - Regularization of two-body interactions 237ff,253,275ff,331,471ff
- Relaxation 152,179,213,232,289ff,294,302,339ff,345,381,459 (see also Relaxation time)
- Relaxation time 9,36,85,113,115ff,125,131,141,162,185,187,192,196,205,226,230,290,339ff,345,365,374,381,383,428,432,506 (see also Central relaxation times, Deflection time)
- Rotation of star clusters 24,25,35,39ff,42,69ff,86,93ff,152,161,285,288ff,327ff,344,438,515
- RR Lyrae stars 33

- Scaling 153,230
- Scattering kernel 180ff
- Self-similar evolution 115ff,118ff,132,140ff,142ff,144,145ff,149,151,152,153,156,166,208,212,219,267,269ff,272,391,401
- Shock heating (see Tidal heating)
- Similarity solutions (see Self-similar evolution)
- Singularities in cluster evolution 142,148,156 (see also Cusps)
- Small Magellanic Cloud 85
- Small-number statistics
 - in Dynamics of star clusters 261ff,275,305ff,427,450
 - in Observations of clusters 428
 - in Surface photometry of globular clusters 4ff,73,97ff,286
- Space Telescope 13,17,49,245,248,481ff,503,505,518
- Specific heat 111,209ff,220,239
- Square-well potential 162,182,241
- Stability of star clusters
 - "Thermodynamic" 109,111ff,121ff,191,301ff
 - Collisionless 297ff (see also General-relativistic instability, Gravothermal instability)
- Star counts 10ff,72,77ff,98,286,343,377,432,505
- Star formation 444,447
 - Efficiency of 463ff
- Statistical equilibrium 109
- Statistics of globular clusters 139,155ff (see also Luminosity function of globular clusters)
- Stochastic energy sources 152,280 (see also Energy sources)
- Supernovae in globular clusters 105ff,358
- Surface density of globular clusters (see Density profiles, Star counts, Surface photometry, Cusps)
- Surface photometry of globular clusters 1ff,5ff,23,24,29,63,69ff,73ff,89ff,154,286ff,421ff,468 (see also Density profiles)

- Tensor virial theorem 288ff,292
- Test star 394ff
- Thermal conductivity 112,115,132,141ff,152,208,212,217,225,232,301
- Tidal capture (see Binary stars ...Formation by tidal capture)
- Tidal disruption of stars near a black hole 171,302,378ff,381ff,386ff,390ff,396ff
- Tidal field of the galaxy (dynamical effects on clusters) 2,58,78,98,110,141,152,203,255,288,343ff,392,428,433,434,440,449,453ff,459,471ff,502 (see also Tidal heating, Tidal radius, Tidal stripping)
- Tidal heating 91,110,125,153,225,345,361,362,363,368,369,423,428,440,471,501,503,515
- Tidal radius 24,28,77ff,85,98,110,154,343ff,345ff,351,401,456,490ff,503 (see also Lagrangian points, Tidal stripping)
- Tidal shocks (see Tidal heating, Tidal stripping)
- Tidal stripping 110,153,227,344,423ff,502ff,508,515 (see also Escape of stars)
- Tidal truncation (see Tidal field, Tidal radius, Tidal stripping)
- Triple systems (see Hierarchical systems)

- 47 Tucanae (see NGC 104)
 Turning point 112,123,218
 Two-component systems (see
 Multicomponent systems)
- U-band 90ff
- V/σ 42,95ff,290ff,296
 Velocity dispersion 21ff,25,29,
 35,38ff,42,65ff,69ff,93,95ff,
 140,152,167,202,217ff,232,
 301ff,317ff,352,377,382,386,
 413,422,439ff,479,507,519
 (see also Central velocity dis-
 persion)
 Velocity distribution function
 (see Distribution function)
 Virial theorem 439
 Viscosity (see Angular momen-
 tum transport)
 Visual extinction of clusters
 (see Absorption)
 Violent relaxation 213
 Vlasov equation 324,373ff,407ff
 (see also Collisionless systems)
 von Zeipel 164 99ff
 von Zeipel 318 101
 von Zeipel 490 101
 von Zeipel 764 101
 von Zeipel 803 101
 von Zeipel 807 101
 von Zeipel 858 101
 von Zeipel 911 101
 von Zeipel 1053 101
 von Zeipel 1397 101
 von Zeipel 1449 101
- Watershed 126
 White dwarfs 24,44,46ff,60,69,132,
 169,319,358,409,484ff,507,514
 Wilson model 122ff,317ff
 W Ursa Majoris stars 356
- X-ray sources 9,13,17,43ff,63,91,
 103,133,356,359,377,425,503,518
 (see also Luminosity function of
 X-ray sources)