

Index

- $O(\dots)$, 592
 S_e , 590
 Γ , 591
 $\Theta(\dots)$, 593
 $\epsilon_{\kappa\lambda\mu\nu}$, 584
 ϵ_{ij} , 584
 $\stackrel{?}{=}$, 582
 $\stackrel{\text{def}}{=}$, 582
 $\stackrel{\text{prelim}}{=}$, 582
 π^0 decay, 16, 30
 \sim , 594
 $g_{\mu\nu}$, 584, 595
 $o(\dots)$, 593
- abbreviations, *see* Sec. A.3
ACOT, 64–67, 307, 414
acronyms, *see* Sec. A.3
active quark, 414
Altarelli-Parisi equation, *see* DGLAP equation
angular coordinate, 130, 315, 321
anomalous dimension, 53, 584
anomaly, 16, 30, 61
antiquark density, 232
approximant, *see* approximator
approximator, 163–165, 248–249, 272, 563
 e^+e^- annihilation, 449–451, 485–488
 example, 320–321
 region, 313, 317, 321, 345–351
 SIDIS, 531
 Sudakov, 323–329
asymptotic behavior
 general formulation, 131–134
 and pinch-singular surfaces, 90
asymptotic freedom, 24, 28, 53, 55
asymptotic series, 581
averaged cross section, 70–75, 84–86, 96, 400, 428, 455, 469, 487, 544
axial anomaly, *see* anomaly
axial gauge, 118, 394, 444, 572
 and CSS evolution, 379, 396
 and factorization proofs, 446, 561
 power-counting, and, 135
- b_1 , *see* DIS deuterium
bad components, 181
bare coupling, 9, 37, 58
bare parton density, 252, 257, 263, 309
bare quantities, 9
baryon, 12
basic interaction Lagrangian, 41
Bessel transform, 538, 568
BFKL, 575–576
Bjorken scaling, 26, 28, 29
Bjorken sum rule, 199
Bjorken variable, 19, 25, 427
Bloch vector, 586
 and massless particles, 588
Boer-Mulders function, 533, 535, 569
boost, 596
breakable string, *see* string model
Breit frame, 22
brick-wall frame, 22
BRST transformation, 38, 417–418
 renormalized, 40
- Cabibbo-Kobayashi-Maskawa mixing matrix, *see*
 CKM matrix
Callan-Gross relation, 28, 433
CCFM equation, 576
CERN, 2
chiral symmetry, *see also* helicity conservation, 15, 61
 hard scattering, 61
CKM matrix, 32, 214
collinear factor, 369, 372, 379, 389, 491
 unsubtracted, 360
collinear factorization
 defined, 479
 v. TMD factorization, 479
collinear momentum
 characterization, 325
collinear subgraph, *see also* factorization,
 see also pinch-singular surface,
 326, 451
 definition, 93
 power-counting, 113, 116–118, 142–144
Collins function, 493, 533

- Collins-Soper evolution, 374–378, 383
 calculation, 388, 504
 flavor dependence, 502
 fragmentation function, 501–502
 kernel, 388, 504
 non-perturbative, 506–507
 parton density, 529
 renormalization group, 384
 Sudakov, 374–378, 384
- Collins-Soper frame, 543
- color, 9, 10, 12, 16, 30
- contour deformation, *see also* Glauber region, 110–111
- contravariant vector, 584, 596
- conventions, 584–585
 states, 587, 590
- conversion factors, 582
- Coulomb gauge, 394, 572
 and CSS evolution, 379, 396
 and factorization proofs, 446, 561
 power-counting, and, 135
- Coulomb region, *see* Glauber region
- counterterm
 Feynman rules, 44
 Lagrangian, 41, 42
- covariant derivative, 9, 31
- covariant vector, 584, 596
- critique of conventional treatments of factorization, 307–309
- cross section
 general formula, 587
- current algebra, 10, 13, 15, 35
- current fragmentation, 473
- cut diagram definition, 21
- CWZ, 64–67, 307, 414
- DDVCS, 102, 415–416, 574
 reduced graph, 101
- decoupling theorem, 413
- deeply inelastic scattering, *see* DIS
- deeply virtual Compton scattering, *see* DVCS
- density matrix, 585
- DGLAP equation, 2, 5
 calculations of kernel, 286–293
 fragmentation function, 431
 parton density, 261–262, 411–412
 QCD, 411–412
 results for kernel, 288, 293, 464
 sum rule, 263–264
- diffractive
 DIS, 477
 parton density, 477
 scattering, 574
- dimensional regularization, 589–591
- dimensional transmutation, 56
- Dirac matrix, 587–588
 projector, 164, 329, 487
- DIS, *see also* parton model
 charged current, 213–217
 cross section formula, 20
 data, 27
 deuterium, 211, 283
 diffractive, 477
 event picture, 19, 98
 factorization, 276–280, 404–411
 hadronic tensor, 21
 hadronization in, 24
 handbag graph, 25, 161, 237, 269, 316
 heavy quarks, 306–307, 413
 kinematics, 19
 known calculations, 309
 large x , 400, 579
 leading region, 96, 147
 masses, effects of, 306–307, 413
 NLO
 gluon coefficient, 296
 quark coefficient, 301
 NLO in QCD, 284–312
 parton model for, 23
 phenomenology, 310–312
 polarized, in parton model, 168
 polarized, in QCD, 278, 412
 projection onto structure functions, 285
 QCD, 398–425
 reduced graph, 95–100
 regions, 399–404
 scalar exchange, 35
 scalar quark, 35
 small x , 575
 spin-1, 211, 283
 structure function, 22, 214
 general, 214
 structure functions in parton model, 26, 168, 215
 uncut amplitude, 95–99, 399
 weak interaction, 213–217, 412
- dispersion relation, 85
- Dokshitzer-Gribov-Lipatov-Altarelli-Parisi equation, *see* DGLAP equation
- double deeply virtual Compton scattering, *see* DDVCS
- Drell-Yan process, 3, 103–105, 540–569
 data, 564–568
 factorization, 553–562
 factorization statement, 4, 541
 Glauber region, 545–553, 556–560
 leading region, 103, 544
 polarization, 281, 568
 power-counting, 136
 reduced graph, 103–105
 TMD factorization, 560, 562–569
- duality, *see* parton-hadron duality
- DVCS, 102, 415–416, 574
 leading region, 102
 reduced graph, 101
- e^+e^- annihilation
 back-to-back region, 467
 Glauber region, 445

- jet cross sections, 469
- LO calculation, 76, 495
- multiparticle cross sections, 466
- multiparticle fragmentation, 468
- NLO calculation, 75–81
- one-particle inclusive, 426–433, 439–461
 - cross section, 428
 - factorization, 429–432, 448–461
 - hadronic tensor, 427
 - leading region, 439
 - LO, 432
 - NLO, 464–465
 - structure function, 428
- total cross section, 69–86
 - results, 80
- two-particle inclusive, 479–501, 514–519
 - hadronic tensor, 484
 - leading region, 480
 - structure function, 484
 - TMD factorization, 494, 496–501
- effective coupling, 55
- elastic scattering at wide angle, 574
 - Landshoff process, 147–148
 - leading regions, 147–148
- elastic spring, 82, 426
- equality signs, 7, 582
- equation-of-motion operator, 410
- event picture, 19, 98
- evolution of final state, 81–84
- exclusive diffraction, 574
- exclusive scattering, *see also* DDVCS, *see also* diffractive scattering, *see also* DVCS, *see also* elastic scattering
- extended fracture function, 476
- extended leading order approximation, 273
- F_1 , F_2 , F_2 , F_L , *see* DIS structure function
- factorization, 4, 243–283
 - critique of conventional treatments, 307–309
 - DIS, 404–411
 - Drell-Yan, 553–562
 - e^+e^- annihilation
 - one-particle inclusive, 429–432, 448–461
 - two-particle inclusive, 494, 496
 - elementary treatment, 245–251
 - gauge theory, 405–411
 - general methods, 313–397
 - initial-state partons, 569
 - masses, effects of, 306–307, 413
 - NLO calculations, 284–312
 - non-abelian gauge theory, 407–411
 - on-shell partons, 285
 - parton model, 167–168
 - polarized, 280–282
 - SIDIS, 475, 526–537
 - subtractions, 314–319
 - successive approximation method, 269–271
 - Sudakov form factor, 359–374, 378–388
 - TMD, *see* TMD factorization
- factorization scale, *see* renormalization scale
- Faddeev-Popov gauge fixing, 37
- Faddeev-Popov ghost, 37, 228
- Feynman parameter, 592
- Feynman rules
 - fragmentation function, 460
 - parton density, 201–202, 235–237
 - QCD, 43, 44
 - Wilson line, 236
- final state in fragmentation, 460
- final-state interaction, 170, 545–552
- flavor, 9, 12, 16, 30
- flavor relations
 - fragmentation function, 438
 - parton density, 195–201
- flavor SU(3), 60
- Fourier transform, 591
- fracture function, 475–477
- fragmentation function, 429, 430
 - antiquark, 437
 - basic definition, 435–438
 - definition, 459
 - definition (TMD), 498, 529
 - DGLAP equation, 431, 464
 - Feynman rules, 460
 - final state, 460
 - flavor relations, 438
 - introduction, 433–439
 - isospin, 438
 - moment, 431
 - momentum sum rule, 438
 - multiparticle, 468
 - polarized, 437
 - positivity, 493
 - QCD, 459
 - quark, 436
 - renormalization, 431, 437, 461–464, 499
 - renormalization group, 431, 502
 - scalar, 435
 - sum rule, 438
 - TMD, 436, 492, 498
 - evolution, 501–502
 - final definition, 498
 - non-perturbative part, 510
 - polarized quark, 491
 - quark, 491
 - relation to integrated f.f., 496, 507–512, 519–526
 - renormalization, 499
 - renormalization group, 502
 - transverse-momentum dependent, *see* fragmentation function, TMD
 - unintegrated, *see* fragmentation function, TMD
- frame dependence of time ordering, 225, 552
- Froissart bound, 548, 576
- functional integral, 36

- G gluon, *see* Grammer-Yennie
 g_1, g_2 , *see* DIS structure function
 Gamma function, 591
 gauge fixing, 37
 gauge link, *see* Wilson line
 gauge transformation, *see also* BRST transformation, 9, 38
 Wilson line, 230
 generalized parton density, 193, 416, 575
 generation, 31
 Glauber region
 and axial gauge, 395, 445
 basics, 122–125
 DIS, 125
 Drell-Yan, 126–128, 156–158, 545–554, 556–560
 e^+e^- annihilation, 125, 445
 general determination, 125–130, 156–158
 power-counting, 128, 150
 SIDIS, 474, 528
 space-time interpretation, 125, 126, 551
 Sudakov, 331, 348–350
 gluon, 9
 polarization, 242
 gluon density, 232–235
 Goldberger-Treiman relation, 15
 good components, 181
 GPD, *see* generalized parton density
 Grammer-Yennie method, 118, 122, 123, 143, 328, 345, 347, 402, 560
 G gluon, 402, 422
 K gluon, 402, 404–406, 416–425, 488
 grand unified theories, 32
 Green function and S matrix, 34
 group theory, 588

 hadron, 1, 10, 12
 hadron frame, 434, 481, 483, 527, 530, 543, 563
 hadron production in hadron-hadron collisions, 542, 570
 hadronic tensor
 DIS, 21
 Drell-Yan process, 543
 e^+e^- annihilation one-particle inclusive, 427
 e^+e^- annihilation two-particle inclusive, 484
 factorization, 276
 SIDIS, 530
 hadronization, 24
 handbag graph, 25, 161, 237, 269, 316
 hard factor, 361, 373, 382, 391, 422
 hard pomeron, 576
 hard scattering, multiple, 147–148
 hard subgraph, *see also* factorization, *see also* pinch-singular surface, 327, 329, 417, 451
 definition, 93
 power-counting, 112, 141
 heavy-quark effective theory, 579
 heavy quarks, 62, 64–67, 76, 214–217, 306–307, 327, 413, 569, 578

 helicity, 585
 helicity conservation, 169, 281
 helicity density, 166, 176, 189, 202, 234
 hierarchy, *see* region hierarchy
 Higgs, 2, 14, 31, 103, 160, 543, 577
 higher twist, 580
 Hopf algebra, 313

 inactive quark, 414
 infinite-momentum frame, 180, 217
 infra-red safety, 69, 469
 initial-state interaction, 561, 581
 integrated fragmentation function, *see* fragmentation function
 integrated parton density, *see* parton density
 intermediate state, 217, 218, 221
 intrinsic coordinate, 130, 133, 315, 321
 intrinsic transverse momentum, 510
 isospin, 60
 fragmentation function, 438
 parton density, 195–199

 jet cross sections, 469
 jet factor, 167
 jet shapes, 576

 K gluon, *see* Grammer-Yennie
 kinematic zero, 485
 Kinoshita-Lee-Nauenberg theorem, *see* KLN theorem
 KLN theorem, 69, 443
 k_T factorization, *see* TMD factorization

 ladder graphs, 546, 578
 ladder method, 256–261, 271–276
 Lagrangian
 QCD, 9, 37
 Landau criterion, 91, 110
 coordinate space, 159
 Glauber region, 128
 proof, 159
 Landshoff process, 147–148, 574
 large N , 83
 large x , 172, 400, 579
 lattice QCD, 1, 38
 leading region, *see* region
 leading-logarithm approximation, *see* LLA
 lepton, 14
 LHC, 2, 577
 Libby-Sterman method, 87–160
 Glauber region, 128, 157
 light-cone gauge, 228, 230, 245, 285, 411
 light-front coordinates, 584, 595–599
 parton model, 23
 light-front perturbation theory, 217–225
 derivation, 222–223
 fermion line, 223
 gauge theory, 229
 gluon line, 229

- QCD, 229
 rules, 221–224
- light-front quantization, *see also* light-front
 perturbation theory, 180–185, 573
 fragmentation function, 435
 in gauge theory, 227–229
 paradox, 219–221
 parton density, 185–189
 QCD, 227–229
 renormalization, 198
 vacuum, 219
 wave function, 225–227, 574
 zero mode, 182, 219
- light-front wave function, 225–227, 574
- linear polarization, 234, 242
- LLA, 332, 387, 517–518
- Lorentz covariance of parton density, 191
- Lorentz group, 585
- low-energy effective theory, 63
- LSZ reduction, 79, 204
- mass divergences, 87
- masses of elementary fields in Standard Model,
 32
- Mellin transform, 262–263
- meson, 12
- metric tensor, 584, 596
- minimal subtraction, *see* $\overline{\text{MS}}$ scheme
- mixing angle, Weinberg, 32
- mixing matrix, neutrino, *see* MNS
- mixing matrix, quark, *see* CKM
- MNS matrix, 32
- Monte-Carlo event generators, 577–578
- $\overline{\text{MS}}$ scheme definition, 43–45, 590
- multi-peripheral model, 546
- multiple hard scattering, 147–148
- Nachtmann variable, 25
- neutron decay, 14
- non-abelian gauge theory, 9, 16
- non-leading logarithms, 393
- non-perturbative
 Collins-Soper evolution, 506–507
 interactions and fragmentation, 465
 TMD fragmentation function, 510
 TMD parton density, 564
- normal coordinate, 130, 133
- notation, 6, 582–594
 orders of magnitude, 592–594
- OPE, *see* operator product expansion
- operator product expansion, 28, 200, 251, 263, 283,
 313, 321, 408, 409, 411, 580
- optimization of perturbation theory, *see* scale choice
- ordering
 partial, 316
 total, 316, 352
- overlapping divergence, 352
- partial ordering, 316
- particle-field relation, 33
- parton, *see also* DIS, *see also* parton density, *see also*
 parton model, 23
 basics, 2, 4
- parton density, 4, 24
 in antiproton, 196
 antiquark, 175, 232
 bare, 252, 257, 263, 309
 Boer-Mulders, 533
 definition (integrated), 165–167, 174–177,
 201–202, 232–235
 DGLAP equation, 261–262
 diffractive, 477
 example calculations, 202–210, 264–268,
 286–293
- Feynman rules
 basic, 201–202
 QCD, 235–237
- flavor relations, 195–201
 in gauge theory, 229–235, 529
 gauge invariant, 232–235
 gluon, 196, 232–235, 242
 integrated v. unintegrated, 186
- isospin, 195–199
- Lorentz covariance, 191
- Mellin transform, 262–263
- moment, 200, 262–263
- momentum sum rule, 194, 197
- negative x , 175, 176, 191–192, 208–210
- in nucleus, 196
- number density, 185–189
- number sum rule, 194, 197
- operator definition, 174–177, 192–193, 232–235,
 529
- in pion, 197, 235
- polarized, 165–167, 176–180, 189, 233–235, 242,
 253, 533
- positivity, 190
- pretzelosity, 533
- QCD, 229–237, 529
- quark, 174, 232, 529
- renormalization, 198–199, 205, 251–261, 264–268,
 286–293, 411–412, 529
- renormalization group, 261–262, 530
- scalar, 210
- Sivers, 533
- sum rule, 194, 197, 199, 206–207, 263–264
- support, 176, 191
- TMD, 190, 282, 529
 final definition, 529
 non-perturbative part, 564
 polarized, 532
 relation to integrated density, 294, 529–530
 renormalization, 529
 renormalization group, 530
- transverse-momentum dependent, *see* parton
 density, TMD

- parton density (*cont.*)
 uncut, 207–208
 unintegrated, *see* parton density, TMD
 universality, *see* universality
 UV divergence, 205, 253
- parton distribution function, *see* parton density
- parton frame, 434
- parton model, 20, 87
 approximator, 163–165, 248–249, 272
 compared with reality, 96, 97
 factorization, 167–168
 for DIS, 23
 gauge invariant, 237–241
 heavy quarks, 215–217
 polarization, 167, 168
 SIDIS, 471
 theory of, 161–212
 validity, 170–173
- parton-hadron duality, 401
- Pauli-Lubański vector, 585
- perturbation theory
 optimization, *see* scale choice
 validity, 75
- photon frame, 481, 482, 527, 531, 543, 563
- pinch-singular surface, *see also* region
 angular coordinate, 130, 315
 basics, 89–91
 coordinates, 130–134
 definition, 87
 geometry, 106–108
 intrinsic coordinate, 130, 133, 315
 non-pinch comparison, 108–111
 normal coordinate, 130, 133
 radial coordinate, 113, 118, 119, 121, 130, 133–134, 315
 region specified by, 315
 skeleton, 88, 315
 topology, 106–108
- plus distribution, 292, 524, 591–592
- polarization, *see also* fragmentation function
 polarized, *see also* parton density polarized, 165, 177–180, 233–235, 585–586
 DIS, 168, 278, 412
 Drell-Yan process, 281, 568
 linear, 234, 242
 SIDIS, 532
- polarized DIS, 279
- pomeron, 546, 576
- positivity, 190, 493, 525
- power corrections, 580
- power-counting, 134–145
 alternate scalings, 144
 collinear subgraph, 113, 116–118, 142–144
 dimensional analysis, comparison, 135, 141
 gauge theory, 117
 general form, 140–145
 Glauber region, 128, 150
 hard subgraph, 141
 multiple/nested regions, 148–156
 soft subgraph, 119–122, 144
 Sudakov form factor, 111–125
 super-renormalizable couplings, 140, 146
- pretzelosity, 533
- proton radius, 11
- pseudo-rapidity, 598
- PSS, *see* pinch-singular surface
- QCD
 Λ , 55–56
 definition, 9
 Feynman rules, 43, 44
 gauge transformation, 9
 history, 10
 justification, 6, 10, 29
 Lagrangian, 9, 37
 predictive power, 2, 311
 renormalization, 39–48
 renormalization group, 51–59
 renormalization-group coefficients, 58
 scale parameter, 55–56
 symmetries, 60–61
- quark
 charges, 32
 masses, 32
- quark density, 232
- quark model, 12
- quark-parton model, *see* parton model
- quark-quark potential, 34
- radial coordinate, 113, 118, 119, 121, 130, 133–134, 315, 321
- rapidity, 584, 596–598
- rapidity divergence, 291, 338, 339, 342, 343, 348, 350, 351, 361, 379, 382, 407, 522–524, 536
- rapidity gap, 5
- reduced graph, 91
 coordinate space, *see* reduced graph space-time
 DDVCS, 101–102
 DIS, 95–100
 Drell-Yan, 103–105
 DVCS, 101–102
 examples, 106
 interpretation, 106–108
 space-time, 91–92, 106, 108, 116, 121–122, 125, 148, 152, 158, 159, 551
 Sudakov form factor, 92–95
- Regge physics, 574, 575
- reggeon, 546
- region, *see also* pinch-singular surface
 approximator, 323–329
 decomposition, 246–247, 314, 351
 e^+e^- annihilation, 485
 hierarchy, 108, 130, 315–317, 323, 366–369
 power-counting effects, 149–156
 leading, 315, 401

- DIS, 96, 147
- Drell-Yan, 103, 544
- DVCS, 102
- e^+e^- annihilation, one-particle inclusive, 439
- e^+e^- annihilation, two-particle inclusive, 480
- elastic scattering at wide angle, 147–148
- gauge theory, 245
- general criteria, 146–148
- non-gauge theory, 244
- rule for, 147
- SIDIS, 472, 528
- Sudakov form factor, 94
- minimal, 316, 317
- multiple, 148
- nested, 148, 316
- pinch-singular surface, comparison with, 135
- properties, 316
- soft quark, 125
- space-time interpretation, 99, 551
- superleading, 144, 315, 401, 440
- terminology, 315
- remnant-remnant interactions, 126, 545–552, 554–560
- renormalization, *see also* fragmentation function
 - renormalization, *see also* parton density renormalization
 - BRST transformation, 40
 - by subtraction of asymptote, 48–51, 293–295, 299
 - fragmentation function, 431
 - $\overline{\text{MS}}$, *see* $\overline{\text{MS}}$ scheme; ACOT; CWZ
 - parton density, 251
 - QCD, 39–45
 - region approximator, 329
 - wave function, 40
- renormalization group, *see also* DGLAP equation, 28, 45, 51, 59, 579
 - conventions, 584
 - fragmentation function, 431
 - parton density, 261
 - TMD fragmentation function, 502
 - TMD parton density, 530
- renormalization scale, 44, 300–301, 516
 - meaning, 48–51
- resummation, 518–519, 576
- running coupling, *see* effective coupling
- scalar polarized gluon, *see also* Grammer-Yennie
 - method K gluon, 141, 143, 146, 147
- scale choice, 48–51, 300–301, 516
- scale dependence, *see* renormalization group; DGLAP equation
- SCET, *see* soft-collinear effective theory
- semi-inclusive deeply inelastic scattering, *see* SIDIS
- short-distance dominance, 75, 84
- SIDIS, 470–475
 - factorization, 475
 - Glauber region, 474, 528
 - hadronic tensor, 530
 - leading region, 472, 528
 - polarization, 532
 - structure function, 532
 - target-fragmentation region, 475–477
 - TMD factorization, 526–537
 - final form, 532
- Sivers function, 533, 534
- skeleton of pinch-singular surface, 88, 315
- Slavnov-Taylor identity, *see also* Ward identity, 407, 418, 421
- small x , 575
- soft cancellation, 456
- soft factor, 359, 366
- soft quark region, 125
- soft subgraph, *see also* factorization, *see also* pinch-singular surface, 326, 452
 - definition, 93
 - power-counting, 119–122, 144
- soft-collinear effective theory, 579
- soft-collinear gluons, 327, 354
- space-time propagation, *see also* reduced graph,
 - 91–92, 99, 106, 108, 116, 121–122, 125, 126, 148, 152, 224, 551, 573
- spectator-spectator interactions, 126
- spin projection, 588
- spin vector, 586
- spontaneous symmetry breaking, 61
- Standard Model, 31, 33
 - masses of particles, 32
 - quantum numbers, 32
- string model, 88, 426
- strong CP problem, 60
- structure-function
 - DIS, 22, 214
 - general, 214
 - e^+e^- annihilation
 - one-particle inclusive, 428
 - two-particle inclusive, 484
 - factorization, 276–280
 - longitudinal, 22
 - parton-density comparison, 169
 - summary, 586
 - transverse, 22
- subtraction method, 258–261, 314–319
 - example, 320–321
- successive approximation method, 269–271, 314
- Sudakov form factor, 321–344, 359–397
 - calculations, 330–344, 388–393
 - definition, 88
 - factorization, 322, 374, 378–388
 - final solution, 383–387
 - large Q asymptote, 387
 - leading region, 94
 - non-leading logarithms, 393
 - one loop, 105–125, 330–344
 - regions, 323
 - regions at two-loop order, 153
- sum-over-cuts, 441, 443, 447–448, 456–459, 475, 548

- sum rule, *see* fragmentation function, *see* parton density
- super-renormalizable couplings, 140, 146
- superleading region, *see* region, superleading
- supersymmetry, 2, 32, 37, 160, 503
- target fragmentation, 473, 475–477
- test function, *see* averaged cross section
- three-particle phase space, 590
- time-ordered perturbation theory, 217, 447
- time-reversal transformation
 and Drell-Yan, 554
 and TMD fragmentation, 536
- TMD factorization, 479–537
 combining with collinear factorization, 501, 513
 defined, 479
 Drell-Yan, 560, 562–569
 e^+e^- annihilation, 496–501
 SIDIS, 526–537
 using, 514–519
 v. collinear factorization, 479
- TMD fragmentation function, *see* fragmentation function, TMD
- TMD parton density, *see* parton density, TMD
- total ordering, 316, 352
- transverse coordinate space, 495
- transverse mass, 597
- transverse spin, 166, 169, 280–282
- transverse-momentum dependent fragmentation function, *see* fragmentation function, TMD
- transverse-momentum dependent parton density, *see* parton density, TMD
- transversity density, 166, 176, 189, 202, 281
- twist, 580
- two-particle phase space, 590
- unbreakable elastic spring, 82
- uniformity, 594
- unintegrated fragmentation function, *see* fragmentation function, TMD
- unintegrated parton density, *see* parton density, TMD
- unit of mass, *see* renormalization scale
- units, 582
- universality
 modified, 535
 parton density, 2, 6
- vertex graph, *see* Sudakov form factor
- W boson, 14, 31, 32
- Ward identity, 346, 362, 407, 416–425, 488, 578
 with subtractions, 367
- wave packet, 71–75, 187–189
- wave-function renormalization, 40
- weak interaction, 14
- Weinberg angle, 32
- Weinberg-Salam theory, 10, 14, 16, 29
- Wilson line, 230–232, 361, 410–411
 BFKL, 575
 evolution, 343, 374–378, 383
 Feynman rules, 236
 in fragmentation function, 459
 gauge transformation, 230
 interpretation, 237–241
 in parton density, 232
 path dependence, 230–232
 rapidity, 343
 self-interaction, 360, 365, 379, 380, 491, 499–500
 in soft factor, 489, 497
 in TMD fragmentation function, 497–499
 in TMD parton density, 529
- Yang-Mills theory, 9, 16
- Yukawa coupling, 31
- Yukawa theory, 180, 202, 226, 264
- Z boson, 14, 32
- zero mode, 182, 219