

ERRATUM

Optimal biochar application rates for mitigating global warming and increasing rice yield in a subtropical paddy field – ERRATUM

Xiang Yang, Tony Vancov, Josep Pēnuelas, Jordi Sardans, Ankit Singla, Abdulwahed Fahad Alrefaei, Xu Song, Yunying Fang and Weiqi Wang

DOI: <https://doi.org/10.1017/S0014479721000259>, Published online by Cambridge University Press: 24 January 2022

The original article was published with some errors in equations 1 and 2.

The correct Eq.1 is:

$$CE = \sum_{i=1}^n \left(\frac{F_i + F_{i+1}}{2} \right) \times (t_{i+1} - t_i) \times 24$$

The correct Eq.2 is:

$$GWP = \text{cumulative CH}_4 \text{ emission} \times 34 + \text{cumulative N}_2\text{O emission} \times 265$$

The publishers apologise for this error.

Reference

Yang, X., Vancov, T., Peñuelas, J., Sardans, J., Singla, A., Alrefaei, A., . . . Wang, W. (2022). Optimal biochar application rates for mitigating global warming and increasing rice yield in a subtropical paddy field. *Experimental Agriculture*, 1-17. doi: 10.1017/S0014479721000259

Cite this article: Yang X, Vancov T, Pēnuelas J, Sardans J, Singla A, Alrefaei AF, Song X, Fang Y, and Wang W (2021). Optimal biochar application rates for mitigating global warming and increasing rice yield in a subtropical paddy field – ERRATUM. *Experimental Agriculture* 57, 300. <https://doi.org/10.1017/S0014479722000059>

© The Author(s), 2022. Published by Cambridge University Press