

BULLETIN

OF

ENTOMOLOGICAL RESEARCH

**ISSUED BY THE ENTOMOLOGICAL RESEARCH
COMMITTEE (TROPICAL AFRICA), APPOINTED
BY THE COLONIAL OFFICE.**

EDITOR: THE SCIENTIFIC SECRETARY.

VOL. I.

LONDON:

SOLD BY


LONGMANS, GREEN, & Co., 39 PATERNOSTER ROW, E.C.,

AND

TAYLOR & FRANCIS, RED LION COURT, FLEET STREET, E.C.

1910-1911

ALERE FLAMMAM.



PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

CONTENTS.

ORIGINAL ARTICLES.

	Page
AUSTEN, E. E.	
A new genus and two new species of African Fruit-flies	71
A new species of <i>Cordylobia</i>	79
On Tabanidæ collected in North-Eastern Rhodesia and Katanga, Congo Free State, by Dr. S. and Mr. S. A. Neave, with Descriptions of new species	275
A new species of <i>Tabanus</i> from the Anglo-Egyptian Sudan	291
A new species of Tsetse-fly allied to <i>Glossina palpalis</i> , Rob.-Desv.	294
BOYCE, Sir RUBERT.	
The prevalence, distribution and significance of <i>Stegomyia fasciata</i> , F. (= <i>calopus</i> , Mg.), in West Africa	233
DAVEY, Dr. J. B.	
Notes on the habits of <i>Glossina fusca</i>	143
DRAKE-BROCKMAN, Dr. R. E.	
Notes on the Blood-sucking Diptera met with in Eastern and South-Eastern Abyssinia	55
DUDGEON, GERALD C.	
Notes on two West African Hemiptera injurious to Cocoa	59
On the Parasites of two species of West African wild Silkworms	83
West African Hemiptera injurious to Cocoa	177

	Page
GRAHAM, Dr. W. M.	
The Study of Mosquito Larvæ	51
On West African Trypetidæ (Fruit-flies)	161
GREEN, E. ERNEST.	
Remarks on Coccidæ from Uganda	201
HALL, P. E.	
Notes on the movements of <i>Glossina morsitans</i> in the Lundazi District, North-Eastern Rhodesia	183
HUGHES, FRANK.	
The chemical analysis of the secretory covering of <i>Dactylopius perniciosus</i>	141
KING, HAROLD H.	
Some observations on the bionomics of <i>Tabanus ditentatus</i> , Macquart, and <i>Tabanus kingi</i> , Austen	265
Some observations on the bionomics of <i>Tabanus par</i> , Walk., and <i>Tabanus teniola</i> , P. de B.	99
NEAVE, S. A.	
Report on a Journey to the Luangwa Valley, North-Eastern Rhodesia, from July to September, 1910	303
NEWSTEAD, ROBERT.	
On Scale Insects (Coccidæ), &c., from the Uganda Protectorate	63
Some further observations on the Scale Insects of the Uganda Pro- tectorate	185
NEWSTEAD, R., and WILLCOCKS, F. C.	
Characters and general morphology of the Lebbek Scale	138
OUDEMANS, Dr. A. C.	
A short survey of the more important Families of Acari	105
ROTHSCHILD, Hon. N. CHARLES.	
A synopsis of the Fleas found on <i>Mus norvegicus</i> (= <i>decumanus</i>), <i>Mus rattus</i> (= <i>alexandrinus</i>), and <i>Mus musculus</i>	89
SANDERSON, Dr. MEREDITH.	
Notes on <i>Glossina fusca</i> , Walk., in North Nyasa	299

	Page
SHARPE, Sir ALFRED.	
Notes on the habits of <i>Glossina morsitans</i> in Nyasaland and the adjoining Territories	173
WESCHÉ, W.	
On the Larval and Pupal Stages of West African Culicidæ	7
WILLCOCKS, F. C.	
A Mealy Bug injurious to the Lebbek trees of Cairo	121

MISCELLANEOUS.

Collections received	87, 159, 231
Current notes	155, 225
Foreword	1
<i>Glossina</i> , an insect enemy of, in Dahomey	219
<i>Glossina morsitans</i> , concerning	147
Mosquito larvæ and their natural enemies	213
Sleeping Sickness Commission in Uganda, some entomological observations made by the ..	221
Sleeping Sickness infection in the Luangwa Valley, investigation into the origin of	179
Tsetse-flies, a method of destroying	85
Tsetse-flies (<i>Glossina</i>), an investigation into the habits and distribution of the Cattle	152
Tsetse-flies, investigation into the habits and distribution of	319
Tsetse-fly and Cattle disease in the Nyasaland Protectorate, précis of reports submitted by District Residents concerning	203

PLATES.

	Page
I. to VII. Larval and pupal stages of West African Culicidæ to face	50
VIII. West African Hemiptera injurious to Cocoa	62
IX. <i>Tabanus tæniola</i> , P. de B., and <i>T. par</i> , Walk.	104
X. Plan of part of Cairo infested by a Mealy Bug (<i>Dactylopius perniciosus</i> , Newst. & Willcocks)	136
XI. to XIII. West African Fruit-flies (Trypetidæ)	170

M A P S.

	Page
Sketch-map showing the distribution of <i>Glossina morsitans</i> in the Lundazi District, N.E. Rhodesia	to face 183
Map showing Tsetse-fly areas in Nyasaland	204
Map of West Africa, showing places in which the <i>Stegomyia</i> mosquito has been found	262
Map of West Africa, showing places in which yellow fever has occurred	262
Sketch-map of a portion of North Nyasa district, to show the distribution of <i>Glossina fusca</i>	302
Map of N.E. Rhodesia, to illustrate Mr. S. A. Neave's report on a journey to the Luangwa Valley	316

ILLUSTRATIONS IN THE TEXT.

	Page
Siphon and anal segment of <i>Stegomyia fasciata</i> , F.	26
<i>Stictococcus dimorphus</i> , Newstead, female and male larvæ	64
<i>Carpophthoromyia pulchella</i> , Austen, ♀	72
<i>Carpophthoromyia formosula</i> , Austen, ♂	75
<i>Cordylobia prægrandis</i> , Austen, ♀	79
Cocoon-mass of <i>Anopheles venuta</i> , Walk., on a leaf of Cassava	83
Details of fleas found on domestic rats and mice	91, 92, 93, 96, 98
Figures of Acari :—	
<i>Opiliocarus segmentatus</i> , With, ♀	105
<i>Holothyreus longipes</i> , Thor., ♂	106
<i>Rhipicephalus sanguineus</i> , Latr., ♀	107
<i>Ornithodoros moubata</i> , Murray, ♀	107
<i>Leiulus truncatus</i> , Oudms., ♀	109
<i>Dermonyssus gallinæ</i> , De Geer, ♀	109
<i>Uropoda africana</i> , Oudms., deutonymph	110
<i>Pediculoides spinosus</i> , Kramer, ♀	111
<i>Labidostoma denticulatum</i> , Schrank, ♀	112
<i>Tarsotomus parietinus</i> , Herm., ♀	113
<i>Tetronychus carpini</i> , Oudms.	114
<i>Cheletes eruditus</i> , Schrank, ♀	114
<i>Myobia affinis</i> , Poppe, ♀	114
<i>Bdella rubra</i> , Lam.	114
<i>Euthrombidium trigonum</i> , Herm., larva	115
<i>Hydryphantès rubra</i> , De Geer, larva	115
<i>Eremaeus hessei</i> , Oudms.	116
<i>Aleurobius africana</i> , Oudms., ♀	117
<i>Sarcoptes equi</i> , Gerl., ♀	117
<i>Chorioptes spathiferus</i> , Mégnin, ♀	118
<i>Demodex canis</i> , Leydig, ♀	118
<i>Eriophyes tenuis</i> , Nalepa	119
Healthy lebbek trees (<i>Albizia lebbek</i>) growing on Ghezireh Island, Cairo	122
Colonies of the mealy bug situated round the edge of a wound, and in the axils of leaf-petioles	124
Growing point of lebbek attacked by the mealy bug	125
Compound leaf of lebbek, showing colonies of the mealy bug on the leaf- petioles and elsewhere	126

	Page
Twigs from lebbek tree badly infested with the mealy bug	127
Lebbek tree in Chareh Kasr el Nil, attacked by <i>Dactylopius</i>	128
Colonies of <i>Dactylopius</i> protected by a covering of dead lebbek flowers (2 figures)	129
Chareh el Manakh as it appeared in August 1909, after the trees had been cut back	133
<i>Dactylopius perniciosus</i> , Newst. & Willcocks, ♀	138
Head of <i>Ceratitis nigra</i> , Graham	163
<i>Inglisia conchiformis</i> , Newst., adult females	186
<i>Ceroplastes singularis</i> , Newst.: antennæ of adult female, 188; larvæ, 189; male puparia	189
<i>Ceroplastes ficus</i> , Newst.	191
<i>Ceroplastes quadrilineatus</i> , Newst.: adult females (tests), 193; antenna of female	194
<i>Chionaspis dentilobis</i> , Newst., details	196
<i>Chionaspis substriata</i> , Newst., detail	197
? <i>Diaspis chionaspiformis</i> , Green, detail	198
<i>Enyallopsis durandi</i> , Luc.	227
<i>Stegomyia fasciata</i> , F.: a favourite breeding-place for, 235; ♀ imago, 240; larva, 243; characteristics of larva	244
<i>Tabanus ditæniatus</i> , Macq.: immature larva, 266; mature larva, 267; pupa... ..	268
<i>Tabanus kingi</i> , Austen: view of Khor Arbat, 269; rock at Khor Arbat, showing sites selected by <i>T. kingi</i> for ovipositing, 270; egg-mass and mature larva, 272; pupal case	273
<i>Chrysops neavei</i> , Austen, ♀	276
<i>Diatomineura virgata</i> , Austen, ♀	278
<i>Dorcalcemus auricomus</i> , Austen, ♀	287
<i>Rhinomyza umbraticola</i> , Austen, ♀	290
<i>Tabanus kingi</i> , Austen, ♀	291
Heads of <i>Tabanus kingi</i> , Austen, ♀, and <i>T. tenuola</i> , P. de B., ♀	292
Antennæ of— <i>Glossina caliginea</i> , Austen; <i>G. palpalis</i> , Rob.-Desv.; <i>G. pallicera</i> , Bigot	295
Views of the course of the Mawerela Stream, North Nyasa, a haunt of <i>Glossina fusca</i> , Walk.	300, 301
Views of the valley of the Luangwa River, Rhodesia, visited by Mr. S. A. Neave	304, 305, 307, 308, 309, 310, 311