


**JOURNAL OF THE
MARINE BIOLOGICAL ASSOCIATION
OF THE UNITED KINGDOM**



THE PLYMOUTH LABORATORY

VOLUME XXX, No. 1
(issued June 1951)

CAMBRIDGE
AT THE UNIVERSITY PRESS
1951

Price Thirty Shillings net

MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

PATRON

HIS MAJESTY THE KING

OFFICERS AND COUNCIL

President: Prof. J. GRAY, C.B.E., M.C., Sc.D., LL.D., F.R.S.

Vice-Presidents

The Earl of IVRAGH, C.B., C.M.G.

Viscount ASTOR

Sir NICHOLAS E. WATERHOUSE, K.B.E.

Col. Sir EDWARD T. PEEL, K.B.E., D.S.O.,
M.C.

The Right Hon. TOM WILLIAMS, M.P.

G. P. BIDDER, Sc.D.

W. T. CALMAN, C.B., D.Sc., F.R.S.

Vice-Admiral Sir JOHN A. EDGELL, K.B.E., C.B.,
F.R.S.

Prof. A. V. HILL, C.H., O.B.E., Sc.D., F.R.S.

E. S. RUSSELL, O.B.E., D.Sc.

Sir EDWARD J. SALISBURY, Kt., C.B.E., D.Sc., Sec.R.S.

Admiral Sir AUBREY C. H. SMITH, K.B.E., C.B.,
M.V.O.

A. T. A. DOBSON, C.B., C.V.O., C.B.E.

Honorary Members

Dr G. P. BIDDER

Dr H. B. BIGELOW

Dr R. DOERN

Dr TH. MORTENSEN

Prof. HANS PETTERSSON

Prof. H. U. SVERDRUP

COUNCIL

Elected Members

ANNA M. BIDDER, Ph.D.

Prof. F. W. ROGERS BRAMBELL, D.Sc., F.R.S.

J. N. CARRUTHERS, D.Sc.

G. E. R. DEACON, D.Sc., F.R.S.

E. FORD

F. C. FRASER, D.Sc.

MICHAEL GRAHAM, O.B.E.

Prof. J. E. HARRIS, Ph.D.

A. L. HODGKIN, F.R.S.

O. D. HUNT

C. E. LUCAS, D.Sc.

L. HARRISON MATTHEWS, Sc.D.

J. D. H. WISEMAN, Ph.D.

Prof. V. C. WYNN-EDWARDS

Prof. C. M. YONGE, D.Sc., F.R.S.

Governors

G. P. BIDDER, Sc.D.

H. J. JOHNS, C.B., M.B.E. (Ministry of Agriculture
and Fisheries)

The Worshipful Company of Fishmongers:

The Prime Warden

Major E. G. CHRISTIE-MILLER

HARRISON S. EDWARDS

Prof. A. C. HARDY, D.Sc., F.R.S. (Oxford University)

Prof. J. E. SMITH, Ph.D. (Cambridge University)

EDWARD HINDLE, Sc.D., F.R.S. (British Association)

H. W. PARKER, D.Sc. (Zoological Society)

Prof. A. V. HILL, C.H., O.B.E., Sc.D., F.R.S. (Royal
Society)

Hon. Treasurer: Major E. G. CHRISTIE-MILLER, 38 Hyde Park Street, London, W.2

Secretary: F. S. RUSSELL, D.S.C., D.F.C., F.R.S., The Laboratory, Citadel Hill, Plymouth, Devon

SCIENTIFIC STAFF

Director: F. S. RUSSELL, D.S.C., D.F.C., B.A., F.R.S.

Head of Department of General Physiology: W. R. G. ATKINS, O.B.E., Sc.D., F.R.I.C., F.Inst.P., F.R.S.

H. W. HARVEY, Sc.D., M.A., F.R.S. (*Hydrologist*)

G. A. STEVEN, B.Sc., F.R.S.E. (*Zoologist*)

D. P. WILSON, D.Sc., F.R.P.S. (*Zoologist*)

L. H. N. COOPER, D.Sc., F.R.I.C. (*Chemist*)

G. M. SPOONER, M.B.E., M.A. (*Zoologist*)

MARY W. PARKE, D.Sc., Ph.D. (*Botanist*)

J. S. ALEXANDROWICZ, Ph.D., M.D. (Jena) (*Histologist*)

P. G. CORBIN, B.A. (*Zoologist*)

H. G. VEVERS, M.B.E., M.A., D.Phil., F.Z.S. (*Bursar
and Zoologist*)

J. A. C. NICOL, B.Sc., M.A., D.Phil. (*Experimental
Zoologist*)


J. LOWY, B.A. (*Experimental Zoologist*)

N. A. HOLME, M.A. (*Zoologist*)

**JOURNAL OF THE
MARINE BIOLOGICAL ASSOCIATION
OF THE UNITED KINGDOM**

*Printed in Great Britain at the University Press, Cambridge
(Brooke Crutchley, University Printer)
and published by the Cambridge University Press
(Cambridge, and Bentley House, London)
Agents for Canada and India: Macmillan*

**JOURNAL OF THE
MARINE BIOLOGICAL ASSOCIATION
OF THE UNITED KINGDOM**



THE PLYMOUTH LABORATORY

VOLUME XXX

1951–1952

**CAMBRIDGE
AT THE UNIVERSITY PRESS
1952**

The Council of the Marine Biological Association wish it to be understood that they do not accept responsibility for the accuracy of statements published in this Journal, excepting when those statements are contained in an official report of the Council.

CONTENTS OF VOLUME XXX

NUMBER 1, pp. 1-200, JUNE 1951
NUMBER 2, pp. 201-416, OCTOBER 1951
NUMBER 3, pp. 417-672, FEBRUARY 1952

	PAGE
Report of the Council:	
1950-51	397
Income and Expenditure Account and Balance Sheet:	
1950-51	415
Classified List of Publications:	
1928-50	589
ALEEM, A. A. See HUSTEDT, F. and ALEEM, A. A.	
ALEXANDROWICZ, J. S. Lymphocystis tumours in the red mullet (<i>Mullus surmuletus</i> L.)	315
ARMSTRONG, F. A. J. The determination of silicate in sea water	149
BAGENAL, T. B. See BARNES, H. and BAGENAL, T. B.	
BARNES, H. and BAGENAL, T. B. Observations on <i>Nephrops norvegicus</i> (L.) and on an epizoic population of <i>Balanus crenatus</i> Brug.	369
BARNES, H. and MARSHALL, S. M. On the variability of replicate plankton samples and some applications of 'contagious' series to the statistical distribution of catches over restricted periods	233
BARNES, H. and POWELL, H. T. The growth-rate of juvenile <i>Asterias rubens</i> L.	381
BLACK, W. A. P. and MITCHELL, R. L. Trace elements in the common brown algae and in sea water	575
BOSSANYI, J. An apparatus for the collection of plankton in the immediate vicinity of the sea-bottom	265
BULJAN, M. Note on a method for determination of ammonia in sea water	277
BURROWS, E. M. and LODGE, SHEILA Autecology and the species problem in <i>Fucus</i>	161
CHANG, HSIAO-WEI Age and growth of <i>Callionymus lyra</i> L.	281
On <i>Callionymus reticulatus</i> C. & V. and its distribution in European seas	297

	PAGE
CHIPPERFIELD, P. N. J.	
The breeding of <i>Crepidula fornicata</i> (L.) in the River Blackwater, Essex	49
COOPER, L. H. N.	
Chemical properties of the sea water in the neighbourhood of the Labadie Bank	21
Processes of enrichment of surface water with nutrients due to strong winds blowing on to a continental slope	453
The physical and chemical oceanography of the waters bathing the continental slope of the Celtic Sea	465
Factors affecting the distribution of silicate in the North Atlantic Ocean and the formation of North Atlantic deep water	511
CORBIN, P. G.	
The seasonal abundance of young fish. XI. The year 1949	271
DALES, R. PHILLIPS	
Notes on the reproduction and early development of the cirratulid <i>Tharyx marioni</i> (St Joseph)	113
Observations on the structure and life history of <i>Autolytus prolifer</i> (O. F. Müller)	119
FORSTER, G. R.	
The biology of the common prawn, <i>Leander serratus</i> Pennant	333
Notes on <i>Leander squilla</i> L.	361
FRETTER, VERA	
<i>Turbonilla elegantissima</i> (Montagu), a parasitic opisthobranch	37
HOCKLEY, A. R.	
On the biology of <i>Mytilicola intestinalis</i> (Steuer)	223
HUSTEDT, F. and ALEEM, A. A.	
Littoral diatoms from the Salstone, near Plymouth	177
KNIGHT-JONES, E. W.	
Gregariousness and some other aspects of the setting behaviour of <i>Spirorbis</i>	201
KOTT, PATRICIA	
<i>Corella halli</i> n.sp., a new ascidian from the English Channel	33
LODGE, SHEILA	
See BURROWS, E. M. and LODGE, SHEILA	
MARSHALL, S. M.	
See BARNES, H. and MARSHALL, S. M.	
MARSHALL, S. M. and ORR, A. P.	
On the biology of <i>Calanus finmarchicus</i> . Part VII. Factors affecting egg production	527
MILLAR, R. H.	
The development and early stages of the ascidian <i>Pyura squamulosa</i> (Alder)	27
MITCHELL, R. L.	
See BLACK, W. A. P. and MITCHELL, R. L.	
NICOL, J. A. COLIN	
Studies on <i>Chaetopterus variopedatus</i> (Renier). I. The light-producing glands	417
Studies on <i>Chaetopterus variopedatus</i> (Renier). II. Nervous control of light production	433

	PAGE
ORR, A. P.	
<i>See</i> MARSHALL, S. M. and ORR, A. P.	
POWELL, H. T.	
<i>See</i> BARNES, H. and POWELL, H. T.	
RUSSELL, F. S.	
A re-examination of <i>Calanus</i> collected off Plymouth	313
SPOONER, G. M.	
On <i>Gammarus zaddachi oceanicus</i> Segerstråle	129
STEVEN, G. A.	
Contributions to the biology of the mackerel, <i>Scomber scombrus</i> L. III. Age and growth	549
VEVERS, H. G.	
Photography of the sea floor	101
The biology of <i>Asterias rubens</i> L. III. Carotenoid pigments in the integument	569
WILLIAMSON, D. I.	
Studies in the biology of Talitridae (Crustacea, Amphipoda): effects of atmospheric humidity	73
Studies in the biology of Talitridae (Crustacea, Amphipoda): visual orientation in <i>Talitrus saltator</i>	91
WILSON, D. P.	
A biological difference between natural sea waters	1
YONGE, C. M.	
Observations on <i>Sphenia binghami</i> Turton	387

ABSTRACTS OF MEMOIRS RECORDING WORK DONE
AT THE PLYMOUTH LABORATORY

Floor of the English Channel. By W. B. R. King	197
Two new pycnogonids from Bermuda. By Marie V. Lebour	197
Some new decapod Crustacea from Bermuda. By Marie V. Lebour	197
Some euphausiids from Bermuda. By Marie V. Lebour	198
Notes on some larval decapods (Crustacea) from Bermuda. By Marie V. Lebour	198
Swimming of dolphins. By G. A. Steven	198
Differentiation of the sea-urchin egg following reduction of the interior cytoplasm in relation to the cortex. By Sven Horstadius, I. J. Lorch and J. F. Danielli	199
The mechanics of the blood vascular system of <i>Ascidella aspersa</i> . By C. A. Haywood and H. P. Moon	199
Nitrogenous excretion of amphipods and isopods. By E. I. B. Dresel and V. Moyle	393
The effect of stimulation on the opacity of a crustacean nerve trunk and its relation to fibre diameter. By D. K. Hill	393

	PAGE
The volume change resulting from stimulation of a giant nerve fibre. By D. K. Hill	394
The males of <i>Canthocamptus bidens</i> Schmeil. By Ashley G. Lowndes	394
The autonomic nervous system of the chimaeroid fish <i>Hydrolagus collicii</i> . By J. A. Colin Nicol	395
Blood cell formation in certain teleost fishes. By W. T. Catton	585
Notes on some larval decapods (Crustacea) from Bermuda. II. By Marie V. Lebour	585
Giant axons and synergic contractions in <i>Branchiomma vesiculosum</i> . By J. A. Colin Nicol	586
On a giant squid, <i>Ommastrephes caroli</i> Furtado, stranded at Looe, Cornwall. By W. J. Rees	586
On the behaviour of <i>Sabella</i> . By G. P. Wells	587
The integration of activity cycles in the behaviour of <i>Arenicola marina</i> L. By G. P. Wells and Elinor B. Albrecht	587
The role of oesophageal rhythms in the behaviour of <i>Arenicola ecaudata</i> Johnston. By G. P. Wells and Elinor B. Albrecht	588
BOOK REVIEW	
The sea and its mysteries. By John S. Colman	200

ERRATA

VOL. XXIX

- Page 170. Table III. At station 11 there are 4 *Abra alba* and no *A. nitida*.
 175. Table VII. At station 28 there are 2 *Abra alba* and no *A. nitida*.

VOL. XXX

- Page 7. One line from bottom. For 7. iv. 50 read 7. iv. 49.
 20. Explanation of Plate I, figs. 1 and 2. For 7. iv. 50 read 7. iv. 49.
 84. Third paragraph, first line. For klino-kinesis read klino-taxis.

No. 2, back page of cover. Line 2. For *Sipirorbis* read *Spirorbis*.

Page 138. Para. 4, line 6. For isohyaline read isohaline.

489. Fig. 13:

Lines of equal oxygen content.

For 4.5 ml./l., read 4.5₈ ml./l.

" 5.0	" "	" 5.0 ₇	"
" 5.5	" "	" 5.5 ₈	"
" 6.0	" "	" 6.0 ₈	"

Lines of equal percentage saturation with oxygen.

For 70% read 71.0%

" 80%	" "	" 81.1%
" 90%	" "	" 91.3%
" 95%	" "	" 96.3%

INDEX

A

- Acanthephyra debilis*, 433
Acartia clausi, 240, 252, 255
Acerina cernua, 316, 317, 319, 329, 330
Achnanthes, 193
 — *brevipes*, 183, var. *parvula*, 183
 — *Hauckiana*, 183
 — *Lilljeborgei*, 183, 194
 — *longipes*, 183, 193
Acholoë, 449
Actinocyclus, 513
Actinoptychus undulatus, 180, 193
Aequipecten, 62
Aglantha, 5, 9, 272, 275
Agonus cataphractus, 273
Agriotes, 87
 Algae, trace elements in common brown, and in sea water, 575-84
Aloides gibba, 389-92
Ammodytes immaculatus, 273, 410
 — *lanceolatus*, 273
 — *marinus*, 273, 410
 — *tobianus*, 273
Ammonia in sea water, 277-80
Amphion, 585
Amphionides, 585
Amphioxus grounds, *Callionymus reticulatus* caught from, 304
Amphipleura rutilans, 184
 Amphipods, nitrogenous excretion of, 393
Amphiprora paludosa, 189
 — *pulchra* var. *pulchella*, 189
 — *sulcata*, 189
Amphitrite gracilis, food of *Turbonilla*, 37-8
Amphora, 186, 193
 — *angusta*, 190
 — *arcus*, 190
 — *coffaeiformis*, 190, 193; var. *acutiuscula*, 190
 — *costata*, 190
 — *hyalina*, 190, 193
 — *laevis* var. *laevissima*, 190
 — *lineolata*, 190
 — *marina*, 189
 — *ocellata*, 190
 — *ostrearia*, 190
 — *proteus*, 189
 — *turgida*, 190
Anchistioides antiguensis, 585
Ancylocaris, 198
Anguilla, 295
Anomalops, 433
Anoplodactylus tenuirostris n.sp., 197
Aplysia punctata, 353
Architeuthis spp., 586
Arenicola, 445, 447
 — *ecaudata*, role of oesophageal rhythms in behaviour of, 588
 — *marina*, integration of activity cycles in behaviour of, 587-8
Arnoglossus spp., 273
Asciidiella aspersa, 218, 409; blood vascular system of, 199
 — *conchilega*, 218
Ascophyllum, settling of *Spirorbis* larvae on, 214, 216
 — *nodosum*, 177, 576, 580-2; competition with *Fucus*, 163-4; hybridization with *Fucus*, 170.
 — *nodosum* var. *mackaii*, habitat of *Gammarus*, 129, 133, 138
Asellus aquaticus, 393
Astacus gammarus, 573
Asterias rubens, 407; in underwater photographs, 105-7; growth rate of juvenile, 381-5; carotenoid pigments in integument of, 569-74
Astropecten irregularis, in underwater photographs, 106-7
Atherina presbyter, 398
Audouinia tentaculata, development compared with *Tharyx*, 113, 117; food of *Turbonilla*, 37-8
Auricula dubia, 189
Autolytus aurantiacus, 120-3, 127
 — *brachycephalus*, 121
 — *cornutus*, 120
 — *edwardsi*, 120
 — *prolifer*, structure and life-history of, 119-28
 B
Balanus balanoides, 381
 — *crenatus*, 381; epizoic population of, 369-80
 — *porcatus*, 366
Balistes capriscus, 398
 Bermuda, euphausiids from, 198; larval decapods from, 198; new decapod Crustacea from, 197; new pycnogonids from, 197
Biddulphia aurita, 180, 194
Blennius gattorugine, 273
 — *ocellaris*, 273
 — *pholis*, 273

- Boltenia echinata*, development compared with *Pyura*, 27, 30-1
- Botryllus*, 214
- Branchiomma*, 445
- *vesiculosum*, 408, 409, 586; giant axons and synergic contractions in, 586
- Bugula*, 208, 218
- C
- Calanus*, 271; a re-examination of, collected off Plymouth, 313-14
- *finmarchicus*, 252-5, 313-14; factors affecting egg production of, 527-48
- *helgolandicus*, 313-14, 528, 529
- Callianassa californiensis*, 387
- Callionymus*, 273; in underwater photographs, 106
- *admirabilis*, 298
- *belenus*, 298, 308
- *cithara*, 298, 302
- *dracunculus*, 281, 298
- *elegans*, 298
- *fasciatus*, 298, 300, 304-9, 410
- *festivus*, 298, 299, 308
- — *giglioli*, 298
- *lacerta*, 298
- *lyra*, 410; age and growth of, 281-96
- *maculatus*, 298-308
- — *atlanticus*, 298
- *morrisonii*, 298
- *parthenopoeus*, 298, 299
- *phaeton*, 298, 308
- *pusillus*, 298
- *reticulatus*, 297-312, 410
- *rissoa*, 298
- *suerei*, 298
- Caloneis liber*, 186
- Camera, underwater, described, 101-4
- Campylodiscus Thureti*, 193
- Campyloneis Grevillei*, 182
- Canthocamptus bidens*, the males of, 394
- Capros aper*, 273, 398
- Caranx trachurus*, 273
- Carcinus*, 95
- Caretta caretta*, 398
- Cellaria*, in underwater photographs, 105-6
- Centropages hamatus*, 235, 252, 255-7, 261
- Cepola rubescens*, 273
- Ceratacanthus schoepfi*, 318
- Cerithiopsis tubercularis*, 43
- Chaetoceros*, 194, 514, 542, 543
- *criophilum*, 513
- *pseudocrinitus*, 545
- Chaetopterus variopedatus*, studies on, I, The light-producing glands, 417-31; studies on, II, Nervous control of light production, 433-52
- Chirolophis galerita*, 273
- Chlamydomonas*, 206, 207, 227, 534, 535-9, 541, 543, 545
- Chlamys opercularis*, in underwater photographs, 105-7, 111
- Chlorella stigmatophora*, 535, 537, 538, 539, 545
- Chrysallida*, 46-7
- Ciona intestinalis*, 409
- Cladophora*, 182
- Clione*, 275
- *celata*, 388
- Clupea harengus*, 273
- Cocconeis*, 193
- *dirupta*, 182
- *distans*, 182
- *guttata* sp.nov., 182-3, 194
- *pelta*, 182
- *peltoides*, 182
- *scutellum*, 182, 193; var. *stauroneiformis*, 182
- Continental slope, oceanography of, 465-510
- Convolvata*, 61
- Corella halli* n.sp., 33-6, 408
- *parallelogramma*, 33-5
- Corethron cirrophilum*, 514
- Coscinodiscus*, 513, 514
- *centralis*, 179, 193, 535, 538, 539, 542, 543, 545
- *concinuus*, 514
- *excentricus*, 179, 193
- *radiatus*, 179, 193
- Gosmetira*, 275
- Cottus* spp., 273
- Crangon*, 333
- *vulgaris*, 352, 363, 367
- Crepidula fornicata*, breeding of in River Blackwater, 49-71
- Crustacean nerve trunk, effect of stimulation on the opacity of, 393-4
- Cryptomya californica*, 387, 390, 391
- Ctenodrilus branchiata*, 113
- Ctenolabrus exoletus*, 273
- *rupestris*, 273, 585
- Cyclopterus lumpus*, 273
- Cylindrotheca gracilis*, 190
- Cypridina*, 429, 433
- D
- Decapod Crustacea from Bermuda, some new, 197, 198
- Decapods, Notes on some larval, from Bermuda, II, 585-6
- Dendrocoelum*, 84
- Diatoms, littoral, from the Salstone, 177-96
- Dicrateria gilva*, 404

- Dicrateria inornata*, 535, 538, 539
Dimerogramma minor, 181
Diploneis aestuarii, 184
 — *bombus*, 184
Discias, new species of, 197
Ditylum brightwelli, 535-9
Dodecaceria concharum, 117
Doliolum, 275
 Dolphins, swimming of, 198
Drosophila medium, 76
- E
- Echinaster sepositus*, 569
Echinus esculentus, effect of different sea waters on development of, 2, 5-18, 23; eggs of, 199, 405; in underwater photographs, 106
Echiostoma ctenobarba, 445
Elminius modestus, 201, 216, 218, 219, 220
 English Channel, floor of, 197
Ensis, 406
Ergasilus, 224
Eucampia zoodiacus, 180, 193
Euchaeta, 275
Eupagurus, 95
 — *prideauxi*, in underwater photographs, 106
Euphausia superba, 513
 Euphausiids from Bermuda, 198
- F
- Fish, seasonal abundance of young, 271-5
 Floor of the English Channel, 197
Fragilariopsis, 513
Fucus, 185; autecology and species problem in, 161-176; settling of *Spirorbis* on, 201-20
 — *ceranoides*, 161, 173, 174
 — *platycarpus*, 161
 — *serratus*, 76, 576, 579-82; hybrids of, 161-5, 170-5; settling of *Spirorbis* on, 202, 208, 216
 — *spiralis*, 578-83; hybrids of, 161, 165, 175
 — *vesiculosus*, 576, 580-2; hybrids of, 161-75; var. *evesiculosus*, 167, 172, 175; var. *sphaerocarpus*, 170, 175; var. *vadorum*, 166, 167
- G
- Gadus callarias*, 273
 — *luscus*, 273
 — *merlangus*, 273
 — *minutus*, 273
 — *pollachius*, 273
Gammarus duebeni, 133, 143, 144
 — *locusta*, 129, 134, 136, 139-40, 142-7, 407; compared with *G. z. oceanicus*, 130-3, 138, 141; var. *mutata*, 145
 — *locusta setosus*, 146
 — *ornatus*, 140-1, 144
 — *pulex*, 393
 — *setosus*, 135, 141, 143, 144, 145, 146, 147
 — *wilkitzkii*, 135-6, 143, 144, 145, 146, 147
 — *zaddachi oceanicus*, 129-47; breeding period of, 139; distribution of, 133-6, 138, 142-4; occurrence in America, 139-41; re-identifications from the literature, 144-7; relation to *G. zaddachi salinus*, 137-8; systematic characters of, 130-3, 407
 — *zaddachi salinus*, 129, 134, 142; compared with *G. z. oceanicus*, 130-3, 137-9, 141
 — *zaddachi zaddachi*, 129, 134, 137, 143-7; compared with *G. z. oceanicus*, 130-3, 139
 Giant nerve fibre, the volume change resulting from stimulation of, 394
Gobius spp., 273
Gomphonema exiguum, 190
Grammatophora, 193
 — *marina*, 180, 193
 — *serpentina*, 180
Grapsus grapsus, 198
Gymnodinium sp., 535, 538, 539
Gyrosigma, 193
 — *balticum*, 186
 — *distortum*, 188
 — *fasciola*, 186; var. *sulcata*, 188
 — *littorale*, 188
 — *spenceri*, 186
 — *tenuissimum*, 188
- H
- Halocynthia pyriformis*, development compared with *Pyura*, 27, 29-31
Hemiselmis rufescens, 535-9, 545
Hiatella, 388, 391-2
 — *rugosa* (*Saxicava rugosa*), 388
Himantalia, settling of *Spirorbis* larvae on, 214
Hirudo, 445
Homarus vulgaris, 573
Hyalinoecia tubicola, in underwater photographs, 106
Hyalodiscus scoticus, 179, 193
Hydrolagus colliei, the autonomic nervous system of the chimaeroid fish, 395
- I
- Isopods, nitrogenous excretion of, 393
- J
- Jassa falcata*, 407

L

- Labadie Bank, chemical properties of sea water in the neighbourhood of, 21-6
- Labrus bergylta*, 273
- *mixtus*, 273
- Lachnolaimus*, early stages of lymphocystis cells in, 319
- Laminaria*, settling of *Spirorbis* larvae on, 214, 334, 355, 357; *Sphenia* within holdfasts of, 388
- *cloustoni*, 576, 578-80
- *digitata*, 576-82
- Lafoëina maxima*, 119
- Lamellibranch larvae, 240-3, 247-9, 252, 259
- Larval decapods from Bermuda, 198
- Lauderia borealis*, 535, 538, 539
- Leander serratus*, 361, 362, 366, 407; biology of, 333-60
- *squilla*, 333, 334, 351, 354, 356; notes on, 361-7
- *squilla intermedia*, 361
- *squilla typica*, 361
- Lebetus scorpioides*, 273
- Lepadogaster bimaculatus*, 273
- Lepomis gibbosus*, 316
- *macrochirus*, 316
- Lepralia foliacea*, in underwater photographs, 106-7
- Lichomolgus*, 224
- Licmophora*, 193
- *Ehrenbergi*, 181
- *flabellata*, 181, 193
- *gracilis* var. *anglica*, 181, 193
- *hyalina*, 181
- *Juergensi*, 181, 193
- *paradoxa*, 181
- Limacina*, 10
- Limulus*, 446
- Liparis montagui*, 273
- Liriope*, 272, 275
- Lithothamnium*, 576
- *calcareum*, 576
- Lobopilumnus agassizii*, 198
- Lophius piscatorius*, 273
- Luidia ciliaris*, 18
- Lumbricus*, 445

M

- Macrocystis pyrifer*, 576
- Marinogammarus finmarchicus*, 143
- *marinus*, 137
- *stoerensis*, 137
- Marthasterias glacialis*, in underwater photographs, 105-7
- Massartia rotundata*, 404

- Meganctiphanes*, 275
- Melosira moniliformis*, 178, 194
- *sulcata*, 179, 194
- *Westii*, 179
- Merluccius merluccius*, 273
- Mesochaetopterus japonicus*, 420, 435, 449
- Mesopodopsis*, 531
- Microcalanus pygmaeus*, 240-51, 259, 261
- Molgula manhattensis*, 409
- Molva molva*, 273
- Morone labrax*, 273
- Muggiaea atlantica*, 272, 275
- *kochi*, 272, 275
- Mugil* spp., 271, 273
- Mullus surmuletus*, 273; lymphocystis tumours in, 315-32
- Munida bamffica*, 18
- Mya arenaria*, 387-92
- *truncata*, 387-92
- Mytilicola intestinalis*, on the biology of, 223-32
- Mytilus*, 428
- *edulis*, 219, 381, 391, 409; parasite from, 223, 226, 230-2
- *galloprovincialis*, parasite from, 223
- Myxicola*, 408

N

- Navicula*, 193
- *abrupta*, 184
- *aleemi* sp.nov., 184, 194
- *arenaria*, 184
- *avenacea*, 184
- *britannica* sp.nov., 184-5, 194
- *cancellata*, 185
- *crucigera*, 185
- *cryptocephala*, 185; var. *veneta*, 185
- *digitoradiata*, 185
- *flanatica*, 185
- *forcipata*, 185; var. *densestriata*, 185
- *gregaria*, 185
- *grevillei*, 185
- *groschopfi*, 185
- *lyra*, 185; var. *intermedia*, 185
- *ostrearia*, 185
- *palpebralis* f. *Vahliana*, 186
- *plicata*, 186
- *ramosissima*, 185, 186; var. *mollis*, 186
- *salimicola*, 186
- Nephrops norvegicus*, 352, 573; observations on, 369-80
- *norvegicus* v. *meridionalis*, 369
- Nitzschia*, 2, 7, 193
- *acuminata*, 191
- *aequorea*, 191
- *angularis*, 191
- *apiculata*, 191

- Nitzschia closterium*, 192, 194; var. *minutissima*, 545
 — *commutata*, 191
 — *constricta*, 191
 — *distans*, 191
 — *dubiformis*, 191
 — *linearis*, 515
 — *littorea*, 191
 — *longissima*, 192
 — *macilenta*, 191
 — *panduriformis*, 191
 — *punctata*, 190; var. *coarctata*, 190
 — *pungens*, 191, 193, 194; var. *atlantica*, 191–2
 — *sigma*, 191
 — *socialis*, 191
Nucella lapillus, 217
- O
- Obelia flabellata*, habitat of *Autolytus*, 119–20, 126
Odontosyllis, 435
Odostomia, structure compared with *Turbonilla*, 38–47
 — *plicata*, 355
Oithona similis, 235, 240–61
Omalogyra, 40, 46
Ommastrephes caroli, stranded at Looe, 586
 — *pteropus*, 586
Onchidoris fusca, 381
Onos spp., 273
Opephora marina, 181, 193
Ophelia bicornis, 405; effect of different sea waters on development of, 2–5, 14–18, 23
Ophiocomina nigra, in underwater photographs, 106
Ophiopsila annulosa, 407
Ophiothrix fragilis, 407; in underwater photographs, 106–11
Ophiura texturata, in underwater photographs, 105–6, 111
Orchestia gammarella, resistance to desiccation, 73–7; orientation in humidity gradients, 77–89; humidity receptors, 88–9; visual orientation in, 94–5, 96
 — *mediterranea*, 94–5
Orchitophrya stellarum, 407
Ostrea, 58, 62
 — *edulis*, 61, 201, 210, 218, 220
 — *virginica*, 61
- P
- Palmipes membranaceus*, in underwater photographs, 106
Panaietis, 224
Panulirus argus, 198
Paramecium, 84
Parapallene bermudensis n.sp., 197
Patella, 39
Pecten maximus, 217; in underwater photographs, 106–7
Pediculus, 89
Pelvetia canaliculata, 578–82
Periclimenes, new species of, 197
 — *bermudensis* n.sp., 198
 — *diversipes*, 198
 — *iridescens* n.sp., 198
 — *rhizophorae* n.sp., 198
Peridinium trochoideum, 535, 538, 539, 545
Petrolisthes armatus, 198
Phaeocystis, 9, 11, 16–17
Pholas, 435
Photoblepharon, 433
 Photography of the sea floor, 101–11
Photuris pennsylvanica, 445
Phycis blennoides, 273
Pinnotheres, 231
Pinnularia ambigua, 186
 Pipe fish, 273
 Plankton, collection of bottom, 265–70; variability of samples, 233–63
Platyodon cancellatus, 387, 390, 391
Pleuronectes, 321
 — *flesus*, 273, 316
 — *limanda*, 273
 — *microcephalus*, 273
 — *platessa*, 273, 316
 Pleuronectidae, early stages of lymphocystis cells in, 319
Pleurosigma, 193
 — *aestuaria*, 188
 — *angulatum*, 188
 — *formosum*, 189
 — *hyalinum*, 188
 — *javanicum*, 188
 — *maroccanum*, 189, 194
 — *naviculaceum*, 188
 — *Normani*, 188
 — *obscurum*, 188
 — *subhyalinum* sp.nov., 188, 194
Podosira Montagnei, 179
 — *stelliger*, 179
Polydora, 216
Polysiphonia, 182
Pomatoceros, 355
 — *triqueter*, 61
Porania pulvillus, in underwater photographs, 106
Porcellio, 87, 89
Porichthys notatus, 445
Portunus depurator, in underwater photographs, 106
 — *spinimanus*, 198

Prasinocladus, 206, 207
Prorocentrum micans, 404
Prymnesium parvum, 404
Psammochinus miliaris, eggs of, 199
Pseudocalanus minutus, 240-9, 259, 261
Pseudonitzschia migrans, 192
 — *seriata*, 192
 — *sicula*, 192
Pseudopedinella n.sp., 404
 Publications, 1928-1950, list of, 589-672
 Pycnogonids, new, from Bermuda, 197
Pylaiella littoralis, 366
Pyramimonas grossii, 404
Pyura squamulosa, development and early stages of, 27-31

R

Raniceps raninus, 273
Ranina, 198
Raphidrilus nemasoma, 113
Rhabdonema, 193
 — *arcuatum*, 180
 — *minutum*, 180
Rhaphoneis amphicerus, 181
 — *surirella*, 181
Rhizosolenia, 194, 513
 — *alata*, 404
 — *delicatula*, 535, 538
 — *genuina*, 404
Rhodymenia, settling of *Spirorbis* larvae on, 214
Rhoicosigma maroccanum, 189
Rhombus spp., 273
Rhopalodia musculus, 190
Rissoella, 40
Roperia tessellata, 179, 193
Rutilus rutilus, 585

S

Sabella, on the behaviour of, 587
 — *pavonina*, 587
 — *spallanzanii*, 587
Sabellaria alveolata, effect of different sea waters on development of, 2, 14-18, 23, 405
Saccorhiza bulbosa, 576
Sagitta elegans, 271, 274, 275; indicator of water masses, 1-18, 21
 — *serratodentata*, 9, 10, 275
 — *setosa*, 271, 274, 275; indicator of water masses, 1-9
Salmotrutta, 585
Salpa, 275
Sargus annularis, 316-18, 320-5, 330
Saxicava rugosa, 388
Skeletonema costatum, 179, 193

Schizonema, 185, 186
Scoliopleura tumida, 186
Scoliotropis latestriata, 186
Scomber scombrus, 273; contributions to the biology of the mackerel, III, Age and growth, 549-68
Scophthalmus norvegicus, 273
 Sea and its mysteries, the, 200
 Sea-urchin egg, differentiation of, 199
 Sea waters, a biological difference between natural, 1-20
Serannus cabrilla, 273
Silene, 174
 Silicate, determination of, in sea water, 149-60; distribution of, in North Atlantic, 511-26
Skeletonema costatum, 404, 535, 538, 539, 541-3
Solea lascaris, 273
 — *lutea*, 273
 — *variegata*, 273
 — *vulgaris*, 273
Sphenia binghami Turton, observations on, 387-92
Spirorbis, gregariousness and some other aspects of the setting behaviour of, 201-22
 — *borealis*, 201 *et seq.*
 — *granulatus*, 217
 — *pagenstecheri*, 201, 212-14, 216-20
Squilla, 531
Stauroneis salina, 184
Stephanomia, 275
Stichococcus n.sp., 404
Stizostedion vitreum, 316, 319, 329
Striatella unipunctata, 180
Styela partita, 27
Styelopsis grossularia, 218
Stylocheiron, 198
 — *carinatum*, nauplius of, 198
 Surface water, enrichment of, 453-64
Surirella, construction of ales in, 196
 — *calcarata*, 196
 — *cardaria*, 192
 — *caspia*, 192, 194
 — *fastuosa*, 192
 — *gemma*, 192
 — *ovalis*, 192
Synechococcus, 206, 207
Synedra, 192
 — *crystallina*, 182
 — *Gailloni*, 181, 193
 — *investiens*, 181
 — *tabulata*, 181, 193; var. *fasciculata*, 181, var. *acuminata*, 181
Syracosphaera carterae, 535-9

T

- Talitridae*, effects of atmospheric humidity on, 73-90; visual orientation in, 91-9
Talitrus saltator, resistance to desiccation, 73-7; orientation in humidity gradients, 77-89; humidity receptors, 88-9; visual orientation in, 91-9
Talorchestia deshayesii, resistance to desiccation, 73-7; orientation in humidity gradients, 77-89; visual orientation in, 94-5, 96
 Teleost fishes, blood cell formation in certain, 585
Tellina tenuis, 406
Temora longicornis, 235, 240-61
Tenebrio, 89
 — *molitor*, 84
Thalassionema nitzschioides, 182, 193
Thalassiosira, 513
 — *decipiens*, 179, 193
Thalassiothrix longissima, 182, 193
Tharyx marioni, reproduction and early development of, 113-17
Themisto, 272, 275
Thysanoessa, 275
Tomopteris, 9, 10
Trachinus vipera, 273
Trachycaris, 586
Trachyneis aspera, 186
Tradescantia, 165
Trigla spp., 273, 304
 — *cuculus*, 585
Trochicola, 224
Tropidoneis, 193
 — *Vanheurcki*, 189
 — *vitrea*, 189
Trygon pastinaca, 398
Tubularia, 218
Turbonilla elegantissima, 37-47; habits of, 37-8; structure of, 38-46
 — *jeffreysii*, 39, 41, 42
 — *lactea*, 37
Turritella communis, in underwater photographs, 106
- U
- Ulva lactuca*, 576
- V
- Vaucheria*, habitat of diatoms, 177, 180, 182, 183, 192, 193
Vermetus, 50
Verruca, 68
- Y
- Yoldia sapotilla*, 62
- Z
- Zeugopterus punctatus*, 273
 — *unimaculatus*, 273
Zeus faber, 273