

The Journal of *Hon* Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

PARTICULAR FEATURES IN THE FUNCTIONAL STATE OF THE AUDITORY AND VESTIBULAR ANALYSERS PRIOR TO AND FOLLOWING STAPES SURGERY FOR OTOSCLEROSIS	I. B. SOLDATOV, L. I. STEGUNINA, and N. S. HRAPPO
ENDOLYMPHATIC HYDROPS IN THE COCHLEA OF A NEWBORN	NILS H. BUCH
IDIOPATHIC HAEMOTYMPANUM AND PERCEPTIVE HEARING LOSS	P. E. PANTAZOPOULOS
HUMAN STAPES AND ITS VARIATIONS. III. INFLUENCE OF AGE AND SEX	RAMJI DASS, B. S. GREWAL AND S. P. THAPAR
LINGUAL ABSCESS—AETIOPATHOGENESIS	K. K. AGARWAL, D. L. CHHANGANI and S. BHATTACHARYYA
THOUGHTS ON THE TREATMENT OF LABYRINTHOPATHY	A. TUMARKIN
CLINICAL RECORDS—	
CHOLESTEATOMA FOLLOWING STAPEDECTOMY	B. D. BIRT
CHOLESTEATOMA OF THE MAXILLARY ANTRUM	J. S. R. BAXTER
A CASE OF PLEXIFORM NEUROMA OF THE LEFT PAROTID AND CERVICAL REGION	G. YANNOULIS, C. SFOUGARIS and A. ECONOMOU
SARCOIDOSIS OF THE NOSE.	J. I. MUNRO BLACK

GENERAL NOTES

London
Headley Brothers
109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

ADVERTISEMENTS

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.


© *Journal of Laryngology and Otology*, 1966

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
PARTICULAR FEATURES IN THE FUNCTIONAL STATE OF THE AUDITORY AND VESTIBULAR ANALYSERS PRIOR TO AND FOLLOWING STAPES SURGERY FOR OTOSCLEROSIS. I. B. Soldatov, L. I. Stegunina, and N. S. Hrappo (U.S.S.R.)	987
ENDOLYMPHATIC HYDROPS IN THE COCHLEA OF A NEWBORN. Nils H. Buch (Copenhagen)	1006
IDIOPATHIC HAEMOTYMPANUM AND PERCEPTIVE HEARING LOSS. P. E. Pantazopoulos (Athens)	1016
HUMAN STAPES AND ITS VARIATIONS. III. INFLUENCE OF AGE AND SEX. Ramji Dass, B. S. Grewal and S. P. Thapar (Patiala, India)	1023
LINGUAL ABSCESS—AETIOPATHOGENESIS. K. K. Agarwal, D. L. Chhangani and S. Bhattacharyya (Bombay)	1038
THOUGHTS ON THE TREATMENT OF LABYRINTHOPATHY. A. Tumarkin (Liverpool)	1041
CLINICAL RECORDS—	
CHOLESTEATOMA FOLLOWING STAPEDECTOMY. B. D. Birt (London)	1054
CHOLESTEATOMA OF THE MAXILLARY ANTRUM. J. S. R. Baxter (London)	1059
A CASE OF PLEXIFORM NEUROMA OF THE LEFT PAROTID AND CERVICAL REGION. G. Yannoulis, C. Sfougaris and A. Economou (Greece)	1062
SARCOIDOSIS OF THE NOSE. J. I. Munro Black (Newcastle upon Tyne)	1065
GENERAL NOTES	1069

ZEISS
The greatest name in optics



**3-way
beam-splitter for observation
and photography
during surgery**

This new beam-splitter
triples the versatility of
the Zeiss Operating
Microscope.

As illustrated it allows simultaneous binocular viewing by the surgeon, observation by an assistant and 35mm photography. All 3 images are identical, upright and unreversed. A second observation tube can replace the camera to permit 2 assistants or students to observe the operation. Alternatively, 2 cameras can be attached to provide stereo-photography or differently magnified photographic records. The observation tubes are adjustable to any angle for comfortable viewing without the observer impeding the surgeon. The Zeiss Beam Splitter is also suitable for use with the Zeiss Slit lamp, Photo Slit lamp and certain other optical instruments. Write for full data and demonstration to the sole UK importers Degenhardt & Co Ltd Carl Zeiss House 20/22 Mortimer St London W1 Museum 8050 (15 lines) Scottish Enquiries to Degenhardt & Co (Scotland) Ltd 22 Burnbank St Glasgow NW Douglas 0520

Z 5239

Degenhardt 

British Agents for Carl Zeiss, West Germany


Please mention *The Journal of Laryngology and Otolaryngology* when replying to advertisements

'Otosporin' for ears and ears and ears..

'Otosporin' drops rapidly destroy virtually *all* organisms commonly found in infections of the ear, reduce irritation, inflammation and pain.


'Otosporin'^{brand} Drops

contain polymyxin B sulphate, neomycin sulphate and hydrocortisone. Issued in bottles of 5 ml.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) London

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



—that is the triumph of the
MACKIE
 hearing aid

The new Mackie post-aural hearing aid is made in several different circuit versions so that the gain and frequency response can be selected to match the patient's needs; and it is available where required with a unique form of automatic volume control which has proved highly successful in cases of recruitment. The forward pick-up microphone gives maximum

intelligibility of speech without background interference.

It is exported to many countries including the United States of America—a tribute to its high quality and advanced design.

In Great Britain it is available for trial by your patients from *independent* hearing aid dealers in all parts of the country.

MANUFACTURED BY A. G. R. MACKIE LTD. A member of the Bonochord Group of Companies
 FOR FURTHER DETAILS WRITE TO 48 WELBECK STREET, LONDON W1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ONLY AMPLIVOX
 provides a
complete audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.




Clinical Audiometers


with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



Industrial Audiometry
 Speech Audiometers
 Speech Training Equipment
 Loop Amplifiers, etc.



PLUS An efficient and speedy **calibration service**


please write for technical literature to meet your needs

AMPLIVOX HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

For children
PENBRITIN
is the safer broad spectrum antibiotic



—the only one which is both oral and bactericidal, with the additional advantage of safety for all ages. Whenever broad spectrum therapy is required, from the neonate to the older child, Penbritin affords the safety of a penicillin. No interference with the calcification of teeth and bone, or significant change in blood picture has been reported in over 700 published papers on Penbritin.

Penbritin is effective because it is bactericidal, highly active against a wide range of pathogens and well absorbed after oral administration giving high blood, tissue and urine levels. These factors mean outstanding effectiveness in the treatment of recurrent chest infections, bronchitis, pneumonia, tonsillitis, otitis media, cystitis, pyelonephritis and other bacterial diseases.

And acceptable because Penbritin Syrups are palatable, pleasant tasting liquids, well liked and well tolerated by children of all ages. Crushable paediatric tablets are also available.


Dosage

Under 2 years 62.5-125mg. 6 hourly. **2-10 years** 125-250mg. 6 hourly

Availability (for paediatric use)



Penbritin Syrup
(125mg./5ml.) 60ml.



Penbritin Syrup forte
(250mg./5ml.) 60ml.



Paediatric tablets
(125mg. scored)



Penbritin (ampicillin B.P.) is a product of British research at
Beecham Research Laboratories
Brentford, England



***WHEN A HEARING AID
IS RECOMMENDED
ONLY AMPLIVOX
OFFERS THIS
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are **ONLY** available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

15 branch offices with while-you-wait service.

**FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX**



AMPLIVOX

World's most experienced and complete hearing service

**AMPLIVOX HEARING ADVISORY SERVICE
80 NEW BOND STREET
LONDON, W.1**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

What do
you do
about
a case
like this?



Now, for the profoundly deaf child and the adult with a severe fragmentary loss—a completely new hearing aid. The Zenith 'Vocalizer' enables hearing correction to be maintained down to frequencies previously beyond the scope of all but desk appliances. The 'Vocalizer' actually amplifies down to one hundred cycles. It can prove helpful for children and adults with some residual hearing for low frequencies but a total loss for the medium and high frequencies. It incor-

porates new facilities to provide for Loop Listening simultaneously with the child hearing his own voice for speech training. Because the 'Vocalizer' is light yet robust, he can continue to use the same aid at home as he uses at school.

REFER YOUR PATIENTS TO INGRAMS who will gladly provide this unique hearing aid on trial—or any other aid from their comprehensive range of *twenty-six different makes*. Patients have the widest choice with Ingrams. If you would like details, please write.

Ingrams

**THE DIFFERENT MAKES
TO CHOOSE FROM**

2 Shepherd St, Shepherd Market, London W1. HYD 9041 Branches throughout Great Britain

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ORBENIN

and its success in Gram-Positive Infections

Otitis media Otitis externa

Boils
Carbuncles
Infected dermatoses

Pneumonia
Lung abscess
Acute bronchitis

Osteomyelitis
Osteitis

Tonsillitis Pharyngitis

Post-operative wound infections
Burns
Skin graft protection

Septicaemia
Acute endocarditis

Staphylococcal enterocolitis

Staphylococcal urinary tract infections

Staphylococcal meningitis

ORBENIN (cloxacillin sodium B.P.) is a penicillin active against virtually all Gram-positive organisms, including staphylococci, β -haemolytic streptococci and pneumococci, irrespective of their resistance to other antibiotics.

It is encouraging that the widespread use of Orbenin in hospitals has not resulted in the emergence of resistant strains.


More than 300 references in the World Literature testify to the excellent clinical results obtained with Orbenin in a wide variety of Gram-positive infections.

Detailed literature is available on request.

Dosage:

Two capsules (500mg.) or one vial (250mg.) q.i.d.

Availability:



Capsules
(250mg.)



Vials
(250mg.)



Syrup
(125mg./
5ml.)



Orbenin (cloxacillin sodium B.P.) (regd.) is a product of British research at


Beecham Research Laboratories

Brentford, England, Telephone: ISLeworth 4111

KAMPLEX

AUDIOMETRIC EQUIPMENT

AUDIOMETERS



CLINIC AUDIOMETER DA1

SCREENING PORTABLE TA16
DIAGNOSTIC PORTABLE TA15


CLINIC AUDIOMETER DA1
DOUBLE CHANNEL DA2

AUTOMATIC AUDIOMETER
AB1

ACOUSTIC IMPEDANCE
APPARATUS ZA2

PNEUMOMETER ZP1

SKIN RESISTANCE
APPARATUS RA4



SOUND LEVEL METER GA6

VISIBLE SPEECH APPARATUS

AUDITORY TRAINERS

Write for full catalogue and detailed descriptions to:

ALFRED PETERS & SONS LTD
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

for
relief of
the
common
cold



Triominic

Oral Nasal Decongestant **WANDER**

'Triominic' timed-release tablets and orange-flavoured syrup contain antihistamines and a decongestant in balanced proportions to ensure relief from nasal congestion for between 6 and 8 hours. The active constituents of 'Triominic'—the original oral decongestant—reach the nasal mucosa systemically. This obviates the rebound congestion which may follow the topical use of decongestants.

Formula per timed-release tablet.

Phenylpropanolamine hydrochloride.....50 mg.
Mepyramine maleate B.P.25 mg.
Pheniramine maleate25 mg.

S7

'Triominic' is also available as an orange-flavoured syrup.

Basic N.H.S. prices: 50 tablets 5/9½;
4 fl. oz. 2/2 (ex dispensing packs).

Literature and sample on request

A. WANDER LIMITED · 42 UPPER GROSVENOR STREET · LONDON W1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.



Established Over 30 Years

Please send for our new catalog

Surgical Mechanical Research,

883 West 16th Street, P.O. Box 1185


Newport Beach, Calif. 92663

INC.

Direct factory sales, F.O.B. Newport Beach, Calif.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

BÉKÉSY ACCESSORY



For the very first time a fully automatic unit has been made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.

This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to:

ALFRED PETERS & SONS LIMITED
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements




MIDDLE EAR PROSTHESES





**Sultana's Stainless Steel
Spring Middle Ear
Prosthesis, 4 mm. long**

Vide Journal of Laryngology
Vol. LXXIX, No. 9



**Smyth's "Clothes-Pin" Incus
replacement Prosthesis**



Shepard's Teflon Grommet Drain Tubes

Further details of these and other Middle Ear Prostheses on request

DOWN BROS. AND MAYER & PHELPS LTD
CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada

410 Dundas Street West, Toronto, 2B, Canada

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

WINHO



AUDITORY TRAINING UNIT

PROFESSIONAL MODEL

- ★ Robust Construction—high grade components
- ★ Portable, Battery Operated
- ★ Modern transistor circuitry
- ★ Versatile with many facilities
- ★ Improved Performance
- ★ Treble and Bass Tone Controls
- ★ Loop Drive
- ★ Reasonably priced—£55 Ex. Works

AN
R.N.I.D-TESTED
AID
No 6449
Full report available from
The Royal National Institute
for the Deaf-105 Gower St.,
London W.C.1.

For further details please write to:

G. C. JOHNSON,
LEYTON INSTRUMENT CO. LTD.,
54 ALBERT ROAD,
CAVERSHAM,
READING, BERKS.
Telephone: READING 72285

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*


Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Ceporin (cephaloridine) What makes this antibiotic so valuable in the E.N.T. unit?

Spectrum?

Exceptionally broad. It covers most gram-positive organisms—including the penicillin-resistant staphylococci—and many gram-negative organisms.

Action?

Intensely bactericidal. It gives a rapid kill of bacteria at or near the minimum inhibitory concentration, especially in the case of gram-negative organisms.

Safety?

Wide clinical usage has confirmed the laboratory evidence that Ceporin has a remarkably low toxicity—and it is usually well tolerated by patients allergic to penicillin.

Clinical record?

An analysis of results from over 1500 cases has recently shown high success rates in a wide variety of infections. Ear, nose and throat infections were included in a group of 87 soft tissue infections which showed an 85% satisfactory response. Many reports mention the rapid clinical response obtained with

Ceporin after other antibiotics had failed. Conditions which respond well to Ceporin include: mastoiditis, otitis media, sinusitis, quinsy, pharyngeal abscess, and intracranial infections secondary to infected sinuses and mastoiditis.

Because of its three main attributes—broad spectrum, bactericidal action and low toxicity—Ceporin has proved valuable for use in place of more toxic drugs or combinations of antibiotics. It also has special value when a quick clinical response is essential in infections caused by penicillin-resistant staphylococci and in the penicillin-hypersensitive patient.

Ceporin is issued in vials containing 250 mg, 500 mg and 1 gram of cephaloridine, packed singly and in boxes of five.

Detailed literature is available from Glaxo Laboratories Limited, Greenford, Middlesex.

Ceporin is a Glaxo trade mark