


MATHEMATICAL PROCEEDINGS

(formerly Proceedings)

*of the
Cambridge Philosophical Society*

VOLUME 97




CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE

MELBOURNE SYDNEY

1985



Published by the Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

32 East 57th Street, New York, NY 10022, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© The Cambridge Philosophical Society 1985

Printed in Great Britain by the University Press, Cambridge

INDEX

	PAGE
Allenby, R. B. J. T. & Tang, C. Y. Residual finiteness of certain 1-relator groups: extensions of results of Gilbert Baumslag	225
Antman, S. A. & Calderer, M. C. Asymptotic shapes of inflated noncircular elastic rings	357
Antman, S. A. & Calderer, M. C. Asymptotic shapes of inflated spheroidal nonlinearly elastic shells	541
Bae, J. S. & Choi, S. K. A note on k -uniformly convex spaces	489
Bănică, C. & Putinar, M. On complex vector bundles on rational threefolds	279
Baston, V. J. & Bostock, F. A. A High–Low search game on the unit interval	345
Bombal, F. & Cembranos, P. Characterization of some classes of operators on spaces of vector-valued continuous functions	137
Bor, H. On two summability methods	147
Bostock, F. A. & Baston, V. J. A High–Low search game on the unit interval	345
Brennan, J. E. The Cauchy integral and analytic continuation	491
Brookes, C. J. B. Ideals in group rings of soluble groups of finite rank	27
Brown, T. C., Cartwright, D. I. & Eagleson, G. K. Characterizations of invariant distributions	349
Burn, R. P. Finite Bol loops III	219
Calderer, M. C. & Antman, S. A. Asymptotic shapes of inflated noncircular elastic rings	357
Calderer, M. C. & Antman, S. A. Asymptotic shapes of inflated spheroidal nonlinearly elastic shells	541
Cartwright, D. I., Eagleson, G. K. & Brown, T. C. Characterizations of invariant distributions	349
Cembranos, P. & Bombal, F. Characterization of some classes of operators on spaces of vector-valued continuous functions	137
Choi, S. K. & Bae, J. S. A note on k -uniformly convex spaces	489
Clifford, P. & Green, N. J. B. Distances in Gaussian point sets	515
Cochran, T. D. A topological proof of Stallings' theorem on lower central series of groups	465
Collins, D. J. & Perraud, J. Cohomology and finite subgroups of small cancellation quotients of free products	243
Conrey, J. B. & Ghosh, A. A simpler proof of Levinson's theorem	385
Crampin, M., Stephenson, W. & McCarthy, P. J. Graphs in the plane invariant under an area preserving linear map and general continuous solutions of certain quadratic functional equations	261
Cuenca Mira, J. A. & Rodríguez Palacios, A. Isomorphisms of H^* -algebras	93
Dehesa, J. S. & Galvez, F. J. Novel properties of Fibonacci and Lucas polynomials	159
Dicks, W. Homogeneous elements of free algebras have free idealizers	7
Dilworth, S. J. The dimension of Euclidean subspaces of quasi-normed spaces	311
Donkin, S. A note on decomposition numbers for general linear groups and symmetric groups	57
Drury, S. W. & Marshall, B. P. Fourier restriction theorems for curves with affine and Euclidean arclengths	111
Eagleson, G. K., Brown, T. C. & Cartwright, D. I. Characterizations of invariant distributions	349
Eastwood, M. G. The generalized Penrose–Ward transform	165
Everest, G. R. Diophantine approximation and Dirichlet series	195

Galvez, F. J. & Dehesa, J. S. Novel properties of Fibonacci and Lucas polynomials	159
Ghosh, A. & Conrey, J. B. A simpler proof of Levinson's theorem	385
Giropoulos, S. A note on annihilator Banach algebras	101
Gray, B. On Toda's fibrations	289
Green, N. J. B. & Clifford, P. Distances in Gaussian point sets	515
Hall, P. A tabular method for correcting skewness	525
Halton, E. J. & Light, W. A. Minimal projections in L_p -spaces	127
Haran, D. & Lubotzky, A. Maximal abelian subgroups of free profinite groups	51
Hartley, B. & Shahabi Shojaei, M. A. Finite quasisimple groups of 2×2 matrices over a division ring	415
Johnson, F. E. A. A homological criterion for the realizability of poly-Surface groups	89
Klusck, D. On the approximation of analytic functions in a strip	381
Kowalski, O. & Vanhecke, L. Classification of five-dimensional naturally reductive spaces	445
Kuttner, B. & Sukla, I. L. On $(\mathcal{D}, h(n))$ summability methods	189
Light, W. A. & Halton, E. J. Minimal projections in L_p -spaces	127
Lubotzky, A. & Haran, D. Maximal abelian subgroups of free profinite groups	51
Maclachlan, C. On the structure of certain arithmetic subgroups of $SL_2(\mathbb{R})$	211
McCarthy, P. J., Crampin, M. & Stephenson, W. Graphs in the plane invariant under an area preserving linear map and general continuous solutions of certain quadratic functional equations	261
McPolin, P. T. N. & Wickstead, A. W. The order boundness of band preserving operators on uniformly complete vector lattices	481
Maejima, M. & Van Assche, W. Probabilistic proofs of asymptotic formulas for some classical polynomials	499
Marshall, B. P. & Drury, S. W. Fourier restriction theorems for curves with affine and Euclidean arclengths	111
Moskowitz, M. Uniform boundedness for non-abelian groups	107
Ogoma, T. Fibre product of Noetherian rings and its applications	231
Olver, P. J. Conservation laws and null divergences II. Non-negative divergences	511
Palka, Z. Extreme degrees in random subgraphs of regular graphs	69
Paré, R. A topos with no geometric morphism to any Boolean one	397
Parsons, D. J. Abelian semigroups whose Stone–Čech compactifications have left ideal decompositions	473
Partington, J. R. Growth conditions on subharmonic functions and resolvents of operators	321
Perraud, J. & Collins, D. J. Cohomology and finite subgroups of small cancellation quotients of free products	243
Pinch, R. G. E. a -convexity	63
Puri, M. L. & Ralescu, D. A. Limit theorems for random compact sets in Banach space	151
Putinar, M. & Bănică, C. On complex vector bundles on rational threefolds	279
Ralescu, D. A. & Puri, M. L. Limit theorems for random compact sets in Banach space	151
Roberts, R. S. Molecular symmetry and multiconfiguration methods based on the Brillouin theorem	551
Rodríguez Palacios, A. & Cuenca Mira, J. A. Isomorphisms of H^* -algebras	93
Schofield, A. H. Artin's problem for skew field extensions	1
Shahabi Shojaei, M. A. & Hartley, B. Finite quasisimple groups of 2×2 matrices over a division ring	415
Small, L. W., Stafford, J. T. & Warfield, R. B. Jr. Affine algebras of Gelfand–Kirillov dimension one are PI	407

Stafford, J. T., Warfield, R. B. Jr. & Small, L. W. Affine algebras of Gelfand–Kirillov dimension one are PI	407
Stephenson, W., McCarthy, P. J. & Crampin, M. Graphs in the plane invariant under an area preserving linear maps and general continuous solutions of certain quadratic functional equations	261
Sukla, I. L. & Kuttner, B. On $(\mathcal{D}, h(n))$ summability methods	189
Tang, C. Y. & Allenby, R. B. J. T. Residual finiteness of certain 1-relator groups: extensions of results of Gilbert Baumslag	225
Taylor, S. J. & Watson, N. A. A Hausdorff measure classification of polar sets for the heat equation	325
Van Assche, W. & Maejima, M. Probabilistic proofs of asymptotic formulas for some classical polynomials	499
Vanhecke, L. & Kowalski, O. Classification of five-dimensional naturally reductive spaces	445
Varopoulos, N. Th. Brownian motion can see a knot	299
Wall, C. T. C. Determination of the semi-nice dimensions	79
Warfield, R. B., Jr., Small, L. W. & Stafford, J. T. Affine algebras of Gelfand–Kirillov dimension one are PI	407
Watson, N. A. & Taylor, S. J. A Hausdorff measure classification of polar sets for the heat equation	325
Weiss, R. A uniqueness lemma for groups generated by 3-transpositions	421
Wickstead, A. W. & McPolin, P. T. N. The order boundness of band preserving operators on uniformly complete vector lattices	481
Wilson, P. M. H. The components of mK_V for threefolds with $\kappa(V) = 0$	437
Wilson, R. A. The maximal subgroups of the Lyons group	433
Wiseman, A. N. Projective modules over pullback rings	397

THE PREPARATION OF MANUSCRIPTS

The attention of authors is particularly directed to the following requests.

1. Papers should be typed, double-spaced, on one side of white paper (of which A4, 210 by 297 mm, is a suitable size). The pages must be numbered. Margins of 30 mm should be left at the side, top and bottom of each page. Two clear copies should be sent.

A cover page should give the title, the author's name and institution, with the address at which mail is to be sent.

The title, while brief, must be informative (e.g. *A new proof of the prime-number theorem*, whereas *Some applications of a theorem of G. H. Hardy* would be useless).

The first paragraph or two should form a summary of the main theme of the paper, providing an abstract intelligible to mathematicians.

For a typescript to be accepted for publication, it must accord with the standard requirements of publishers, and be presented in a form in which the author's intentions regarding symbols etc. are clear to a printer (who is not a mathematician).

The following notes are intended to help the author in preparing the typescript. New authors may well enlist the help of senior colleagues, both as to the substance of their work and the details of setting it out correctly and attractively.

2. Notation

Notation should be chosen carefully so that mathematical operations are expressed with all possible neatness, to lighten the task of the compositor and reduce the chance of error.

For instance n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the manuscript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining; wavy will be printed wavy.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o , O , o , O , 0 ; x , X , \times ; ϕ , Φ , \varnothing ; l , 1 ; ϵ , ε ; κ , k .

Greek letters can be denoted by Gk in the margin.

If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

3. Diagrams

It is extremely helpful if diagrams are drawn in Indian ink on white card, faintly blue or green-lined graph paper, or tracing cloth or paper. Symbols, legends and captions should be given on a transparent overlay. Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the manuscript:

Figure 1 here

The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The Society recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and it is therefore willing to have such diagrams re-drawn, provided that they are clear.

4. Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures:

Table 3 here

5. References

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. Titles of journals should be abbreviated as in *Mathematical Reviews*. The following examples show the preferred style for references to a paper in a journal, a paper in a proceedings volume, a book and an unpublished dissertation:

- [1] J. F. ADAMS. On the non-existence of elements of Hopf invariant one. *Ann. of Math.* (2) 72 (1960), 20-104.
- [2] M. P. FOURMAN and D. S. SCOTT. Sheaves and logic. In *Applications of Sheaves*, Lecture Notes in Math. vol. 753 (Springer-Verlag, 1979), pp. 302-401.
- [3] P. T. JOHNSTONE. *Stone Spaces*. Cambridge Studies in Advanced Math. no. 3 (Cambridge University Press, 1982).
- [4] F. W. LAWVERE. Functorial semantics of algebraic theories. Ph.D. thesis, Columbia University (1963).

*Mathematical Proceedings of
the Cambridge Philosophical Society*

MPCPCO 97 (Pt 3) 381–570 (1985) 0305–0041 May 1985

CONTENTS

	PAGE
KLUSCH, DIETER. On the approximation of analytic functions in a strip	381
CONREY, J. B. & GHOSH, A. A simpler proof of Levinson's theorem	385
PARÉ, ROBERT. A topos with no geometric morphism to any Boolean one	397
WISEMAN, A. N. Projective modules over pullback rings	399
SMALL, L. W., STAFFORD, J. T. & WARFIELD, R. B. Jr. Affine algebras of Gelfand–Kirillov dimension one are PI	407
HARTLEY, B. & SHAHABI SHOJAEI, M. A. Finite quasisimple groups of 2×2 matrices over a division ring	415
WEISS, RICHARD. A uniqueness lemma for groups generated by 3-transpositions	421
WILSON, ROBERT A. The maximal subgroups of the Lyons group	433
WILSON, P. M. H. The components of mK_r for threefolds with $\kappa(V) = 0$	437
KOWALSKI, OLDŘICH & VANHECKE, LIEVEN. Classification of five-dimensional naturally reductive spaces	445
COCHRAN, TIM D. A topological proof of Stallings' theorem on lower central series of groups	465
PARSONS, D. J. Abelian semigroups whose Stone-Čech compactifications have left ideal decompositions	473
MCPOLIN, P. T. N. & WICKSTEAD, A. W. The order boundedness of band preserving operators on uniformly complete vector lattices	481
SOOK BAE, JONG & CHOI, SUNG KYU. A note on k -uniformly convex spaces	489
BRENNAN, JAMES E. The Cauchy integral and analytic continuation	491
MAEJIMA, MAKOTO & VAN ASSCHE, WALTER. Probabilistic proofs of asymptotic formulas for some classical polynomials	499
OLVER, PETER J. Conservation laws and null divergences. II. Non-negative divergences	511
CLIFFORD, PETER & GREEN, N. J. B. Distances in Gaussian point sets	515
HALL, PETER. A tabular method for correcting skewness	525
ANTMAN, STUART S. & CALDERER, M. CARME. Asymptotic shapes of inflated spheroidal nonlinearly elastic shells	541
ROBERTS, R. S. Molecular symmetry and multiconfiguration methods based on the Brillouin theorem	551

© The Cambridge Philosophical Society 1985

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CB2 1RP

32 EAST 57TH STREET, NEW YORK, NY 10022, USA

10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Price £18.40 net (USA and Canada US \$44.00)

*Subscription price £46.00 per volume (£92.00 per annum) net post free
(US \$110.00 per volume (US \$220.00 per annum) in USA and Canada)*

Printed in Great Britain by the University Press, Cambridge