

GENERAL NOTES

THE attention of members is drawn to the *EXCERPTA MEDICA*, Section XI, which is a most valuable international abstracting service as it gives each month abstracts of all the important papers in Oto-Rhino-Laryngology. The subscription is £4 8s. od. a year and the agents for Great Britain, the Dominions and the Commonwealth (excluding Canada) are E. and S. Livingstone Ltd., 16 and 17 Teviot Place, Edinburgh. We regret that in previous issues the price was incorrectly stated as five dollars or the equivalent.

BRITISH ASSOCIATION OF OTOLARYNGOLOGISTS

ANTERIOR POLIOMYELITIS AND EAR, NOSE AND THROAT OPERATIONS

THE attention of members is drawn to the Medical Memorandum on Poliomyelitis, No. 93222/7/63, dated July, 1954, issued by the Ministry of Health and Department of Health for Scotland. The relevant passages in this report, which are of interest to Otolaryngologists, are as follows:

I. EPIDEMIOLOGY.

(a) The present evidence suggests that the portal of entry is usually the mouth and that the primary site of infection is in the mucosa of the oropharynx or the small intestine.

(b) In bulbar poliomyelitis following tonsillectomy it seems that the virus most probably travels to the medulla along the cranial nerves supplying the pharynx.

(c) It is fairly generally accepted that specific trauma, especially tonsillectomy, may precipitate paralysis.

2. CONTROL MEASURES : AVOIDANCE OF CERTAIN TRAUMA.

(a) *Tonsillectomy.* The postponement of tonsillectomy when poliomyelitis reaches unusual proportions in a locality is strongly advised, particularly because when poliomyelitis follows recent tonsillectomy, serious illness, with bulbar involvement, appears to be more frequent. The Medical Officer of Health can assist by informing local hospital authorities when and where the incidence of the disease is unusually high, so that the surgeon may then take this hazard into account before deciding to operate.

(b) *Tooth Extractions.* There is very little evidence that tooth extractions may predispose to bulbar poliomyelitis. Nevertheless as with ear, nose and throat surgery the possibility should be kept in mind by dentists undertaking non-urgent extractions in areas of epidemic prevalence.

General Notes

THE INSTITUTE OF LARYNGOLOGY AND OTOLOGY

(UNIVERSITY OF LONDON)

330-332 GRAY'S INN ROAD, LONDON, W.C.I.

THE Academic Board announces that the part-time advanced revision class for senior students preparing for the final F.R.C.S. examinations will be discontinued in its present form. Instead, a fortnight's full-time course covering the various aspects of the Specialty and related general surgical subjects will be held twice yearly; the first one from October 1st to 13th, 1956.

It also notifies the dates of the following short courses:

Practical Endoscopy for Consultants and Senior Registrars: September 28th and 29th, 1956.

The Deaf Child for Consultants and Senior Registrars: October 16th to 19th, 1956.

Aural Surgery for Consultants and Senior Registrars: October 26th and 27th, 1956.

The Annual Address will be delivered on October 12th, 1956, by Mr. R. D. Owen, of Cardiff.

NORTH OF ENGLAND OTOLARYNGOLOGICAL SOCIETY

THE Fifty Guinea Prize will be awarded again in 1957 for original work in otolaryngology carried out in the North of England.

Entries (three copies) should be sent to the Secretary, before August 1st, 1957.

The investigation must have been carried out during the tenure of a senior registrar, registrar, house officer, or clinical assistant post.

SIXTH INTERNATIONAL CONGRESS OF OTOLARYNGOLOGY

MEETING: WASHINGTON, D.C., U.S.A., MAY 5TH-10TH, 1957

THE Sixth International Congress of Otolaryngology will meet in Washington, D.C., U.S.A., on May 5th-10th, 1957. Preliminary announcement was sent to that those interested indicate this fact by returning an enclosed card. A second notice with further information will soon be sent to those who returned these cards. If you wish to receive the second announcement and the original one did not reach you or you did not return the card, please notify Paul H. Holinger, M.D., General Secretary, 700 No. Michigan Ave., Chicago 11, Ill., U.S.A., so that your name may be placed on the active mailing list.

UNIVERSITY OF LONDON

THE SEMON LECTURE

THE Semon Lecture entitled "The Physiology of Phonation", by Professor Georges Portmann, Professor of Oto-Rhino-Laryngology in the University of Bordeaux, will be given at the Royal Society of Medicine, 1 Wimpole Street, W.1 (by kind permission), on Thursday, November 1st, 1956, at 5 p.m.

General Notes

ROYAL COLLEGE OF PHYSICIANS OF LONDON AND THE ROYAL COLLEGE OF SURGEONS OF ENGLAND

DIPLOMA IN LARYNGOLOGY AND OTOTOLOGY

THE Secretary reports to the two Royal Colleges that at the First Part of the Examination held in June, 1956, 39 Candidates presented themselves, of whom 15 passed; and that at the Second Part of the Examination held in June, 1956, 21 Candidates presented themselves, of whom 15 passed.

The following 15 Candidates, having complied with the regulations of the Board, are eligible to receive the Diploma, viz.:

Backwell, Ian Ewart	Royal National Ear, Nose and Throat Hospital, Golden Square, W.1.
Bickerton, Margaret Vera	Courtauld House, Byng Place, W.C.1.
Briffa, Vincent	35 Victoria Avenue, Sliema, Malta.
Das Gupta, Satyabrata	108 Kedleston Road, Derby.
Goldman, Leon Simon	E.N.T. Infirmary, Myrtle Street, Liverpool, 7.
Hill, Gerry Bernard	The Old Forge, Ludgershall, near Andover, Hants.
James, Donald Adin	4b Overbury Avenue, Beckenham, Kent.
Lourensz, Donald Ainslie Lambert	Tindal General Hospital, Aylesbury, Bucks.
Mojlis, Abul Maswood Khan	2 Ellington Street, N.7.
Patel, Ratilal Rambhai	25 Glenloch Road, N.W.3.
Ritchie, James Simpson	6 Mayfield Gardens, Aberdeen.
Sinha, Thakur Sailendra Nath	c/o Dr. P. N. Sinha, Hassan Imam Road, Patna, India.
Van der Merwe, Jacobus Alwyn	P.O. Box 60, Gobabis, South West Africa.
Ware, Ronald William	35 French Road, Catterick Camp, Yorks.
Whitehead, John Stephen Hobson	10 Upper Station Road, Radlett, Herts.

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acetylsalicylic acid into intimate and prolonged contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness; more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides $3\frac{1}{4}$ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum (Category 3)

for more than two decades a dependable
and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal
devoted to the Diseases of the
EAR, NOSE AND THROAT

*Official organ for the American Laryngological,
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER


THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology* when replying to advertisements

KING'S COLLEGE HOSPITAL PATTERN
TRACHEOSTOMY TUBE

The cannula is expanded at its outer end, allowing the respiratory valve to be recessed without any diminution of lumen.



As used by
V. E. NEGUS, M.S.

Down Bros.
and
Mayer & Phelps

MANUFACTURERS
of Surgical Instruments
and Aseptic Hospital
Furniture

Established over
Eighty Years

CHIRON HOUSE
32-34 New Cavendish Street
London, W.1