

Corrigendum

Cite this article: Ramsay H, Barnett JH, Murray GK, Miettunen J, Mäki P, Järvelin M-R, Davey Smith G, Ala-Korpela M, Veijola J (2018). Cognition, psychosis risk and metabolic measures in two adolescent birth cohorts – CORRIGENDUM. *Psychological Medicine* **48**, 2628. <https://doi.org/10.1017/S0033291718002192>

Cognition, psychosis risk and metabolic measures in two adolescent birth cohorts – CORRIGENDUM

Hugh Ramsay^{1,2,3}, Jennifer H. Barnett^{4,5}, Graham K. Murray⁴, Jouko Miettunen^{1,6}, Pirjo Mäki^{1,7,8,9,10,11,12}, Marjo-Riitta Järvelin^{13,14,15,16,17}, George Davey Smith¹⁸, Mika Ala-Korpela^{19,20,21,22,23,24} and Juha Veijola^{1,25,7}

¹Department of Psychiatry, Research Unit of Clinical Neuroscience, University of Oulu, Oulu, Finland; ²Department of Psychiatry, Royal College of Surgeons in Ireland, Dublin, Ireland; ³St. Michael's House, Dublin, Ireland; ⁴Department of Psychiatry, University of Cambridge, Cambridge, UK; ⁵Cambridge Cognition Ltd, Cambridge, UK; ⁶Faculty of Medicine, Center for Life Course Health Research, University of Oulu, Oulu, Finland; ⁷Department of Psychiatry, University Hospital of Oulu, Oulu, Finland; ⁸Department of Psychiatry, Länsi-Pohja Healthcare District, Kauppakatu 25, 94100 Kemi, Finland; ⁹Department of Psychiatry, The Middle Ostrobothnia Central Hospital, Kiuru, Finland; ¹⁰Mental Health Services, Joint Municipal Authority of Wellbeing in Raahe District, Northern Ostrobothnia, Finland; ¹¹Mental Health Services, Basic Health Care District of Kallio, Helsinki, Finland; ¹²Department of Psychiatry, Kainuu Central Hospital, Kainuu Social and Healthcare District, Kainuu, Finland; ¹³Department of Epidemiology and Biostatistics, MRC-PHE Centre for Environment and Health, Imperial College London, London W2 1PG, UK; ¹⁴Faculty of Medicine, Center for Life Course Health Research, University of Oulu, Oulu, Finland; ¹⁵Biocenter Oulu, University of Oulu, Aapistie 5, 90220 Oulu, Finland; ¹⁶Unit of Primary Health Care, Oulu University Hospital, OYS, Kajaanintie 50, 90220, Oulu, Finland; ¹⁷Department of Life Sciences, College of Health and Life Sciences, Brunel University London, Kingston Lane, Uxbridge, Middlesex UB8 3PH, UK; ¹⁸Medical Research Council Integrative Epidemiology Unit, Bristol Medical School, University of Bristol, Bristol, UK; ¹⁹Systems Epidemiology, Baker Heart and Diabetes Institute, Melbourne, Victoria, Australia; ²⁰Computational Medicine, Faculty of Medicine, University of Oulu and Biocenter Oulu, Oulu, Finland; ²¹NMR Metabolomics Laboratory, School of Pharmacy, University of Eastern Finland, Kuopio, Finland; ²²Population Health Science, Bristol Medical School, University of Bristol, Bristol, UK; ²³Medical Research Council Integrative Epidemiology Unit at the University of Bristol, Bristol, UK; ²⁴Department of Epidemiology and Preventive Medicine, School of Public Health and Preventive Medicine, Faculty of Medicine, Nursing and Health Sciences, The Alfred Hospital, Monash University, Melbourne, Victoria, Australia and ²⁵Medical Research Center Oulu, University Hospital of Oulu and University of Oulu, Oulu, Finland

doi: 10.1017/S0033291718001794, Published online by Cambridge University Press, 24 July 2018

The above article was originally published online with incorrect author affiliation information. This has since been updated as per the above.

Cambridge University Press apologises for this error.

Reference

Ramsay H, Barnett JH, Murray GK, Miettunen J, Mäki P, Järvelin M-R, Davey Smith G, Ala-Korpela M and Veijola J (2018) Cognition, psychosis risk and metabolic measures in two adolescent birth cohorts. *Psychological Medicine*, **48**, 2609–2623.