

# The **AERONAUTICAL** Journal



## Contents

**P. E. Roach and J. T. Turner**

Premature boundary layer transition caused by surface static pressure tapings

**G. D. Clark**

Safety and availability of airborne weapons and their control in a 1553B based architecture

**A. Simpson**

Real actuator effects and the aerodynamic energy method

**O. Bschorr**

Propulsive mechanisms in animal swimming and flying locomotion

**Library reviews, additions and reports**

Incorporating

**The Aeronautical Quarterly**

Volume 92 Number 912 February 1988

## NOTES ON THE PREPARATION OF PAPERS FOR PUBLICATION IN THE AERONAUTICAL JOURNAL

All papers submitted for publication are sent to two referees.

Three clear copies of the manuscript, each complete with illustrations, should be submitted. Papers should be typed in double spacing and not exceed 10 000 words. Handwritten manuscripts cannot be accepted.

A list of all symbols used, both in the illustrations and in the text, should be given in alphabetical order at the beginning of the paper whether or not they are standard. All unfamiliar terms must be explained.

Symbols and formulae should be typewritten if possible. The use of dots, bars and so on, over symbols, or the use of dots as multiplication signs and bars for brackets should be avoided. Suffixes and indices must be clearly indicated and complicated suffixes avoided.

References should be numbered in the text where they occur, and a complete list of references given at the end of the paper. (The *Aeronautical Journal* uses the BSI Numeric System for reference — eg, author(s), title of contribution, title of periodical, year of publication, volume number, page numbers.)

Illustrations should be kept to a minimum. When the paper is first submitted they can be clear prints or graphs, sketches or photographs. If the paper is accepted, authors are asked to provide the original drawings, if possible, and clear, glossy, black-and-white photographs. All diagrams should be produced to the same scale.

### Conditions of Publication

An author must obtain consent, where necessary, to use any material in a paper which is copyright or the property of any other person or his employers.

Security clearance, if appropriate, must be obtained by the author before the paper is submitted.

The copyright of papers printed in the *Aeronautical Journal* is the property of The Royal Aeronautical Society. Permission to reprint or to use any paper will not be refused unreasonably.

Authors are entitled to 50 complimentary reprints of their papers. Authors may order any number of additional reprints at the time of printing and quotations can be provided.

# The AERONAUTICAL Journal

Incorporating the Aeronautical Quarterly



Managing Editor:  
John B. Groves, TEng, FRAeS

Production Editor:  
Bernard F. Baldwin

Associate Editors:  
Professor L. F. Crabtree,  
PhD, CEng, FRAeS  
Mr D. H. Peckham,  
BSc(Eng), CEng, MRAeS

Grey Tiles, Kingston Hill, Kingston  
upon Thames, Surrey KT2 7LW  
Tel: 01-546 1843/3249  
Fax: 01-546 3192

Advertisements:  
Brian R. Harriss — Jackson-Rudd  
& Associates (London) Limited  
Oldebourne House, 46-47  
Chancery Lane, London WC2A 1JB  
Tel: 01-405 3611/2  
01-405 7308/9  
Telex: 8811725 Jackson-Rudd  
Fax: 01 831 8030

Reproduction of any of the papers  
published in this journal is not  
permitted without the written  
consent of the Editor.

None of the papers or paragraphs  
must be taken as expressing the  
opinion of the Council unless  
otherwise stated.

Printed by  
Manor Park Press Ltd.  
Unit 7, Highfield Industrial Estate,  
Edison Road, Hampden Park,  
Eastbourne.

Subscriptions: £122 per annum,  
post free.

RAeS members: £11.00 per  
annum.

Single copies, including back  
numbers: £12.

All foreign currency rates on  
application.

Published by  
The Royal Aeronautical Society,  
4 Hamilton Place,  
London W1V 0BQ, England.

ISSN: 0001-9240

**PUBLISHED MONTHLY  
EXCEPT JUNE AND  
AUGUST**

## Contents

63

**P. E. Roach and J. T. Turner**  
Premature boundary layer transition  
caused by surface static pressure  
tappings

69

**G. D. Clark**  
Safety and availability of airborne  
weapons and their control in a 1553B  
based architecture

77

**A. Simpson**  
Real actuator effects and the  
aerodynamic energy method

84

**O. Bschorr**  
Propulsive mechanisms in animal  
swimming and flying locomotion

91

**Library reviews, additions and  
reports**

**Incorporating the Journals of The  
Institution of Aeronautical Engineers and  
The Helicopter Association of Great  
Britain**

