

INSECT SCIENCE AND ITS APPLICATION

The International Journal of Tropical Insect Science

Editor: **Thomas R Odhiambo**

International Centre of Insect Physiology and Ecology (ICIPE)

SPECIAL ISSUE:

**CROP-BORERS AND EMERGING
STRATEGIES FOR THEIR CONTROL**



PERGAMON PRESS

OXFORD · NEW YORK · TORONTO · SYDNEY · PARIS · FRANKFURT

Insect Science and its Application

The International Journal of Tropical Insect Science

Sponsored by the International Centre of Insect Physiology and Ecology (ICIPE), and the African Association of Insect Scientists (AAIS)

Editor-in-Chief

Thomas R. Odhiambo

International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, Nairobi, Kenya

Editorial Advisory Board

- | | | |
|--|--|---|
| F. T. Abu Shama, <i>Khartoum, Sudan</i> | R. Levins, <i>Boston, U.S.A.</i> | K. N. Saxena, <i>Delhi, India</i> |
| P. L. Adkisson, <i>Texas, U.S.A.</i> | M. Locke, <i>Ontario, Canada</i> | H. Schmutterer, <i>Giessen, F.R. Germany</i> |
| J. C. M. Carvalho, <i>Rio de Janeiro, Brazil</i> | F. G. Maxwell, <i>Texas, U.S.A.</i> | L. M. Schoonhoven, <i>Wageningen, The Netherlands</i> |
| R. Galun, <i>Jerusalem, Israel</i> | J. Meinwald, <i>New York, U.S.A.</i> | J. E. Treherne, <i>Cambridge, England</i> |
| T. Hidaka, <i>Kyoto, Japan</i> | P. L. Miller, <i>Oxford, England</i> | D. F. Waterhouse, <i>Canberra, Australia</i> |
| H. Hirumi, <i>Nairobi, Kenya</i> | J. Mouchet, <i>Bondy, France</i> | A. Youdeowei, <i>Ibadan, Nigeria</i> |
| V. Landa, <i>Prague, Czechoslovakia</i> | A. S. Msangi, <i>Dar-es-Salaam, Tanzania</i> | |
| | M. D. Pathak, <i>Manila, The Philippines</i> | |
-

PUBLISHED QUARTERLY

Publishing, Subscription and Advertising Offices:

Headington Hill Hall, Oxford OX3 0BW, U.K. [Tel. Oxford (0865) 64881]

Annual Subscription Rate 1984

For libraries, university departments, government laboratories, industrial and other multiple-reader institutions, US\$105.00; two-year rate (1984-85) US\$199.50 (including postage and insurance). *Specially Reduced Rates for Individuals:* In the interest of maximizing the dissemination of the research results published in this important international journal we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscriptions for personal use at a much reduced rate of US\$30.00. Members of the International Centre of Insect Physiology and Ecology (ICIPE) and the African Association of Insect Scientists (AAIS) may purchase a subscription at the special rate of US\$20.00. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.

Application forms for Membership of the AAIS (subscription US\$20.00) may be obtained from: Hon. Secretary, African Association of Insect Scientists, P.O. Box 59900, Nairobi, Kenya.

Microform Subscriptions and Back Issues

Current subscriptions are available on microfiche simultaneously with the paper editions and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1983 Pergamon Press Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying Information for Users in the U.S.A.

The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance of \$3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying. In case of doubt please contact your nearest Pergamon office.

The Item-Fee Code for this publication is: 0191-9040/83 \$3.00 + 0.00

PERGAMON PRESS

HEADINGTON HILL HALL
OXFORD OX3 0BW, U.K.

MAXWELL HOUSE, FAIRVIEW PARK
ELMSFORD, NY 10523, U.S.A.

INSECT SCIENCE AND ITS APPLICATION

The International Journal of Tropical Insect Science

Editor:

Thomas R Odhiambo

International Centre of Insect Physiology and Ecology (ICIPE)

**List of Contents, Author and Subject
Index for Volume 4, 1983**



PERGAMON PRESS

OXFORD · NEW YORK · TORONTO · SYDNEY · PARIS · FRANKFURT

Insect Science and its Application

The International Journal of Tropical Insect Science

Sponsored by the International Centre of Insect Physiology and Ecology (ICIPE), and the African Association of Insect Scientists (AAIS)

Editor-in-Chief

Thomas R. Odhiambo

International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, Nairobi, Kenya

Editorial Advisory Board

F. T. Abu Shama, *Khartoum, Sudan*

P. L. Adkisson, *Texas, U.S.A.*

J. C. M. Carvalho, *Rio de Janeiro, Brazil*

R. Galun, *Jerusalem, Israel*

T. Hidaka, *Kyoto, Japan*

H. Hirumi, *Nairobi, Kenya*

V. Landa, *Prague, Czechoslovakia*

R. Levins, *Boston, U.S.A.*

M. Locke, *Ontario, Canada*

F. G. Maxwell, *Texas, U.S.A.*

J. Meinwald, *New York, U.S.A.*

P. L. Miller, *Oxford, England*

J. Mouchet, *Bondy, France*

A. S. Msangi, *Dar-es-Salaam, Tanzania*

M. D. Pathak, *Manila, The Philippines*

K. N. Saxena, *Delhi, India*

H. Schmutterer, *Giessen, F.R. Germany*

L. M. Schoonhoven, *Wageningen, The Netherlands*

J. E. Treherne, *Cambridge, England*

D. F. Waterhouse, *Canberra, Australia*

A. Youdeowei, *Ibadan, Nigeria*

PUBLISHED BIMONTHLY

Publishing Office:

Journals Production Unit, Hennock Road, Marsh Barton, Exeter, Devon EX2 8RP

[Tel. Exeter (0392) 51558; Telex 42749]

Subscription and Advertising Office:

Headington Hill Hall, Oxford OX3 0BW, U.K. [Tel. Oxford (0865) 64881]

Annual Subscription Rate 1984

For libraries, university departments, government laboratories, industrial and other multiple-reader institutions, US\$105.00; two-year rate (1984–85) US\$199.50 (including postage and insurance). *Specially Reduced Rates for Individuals*; in the interest of maximizing the dissemination of the research results published in this important international journal we have established a two-tier price structure. Any individual whose institution takes out a library subscription may purchase a second or additional subscriptions for personal use at a much reduced rate of US\$40.00. Members of the International Centre of Insect Physiology and Ecology (ICIPE) and the African Association of Insect Scientists (AAIS) may purchase a subscription at the special rate of US\$20.00. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, U.K.

Application forms for Membership of the AAIS (subscription US\$20.00) may be obtained from: Hon. Secretary, African Association of Insect Scientists, P.O. Box 59900, Nairobi, Kenya.

Microform Subscriptions and Back Issues

Current subscriptions are available on microfiche simultaneously with the paper editions and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1984 Pergamon Press Ltd

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying Information for Users in the U.S.A.

The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the U.S. Copyright Law is paid. The appropriate remittance of \$3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying. In case of doubt please contact your nearest Pergamon office.

The Item-Fee Code for this publication is: 0191-9040/84 \$3.00 + 0.00

PERGAMON PRESS

HEADINGTON HILL HALL
OXFORD OX3 0BW, U.K.

MAXWELL HOUSE, FAIRVIEW PARK
ELMSFORD, NY 10523, U.S.A.

CONTENTS OF VOLUME 4

VOLUME 4 NUMBER 1/2

| | | |
|--|-----|---|
| T. R. ODHIAMBO | 1 | Preface |
| K. V. SESHU REDDY | 3 | Studies on the stem-borer complex of sorghum in Kenya |
| C. M. WARUI and J. N. KURIA | 11 | Population incidence and the control of maize stalk-borers <i>Chilo partellus</i> (Swinh.), <i>C. orichalcociliellus</i> Strand and <i>Sesamia calamistis</i> Hmps. in Coast Province, Kenya |
| D. T. HO and K. V. SESHU REDDY | 19 | Monitoring of lepidopterous stem-borer population by pheromone and light traps |
| M. A. SAMPSON and R. KUMAR | 25 | Population dynamics of the stem-borer complex on sugar-cane in Southern Ghana |
| K. OGWARO | 33 | Intensity levels of stem-borers in maize and sorghum and the effect on yield under different intercropping patterns |
| B. AMOAKO-ATTA and E. O. OMOLO | 39 | Yield losses caused by the stem-/pod-borer complex within maize-cowpea-sorghum intercropping systems in Kenya |
| B. AMOAKO-ATTA, E. O. OMOLO and E. K. KIDEGA | 47 | Influence of maize, cowpea and sorghum intercropping systems on stem-/pod-borer infestations |
| J. D. MUMFORD and C. W. BALIDDAWA | 59 | Factors affecting insect pest occurrence in various cropping systems |
| D. T. HO, J. J. NJOKAH and J. G. KIBUKA | 65 | Studies on rice stem-borers in Kenya with emphasis on <i>Maliarpha separata</i> Rag. |
| J. B. OKEYO-OWUOR, P. O. AGWARO and C. O. J. SIMBI | 75 | Studies on the legume pod-borer <i>Maruca testulalis</i> (Geyer)—V. Larval population |
| R. S. OCHIENG and D. O. M. BUNGU | 83 | Studies on the legume pod-borer <i>Maruca testulalis</i> (Geyer)—IV. A model for mass rearing: rearing on artificial diet |
| J. B. SUH and C. O. SIMBI | 89 | Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—VIII. Cowpea phenology and yield loss assessment: effect of loss of leaves, shoots, flowers and pods on cowpea yield in Western Kenya |
| P. T. WALKER | 97 | The assessment of crop losses in cereals |
| E. O. OMOLO | 105 | Screening of local and exotic maize lines for stem-borer resistance with special reference to <i>Chilo partellus</i> |
| Z. T. DABROWSKI and E. O. NYANGIRI | 109 | Some field and screenhouse experiments on maize resistance to <i>Chilo partellus</i> under Western Kenya conditions |
| Z. T. DABROWSKI and E. L. KIDIAVAI | 119 | Resistance of some sorghum lines to the spotted stalk-borer <i>Chilo partellus</i> under Western Kenya conditions |
| R. S. PATHAK and J. C. OLELA | 127 | Genetics of host plant resistance in food crops with special reference to sorghum stem-borers |
| A. M. ALGHALI | 135 | Relative susceptibility of some rice varieties to the stalk-eyed fly <i>Diopsis thoracica</i> West |
| Z. T. DABROWSKI, D. O. M. BUNGU and R. S. OCHIENG | 141 | Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—III. Methods used in cowpea screening for resistance |
| C. A. MACFOY, Z. T. DABROWSKI and S. OKECH | 147 | Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—VI. Cowpea resistance to oviposition and larval feeding |
| C. J. DEN OTTER and H. M. KAHORO | 153 | Taste cell responses of stem-borer larvae, <i>Chilo partellus</i> (Swinhoe), <i>Eldana saccharina</i> Wik. and <i>Maruca testulalis</i> (Geyer) to plant substances |

List of Contents, Author and Subject Index for Volume 4, 1983

| | | |
|--|-----|--|
| S. M. WALADDE | 159 | Chemoreception of adult stem-borers: tarsal and ovipositor sensilla on <i>Chilo partellus</i> and <i>Eldana saccharina</i> |
| R. O. ABASA✠ | 167 | Current and future pest management strategies in polycultural systems in East Africa |
| E. H. SMITH | 173 | Integrated pest management (IPM)—specific needs of developing countries |
| D. G. BOTTRELL | 179 | Social problems in pest management in the tropics |
| M. G. JOTWANI | 185 | Chemical control of cereal stem-borers |
| D. G. CAMPION and B. F. NESBITT | 191 | The utilisation of sex pheromones for the control of stem-borers |
| L. E. N. JACKAI and S. R. SINGH | 199 | Varietal resistance in the integrated pest management of cowpea pests |
| W. R. INGRAM | 205 | Biological control of graminaceous stem-borers and legume pod-borers |
| W. A. OTIENO, M. O. ODINDO, J. B. OKEYO-OWUOR and D. M. SABWA | 211 | Studies on the legume pod-borer, <i>Maruca testulalis</i> Geyer—VII. Field surveys on pathogenic microorganisms |
| S. B. SAGNIA | 217 | Possible integrated pest management tools for the effective control of cereal stem-borers in The Gambia |
| S. S. MLAMBO | 221 | The status of cereal stem-borer and legume pod-borer research in Zimbabwe |

VOLUME 4 NUMBER 3

| | | |
|---|-----|--|
| A. MANSINGH and L. F. RHODES | 223 | Bioassay of various formulations of insecticides on the egg and larval stages of the coffee berry borer <i>Hypothenemus hampei</i> Ferrari (Scolytidae: Coleoptera) |
| T. R. ODHIAMBO, E. D. KOKWARO and L. M. SEQUEIRA | 227 | Histochemical and ultrastructural studies of the male accessory reproductive glands and spermatophore of the tsetse, <i>Glossina morsitans morsitans</i> Westwood |
| M. J. MUTINGA and J. N. NGOKA | 237 | Investigation of animal reservoirs of visceral leishmaniasis and the isolation of <i>Leishmania major</i> in Marigat, Baringo District, Kenya |
| E. D. KOKWARO | 241 | Oocyte development in the adult fleshfly, <i>Sarcophaga tibialis</i> Macquart (Diptera: Sarcophagidae), during the first reproductive cycle |
| E. D. KOKWARO | 247 | Egg-chamber development in the ovarioles of the fleshfly, <i>Sarcophaga tibialis</i> Macquart (Diptera: Sarcophagidae), during the first reproductive cycle |
| M. J. MUTINGA, J. B. KADDU, J. O. OLOBO, F. M. KYAI and D. M. OMOGO | 253 | Studies on vectors of kala-azar in Kenya: <i>Phlebotomus heischii</i> (Diptera: Psychodidae) Kirk and Lewis, a new male record in Kenya |
| K. HONDA | 255 | Evidence for <i>de novo</i> biosynthesis of osmeterial secretions in young larvae of the swallowtail butterflies (<i>Papilio</i>): deuterium incorporation <i>in vivo</i> into sesquiterpene hydrocarbons as revealed by mass spectrometry |
| H. S. QORRO and J. R. MAINOYA | 263 | Effects of farnesol on the corpora allata and accessory reproductive glands morphometrics in <i>Catolipus cymbiferus</i> Krauss (Acrididae: Orthoptera) |
| J. B. ACKONOR | 267 | The nest and nesting habits of the ant <i>Cataulacus guineensis</i> F. Smith (Hymenoptera: Formicidae) in a Ghanaian cocoa farm |
| P. O. LAWRENCE | 285 | Age-specific fecundity and offspring survivorship in the Caribbean fruit fly, <i>Anastrepha suspensa</i> , after diflubenzuron treatment |

| | | |
|--------------------|-----|---|
| M. O. ODINDO | 291 | Epizootiological observations on a nuclear polyhedrosis of the African armyworm <i>Spodoptera exempta</i> (Walk.) |
| | | <i>Book Review</i> |
| M. F. B. CHAUDHURY | 299 | <i>Blackflies: The Future for Biological Methods in Integrated Control</i> , Ed. by LAIRD M. |
| | 301 | New patents |

VOLUME 4 NUMBER 4

| | | |
|---|-----|---|
| S. N. OKIWELU | 305 | Further observations on the resting site preferences of the tsetse, <i>Glossina palpalis gambiensis</i> Vanderplank (Diptera: Glossinidae), in Mali |
| J. MACFARLANE | 309 | Observations on trail pheromone, trail laying and longevity of natural trails in the termite, <i>Macrotermes michaelseni</i> |
| S. K. N. ATUAHENE and D. SOUTO | 319 | The rearing and biology of the mahogany shoot borer <i>Hypsipyla robusta</i> Moore (Lepidoptera: Pyralidae) on an artificial medium |
| A. G. L. DELOBEL | 327 | Influence of temperature and host plant condition on preimaginal development and survival in the sorghum shootfly <i>Atherigona soccata</i> |
| I. FAGOONEE and V. TOORY | 337 | Preliminary investigations of host selection mechanisms by the leafminer <i>Liriomyza trifolii</i> |
| W. F. SNOW | 343 | Effect of size of cattle bait on the range of attraction of tsetse and mosquitoes |
| P. EINYU and R. W. KAPAATA | 345 | Mating behaviour in relation to sexual maturation of male <i>Glossina morsitans centralis</i> (Machado 1970) (Diptera: Glossinidae) |
| B. AMOAKO-ATTA | 351 | Observations on the pest status of the striped bean weevil <i>Acidodes leucogrammus</i> Erichs. on cowpea under intercropping systems in Kenya |
| P. SINGH | 357 | A general purpose laboratory diet mixture for rearing insects |
| H. C. SHARMA and R. A. AGARWAL | 363 | Factors affecting genotypic susceptibility to spotted bollworm <i>Earias vittella</i> Fab. in cotton |
| H. C. SHARMA and R. A. AGARWAL | 373 | Oviposition behaviour of spotted bollworm, <i>Earias vittella</i> Fab. on some cotton genotypes |
| J. KAGAN, J.-P. BENY, G. CHAN, S. N. DHAWAN, J. A. JAWORSKI, E. D. KAGAN, P. D. KASSNER, M. MURPHY and J. A. ROGERS | 377 | The phototoxicity of some 1,3-butadienes and related thiophenes against larvae of the mosquito <i>Aedes aegypti</i> and of the fruit fly <i>Drosophila melanogaster</i> |
| J. MARGALIT and Z. EVENCHIK | 383 | Mosquito and copepod host range tests with <i>Coelomomyces psorophorae</i> (Blastocladales, Chytridiomycetes) |
| A. A. ADESIYUN | 387 | Some effects of intercropping of sorghum, millet and maize on infestation by lepidopterous stalk-borers, particularly <i>Busseola fusca</i> |
| W. LWANDE, T. GEBREYESUS, A. CHAPYA, C. MACFOY, A. HASSANALI and M. OKECH | 393 | 9-Acridone insect antifeedant alkaloids from <i>Teclea trichocarpa</i> bark |
| G. K. KARNAVAR | 397 | Studies on the population control of <i>Pieris brassicae</i> L. by <i>Apanteles glomeratus</i> L. |
| A. K. CHAKRAVARTHY | 401 | Relative abundance and distribution patterns of field bean (<i>Lablab niger</i> Medick) pod-borers <i>Adisura atkinsoni</i> Moore |
| B. U. SINGH, B. S. RANA, B. B. REDDY and N. G. P. RAO | 407 | Host plant resistance to stalk-borer, <i>Chilo partellus</i> Swin., in sorghum |

List of Contents, Author and Subject Index for Volume 4, 1983

| | | |
|------------------|-----|--|
| J. N. MKHIZE | 415 | Susceptibility of <i>Tribolium confusum</i> Jacquelin Duval to an insect growth regulator with juvenile hormone-like effects |
| | | <i>Book Review</i> |
| H. HOOGSTRAAL | 417 | <i>Physiology of Ticks</i> . Edited by Obenchain F. D. and Galun R. |
| K. P. SRIVASTAVA | 421 | Obituary |
| | 423 | New Patents |

AUTHOR INDEX

- Abasa, R. O. 167
 Ackonor, J. B. 267
 Adesiyun, A. A. 387
 Agarwal, R. A. 363, 373
 Agwaro, P. O. 75
 Alghali, A. M. 135
 Amoako-Atta, B. 39, 47, 351
 Atuahene, S. K. N. 319
- Baliddawa, C. W. 59
 Beny, J.-P. 377
 Bottrell, D. G. 179
 Bungu, D. O. M. 83, 141
- Campion, D. G. 191
 Chakravarthy, A. K. 401
 Chan, G. 377
 Chapya, A. 393
 Chaudhury, M. F. B. 299
- Dabrowski, Z. T. 109, 119, 141, 147
 Delobel, A. G. L. 327
 Den Otter, C. J. 153
 Dhawan, S. N. 377
- Einyu, P. 345
 Evenchik, Z. 383
- Fagoonee, I. 337
- Gebreyesus, T. 393
- Hassanali, A. 393
 Hinda, K. 255
 Ho, D. T. 19, 65
 Honda, K. 255
 Hoogstraal, H. 417
- Ingram, W. R. 205
- Jackai, L. E. N. 199
 Jaworski, J. A. 377
 Jotwani, M. G. 185
- Kaddu, J. B. 253
 Kagan, E. D. 377
 Kagan, J. 377
 Kahoro, H. M. 153
 Kapaata, R. W. 345
 Karnavar, G. K. 397
 Kassner, P. D. 377
 Kibuka, J. G. 65
 Kidega, E. K. 47
 Kidiavai, E. L. 119
 Kokwaro, E. D. 227, 241, 247
 Kumar, R. 25
 Kuria, J. N. 11
 Kyai, F. M. 253
- Lawrence, P. O. 285
 Lwande, W. 393
- MacFarlane, J. 309
 MacFoy, C. A. 147
 Macfoy, C. 393
 Mainoya, J. R. 263
 Mansingh, A. 223
 Margalit, J. 383
 Mkhize, J. N. 415
 Mlambo, S. S. 221
 Mumford, J. D. 59
 Murphy, M. 377
 Mutinga, M. J. 237, 253
- Nesbitt, B. F. 191
 Ngoka, J. N. 237
 Njokah, J. J. 65
 Nyangiri, E. O. 109
- Ochieng, R. S. 83, 141
 Odhiambo, T. R. 1, 227
 Odindo, M. O. 211, 291
 Ogwaro, K. 33
 Okech, M. 393
 Okech, S. 147
 Okeyo-Owuor, J. B. 75, 211
 Okiwelu, S. N. 305
 Olela, J. C. 127
 Olobo, J. O. 253
 Omogo, D. M. 253
 Omolo, E. O. 39, 47, 105
 Otieno, W. A. 211
- Pathak, R. S. 127
- Qorro, H. S. 263
- Rana, B. S. 407
 Rao, N. G. P. 407
 Reddy, B. 407
 Rhodes, L. F. 223
 Rogers, J. A. 377
- Sabwa, D. M. 211
 Sagnia, S. B. 217
 Sampson, M. A. 25
 Sequeira, L. M. 227
 Seshu Reddy, K. V. 3, 19
 Sharma, H. C. 363, 373
 Simbi, C. O. 89
 Simbi, C. O. J. 75
 Singh, L. U. 407
 Singh, P. 357
 Singh, S. R. 199
 Smith, E. H. 173
 Snow, F. 343
 Souto, D. 319
 Srivastava, K. P. 421
 Suh, J. B. 89
- Toory, V. 337
- Waladde, S. M. 159
 Walker, P. T. 97
 Warui, C. M. 11

SUBJECT INDEX

- Acacia fiscitla* 253
Acalymma vittata 61
Acanthocyclops vernalis 374
Acanthocyclops viridis 373-374
Acanthomyops claviger 255
 accessory reproductive glands (ARG)
 227-236, 263-266
 Glossina morsitans morsitans 227-236
Acheta domesticus 297
Acigoma ignefusalis 3, 218, 387, 390-391
Acomys spp. 237-238
Acrotylus patruelis 291-292, 294, 297
 actellic 223-225
Adisura atkinsoni
 on field bean 401-406
Adoryphorus couloni 360
Aedes aegypti 334, 373-374
 phytotoxicity 377-381
Aelia spp. 100
Aenetus virescens 360
 African armyworm
 epizootiological observations 291-298
Agathis stigmatera 206
Agrotis ipsilon 101, 359
Agrotis segetum 98
 Ahero Irrigation Research Station (AIRS) 66-67, 71
Aldodes leucogrammus on cowpea 351-356
 aldicarb 223-225
 aldrin 186
 alkaloids
 from *Teclea trichocarpa* 393-395
 alternate hosts
 for sorghum stem-borer 5-7, 9
 altitude
 effect on stem-borer 9
Amaranthus spp. 169
 ambush 17
 amino acid
 content in cowpea cultivars 150-152
Amorbia emigratella 360
Anagasta künniella 227
Anagotus carinirostris 360
Anagotus fairburni 360
Anagotus turbotti 360
Anastrepha suspensa
 fecundity and offspring survivorship 285-290
Ancylys comptana fragariae 62
Ancylostoma stercorea 208
Andropogon tectorum 65
 animal reservoirs
 visceral leishmaniasis 237-240
Anisomorpha buprestoides 255
Anopheles maculipennis 379
Anopheles superpictus 379
Anoplocnemis 203
 ant
 nest and nesting habits 267-283
Antennorophorus farah 280
Antennorophorus fareli 267
Anthonomus grandis 62, 255, 385
 antibiosis 110, 152, 200-202
 antifeedant
 from *Teclea trichocarpa* 393-395
Antigastora spp. 355
 antixenosis 117, 150
Apanteles spp. 218, 398
Apanteles cerealis 398
Apanteles flavipes 206-207
Apanteles glomeratus
 control of *Pieris brassicae* 397-399
Apanteles marginiventris 398
Apanteles sesamiae 7, 9, 206
Apanteles subandinus 398
Aphis craccivora 200, 391
Aphis fabae 169
 ARG 227-236, 263-266
Artemia salina 373
 artificial diet 357-362
 legume pod-borer rearing 83-87
Ascogaster quadrifentata 208
Aspavia sp. 65
Atelura sp. 280
Atherigona spp. 101
Atherigona indica infuscata 169
Atherigona soccata 39, 45, 47, 51, 119, 194, 217
 development and survival 327-335
Auripasser luteus 168
Austrocidaria similata 359
Avicantus niloticus 237-238
 azinophos 186, 188
 azodrin 223-225

Bacillus cereus 213-214
Bacillus sphaericus 374
Bacillus subtilis 393-394
Bacillus thuringiensis 213-214, 374
Bacillus thuringiensis israelensis 374
 bacteria 211, 213-214
Basiliothrinus araucariae 360
 Basudin 218
 on maize stalk-borer 17
Battus polydamas 260
Bdeogale crassicauda 237-238
Bemisia tabaci 181
 BHC 12 185-188
 bimarit 223-225
 biological control of stem-borers and pod-borers 205-209
 biosynthesis
 of sesquiterpenes 255-261
 biotypes 131
 birlane dust
 on maize stalk-borer 17
 black ants 6-7, 9
Blissus leucopterus 128
Bombyx mori 165, 296-297
Borrelinavirus reprimens 297
Bracon spp. 218
Bracon cajani 208
Bracon chinensis 206-207
Bracon pectoralis 208
Bracon piger 208
 broods
 Cataulacus guineensis 267, 273, 279
 Bruchus sp. 402
 Bunyaeus monteithi 360
 Busseola sp. 109
 Busseola fusca 39, 47, 55, 83, 100-101, 123, 185, 187, 191, 193, 359
 control of 217-221
 distribution and importance 3-10
 effect on maize and sorghum yield 33-37
 host plants 127-134, 205-206
 intercropping effects on 51-52
 population monitoring 11-23
 resistance to 127-134
 on sorghum, millet and maize 387-391
Busseola segeta 3
 butadiynes
 on mosquito and fruit fly 377-381

Calosoma sycophanta 297
Camponotus spp. 32
Camponotus herculeanus 267
Camponotus ligniperda 267
Camponotus olivieri 282
Camponotus pennsylvanicus 267
Camponotus rufoglaucus 7
Camponotus vagus 267
Canis familiaris 237-238
Canis mesomelas 237-238
 carbamates 223-224
 carbaryl 186-187
 carbicron 223-225
 carbofuran 181, 186-187, 222
 on maize stalk-borers 12-13, 17
 Caribbean fruit fly
 fecundity and offspring survivorship 285-290
Carposina adreptella 359
 carryover 55
 crop pests 59-62
 in maize stalk-borer 11
 in maize stem-borer 5
 castes, termite
 trail pheromones 309-310, 313-314, 316-317
Cataloipus cymbiferus 263-266
Cataulacus guineensis
 nest and nesting habits 267-283
Cenchrus ciliaris
 stem-borers on 6-7, 9
Cephus spp. 100
Cephus cinctus 127
 cereal
 assessment of losses 97-104
 cereal stem borers 185-189, 217-218, 221-222
 chemical control 185-189
 cowpea pests 199-200, 202-203
 Hypothenemus hampei 223-226
 integrated pest management 217-219
 maize stalk-borers 11-18
 Maruca testulalis 75-81
 'chaffy heads' see 'whitehead'
 condition
 Cheilomenes spp. 7
 Chelonus inanitus 208
 chemical control 105, 135, 211, 221-222
 Chilo spp. 217-218
 Chilo agamemnon 3, 187
 Chilo infuscatellus 3
 Chilo nigricana 205
 Chilo orichalcociliellus 327
 distribution and importance 3-10
 incidence and control on maize 11-18
 Chilo partellus 83, 100, 221, 327, 359
 biological control 205-207
 chemoreception 159-165
 control 185-189
 distribution and importance 3-10
 effect of intercropping on

- 47-57
 effect on yield losses 39-45
 host plant resistance 127-134, 407-413
 incidence and control on maize 11-18
 population on maize and sorghum 33-37
 population monitoring 19-23
 resistance of maize to 105-108, 109-118
 resistance of sorghum to 119-127
 on rice in Kenya 65-72
 sex-pheromones 192-193
 taste cell responses to plant substances 153-157
Chilo sacchariphagus 192, 195, 205-206
Chilo suppressalis 83, 187, 192
 control, sex pheromones 191-197
Chilo zacconius
 population dynamics 25-32
 China
 stem-borer trapping 19, 22
 chlordane 224
 chlordimeform 187
 chlorfenvinphos 187
 chlorinated hydrocarbons 223-224
 chlorpyrifos 187, 223, 225
Choristoneura occidentalis 360
Chrysodeixis erosoma 359, 360
 CIMMYT 105, 107
 maize resistant cultivars to *Chilo partellus* 109-118
Citrus unshiu 256, 258
Cladosporium cucumerinum 393-394
Claviger testaceus 267
Cleora scriptaria 359
 'Cnephasia' *incessana* 360
 'Cnephasia' *jactatana* 360
Coelomomyces indicus 374-375
Coelomomyces psorophorae
 mosquito and copepod host range 373-375
 coffee
Hypothenemus hampei 223-226
Coffea arabica 223
 coffee berry borer 223-226
 competition, interspecific
Glossina 305, 307
Contarinia sorghicola 98
 control
 cereal stem-borers 217-219
 sex-pheromones 191-197
 stem-borers 191-197
 corpora allata 263-266
Corvus albus 292
 cost-effectiveness
 pest management 1
Costelytra zealandica 360
 cotton genotypes
Earias vittella 363-372
 oviposition behaviour 383-386
 cowpea
 pod-borer 89-96
 pod-borer larval population 75-81
 resistance to *Maruca testulalis* 147-152
 resistance to pests 199-204
 screening for resistance to *Maruca testulalis* 141-145
 stem- and pod-borers 39-46, 47-57
 stem-borer catches on 20
Crematogaster spp. 32
Crematogaster depressa 267, 278-279, 282
 crop-borers
 mass rearing 83
 crop damage
- Chilo partellus* 122-126
Earias vittella 363-364, 370
 rice stem-borers 65-73
 stalk-borers 120-125
 stalk-eyed fly 136-139
 crop loss assessment 97-104
 cropping systems
 insect pest population 59-64
 see also intercropping
 crop values, losses
 stem-borers 33-37
 stem- and pod-borers 39-46
Crotalaria juncea 203
Cryptophlebia pallifimbria 360
Ctenoplusia albostrigata 360
Ctenopseustis obliquana 360
Culex pipiens 373-374
Culex pipiens quinquefasciatus 373
Culiseta inornata 373
Culiseta longiareolata 373
 cultural control
 maize stalk-borers 11-18
Cyclops vernalis 373-374
Cydia spp. 205
Cydia jabivora 207-208
Cydia nigricana 207-208
Cydia pomonella 359
Cydia ptychora 151-152, 207-208
Cymbopogon excavatus 292
 Cymbush 203
 on maize stalk-borers 14, 17
Cynodon dactylon 263, 292, 297
Cynodon nlemfuensis 292
 cypermethrin 188
Cyperus spp. 205
Cyperus esculentus 292
Cyperus rotundus 292
 cytoplasmic polyhedrosis virus 213
- Dactyloctenium aegyptium* 292
Dasypodia cymatoidea 359
Datana integerrima 360
 DDT 180-181, 185, 199
 on maize stalk-borers 12, 17
 'dead heart' condition 187
 on maize 12, 116-117
 on rice 68-73, 135-139
 on sorghum 3-4, 119-120, 122, 126, 127-131, 407-412
 stem- and pod-borers 47, 51-52
 decis 223-225
Declana leptomera 360
Delia spp. 99
Delia arambourgi 101
Dentichasmias busseolae 7, 9, 206
Descampsina sesamiae 32, 207
 developing countries
 integrated pest management 173-177
 see also tropics
Diabrotica sp. 99
 diapause
 of stem-borer 5, 9
 of maize stalk-borer 11, 17
Diaperasticus erythrocephala 7
Diatraea centrella 206
Diatraea grandiosella 3, 105, 107
Diatraea lineolata 3
Diatraea rufescens 192
Diatraea saccharalis 3, 83, 99, 105, 107, 192, 359
 biological control 205, 207
Diatraeaophaga striatalis 206
 diazinon 186-188
Dicladispa spp. 65
 dieldrex 224
 dieldrin 186, 223-225
 diflubenzuron
 on *Anastrepha suspensa* 285-290
Digitaria scalarum 292
 dimethoate 181, 203
 dimilin 223-225
- Diopsis* spp. 99
Diopsis macrophthalma 101
Diopsis thoracica 217
 distribution 65-73
 on rice 135-140
Dioryctira abietella 319
 dipterex
 on maize stalk-borers 14, 17
 distribution
 stem-borers in Kenya 7-9
 disulfoton 186, 188
 docis 224
Dorylus 280
Drosophila spp. 334
Drosophila immigrans 359
Drosophila melanogaster 241, 245, 247, 251-252, 359
 phytotoxicity 377-381
 dursban
 on *Hypothenemus hampei* 223-225
 on maize stalk-borers 14, 17
- Earias biplaga* 370
Earias insulana 363
Earias vittella
 genotypic susceptibility 363-372
 oviposition behaviour 383-386
 earwigs 6-7, 9
 East Africa
 pest management strategies 167-171
Echinochloa haploclada
 stem-borer on 7
Echinochloa pyramidalis 29
 economic infestation levels
 stem-borers 33-37
 economic injury levels
 losses 39-46, 167
 economic thresholds 99
 egg-chamber development
Sarcophaga tibialis 247-252
Eiphosoma annulatum 208
 ekamet
 on maize stalk-borers 4, 17
Elasmopalpus lignosellus 3
Eldana sp. 109
Eldana saccharina 83, 123, 205, 221
 biological control 205-207
 chemical control 185, 187
 chemoreception 159-165
 control, sex pheromones 192-193
 distribution and importance 3-10
 effect of intercropping 47, 51-52, 54
 effect on yield 39, 45
 host plant resistance to 127-134
 intensity and effect on yield of 33-36
 population dynamics 25-32
 population monitoring 19-23
 taste cell responses to plant substances 153-157
Eleusine africana 292
Eleusine coracana 168, 405
Emathendes spp. 3
Empoasca spp. 200
Empoasca dolichi 152
Endoclista sp. 360
 endosulfan 200
 on maize stalk-borers 12
 stem-borer control 186-188
 see also thiodan
 endrin 186-187
Entomophthora spp. 213-214
Entoria phaulacosma 360
Epaixiphora axenana 360
Ephesia kuhniella 241, 252
Ephippiger sp. 297
Epiphyas postvittana 359, 360, 362
 epizootiology of armyworm virus 291-298

- Etiella zinckenella* 205, 207-208, 402
Euchrysops spp. 76
Euprotia melania 398
Eutoma phaulacosma 361
- Fagara ailantoides* 255-256, 258, 260
 farming systems 182-183
 farnesol 263-266
 fecundity
 Anastrepha suspensa 285-290
 fenitrothion 186, 188, 223, 225
 on maize stalk-borer 12
 fensulfothion 188
 fenthion 188
Feredayia graminosa 361
 fertilizer 66
 on maize 11-12, 17
 fibre
 content in cowpea cultivars 151-152
 finger millet
 stem-borer on 7
 flavonoid content in cowpea cultivars 151-152
 fleshfly
 egg-chamber development 247-252
 oocyte development 241-246
 folimat 223-225
 fox tail millet
 stem-borer on 7
 fruit fly
 phytotoxicity 377-381
Fundella pellucens 208
 fungi 211, 213-214
 furadan *see* carbofuran
Fusarium moniliforme 221-222
- gallery forests, tsetse in 305-307
 Gambia
 control of cereal stem-borers 217-219
 gardona 223, 225
Gastrosarus sp. 360
Gastrosarus nigricollis 360
Gellonia dejectaria 359
 gene-for-gene relationships 131-132
 genetics
 food crop resistance to stem-borers 127-134
Genette spp. 237-238
 germplasm 108, 117, 119
 Ghana
 Cataulacus guineensis 267-283
 stem-borer complex 25-32
Gilpinia hercyniae 294
Glossina austeni 227, 345
Glossina morsitans 334, 345, 347-348
Glossina morsitans centralis
 mating behaviour 345-349
Glossina morsitans morsitans 227-236, 345
Glossina morsitans orientalis 347
Glossina morsitans submorsitans
 infestation in Mali 305-307
Glossina pallidipes 228, 236
 mating behaviour 345-347
Glossina palpalis
 nesting site preferences 307, 347
Glossina palpalis gambiensis
 nesting site preferences 305-308
Glossina tachinoides
 distribution in Mali 305
Glypta haesitator 208
Gnorimoschema operculella 156
Gossypium arboreum 363, 383
Gossypium barbadense 360, 383-384
Gossypium hirsutum 363, 383
 graminaceous stem-borers
 biological control 205-209
Graphania insignis 359
Graphania lignana 359
Graphania mutans erebia 359
Graphania mutans mutans 359
Graphania scutata 359
Graphania ustistriga 359
Graphognathus leucoloma 360
Grapholita molesta 62, 359
 grasshopper 263-266
 'green revolution' 173, 180
 Guinea savanna woodland 25, 32
Guizotica abyssinica 405
- Hadramphus* spp. 360
Harmologa oblongana 360
Helicoverpa armigera confertus 362
Heliothibes atychioides 361
Heliothis spp. 62, 99-100, 176, 207
 host plant resistance to 370-371
Heliothis armigera 39, 45, 76, 83, 402
 effect of intercropping on 47, 51-52
 host plants 168-170
Heliothis armigera confertus 359
Heliothis virescens 131, 181
Heliothis zea 128, 169, 370
Hellastia lucidata 359
Hemiandrus spp. 360
Hermetia illucens 360
Heterocrossa adreptella 359
Heteronychus spp. 99
Heteronychus arator 360
 heterosis 107, 129
Hexameris spp. 324
Hodotermes mossambicus 309, 316-317
 horizontal resistance 130-133, 145
 host location
 tsetse and mosquitoes 343-344
 host plant resistance to *Chilo partellus* 407-413
 host selection mechanisms of
 Liriomyza trifolii 337-341
 humidity 19-20
Hyalophora cecropia 252
Hydrellia spp. 99
Hypera meles 360
Hyperrhenia rufa 263
Hypothenemus hampei 223-226
Hypsipyla grandella 319-320, 324
Hypsipyla robusta
 rearing and biology 319-325
- Ichneumia albicanda* 237-238
Ichneutia ceraunias 361
 ICIPE *see* International Centre of Insect Physiology and Ecology
 ICRISAT *see* International Crop Research Institute of Semi-Arid Tropics
 IFAD *see* International Fund for Agricultural Development
 IITA *see* International Institute of Tropical Agriculture
- imidan 224
 India
 maize stalk-borers 11, 14, 17
 infestation
 tsetse single-species and mixed 305
 inquilines 270-271, 279
 insect growth regulators
 susceptibility of *Tribolium confusum* 415-416
 insecticides *see* chemical control
 insect pests
 cereals 97
 in cropping systems 59-64
 integrated pest management 89, 95, 127, 185
 cereal stem-borers 217-219
 cowpea pests 199-204
 needs for developing countries 173-177
 social problems 179-184
 intercropping
 effect on *Alcidodes leucogrammus* on cowpea 351-356
 effect on *Busseola fusca* 387-391
 legume pod-borer 75, 77, 81
 stem-borer infestation levels 33-37
 stem- and pod-borer damage 39-46
 stem- and pod-borer infestations 47-57
- International Centre of Insect Physiology and Ecology 1-2, 3-4, 19, 22, 33, 90, 109, 119, 141, 147, 153, 159, 201
 studies on *Alcidodes leucogrammus* 351-352
 studies on *Maliarpha separatella* 66-71
 studies on stem- and pod-borers 48-49, 52-53
 studies on yield losses 40-42
see also Mbita Point Field Station
 International Crop Research Institute of Semi-Arid Tropics 4
 sorghum resistance to *Chilo partellus* 119-120, 122, 124-125
 International Fund for Agricultural Development 2
 International Institute of Tropical Agriculture 76, 135, 139, 147, 211
 resistance to cowpea pests 199-202
 International Rice Research Institute (IRRI) 193
 interspecific competition - *see* competition, interspecific
 IPM *see* integrated pest management
Ips paraconfusus 255
Irenimus compressus 359
Isotima javensis 207
- Jaynesleskia jaynesi* 206
 juvenile hormone analogue 263-266
- Kajiado (Kenya)
 termite studies 309
 kala azar 237, 239-240
Phlebotomus heischii 253-254
 kelthane 223-225
 Kenya
 Alcidodes leucogrammus on cowpea 351-356
 Leishmania major 237-240
 maize resistance to *Chilo partellus* 109-118
 maize stalk-borer incidence and control 11-18
 Maruca testulalis damage 75-76, 78-81, 89-96
 Phlebotomus heischii male record 253-254
 sorghum resistance to *Chilo partellus* 119-126
 stem-borer complex on sorghum 3-10
 stem-borers 65-73
 stem- and pod-borers 39-46
Khaya ivorensis 319
 stem-borers on sorghum 4-6
 Kisii
 stem-borers on sorghum 4-6
Kyllinga sp.
 stem-borer on 6-7, 9
Kyllinga erecta 292
- Lablab niger*
 distribution and abundance on *Adisura atkinsoni* 401-406
 ladybird beetles 7, 9
Lampides boeticus 205, 207-208, 402

- Lasius niger* 267, 280
Laspeyresia pomonella 359
Launaea cornuta
 stem-borer on 7
 leaf miner
 host selection 337-341
 legume pod-borers
 biological control 205-209
 cowpea phenology and yield loss 89-96
 larval population 75-81
 mass rearing 83-87
 pathogenic microorganisms 211-215
Leishmania aethiopica 239-240
Leptinotarsa decemlineata 156, 227, 229
Leptothorax sp. 267
Leptuous sp.
 stem-borers on 6-7, 9
Leucania lareyimima 359
 libyacid 224
 light traps
 stem-borer population monitoring 19-23
 lindane 181, 186, 224
Liriomyza trifolii
 host selection 337-341
Listronotus bonariensis 359
Lixophaga diatraea 206-207
Locusta migratoria 156, 263
Lucilia cuprina 245
Lymantria dispar 296
Lytta vesicatoria 255

Macrocentrus ancyliivorus 208
Macromischoides aculeatus 267
Macrotermes michaelseni
 trail pheromone and trail laying 309-318
 mahogany shoot-borer rearing and biology 319-325
 maize
 resistance to *Chilo partellus* 109-118
 stalk-borer incidence and control 11-18
 stem- and pod-borer 39-46, 47-57
 stem-borer on 7-9
 stem-borer catches on 20
 stem-borer effect on yield 33-37
 stem-borer resistance 105-108
 malathion 186-188, 218
 on maize stalk-borers 12
Maleuterpes spinipes 360
 Mali
 tsetse resting sites 305-308
Maliarpha separatella 3, 185, 187, 361
 biological control 206-207
 population monitoring 19-23
 on rice 65-73
Marasmarcha liphanes 402
Maruca testulalis 22, 131, 185, 217, 221, 352, 360, 402
 biological control 205, 207-208
 cowpea phenology and yield loss 89-96
 cowpea resistance to 147-152
 cowpea screening for resistance 141-145
 effect of intercropping on 47, 51, 53-55
 effect on yield 39, 43, 45
 larval population 75-81
 mass rearing 83-87
 pathogenic microorganisms 211-215
 rearing on artificial diet 83-87
 mass rearing
Maruca testulalis 83-87
 mass spectrometry
 deuterium in sesquiterpene hydrocarbons 255-261
Mastomys natalensis 237-238
 mating behaviour
Glossina morsitans centralis 345-349
Mayetiola destructor 100-101, 127
 Mbita Point Field Station (MPFS) 1-2, 3-10, 19-20, 33, 105, 128, 148, 211, 141, 144, 351-352
 maize resistance to *Chilo partellus* 109-111, 115-117
 studies on intercropping effects on borers 48-49, 52-53
 studies on legume pod-borer, cowpea phenology and yield loss 89-95
 studies on legume pod-borers, larval population 75-78, 81
 studies on *Maliarpha separatella* 66-71
 studies on sorghum resistance to borers 119-124
 yield loss studies 40-42
Melanagromyza obtusa 402
 'Melanchra' *alycone* 360
 'Melanchra' *ochthistis* 359
Melicope fareana 394
Meloidogyne arenaria 351
Meloidogyne incognita 351
Meloidogyne javanica 351
 mephosfalan
 on cereal stem-borers 186-188
 on maize stalk-borers 12
Merophyas leucaniana 360
Mesocyclops leuckarti 373-374
 methomyl 223-225
 methoxychlor 223-225
 methyl 186
 methyl parathion 181
Microdes quadristrigata 359
Microtermes sp. 270-271, 276, 279-280; 282
 miral
 on maize stalk-borers 17
Mnesictena flavidalis 360
 monocrotophos 181, 199
 on cereal stem-borers 186-188
Monomorium floricoles 281
Monomorium pharaonis 281
 moonlight
 effect on stem-borer catches 19-22
 mortality
Atherigona soccata 331-332, 334
 mosquitoes
 copepod host range 373-375
 host location 343-344
 phototoxicity 377-381
 MPFS see Mbita Point Field Station
 mucocutaneous leishmaniasis 239-240
Musca domestica 229, 251, 380
Myrmica sp. 267
Mythimna separata 359
Myzus persicae 327

Nasutitermes corniger 317
Nasutitermes exitosus 316
Nasutitermes octopilis 255
Navomorpha sulcata 360
Neodiprion sertifer 259
Neodiprion swainei 296
Neoterme spp.
Cataulacus guineensis nest initiation 267, 270-271, 279-282
Nephotettix impicticeps 127
 nest and nesting habits
Cataulacus guineensis 267-283
 Nigeria
 maize stalk-borers 11
Maruca testulalis damage 75-76, 78
Nilaparvata lugens 98, 100, 127

- Persectantia atristrige* 360
Persectantia aversa 359
 pest assessment 99-100
 pesticides
 social problems in usage 179-182, 184
 pest management 99, 238
 of maize stalk-borer 11-18
 social problems 179-184
 stem-borers 9
 strategies 167-171
Phanerotoma planifrons 208
Phaseolus spp. 208
Phaseolus vulgaris 337
Pheidole spp. 267
Pheidole megacephala 32
Phellodendron amurense 256-258
 phenol
 content in cowpea cultivars 151-152
 phenthoate 186-187
 pheromone, trail
 termite 309-318
 pheromone traps 101
 stem-borer population monitoring 19-23
Phlebotomus dubosqui 240
Phlebotomus heischi
 male record 253-254
Phlebotomus martini 240, 253
Phlebotomus orientalis 253
Phlebotomus robaudi 240
Phlebotomus rodhaini 253
Phlebotomus sergenti saevus 240
 phorate 186
Phormia regina 163
 phosdrin 223-225
 phosphamidon 188
 phototoxins
 thiophenes 377-381
Phrissogonus laticostatus 359
Phthorimaea operculella 359, 398
Phthorimaea rapae 398
Phyllotreta conciferarum 61
 phytotoxins
 butadiynes 377-381
Pieris brassicae control 397-399
Pipio anubis 237
 pirimiphos-methyl 188
Planotortrix conditana 360
Planotortrix excessana 360
Planotortrix notophaea 360
 planting dates for maize 16-17
 plant nematodes 170
 plant substances
 taste cell responses to 153-157
Ploceus spp. 168
Plusia argentifera 359
Plutella xylostella 61, 361
 pod-borers
 bean 401-406
 cowpea resistance to 147-152
 cowpea screening for resistance to 141-145
 intercropping infestations 47-57
 intercropping, yield losses 39-46
Poecilasthena subpurpureata 359
Poecilotheres bufonius 258
 polycultural farming systems 167-171
 polyhedral inclusion bodies 294, 297
 polyhedrosis virus 291-298
Ponera edouardi 281
 population, stem-borer 19-23
 population control
 maize stalk-borers 11-18
 population dynamics
 stem-borer complex 25-32
Portheiria dispar 297
 predators 203
 as biological control 205, 207-208
 on maize stalk-borers 12
 of stem-borer complex 6-7, 9
Prenolepis longicornis 282
Procerus venosatus 3
 protein content in cowpea cultivars 150-152
 protozoa 211, 213-214
Pseudaletia separata see *Mythimna separata*
Pseudaletia unipuncta 294
Pseudocoremia rudisata 360
Pseudocoremia suavis 361
Pyrausta nubilalis 109
 pyrethroids 224
Pyrgotis plagiata 360

Quelea erythropis 168
 quinalphos 186
 rain
 effect on maize stalk-borers 11-15, 17
 effect on pod-borer larval population 75
 effect on stem-borers 4-6, 9
 effect on stem-borer catches 19-20
 effect on stem-borer population 25, 27, 29-32
 effect on stem- and pod-borer infestation 48, 51
 range of attraction
 tsetse and mosquitoes 343-344
 rearing insects 357-362
 relative humidity
 effect on stem-borer catches 19-20
 resistance
 cowpea to *Maruca testulalis* 141-145, 147-152
 cowpea pests 199-204
 Earias vittella 383-384
 food crops to stem-borers 127-134
 maize to *Chilo partellus* 109-118
 maize to stem-borer 105-108
 sorghum to *Chilo partellus* 119-120
 sorghum to stem-borers 6, 8-9
 resting sites
 of tsetse in Mali 305-308
Reticulitermes lucifugus 314
Reticulitermes santonensis 314
Reticulitermes virginicus 316
Rhaconotus scirpophagae 206
Rhinorhynchus rufulus 360
Rhizobium sp. 351
Rhodnius prolixus 241
Rhopalosiphum maidis 128
 rice
 Diopsis thoracica 135-140
 stem-borers 7, 65-73, 176
 stem-borer catches on 20-21
 Ruri (Lambwe Valley, Kenya)
 stem-borers on sorghum 4-5

Sabebrina sublinealis 360
Sabulodes caberata 360
Saccharomyces cerevisiae 378-380
 salithion 188
Samia cynthia 255
 sandfly 253-254
Sarcophaga bullata 255
Sarcophaga tibialis
 egg-chamber development 247-252
 oocyte development 241-246
Sceliodes cordalis 360
Schistocerca gregaria 102, 128, 227, 263, 265
Schizaphis graminum 128
Schizaphis graminum 127
Scirpophaga incertulas 101, 195
Scirpophaga innotata 206
Scoparia halopsis 359

Scopula rubraria 359
Serratia marcescens 213-214
Sesamia spp. 109, 217
 population dynamics 25-32
Sesamia botanephaga 3, 206
 population dynamics 27, 29, 31-32
Sesamia calamistis 123, 169, 187, 221
 biological control 205-206
 distribution and importance 3-10
 effect on yield 34, 37, 39, 45
 host plant resistance to 127-134
 incidence and control on maize 11-18
 intercropping effect on 47, 51-52, 55
 population dynamics 27, 29, 31-32
 population monitoring 19-23
 on rice 65-73
Sesamia cretica 3, 168, 192, 206
 chemical control of 185-187
Sesamia griseescens 206
Sesamia inferens 3, 83, 100, 192, 206
 chemical control of 185-189
Sesamia nonagrioides 101
Sesamia nonagrioides botanephaga 217-218
Sesamia penniseti 3
 population dynamics 27, 29, 31-32
Sesamia poephaga 3, 206
 sesquiterpene hydrocarbons
 biosynthesis of 255-261
Setaria verticillata 292
 sevin 223-225
 sex-pheromones 222
 Anthonomus grandis 255
 stem-borer control 191-197
Simulium damnosum 299
Simulium vittatum 377
 social problems
 pest management 179-184
 sodium benzoate 285
Sogatella furcifera 127
Solanum tuberosum 337
Solenopsis geminata 311
 sorghum
 resistance to *Chilo partellus* 119-126
 stem-borers 3-10, 127-134
 stem-borer catches on 20-21
 stem-borer effect on yield 33-37
 stem- and pod-borer complex 39-46, 47-57
Sorghum arundinaceum 334
 stem-borer on 7
Sorghum bicolor 3, 387
 sorghum shootfly
 development and survival 327-335
Sorghum vulgare 168, 405
Sperchia intractana 360
Sphenarches caffer 402
Sphenosoma vestale 360
Spodoptera spp. 100, 207
Spodoptera exempta 101
 antifeedant activity on 393-394
 epizootiological observations 291-298
Spodoptera exigua 168
Spodoptera frugiperda 99, 128
Spodoptera littoralis 193
Spodoptera litura 359
Sporobolus marginatus
 stem-borers on 6-7, 9
Sporobolus pyramidalis 292
 spotted bollworm
 genotypic susceptibility 363-372
 oviposition behaviour 383-386
 stalk-borer

- host plant resistance 407-413
 on maize 11-18
 on sorghum millet and maize
 intercrop 387-391
 stem-borer 135
 assessment 100
 chemoreception 159-165
 control by sex-pheromone 191-197
 effect on yield 33-37
 genetics of host plant resistance to 127-134
 intercropping infestations 47-57
 intercropping yield losses 39-46
 larvae taste cell responses to plant substances 153-157
 population complex 25-37
 population monitoring 19-23
 resistance of maize to 105-110, 173
 resistance of sorghum to 119-126
 on rice 65-73, 135-140
 on sorghum 3-10
Stenobracon spp. 218
Stenocoris spp. 65
 sternal gland
 termite 309-310, 312-316
Stomoxys calcitrans 285, 289
Strepsicrates macropenata 360
Streptococcus faecalis 213-214
 striped bean weevil
 on cowpea 351-356
Sturmiopsis inferens 207
Sturmiopsis parasitica 207
Sturnus vulgaris 297
 sugar
 content in cowpea cultivars 150-152
 sugar-cane
 stem-borer complex 7, 9, 25-32
 sumicidin
 on maize stalk-borers 17
 supona 223-225
 swallowtail butterfly 255-261
Synathedon tipuliformis 360
Syringopais temperatella 100

 Tanganyika
 maize stalk-borers 17
 tanglefoot method of tsetse trapping 306
 taste cell
 responses to plant substances 153-157
Tatera robusta 237-240

Teclea boiviniana 395
Teclea natalensis 394
Teclea trichocarpa
 antifeedant 393-395
Telenomus sp. 208
Telenomus alecto 206
 temperature
 effect on *Atherigona soccata*
 development and survival 327-335
 effect on maize stalk-borers 17
 effect on stem-borer catches 19-20
 termite
 trail pheromone and trail laying 309-318
 tetrachlorvinphos 188
Tetrastrichus sp. 324
Theiohemia spp. 87, 374
Themeda triandra 292
 thiodan
 on *Hypothenemus hampei* 223-225
 on maize stalk-borers 12-14, 17
 see also endosulfan
 thiophenes
 on mosquito and fruitfly 377-381
 time
 effect on stem-borer catches 20-21
 tiovel 223-225
Tmetolophota atristrige 360
 tolerance 110, 126, 132
 'Tortrix' *flavescens* 360
 trail laying
 termite 309-318
 trail longevity
 termite 309-318
 trail pheromone
 termite 309-318
 trails, natural
 termite 309-318
 traps
 stationary cattle baits 343
 see also light traps, pheromone traps
Tribolium castaneum 416
Tribolium confusum
 susceptibility to insect growth regulator 415-416
Trichispa spp. 65
 trichlorphon 188
Trichogramma sp. 169
Trichogramma australicum 207
Trichogramma chilotraeae 207

Trichogramma fasciatum 207
Trichogramma flandersi 207
Trichogramma semifumatum 207
 trichomes 337-340
Trichoplusiani 294, 359
Trinervitermes bettonianus 309, 314, 316-317
Trinervitermes trinervoides 309, 316-317
 tropics
 social problems in pest management 179-184
Tryporyza incertulas 185, 187
Tryporyza innotata 187
 tsetse
 cell responses to plant substances 153-157
 host location 343-344
 male accessory reproductive glands and spermatophore 227-236
 mating behaviour 345-349
 see also *Glossina* spp.

 Uganda
 maize stalk-borers 11
 United States of America 180-181
Uresiphita polygonalis maorialis 359

Varanus spp. 237-239
 vertical resistance 130-133, 145
Vigna unguiculata 75, 147, 211, 351
 viruses 211, 213-214
 visceral leishmaniasis 253

 'whitehead' condition 187
 in rice 65-73
 in sorghum 3-4
 winds
 effect on stem-borer catches 19
Wiseana cervinata 360

Xerus erythropus 237-238
Xerus rutulis 237
Xylotoles huttoni 360

 yield loss 125

Zatropis tortricidis 208
Zea mays 394
 zectran 224
 Zimbabwe
 cereal stem-borers and legume pod-borers 221-222
Zootermopsis nevadensis 309, 316-317

Insect Science and Its Application

The International Journal of Tropical Insect Science

INSTRUCTIONS TO AUTHORS

1. All papers for publication in *Insect Science and Its Application* should be submitted directly to Professor Thomas R. Odhiambo, Chief Editor, *Insect Science and its Application*, International Centre of Insect Physiology and Ecology (ICIPE), P.O. Box 30772, Nairobi, Kenya. Papers should be mailed in a strong envelope, preferably linen, as they will otherwise arrive in a damaged condition.

2. Papers should be typed in English or French, and be original contributions in the field of tropical insect science. Each paper should have a summary in the form of an Abstract in English and French.

3. Submission of a paper implies that it has not been published previously, that it is not under consideration for publication elsewhere, and that if accepted for *Insect Science and Its Application* the authors will transfer copyright to Pergamon Press as is customary. Articles and illustrations become the property of the Journal. There is no page charge for papers accepted for publication.

4. Manuscripts and illustrations must be submitted in triplicate to ensure efficient refereeing, and the author should retain a copy. In the case of multiple authorships, the authors should indicate who is to receive correspondence and the correct address for mailing of proofs.

5. Manuscripts must be typewritten with double spacing (including the reference list), and with wide margins on one side of the paper only. Authors are requested to keep their communications as concise as possible. Footnotes should be avoided, and italics should not be used for emphasis. A running head of not more than 30 letters should be supplied.

6. The manuscript should contain the following features:

Title: This should be followed by the author's name and full address.

Abstract: This should be a brief summary of the contents, and conclusions of the paper, and should not be longer than 200 words. Abstract should be written in both English and French.

Key Words: A short list of key words, ar-

ranged in alphabetical order, should be provided for rapid scanning of the contents of the paper and use in compiling the index.

Introduction: This should contain a brief survey of the relevant literature and the reasons for doing the work.

Materials and Methods: Sufficient information should be given to permit repetition of the experimental work. The technical description of methods should be given only when such methods are new.

Results: These should be presented concisely. Only in exceptional cases will it be permissible to present the same set of results in both a Table and a Figure. The results section should not be used for discussion.

Discussion: This should be separate from the results section and should deal with the significance of the results and their relationship to the object of the work. Comparison with relevant published work should be made and conclusions drawn.

Acknowledgements.

References: The Harvard system will be followed. References should be detailed in the following order.

Authors' names and initials, date of publication (in brackets), the title of the article, the name of the journal as abbreviated in the *World List of Scientific Periodicals* (4th edition, 1964), the volume, and the first and last pages of the article, e.g.

Denlinger D. L. and Ma W. C. (1974) Dynamics of the pregnancy cycle in the tsetse fly *Glossina morsitans*. *Insect Physiol.* **20**, 1015–1026.

For books, the authors' names, date of publication, title, edition, page reference, publisher's name and the place of publication should be given, e.g.

Le Pelley R. H. (1959) *Agricultural Insects of East Africa*, 1st edn. East Africa High Commission, Nairobi.

In the text reference should be given as Owili (1977) or (Owili, 1977). When a citation includes more than two authors, e.g. Owili, Diallo and

Jones, the paper should be referred to in the text as Owili *et al.*, provided that this is not ambiguous. If there are only two authors, they should be referred to as Owili and Diallo. If papers by the same authors in the same year are cited, they should be distinguished by letters, a, b, c, etc.

Reference to papers "In press" must mean that the article has been accepted for publication and given as follows:

Ali M. (1985) The migratory behaviour of the cotton seed-bug, *Oxycarenus*. *Insect Sci. Applic.* In press.

References to "personal communications" and unpublished work are permitted in the text only.

7. *Illustrations.* All necessary original illustrations should accompany the manuscript but **should not be inserted in the text**. All photographs, graphs and diagrams should be numbered consecutively in arabic numerals in the order in which they are referred to in the text.

Glossy black and white photographs or positive prints (not slides of X-ray negatives) should be sent, unmounted wherever possible, and should be restricted to the minimum necessary.

Charts, graphs, or diagrams should be drawn boldly in black ink on good-quality white paper or card. Lettering to appear on the illustration should be given in full and should be of sufficient size to withstand considerable reduction, where necessary. Alternatively lettering may be shown on a rough overlay and will be inserted by the publisher.

Illustrations should not be larger than 18 × 26 cm or they may be damaged in the post. On the back of each illustration should be indicated the author's name, the figure number (in arabic numerals), and the top of the illustration, where this is not clear.

The following symbols should be used on line

drawings as they are readily available to the printer:



Legends to figures should be typed on a separate sheet, not on back of the original, and should give sufficient data to make the illustration comprehensible without reference to the text.

Magnification of photographs and illustrations should be **indicated by an appropriate scale bar and not in the legend**. This practice obviates the complications which arise through change of size in reproduction.

8. Tables should be constructed so as to be intelligible without reference to the text, numbered in arabic numerals and typed on separate sheets. Every table should be provided with an explanatory caption and each column should carry an appropriate heading. Units of measure should always be indicated clearly. All tables and figures must be referred to in the text.

9. Only standard abbreviations should be used. Where specialized abbreviations are used the name should be given initially in full with the abbreviation indicated in brackets.

10. The latin names should be given for all species used in the investigation, although taxonomic affiliation and authority should not be provided in the title.

11. Page proofs will be sent to the author by the press. They will already have been proof read by the press for printer's errors, but it is the author's responsibility to ensure that the proof contains no errors. **Corrections to proofs should be restricted to printer's errors only**. Other than these, substantial alterations will be charged to the author.

12. For indications of design of papers, the author should consult a recent issue of the Journal.



INTERNATIONAL JOURNAL OF INSECT MORPHOLOGY & EMBRYOLOGY

Editor-in-Chief: A P GUPTA,
*Department of Entomology and
Economic Zoology, Rutgers
University, New Brunswick, New
Jersey 08903, USA*

The journal publishes original contributions on all aspects of the gross morphology, paleomorphology, macro- and microanatomy and ultrastructures of insects, and similar studies of other related arthropods, which have direct bearing on our understanding of insect morphology. In addition to descriptive embryologic and post-embryologic papers, the journal will accept reviews developing new concepts, hypotheses and theories, and a limited number of notes and book reviews. Relevant papers are welcomed for editorial consideration. Papers in German and French will be published on a restrictive basis.

Subscription Information No price increase for 1984

Published bi-monthly
Annual subscription (1984)
Two-year rate (1984/85)

US\$170.00
US\$323.00

FREE SPECIMEN COPIES AVAILABLE ON REQUEST

A selection of papers

Ultrastructural detection of endocrine activities in the ventral glands of the head *Carausius* (Phasmida:Lonchodidae) during embryonic development, A HAGET *et al.*
Midgut cellular responses to bloodmeal digestion in the mosquito, *Culex tarsalis* Coquillett (Diptera:Culicidae), E J HOUK & J L HARDY.

Contact chemoreceptors on the ovipositor of the potato moth, *Phthorimaea operculella* (Zell.) (Lepidoptera:Gelechiidae), L VALENCIA & M J RICE.

Tarsal sensilla of *Chironomus* (Diptera:Chironomidae): number, parasitogenic changes, ultrastructure, and function, W WULKER *et al.*

Contact chemoreceptors among wind-sensitive head hairs of *Locusta migratoria* L. (Orthoptera:Acrididae), H WUNDERER & U SMOLA.

Larval hemocytes in Noctuidae (Insecta:Lepidoptera), J W ARNOLD.

Interpopulation differences in egg sculpturing of the stick insect, *Clonopsis gallica* (Charp.) (Phasmatodea:Baillidae), V SCALI & M MAZZINI.

Stages of living embryos in the jewel wasp *Mormoniella (Nasonia) Vitripennes* (Walker) (Hymenoptera: Pteromalidae), A L BULL.

Stridulatory structure and acoustic spectra of seven species of New Zealand wetas (Orthoptera: Stenopelmatidae), L H FIELD.

Advertising rate card available on request.
Back issues and current subscriptions are also available in microform.
Prices are subject to change without notice. Journal prices include postage and insurance. Sterling prices are available to UK and Eire customers on request.



Pergamon Press

Headington Hill Hall, Oxford OX3 0BW, UK
Fairview Park, Elmsford, New York 10523, USA

1A 32 10 82

CROP-BORERS AND EMERGING STRATEGIES FOR THEIR CONTROL

Proceedings of the International Study
Workshop held at the International Centre of
Insect Physiology and Ecology (ICIPE)
Mbita Point Field Station

14-18 June 1982



Pergamon Press

Oxford · New York · Toronto · Sydney · Paris · Frankfurt

| | |
|--------------------------------|---|
| U.K. | Pergamon Press Ltd., Headington Hill Hall, Oxford OX3 0BW, England |
| U.S.A. | Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, New York 10523, U.S.A. |
| CANADA | Pergamon Press Canada Ltd., Suite 104, 150 Consumers Road, Willowdale, Ontario M2J 1P9, Canada |
| AUSTRALIA | Pergamon Press (Aust.) Pty. Ltd., P.O. Box 544, Potts Point, N.S.W. 2011, Australia |
| FRANCE | Pergamon Press SARL, 24 rue des Ecoles, 75240 Paris, Cedex 05, France |
| FEDERAL REPUBLIC OF GERMANY | Pergamon Press GmbH, Hammerweg 6, D-6242 Kronberg-Taunus, Federal Republic of Germany |

Copyright © 1983 Pergamon Press Ltd.

All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means: electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the publishers.

Published as a special issue of the journal *Insect Science and its Application*, Volume 4, Number 1/2 and supplied to subscribers as part of their normal subscription. Also available to non-subscribers.

Printed in Great Britain by A. Wheaton & Co. Ltd. Exeter

**SPECIAL ISSUE:
CROP-BORERS AND EMERGING STRATEGIES
FOR THEIR CONTROL**

| | | |
|--|-----|---|
| T. R. ODHIAMBO | 1 | Preface |
| K. V. SESHU REDDY | 3 | Studies on the stem-borer complex of sorghum in Kenya |
| C. M. WARUI and J. N. KURIA | 11 | Population incidence and the control of maize stalk-borers <i>Chilo partellus</i> (Swinh.), <i>C. orichalcociliellus</i> Strand and <i>Sesamia calamistis</i> Hmps. in Coast Province, Kenya |
| D. T. HO and K. V. SESHU REDDY | 19 | Monitoring of lepidopterous stem-borer population by pheromone and light traps |
| M. A. SAMPSON and R. KUMAR | 25 | Population dynamics of the stem-borer complex on sugar-cane in Southern Ghana |
| K. OGWARO | 33 | Intensity levels of stem-borers in maize and sorghum and the effect on yield under different intercropping patterns |
| B. AMOAKO-ATTA and E. O. OMOLO | 39 | Yield losses caused by the stem-/pod-borer complex within maize-cowpea-sorghum intercropping systems in Kenya |
| B. AMOAKO-ATTA, E. O. OMOLO and E. K. KIDEGA | 47 | Influence of maize, cowpea and sorghum intercropping systems on stem-/pod-borer infestations |
| J. D. MUMFORD and C. W. BALIDDAWA | 59 | Factors affecting insect pest occurrence in various cropping systems |
| D. T. HO, J. J. NJOKAH and J. G. KIBUKA | 65 | Studies on rice stem-borers in Kenya with emphasis on <i>Maliarpha separata</i> Rag. |
| J. B. OKEYO-OWUOR, P. O. AGWARO and C. O. J. SIMBI | 75 | Studies on the legume pod-borer <i>Maruca testulalis</i> (Geyer)—V. Larval population |
| R. S. OCHIENG and D. O. M. BUNGU | 83 | Studies on the legume pod-borer <i>Maruca testulalis</i> (Geyer)—IV. A model for mass rearing: rearing on artificial diet |
| J. B. SUH and C. O. SIMBI | 89 | Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—VIII. Cowpea phenology and yield loss assessment: effect of loss of leaves, shoots, flowers and pods on cowpea yield in Western Kenya |
| P. T. WALKER | 97 | The assessment of crop losses in cereals |
| E. O. OMOLO | 105 | Screening of local and exotic maize lines for stem-borer resistance with special reference to <i>Chilo partellus</i> |
| Z. T. DABROWSKI and E. O. NYANGIRI | 109 | Some field and greenhouse experiments on maize resistance to <i>Chilo partellus</i> under Western Kenya conditions |
| Z. T. DABROWSKI and E. L. KIDIAVAI | 119 | Resistance of some sorghum lines to the spotted stalk-borer <i>Chilo partellus</i> under Western Kenya conditions |
| R. S. PATHAK and J. C. OLELA | 127 | Genetics of host plant resistance in food crops with special reference to sorghum stem-borers |
| A. M. ALGHALI | 135 | Relative susceptibility of some rice varieties to the stalk-eyed fly <i>Diopsis thoracica</i> West |
| Z. T. DABROWSKI, D. O. M. BUNGU and R. S. OCHIENG | 141 | Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—III. Methods used in cowpea screening for resistance |
| C. A. MACFOY, Z. T. DABROWSKI and S. OKECH | 147 | Studies on the legume pod-borer, <i>Maruca testulalis</i> (Geyer)—VI. Cowpea resistance to oviposition and larval feeding |
| C. J. DEN OTTER and H. M. KAHORO | 153 | Taste cell responses of stem-borer larvae, <i>Chilo partellus</i> (Swinhoe), <i>Eldana saccharina</i> Wlk. and <i>Maruca testulalis</i> (Geyer) to plant substances |

| | | |
|--|-----|--|
| S. M. WALADDE | 159 | Chemoreception of adult stem-borers: tarsal and ovipositor sensilla on <i>Chilo partellus</i> and <i>Eldana saccharina</i> |
| R. O. ABASA✠ | 167 | Current and future pest management strategies in polycultural systems in East Africa |
| E. H. SMITH | 173 | Integrated pest management (IPM)—specific needs of developing countries |
| D. G. BOTTRELL | 179 | Social problems in pest management in the tropics |
| M. G. JOTWANI | 185 | Chemical control of cereal stem-borers |
| D. G. CAMPION and B. F. NESBITT | 191 | The utilisation of sex pheromones for the control of stem-borers |
| L. E. N. JACKAI and S. R. SINGH | 199 | Varietal resistance in the integrated pest management of cowpea pests |
| W. R. INGRAM | 205 | Biological control of graminaceous stem-borers and legume pod-borers |
| W. A. OTIENO, M. O. ODINDO, J. B. OKEYO-OWUOR and D. M. SABWA | 211 | Studies on the legume pod-borer, <i>Maruca testulalis</i> Geyer—VII. Field surveys on pathogenic microorganisms |
| S. B. SAGNIA | 217 | Possible integrated pest management tools for the effective control of cereal stem-borers in The Gambia |
| S. S. MLAMBO | 221 | The status of cereal stem-borer and legume pod-borer research in Zimbabwe |