

Index

- ADHM construction, 394–396
- adjoint fermions
 - current states, 216
- adjoint vacuum, 216–221
- affine current algebra, 5, 13, 39
- affine Lie algebra, *see* affine current algebra, 44
 - WZW model, 63
- algebra
 - simply laced, 42
- algebraic Bethe ansatz
 - $\mathcal{N} = 4$ SYM, 332
- anomalous dimension, 170, 321, 409
 - $\mathcal{N} = 4$, 332
- anomaly
 - axial, in two dimensions, 178
 - axial $U(1)$, 346
 - axial, bosonized, 184
- baryon spectrum
 - 2d, 247
- baryons
 - 4d large N , 346
- β function
 - CP^{N-1} model, 172
 - Gross Neveu model, 170
 - WZW model, 40, 65
- beta function, 323
 - large N , 337
- Bethe ansatz
 - algebraic equations, 114–125
 - continuum, 125
- Bethe–Salpeter equation, 194
- BFKL equation, 334
- bootstrap, 31
- bosonization, 131–164
 - (β, γ) ghosts, 162
 - (b, c) ghosts, 160–162
 - abelian, 132–139
 - Dirac fermion, 132
 - Mandelstam construction, 135
 - chiral, 148–159
 - Thirring model, sine-Gordon model, 136
 - Wakimoto, 163
 - Witten’s non-abelian, 139
 - Majorana fermions, 139
- BPS
 - magnetic monopole, 381
- breather, 86
 - quantum, 90
- BRST quantization
 - 2d QCD , 281
- c-theorem, 100
- Callan–Symanzik equation, 321
- Cartan matrix, 41
 - affine algebra, 47
- Cartan sub-algebra, 40
- Cartan–Weyl basis
 - affine Lie algebra, 45
 - Lie group, 40
- Casimir operator
 - YM in 2d, 296
- central charge, 20
- character, 28
 - YM in 2d, 296
 - ALA, 52
 - WZW model, 77
- closed string, 6
- collective coordinates
 - instantons, 397
- collinear symmetry, 314–316
- Confinement versus screening
 - 2d, 265–277
- conformal
 - dimension, 19
 - family, 22
 - map, 4
 - transformation, 6
- conformal anomaly, 309
 - 4d, 323
- conformal dimension, 81
 - of A_μ , 177
- conformal field theory 17–37
- conformal invariance
 - 4d QCD, 322–327
- conformal symmetry
 - in 4 dimensions, 309–327
 - in low dimensions, 17
- conformal Ward identity
 - 4d, 319–322
- conformal weights, 19

- conjugacy class, 72
- conserved charges
 - generating function, 103
 - multilocal, 104
- coset mode
 - G/G in 2d QCD , 281
 - CP^{N-1}
 - 2d baryons, 242
 - model, 171–174
- critical exponent, 37
- crossing symmetry, 31, 96

- D branes, 71–73
- Dashen–Frishman, 67, 69
- Dedekind η function, 157
- Derrick’s Theorem, 86
- descendant operator, 22
- DHN, 90
- dilatation operator
 - $\mathcal{N} = 4$ SYM, 330
- dilogarithm function, 130
- Dirac bracket, 151
 - 2d baryons, 243
- Dirac fermion, 34, 58
- DLCQ, 223–235
 - adjoint fermions, 228–235
 - fundamental fermions, 224–228
- duality, 31
- Dynkin diagram
 - affine algebra, 47
 - Lie group, 42
- dyons, 378

- effective action
 - Gross Neveu model, 172
- energy momentum tensor, 4
- eta’ mass, 344
- Euler character, 340
- exact sequence, 375
- exceptional groups, 49

- fixed point
 - integrable model, 100
- flavor content
 - 2d baryons, 247
- Frobenius relations, 300
- fusion algebra, 23

- G/G coset models, 75
- G/H coset models, 73–75
- gauge group
 - non-abelian, 179
- Gegenbauer polynomials, 324
- Goldberger–Triman relation, 366
- Gross-Neveu model, 166–170

- Hartree approximation, 347
- highest weight state, 23
 - affine algebra, 48
 - Lie algebra, 43
- holomorphic
 - function, 5
- homotopy group, 63
 - D brane, 72
- hyper Kähler manifold
 - monopoles, 387
- hyper-Kähler manifold
 - instanton moduli space, 397

- instanton, 390
 - 4d QCD, 389–405
- integrability, 92–99
 - $\mathcal{N} = 4$ 4d SYM, 330–333
 - 4d, 329
 - classical, 101
 - quantum
 - $O(N)$ model, 107
- integrable models, 79
- Ising model, 37

- Jacobi identity, 40
- Jacobi polynomials, 318

- Kac determinant, 25
- KdV equation, 102
- kink, *see* solitons
- Knizhnik–Zamolodchikov equation, 53–55, 67–71

- large N
 - 4d QCD, 337–343
 - counting rules, 342–345
 - meson phenomenology, 343
- large N limit
 - of QCD_2 , 191
 - two dimensional models, 165–174
- Lax operator
 - spin chain, 112
- Lax pair
 - sine-Gordon, 101
- light-cone
 - discrete quantization, 223
- light-cone gauge, 191

- magnetic monopole
 - ’t Hooft Polyakov solutions, 376
- Majorana fermion, 34, 55
- Mandelstam parameter, 333
- Maurer–Cartan equation, 356
- Maxwell theory
 - in two dimensions, 177

- Mellin transform, 333
- meson-baryon scattering
 - 2d, 252–264
- meson spectrum
 - DLCQ in 2d, 232
 - two current states, 212
- minimal model, 27
- moduli space
 - 4d instantons, 396–400
 - monopoles, 386
- monodromy
 - spin chain, 113
- Montonen Olive duality, 382
- multibaryons
 - 2d, 249
- $\mathcal{N} = 4$ 4d SYM, 330
- Nahm construction, 383
- Neveu-Schwarz fermion, 36
- Noether current, 7
 - 4d conformal symmetry, 312–313
- normal ordering
 - 2d QCD , 238
- null state, 24
- null vector, 31
 - WZW model, 66
- OPE
 - 4d conformal symmetry, 318
 - electromagnetic currents in 4d, 324
 - WZW model, 66
- open string, 6
- operator product expansion
 - definition, 10
 - product coefficients, 19
 - Weyl–Majorana, 35
- partition function
 - chiral boson, 156
 - generalized 2d YM, 291
- parton distribution, 334
- pion distribution amplitude, 325
- planar limit
 - $\mathcal{N} = 4$ SYM, 331
- Poincare transformations, 80
- Polyakov Wiegmann Formula, 142
- pomeron, 336
- Pontryagin index, 390
- primary field, 19
 - 4d collinear symmetry, 316
 - ALA, 51
- primary fields
 - Majoran fermion, 57
 - primary state
 - $\mathcal{N} = 4$ SYM, 331
- principal value, 192
- propagator
 - gluon in 2d, 192
- q-deformation, 110
- QCD
 - 2d, non-abelian bosonization of, 187
- QCD_2
 - multiflavor, 189
- quantization
 - BRST
 - G/G model, 76
 - canonical, 7
 - path integral, 12
 - radial, 9
 - semi-classical of solitons, 91
- quantum chromodynamics(QCD)
 - in two dimensions, 180
- quantum groups, 108–110
- quasi particle, 118
- R matrix, 115
- Ramond fermion, 36
- rank, 40
- rapidity, 95
- Regge trajectory, 195
- reggeon, 333
- relevant operator, 99
- Riemann θ function, 157
- Riemann surface
 - YM theory in 2d, 295
- root, 40
 - simple, 41
- S matrix
 - factorized, 92–99
 - sine-Gordon, 97
 - solution of, 95
- S-transformation, 33
- scalar field, 4
- Schwinger Model, 178
 - bosonized, massive, 183
 - BRST quantization, 283
 - string tension, 265
- semi-classical quantization
 - 2d baryons, 240
- sine-Gordon
 - discretized version, 123
- Skyrme model, 355–369
 - action, 355–361
 - baryons, 361–369
 - Skyrme term, 358

- soliton, 79
 - Skyrmion, 361
 - classical, 81–86
 - sine-Gordon, 83
 - stability of, 84
 - quantum, 88–89
- spectral parameter, 112
- spin
 - dimension, 19
- spin chain, 111–125
 - $\mathcal{N} = 4$ SYM, 331
- step operators, 40
- string tension
 - 2d QCD , 272
 - Schwinger model, 265
- stringy YM theory
 - 2d, 299
- strong coupling
 - 2d QCD , 237
- strong CP problem, 404
- Sugawara construction, 36, 50
 - WZW model, 66
- Sugawara form, 20

- theta function, 53
- theta term, 391
 - large N , 345
- Thirring model, 136
- 't Hooft equation
 - for 2d QCD, 195
- 't Hooft equation
 - current states, 210
- 't Hooft model
 - $1/N$ corrections, 201
 - of 2d QCD, 191–202
 - scattering of mesons, 198
- topological charge, 85
 - bosonization, 133
 - magnetic monopoles, 373
- topological current, 80
- torus partition function
 - G/G model, 77
- tunneling
 - instantons, 400

- Verlinde's formula, 33
- Verma module, 24
- Virasoro algebra, 14

- Virasoro anomaly, 15, 20
 - Bethe ansatz, 126
 - ALA, 51
 - G/G model, 76
 - G/H model, 74
 - WZW model, 67

- Ward identity
 - $SL(2, C)$, 29
- weight
 - lattice, 43
 - vector, 43
 - fundamental, 43
 - highest state
 - spin chain, 115
- Wess Zumino (WZ) term, 63, 140
- Wess Zumino Witten model, 61, 140
 - chiral, 158
 - with boundaries, 71
- Weyl chambers, 44
- Weyl fermion, 34
- Weyl group, 41
 - affine algebra, 47
- Weyl-Majorana, 34
- Wilson loop
 - YM in 2d, 297
- winding number, 184
 - instanton, 400
- WZ term
 - Skyrme model, 357
- WZW model *see* Wess Zumino Witten model
 - gauging of, 187

- $XX_{1/2}$, 111

- Yang–Mills
 - generalized in 2d, 291
- Yang–Baxter equation, 94
 - spin chain, 112
- Yang–Mills theory
 - in two dimensions, 179
- Yangian symmetry, 105

- zero modes
 - instantons, 397
 - monopoles, 378
- ζ -function regularization, 15
- Zweig rule, 344

