

15435

THE JOURNAL
OF
LARYNGOLOGY
AND
RHINOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT AND NOSE.*

EDITED BY

SIR MORELL MACKENZIE, M.D. Lond.

AND

R. NORRIS WOLFENDEN, M.D. Cantab.

WITH THE CO-OPERATION OF

DR. G. HUNTER MACKENZIE (EDINBURGH)
DR. FAUVEL (PARIS)
DR. JOAL (MONT DORE)
PROF. MASSEI (NAPLES)
PROF. GUYE (AMSTERDAM)
DR. CAPART (BRUSSELS)
DR. CONSTANTIN KARWOWSKI
(WARSAW)

DR. MICHAEL (HAMBURG)
PROF. RAMON DE LA SOTA Y LASTRA
(SEVILLE)
DR. HOLGER MYGIND (COPENHAGEN)
DR. SMYLY (DUBLIN)
DR. DAVID COLLINGWOOD (SYDNEY)
DR. G. W. MAJOR (MONTREAL)
DR. MAXWELL ROSS (EDINBURGH)

AND

Dr. JOHN N. MACKENZIE
for America.


VOL. II.—1888.

LONDON:
R. ANDERSON & CO.,
14, COCKSPUR STREET,
CHANCING CROSS, S.W.

PHILADELPHIA:
P. BLAKISTON, SON & CO.,
1012, WALNUT STREET.

CONTENTS.

- Original Article**, p. 99.—On Aerial Goitre and Tracheocele, by R. NORRIS WOLFENDEN.
- New Instruments and Therapeutics**, p. 109.—MAW, SON & THOMPSON: Balin's Improved Fur-Respirator. W. W. M.: Climate for Asthma. CLAY: Treatment of Cancer. GREENE: Condy's Fluid in Syphilitic Glossitis. RUAULT: Naphtholized Water in Ozæna and Purulent Rhinitis. CHARTERIS: Climatic Treatment of Phthisis in Colorado. HAMBLETON: Treatment of Consumption. HOPMAN: Large Doses of Creosote in Laryngeal and Pulmonary Phthisis.
- Diphtheria**, p. 110.—DELTHILL: Relation of Animal to Human Diphtheria. COOPER and WILKS: Diphtheria and Main Drains. BARRETT: Diphtheria Circumscripta. MAY: Treatment of Diphtheria. ROULIN: Treatment of Diphtheria by Phenol Douches. GAUCHER: Treatment of Diphtheritic Angina. RUHEMANN: Ataxia following Diphtheria.
- Nose and Naso-pharynx**, p. 112.—JARVIS: Two Cases of Congenital Occlusion of the Anterior Nares. DELAVAN: Etiology of Deflections of the Nasal Septum. JALAQUIER and RUAULT: Polypus of the Right Nasal Fossa. CHATELLIER: Hypertrophy of the Nasal Mucous Membrane. WOOLEN: Hypertrophy and Polypus of the Naris. CHEATHAM: Nasal Reflexes as Cause of Diseases of the Eye. CHEATHAM: Hypertrophy of the Third Tonsil. KILLIAN: Empyema of the Antrum of Highmore.
- Mouth, Tonsils, Pharynx, &c.**, p. 115.—DAVID: Aphthous Stomatitis and its Origin. SCHLIFEROWITSCH: Tuberculosis of the Mouth. GLEITSMANN: Hypertrophy of the Tonsil of the Tongue. ROBERTSON: Hypertrophy of Lingual Tonsil. SAVILL: Epithelioma of the Œsophagus, with Gangrene of the Lung. EGLINTON: Swallowing Artificial Teeth. J. B. E.: Passage of Foreign Bodies through the Alimentary Canal. GROOM: Passage of Foreign Bodies through the Alimentary Tract. CADET DE GASSICOURT: Pultaceous Angina an Initial Symptom of Typhoid Fever. KOCH: Paræsthesia of the Upper Air Passages. IVERSEN: Resections of the Pharynx and Œsophagus.
- Larynx**, p. 120.—SYMONDS: Intubation of the Larynx. PARKER: Partial Excision of the Larynx, Pharynx, &c., for Epithelioma. EDITOR OF BRITISH MEDICAL JOURNAL: Excision of Larynx for Malignant Disease. STOERK: Extirpation of the Larynx for Carcinoma. SOLIS-COHEN: Appearance of a Larynx nearly Twenty Years after Extirpation of an Epithelioma. MEISER: Removal of Endo-Laryngeal Tumours. EDITORS OF LANCET: Cancer. WAGNER: Six Cases of Cancer of the Larynx. NEWMAN: Seven Cases of Cancer of the Larynx. DEFONTAINE: Inter-crico-thyroid Laryngotomy. ZURLINGER: Etiology of Chorditis Vocalis Inferior Hypertrophica. CADET DE GASSICOURT: Dangers of Chloroform in Tracheotomy. RENTON: Case of Tracheotomy. SIMON: Foreign Body in Right Bronchus; Tracheotomy. BERNARD: Tracheotomy for Croup. ZUCKERKANDL: Asymmetry of the Larynx. SOLIS-COHEN: Hernia of the Laryngeal Sac. ROE: Paralysis of the Abductors of the Vocal Cords. GLEITSMANN: Traumatic Hæmatoma of the Larynx. M. B.: Laryngeal Spasm.
- Neck, &c.**, p. 125.—EDITORS OF LANCET: Exophthalmic Goitre. VETLESEN: Etiology of Goitre. TSARYROGBOAS: Goitre in Asia Minor. HARRIS and F.R.C.S.: Strumous Ulcers. WALTERS: Discoloration of the Skin by Nitrate of Silver. DIXON: Salivary Calculus. BRESGEN: Nervous Cough. BUDD: Is Cancer Contagious? STRANGE: Gangrenous Abscess of the Lung.
- Association and Congress Meetings**, p. 128.—Ninth International Medical Congress.
- Reports of Societies**, p. 138.—Sheffield Medico-Chirurgical Society; South-east Hants Medical Society; Harveian Society of London; Brighton and Sussex Medico-Chirurgical Society; Leeds and West-Riding Medico-Chirurgical Society; West London Medico-Chirurgical Society; Medical Society of London; British Medical Association—Birmingham and Midland Counties Branch; Northumberland and Durham Medical Society; British Medical Association—Yorkshire Branch; Sunderland and North Durham Medical Society; Medical Society of the Hospitals; British Medical Association—South-Eastern Branch, East Kent District; Clinical Society of London; Wiener Doctoren Collegium; Berlin Medical Society.
- Reviews**, p. 142.—WOAKES, EDWARD: Nasal Polypus, with Neuralgia, Hay Fever, and Asthma, in relation to Ethmoiditis. SCANES, SPICER: Forms for systematically recording Observations and Results of Treatment in Affections of the Throat and Nose. MICHAEL, J.: The Formation of the Singing-registers.
- New Preparations**, p. 145.—Pumilio Pine Products. Pastilles of Iodol. Æsculap. Natural Carlsbad Sprudelsalt. Vichy Water.



PINUS PUMILIO.

“ THE PINE TREATMENT. ”

*Successful in Gout, Rheumatism, and Diseases
of the Throat and Lungs.*

PINOL is entirely different from the common oils of pine, and is useful for internal administration, for which purpose the inferior oils are unfit.

PINOL is distilled ONLY from SNOW-GROWN PUMILIO PINE.

PRICES :

*Supplied by all Chemists to the Medical
Profession as follows :—*

- Pinol, small size, 1s. 3d. ; Retail, 1s. 6d.
- Large size, 2s. ; Retail, 2s. 6d.
- Extract Pumilio Pine, for Baths,
etc., 9d. ; Retail, 1s.
- Pinol Pastilles, 1s. 3d. ; Retail, 1s. 6d.

The fragrance of PINOL is so delightful and refreshing that many (especially invalids) prefer it to any other odour for purifying and disinfecting the air of the sick room, and imparting the agreeable and healthful properties of the Alpine atmosphere.

Our Pine Products may be ordered of any Chemist, and we shall be happy to supply Free Samples to any Physician desiring to try them.

PINOL.

(BURROUGHS, WELLCOME, & Co.)
From *Journal of Laryngology*, Dec., 1887.

We have received this preparation, and are of opinion that it is one of the purest in the market. It is distilled from the needles of the *Pinus Pumilio*, and is, without doubt, one of the most useful of the essential oil inhalations for the treatment of chronic and sub-acute laryngeal and pharyngeal conditions.

**THESE ARE EXACT
COPIES OF OUR LABELS.**

The drug is used in coryza, hay fever, quinsy, clergyman's sore throat, aphonia, asthma, chronic bronchitis, bronchorrhoea, consumption, genito-urinary and skin affections, gout, rheumatism, lumbago, sciatica and general debility; also for sprains, strains, bruises, etc.

Burroughs, Wellcome & Co.

PINOL (Burroughs).

Pinol is the pure essence or volatile oil distilled from the needles of the *PINUS PUMILIO*, growing in the perpetual snow of the ALPS. It is distinguished from the common pine oils by superior medicinal and sanitary properties, and by its exquisite fragrance. Dose, 2 to 5 minims in water.

*(We prepare Pinol Tablets for use in
the Burroughs' Inhaler.)*

Snow Hill Buildings, London, E.C.

DIRECTIONS.—Pinol may be used in Inhalations (from Burroughs' Ammonium Inhaler, or a spray or steam atomizer), as a gargle, for fumigations, and as an embrocation or lotion, and taken internally. It is much employed as an embrocation in rheumatism after Pine-Extract baths.

DIRECTIONS.

TO PREPARE A BATH.—Empty this bottle of Extract into an ordinary bath filled with water of any desired temperature. Half a bottle is sufficient for a child's bath. Care should be taken to keep warm after a hot bath.

TO PREPARE OINTMENTS.—Ointments are best prepared for skin diseases, burns, etc., by incorporating with Lanoline. In many cases it is, however, advantageously employed pure.

Burroughs, Wellcome & Co.

EXT: PUMILIO PINE

(BURROUGHS).

[*Extractum Pinus Pumilionis.*]

This Extract of the Pumilio Pine has a rare fresh fragrance, is readily soluble, and never stains. It is used for preparing baths, liniments, ointments and plasters, in cases of chronic rheumatism—articular and muscular—lumbago, gout, neuralgia, sciatica, skin affections, insomnia, neurasthenia and fatiguing exercise. A hot pine bath is desirable to prepare the skin for ready absorption of PINOL in rheumatism, etc.

Snow Hill Buildings, London, E.C.

DIRECTIONS.

LINIMENTS.—The Extract may be employed as a liniment in muscular pains, sprains, contusions, etc.
PLASTER.—Place the bottle in hot water, and when the Extract is thoroughly warmed, rub it evenly on a piece of warm cambric or flannel of required size.
The best time for a hot pine bath is before going to bed.