


THE JOURNAL
OF
MENTAL SCIENCE
(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO PSYCHOLOGICAL ASSOCIATION

EDITOR-IN-CHIEF
G. W. T. H. FLEMING

WITH THE ASSISTANCE OF
Alexander Walk (Co-Editor)

L. C. Cook	F. L. Golla	T. F. Main
P. K. McCowan	A. Meyer	R. M. Norman
M. Partridge	W. Linford Rees	B. W. Richards
	W. Warren	

(The above constitute the Journal Committee)

AND

Lord Adrian	C. J. C. Earl
W. Ross Ashby	J. N. P. Moore
Sir F. C. Bartlett	A. A. W. Petrie
Sir W. E. le Gros Clark	Derek Richter
	E. T. O. Slater

LONDON
J. & A. CHURCHILL, LTD

Published Four times Yearly Fifteen Shillings net

THE JOURNAL OF MENTAL SCIENCE

Communications on general editorial matters, including MSS. for publication, books for review and other printed matter, and communications regarding the *Epitome* section, including journals to be abstracted, should be sent to the Editor-in-Chief, Barnwood House, Gloucester.

Communications and enquiries regarding sales should be addressed to the Publishers, Messrs. J. & A. CHURCHILL, Ltd., 104 Gloucester Place, Portman Square, London, W.1; and those regarding Advertisements to Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.

Details of membership of the Royal Medico-Psychological Association are obtainable from the Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.

THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

From MESSRS. ADLARD & SON, LTD.,
Bartholomew Press, Dorking, Surrey.

Enquiry (History) Form, for use in Mental Hospitals. In three sizes. Prices and specimen forms on application.

From MESSRS. J. & A. CHURCHILL, LTD.,
104 Gloucester Place, W.1.

"The Journal of Mental Science." Published four times a year. Price 15/-. Postage extra.

"Recent Progress in Psychiatry." Vol. 2, 1950. Pp. 711. Price 50/-.

Vol. 3, 1959. Pp. 404. Price 50/-.


From MESSRS. BAILLIÈRE, TINDALL & COX,
8 Henrietta Street, W.C.2.

"Handbook for Mental Nurses." 8th edn. 1954. Price 21/-.

From THE SECRETARY, 11 Chandos Street, W.1.

The Charter and By-Laws of the Association. Price 2/- . Postage 1½d.

"Recent Progress in Psychiatry." Vol. 2, 1950 }
Vol. 3, 1959 } (at special price to members of R.M.P.A.)



Squirrel cage used for calming mental patients (18th century). Original wood engraving by John De Pole.

STELAZINE

brand of trifluoperazine

the new psychotropic agent
specific for the
hallucinated, delusional, and
aggressive psychotic.

'Improvement became noticeable approximately ten days after commencement of treatment. This was most striking in the fading of hallucinations, cessation of impulsiveness, an awakening of interest, a desire to take part in occupations and recreations of various kinds.'

(1958), *J. ment. Sci.* **104**, 1195-98.

FORMULA : 2-trifluoromethyl-10-(3' [1"-methyl piperaziny1-4"]-propyl) pncv-thiazine dihydrochloride.



Smith Kline & French Laboratories Ltd
Welwyn Garden City, Herts.

SZ: PA49

'Stelazine' is a trademark

In senile psychiatric syndromes



Pacatal improves the disturbed behaviour patterns of all senile psychiatric patients, from mild senile deterioration to marked senile dementia. Throughout therapy the patient's mental alertness is unimpaired. *Maximum tranquillity is achieved with minimum sedation.*

PACATAL CONTROLS agitation · irascibility
restlessness · confusion · nocturnal wanderings · destructiveness
disturbance of bowel and bladder control.

PACATAL

pecazine

TRADE MARK

Dosage *The appropriate dosage varies from case to case. Low dosage levels (ranging from 25 to 100 mg. daily) have been proved effective and safe for chronic organic senile patients.*

Presentation *Tablets of 25 and 100 mg. strength in bottles of 50 and 500. Ampoules each containing 50 mg. in 2 ml. in boxes of 10 and 50.*

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE.

PAC 409/1

Now available

PACATAL ELIXIR

**A pleasantly flavoured presentation
(in bottles of 4 fl. oz.) for
elderly patients.**



DOSAGE: *One or two teaspoonfuls
3 times a day. Each teaspoonful
contains 20 mg. pecazine.*

*a new, effective treatment in
a wide range of psychiatric disorders*

Fentazin

PERPHENAZINE

broad-span effectiveness

- *effective in anxiety and tension states*
- *effective in nausea and vomiting*
- *effective in psychoneuroses*
- *effective in psychoses*


Fentazin is remarkably effective for the treatment of a wide range of psychiatric disorders. Fentazin is several times more active than older phenothiazines, and is effective in proportionately smaller dosage. Side-effects are greatly reduced: indeed, Fentazin in recommended dosage produces virtually no side-effects.

Because it is so safe, Fentazin may be used for the routine management of anxiety and tension states. Because it is so active, it is effective in even severe psychoses. Fentazin safely spans the field from anxiety to schizophrenia. Fentazin tablets contain 2 mg., 4 mg., or 8 mg. perphenazine. Supplied in bottles of 50 and 500 tablets of each strength. Fentazin Injection contains 5 mg. perphenazine in each c.c., supplied in boxes of 5 × 1 c.c. ampoules.



FENTAZIN is a trade mark
AH458

ALLEN & HANBURYS LTD LONDON E2



**Remarkably safe and
free from toxic effects**

N y d r a n e

n-BENZYL- β -CHLOROPROPIONAMIDE

**in the treatment of Grand-mal
and Psychomotor Epilepsy**

NYDRANE is remarkable in that no toxic or unpleasant side-effects have been experienced with its use



NYDRANE usually makes patients more mentally alert, brighter, and more co-operative, opposing even the soporific action of any other anticonvulsant used



NYDRANE often successfully stabilises the more resistant cases, enabling them to lead a more normal, useful life



NYDRANE tablets are readily accepted and well tolerated



Nydrane tablets each containing 500 mg. *n*-benzyl- β -chloropropionamide, and Nydrane Co. tablets each containing 500 mg. *n*-benzyl- β -chloropropionamide and 20 mg. Phenobarbitone, are available in bottles of 50 and 250, and tins of 1,000 tablets

Prescribable on the N.H.S.

Literature and samples gladly sent on request



RONA LABORATORIES LTD

12/13 Molyneux Street, London, W.1

AMBassador 4437/8



This association of 'Largactil' with amylobarbitone allows the characteristic therapeutic response of chlorpromazine to be obtained while the clinical usefulness of the amylobarbitone is increased.

The indications for 'Amargyl' are mainly in psychoneuroses, particularly in anxiety and tension states, and as an adjuvant to psychotherapy.

'Amargyl' is presented as lime-coloured, sugar-coated tablets each containing chlorpromazine hydrochloride 25 mg., and amylobarbitone 50 mg.

Further information is available on request



MANUFACTURED BY


MAY & BAKER LTD

An M&B brand Medical Product

MA-4881

DISTRIBUTORS

PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM



Out of the shadows

Dartalan

SAFE AND EFFECTIVE IN

PSYCHOSES Particularly Schizophrenia ^{1 & 2}


NEUROSES Tension states and patients with obsessional traits

GENERAL MEDICINE Agitated states in the elderly ³

1. Am.J.Psychiat. 1958, **114**, 1034.
2. A.M.A. Arch. Neurol.Psych. 1958, **80**, 481.
3. Internat. Assoc. Gerontology, October, 1958.

SEARLE

HIGH WYCOMBE, BUCKS.



Isolation — no longer necessary for the epileptic patient

Clinical experience has clearly shown that with proper treatment and understanding the majority of epileptics are able to play a part second to none in the community. To achieve this the selection of an appropriate drug is most essential.

Evidence of the efficacy of 'Mysoline' continues to pour in from all parts of the world. It has been found that it not only reduces the frequency and severity of attacks but also has a beneficial effect on the general condition and outlook of the patient. Mental alertness replaces former dullness, and there is a renewed interest in normal activities, together with a general

improvement in sociability. For these reasons, when an improvement in performance is desirable, it is often advantageous to use 'Mysoline' in cases already controlled by other drugs.

'Mysoline' combines high activity with low toxicity and display a wide margin of safety and absence of hypnotic effect during established treatment.

Available in tablets of 0.25 G. and as a palatable oral suspension.

Mysoline

TRADE MARK

PRIMIDONE B.P.



IMPERIAL CHEMICAL INDUSTRIES LIMITED Pharmaceuticals Division Wilmslow Cheshire

'ECTONUSTIM'

**E.C.T. APPARATUS and
CEREBRAL STIMULATOR**
(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

'ECTONUS'
—E.C.T. apparatus

'ECTRON'
—E.C.T. apparatus

'ECTRON'
—Rubber Mouth Gag

'ECTRONOLYTE'
—Electrolyte Powder

Write for full details to: **ECTRON LTD**

REELEK WORKS · BALDOCK · HERTS · ENGLAND

Telegrams: "Reelek" Baldock

Telephone: Baldock 3276



La Métairie
NYON (Switzerland)

Lake of Geneva

Private Nursing Home, Founded in 1857. Several villas in a large park

**All types of modern Treatment for
Mental & Nervous Diseases**

Rest Cures - Psychotherapy - Insulin
Sleep Cures - Carbo-Oxygen Therapy
Electro-shock

For further information: Apply to Dr. W. SEMADENI, Chief Doctor
Telephone 9.65.91

BARNWOOD HOUSE

GLOUCESTER

A REGISTERED HOSPITAL (outside the National Health Service), for the **CARE and TREATMENT** of **LADIES and GENTLEMEN** suffering from **NERVOUS and MENTAL DISORDERS**. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Voluntary Patients of both sexes are also received for treatment. Special accommodation is also provided at two villa residences, both of which stand in their own grounds and are entirely separate from the main Hospital. All the most modern methods of treatment including electric shock and prefrontal leucotomy are used.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For Terms, etc., apply to

G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.,
Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

HEIGHAM HALL, NORWICH

PRIVATE MENTAL HOME for Nervous and Mental illness. All types of treatment carried out. Accommodation for Alcoholics and Addicts available. Special Geriatric Unit now open.

Fees from 8 gns. per week upwards according to requirements.

Apply to Dr. J. A. SMALL.

Telephone: Norwich 20080.

HITCHAM PLACE, BURNHAM, BUCKS.

(late Fenstanton, Christchurch Road, S.W.2)

A Private Home for the Care and Treatment of a limited number of Ladies with Mental and Nervous Disorders. Temporary and Voluntary Patients received. Large Country Mansion with twenty acres of grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. Telephone: Burnham 624

SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Hospital two miles from Bedford Station, for 48 patients of both sexes (Certified or Voluntary). Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

Fees from 10 Guineas per week.

For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER

ST. ANDREW'S CONVENT, STIRCHES, HAWICK

Rox., Scotland

Private Licensed Home, under the care of the Augustinian Sisters, for the treatment and cure of ladies mentally afflicted. Voluntary boarders taken. Forty-two patients.

For particulars apply to Superioress

Tel. No. Hawick 2360

CHISWICK HOUSE, Moss Lane, Pinner, Middlesex

Telephone: Pinner 234

Private Nursing Home for Nervous and Mild Mental Disorders and Alcoholism.

Psychotherapy, E.C.T., Modified insulin, etc. Fees from 18 guineas a week inclusive of nursing and medical attention. Forty patients of both sexes including a small number of long-term elderly cases. Two country houses in 5 and 6 acres respectively in adjoining grounds. Twelve miles north-west of London. Easily accessible by Metropolitan train from Baker Street to Pinner. Ten minutes walk from Pinner station.

Apply to the Medical Director, DOUGLAS MACAULAY, M.D., D.P.M.

WYKE HOUSE, ISLEWORTH

MIDDLESEX Tel. ISLEworth 7000

A Private Home for the individual treatment and care of all forms of Nervous and Mental Illness. Voluntary, temporary, or certified admission. The number of patients is limited to twenty-five and all modern treatments are given, including deep insulin. This well-known Home for Men and Women and the Aged stands in its own grounds of 15 acres, seven miles from Marble Arch.

Further particulars from the Resident Physicians:

H. Pullar-Strecker, M.D.

G. W. Smith, O.B.E., M.B.

NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for voluntary and certified patients. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy. with Assistant Psychiatrist. Deep Insulin Coma Unit, psychotherapy, etc. Central heating and running water in all rooms.

CLINICAL PSYCHOLOGISTS

(MASTERS DEGREE)


wanted by

PROVINCIAL MENTAL HEALTH SERVICES OF B.C. CANADA

Write for full particulars re existing vacancies, salaries and working conditions, etc., to:

Competition No: 58:614 Civil Service Commission, Essondale, B.C. Canada

**PATIENTS
KEYED UP
TO A HIGH
PITCH**



need **Miltown***

MEPROBAMATE *REGD. TRADEMARK OF CARTER PRODUCTS INC

**relaxes emotional and muscular tension
without clouding the consciousness**

In 2 presentations

Capsules 200 mg. and 400 mg. Each capsule contains 200 mg. or 400 mg. meprobamate. Packing and basic N.H.S. cost: 200 mg. bottles of 50 7/4., 250 £1.7.6. 400 mg. bottles of 50 10/4., 250 £2.4.2.

Tablets 400 mg. Each scored tablet contains 400 mg. meprobamate. Packing and basic N.H.S. cost: 400 mg. bottles of 50 10/4., 250 £2.4.2.



LEDERLE LABORATORIES
a division of
CYANAMID OF GREAT BRITAIN LTD. London W.C.2



INSTRUCTIONS TO AUTHORS

Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

(1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).

(2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.

(3) Omit a summary of the literature when this has been adequately summarized elsewhere.

(4) For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.

(5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.

(6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.

(7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.

(8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.

(1) SMITH, A. B., *J. Ment. Sci.*, 1950, **95**, 493.

(2) THOMAS, B. C., *Arch. Neur. Psychiat.*, 1955, **74**, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

(9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.

(10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent **direct** to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must **not** be sent to the Editor-in-Chief.

(11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of the panel of Referees set out on the cover of the Journal for his opinion.

PARENTROVITE IN GENERAL PRACTICE

Parentrovite, a high potency injectable preparation of the vitamin B complex with vitamin C, is being found increasingly useful in general practice. Introduced originally for the treatment of acute psychiatric emergencies such as coma or delirium from alcohol or drug overdosage, it has since been found to be of much wider application for conditions often met in patients being nursed at home.

The formula is based on the fact that normal cerebral function depends on the oxidation of glucose and that any interference with the underlying biochemical mechanisms can cause symptoms of mental disturbance. Severe infections, burns, trauma, surgical operations and "stresses" of all kinds can be as potent as drugs and alcohol in causing interference with the enzyme systems responsible for glucose oxidation and resultant failure of return to health.

To reverse such changes and to restore normal cerebral function, massive doses of the B vitamins and ascorbic acid are needed—doses out of all proportion to normal nutritional needs. The vitamins are used here not as nutrients but as potent drugs employed pharmacologically.

Conditions Reported Responsive to Parentrovite

The after-effects of influenza, pneumonia and other severe infections,
Post-operative depression and confusion,
Debility with loss of memory in old people,
Alcoholism, acute and chronic,
Habituation to barbiturates.



Parentrovite

PACKS: in boxes of 3 and 12 pairs. Hospital pack also available.

Standard Reference Cards with factual information on all our products now available. Produced in accordance with the specifications of the Association of the British Pharmaceutical Industry. Our representative will be pleased to supply you with a complete set, or write to:-

VITAMINS LIMITED, UPPER MALL, LONDON, W.6.