

Parasitology

EDITORS

F. E. G. COX *and* C. ARME

EDITORIAL ASSISTANT

M. ELISABETH PAINTER Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (Chairman)

R. M. ANDERSON, F.R.S.

J. R. BAKER

D. C. BARKER

J. BARRETT

D. A. P. BUNDY

E. U. CANNING

L. H. CHAPPELL*

D. W. T. CROMPTON

D. I. GIBSON

D. W. HALTON

R. E. HOWELLS

C. R. KENNEDY

M. W. KENNEDY

D. L. LEE

D. J. McLAREN

D. P. McMANUS

D. H. MOLYNEUX

P. W. PAPPAS

D. ROLLINSON

M. E. SCOTT

A. SHER

V. R. SOUTHGATE*

R. C. TINSLEY

K. VICKERMAN, F.R.S.

D. WAKELIN

P. J. WHITFIELD

R. A. WILSON

M. E. J. WOOLHOUSE

* Representing the British Society for Parasitology.



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1995

Printed in Great Britain by the
University Press Cambridge

CONTENTS

PART 1 JULY 1995

MENDOZA-LE N, A., HAVERCROFT, J. C. and BARKER, D. C. The RFLP analysis of the β -tubulin gene region in New World <i>Leishmania</i>	1
MAYRHOFER, G., ANDREWS, R. H., EY, P. L. and CHILTON, N. B. Division of <i>Giardia</i> isolates from humans into two genetically distinct assemblages by electrophoretic analysis of enzymes encoded at 27 loci and comparison with <i>Giardia muris</i>	11
FAILLOUX, A.-B., RAYMOND, M., UNG, A., GLAZIOU, P., MARTIN, P. M. V. and PASTEUR, N. Variation in the vector competence of <i>Aedes polynesiensis</i> for <i>Wuchereria bancrofti</i>	19
YOUNG, A. S., DOLAN, T. T., MWAKIMA, F. N., OCHANDA, H., MWAURA, S. N., NJIHIA, G. M., MUTHONI, M. W. and DOLAN, R. B. Estimation of heritability of susceptibility to infection with <i>Theileria parva</i> in the tick <i>Rhipicephalus appendiculatus</i>	31
MORZARIA, S. P., DOLAN, T. T., NORVAL, R. A. I., BISHOP, R. P. and SPOONER, P. R. Generation and characterization of cloned <i>Theileria parva</i> parasites	39
SMITH, N. C., OVINGTON, K. S., DEPLAZES, P. and ECKERT, J. Cytokine and immunoglobulin subclass responses of rats to infection with <i>Eimeria nieschulzi</i>	51
FALLON, P. G., HAMILTON, J. V. and DOENHOFF, M. J. Efficacy of treatment of murine <i>Schistosoma mansoni</i> infections with praziquantel and oxamniquine correlates with infection intensity: role of host antibody	59
AGNEW, A., FULFORD, A. J. C., DE JONGE, N., KRIJGER, F. W., RODRIGUEZ-CHACON, M., GUTSMANN, V. and DEELDER, A. M. The relationship between worm burden and levels of a circulating antigen (CAA) of five species of <i>Schistosoma</i> in mice	67
WOODWARD, R., CARDEN, M. J. and GULL, K. Immunological characterization of cytoskeletal proteins associated with the basal body, axoneme and flagellum attachment zone of <i>Trypanosoma brucei</i>	77
CUNNINGHAM, C. O., MCGILLIVRAY, D. M., MACKENZIE, K. and MELVIN, W. T. Discrimination between <i>Gyrodactylus salaris</i> , <i>G. derjavini</i> and <i>G. truttae</i> (Platyhelminthes: Monogenea) using restriction fragment length polymorphisms and an oligonucleotide probe within the small subunit ribosomal RNA gene	87
REA, J. G. and IRWIN, S. W. B. The effects of age, temperature and shadow stimuli on activity patterns of the cercariae of <i>Cryptocotyle lingua</i> (Digenea: Heterophyidae)	95
SCHJETLEIN, J. and SKORPING, A. The temperature threshold for development of <i>Elaphostrongylus rangiferi</i> in the intermediate host: an adaptation to winter survival?	103
BEG, M. A., FISTEIN, J. L. and STOREY, D. M. The host-parasite relationships in pyridoxine (vitamin B6) deficient cotton rats infected with <i>Litomosoides carinii</i> (Nematoda: Filaroidea)	111
LIU, J. and BERRY, R. E. Differentiation of isolates in the genus <i>Steinernema</i> (Nematoda: Steinernematidae) by random amplified polymorphic DNA fragments and morphological characters	119

PART 2 AUGUST 1995

GUO, Z.-G. and JOHNSON, A. M. Genetic characterization of <i>Toxoplasma gondii</i> strains by random amplified polymorphic DNA polymerase chain reaction	127
MANGIN, K. L., LIPSITCH, M. and EBERT, D. Virulence and transmission modes of two microsporidia in <i>Daphnia magna</i>	133
BUMSTEAD, J. M., BUMSTEAD, N., ROTHWELL, L. and TOMLEY, F. M. Comparison of immune responses in inbred lines of chickens to <i>Eimeria maxima</i> and <i>Eimeria tenella</i>	143
SHAW, M. K. and YOUNG, A. S. Differential development and emission of <i>Theileria parva</i> sporozoites from the salivary gland of <i>Rhipicephalus appendiculatus</i>	153

WANG, H. and NUTTALL, P. A. Immunoglobulin-G binding proteins in the ixodid ticks, <i>Rhipicephalus appendiculatus</i> , <i>Amblyomma variegatum</i> and <i>Ixodes hexagonus</i>	161
LITTLEWOOD, D. T. J. and JOHNSTON, D. A. Molecular phylogenetics of the four <i>Schistosoma</i> species groups determined with partial 28S ribosomal RNA gene sequences	167
PENIDO, M. L. O., NELSON, D. L., VIEIRA, L. Q., WATSON, D. G. and KUSEL, J. R. Metabolism by <i>Schistosoma mansoni</i> of a new schistosomicide: 2-[(1-methylpropyl) amino]-1-octanethiosulphuric acid	177
DALE, C., WELBURN, S. C., MAUDLIN, I. and MILLIGAN, P. J. M. The kinetics of maturation of trypanosome infections in tsetse	187
GILLEARD, J. S., DUNCAN, J. L. and TAIT, A. An immunodominant antigen on the <i>Dictyocaulus viviparus</i> L3 sheath surface coat and a related molecule in other strongylid nematodes	193
TODOROVA, V. K., KNOX, D. P. and KENNEDY, M. W. Proteinases in the excretory/secretory products (ES) of adult <i>Trichinella spiralis</i>	201
MCGONIGLE, S. and DALTON, J. P. Isolation of <i>Fasciola hepatica</i> haemoglobin	209
MINCHELLA, D. J., SOLLENBERGER, K. M. and PEREIRA DE SOUZA, C. Distribution of schistosome genetic diversity within molluscan intermediate hosts	217
ADEL-MEGUID, M., ESCH, G. W. and EURE, H. E. The distribution and pathobiology of <i>Neoechinorhynchus cylindratu</i> s in the intestine of green sunfish, <i>Lepomis cyanellus</i>	221
KENNEDY, C. R. Richness and diversity of macroparasite communities in tropical eels <i>Anguilla reinhardtii</i> in Queensland, Australia	233

PART 3 SEPTEMBER 1995

WEBSTER, J. P. and MACDONALD, D. W. Parasites of wild brown rats (<i>Rattus norvegicus</i>) on UK farms	247
KAVALIERS, M. and COLWELL, D. D. Decreased predator avoidance in parasitized mice: neuromodulatory correlates	257
VICTOIR, K., DUJARDIN, J. C., DE DONCKER, S., BARKER, D. C., AREVALO, J., HAMERS, R. and LE RAY, D. Plasticity of gp63 gene organization in <i>Leishmania (Viannia) braziliensis</i> and <i>Leishmania (Viannia) peruviana</i>	265
SARAIVA, E. M. B., PIMENTA, P. F. P., BRODIN, T. N., ROWTON, E., MODI, G. B. and SACKS, D. L. Changes in lipophosphoglycan and gene expression associated with the development of <i>Leishmania major</i> in <i>Phlebotomus papatasi</i>	275
TURNER, C. M. R., ASLAM, N. and DYE, C. Replication, differentiation, growth and the virulence of <i>Trypanosoma brucei</i> infections	289
GARSIDE, L. H. and GIBSON, W. C. Molecular characterization of trypanosome species and subgroups within subgenus <i>Nannomonas</i>	301
NANDAN, D., WELLS, C. W., NDEGWA, D. and PEARSON, T. W. Identification of a 44 kDa protein localized within the endoplasmic reticulum of <i>Trypanosoma brucei brucei</i>	313
SCHMIDT, J. Glycans with <i>N</i> -acetyllactosamine type 2-like residues covering adult <i>Schistosoma mansoni</i> , and glycomimesis as a putative mechanism of immune evasion	325
FORWARD, G. M., FERGUSON, M. M. and WOO, P. K. T. Susceptibility of brook charr, <i>Salvelinus fontinalis</i> to the pathogenic haemoflagellate, <i>Cryptobia salmositica</i> , and the inheritance of innate resistance by progenies of resistant fish	337
RIGA, E., PERRY, R. N., BARRETT, J. and JOHNSTON, M. R. L. Investigation of the chemosensory function of amphids of <i>Syngamus trachea</i> using electrophysiological techniques	347
BELLABY, T., ROBINSON, K., WAKELIN, D. and BEHNKE, J. M. Isolates of <i>Trichuris muris</i> vary in their ability to elicit protective immune responses to infection in mice	353
READ, A. F. and SKORPING, A. The evolution of tissue migration by parasitic nematode larvae	359

PECHENIK, J. A. and FRIED, B. Effect of temperature on survival and infectivity of <i>Echinostoma trivolvis</i> cercariae: a test of the energy limitation hypothesis	373
BROWNLEE, D. J. A., HOLDEN-DYE, L., FAIRWEATHER, I. and WALKER, R. J. The action of serotonin and the nematode neuropeptide KSAYMRFamide on the pharyngeal muscle of the parasitic nematode, <i>Ascaris suum</i>	379
PALMER, D. R., HALL, A., HAQUE, R. and ANWAR, K. S. Antibody isotype responses to antigens of <i>Ascaris lumbricoides</i> in a case-control study of persistently heavily infected Bangladeshi children	385
PETKEVICIUS, S., BJORN, H., ROEPSTORFF, A., NANSEN, P., BACH KNUDSEN, K. E., BARNES, E. H. and JENSEN, K. The effect of two types of diet on populations of <i>Ascaris suum</i> and <i>Oesophagostomum dentatum</i> in experimentally infected pigs	395

PART 4 NOVEMBER 1995

BERDOY, M., WEBSTER, J. P. and MACDONALD, D. W. Parasite-altered behaviour: is the effect of <i>Toxoplasma gondii</i> on <i>Rattus norvegicus</i> specific?	403
DIDIER, E. S., VOSSBRINCK, C. R., BAKER, M. D., ROGERS, L. B., BERTUCCI, D. C. and SHADDUCK, J. A. Identification and characterization of three <i>Encephalitozoon cuniculi</i> strains	411
CHEN, N., UPCROFT, J. A. and UPCROFT, P. A <i>Giardia duodenalis</i> gene encoding a protein with multiple repeats of a toxin homologue	423
BABIKER, H. A., CHARLWOOD, J. D., SMITH, T. and WALLIKER, D. Gene flow and cross-mating in <i>Plasmodium falciparum</i> in households in a Tanzanian village	433
NEILL, A. L. and HUNT, N. H. Effects of endotoxin and dexamethasone on cerebral malaria in mice	443
SHAW, M. K. and TILNEY, L. G. The entry of <i>Theileria parva</i> merozoites into bovine erythrocytes occurs by a process similar to sporozoite invasion of lymphocytes	455
WALADDE, S. M., YOUNG, A. S., MWAURA, S. N., NJIHIA, G. N. and MWAKIMA, F. N. Optimization of the <i>in vitro</i> feeding of <i>Rhipicephalus appendiculatus</i> nymphae for the transmission of <i>Theileria parva</i>	463
KHALIFE, J., GODIN, C. and CAPRON, A. Transcriptional regulation of <i>Schistosoma mansoni</i> calreticulin: possible role of AP-1	469
MENRATH, M., MICHEL, A. and KUNZ, W. A female-specific cDNA sequence of <i>Schistosoma mansoni</i> encoding a mucin-like protein that is expressed in the epithelial cells of the reproductive duct	477
DE BONT, J., VERCRUYSSSE, J., SABBE, F. and YSEBAERT, M. T. Observations on worm population dynamics in calves naturally infected with <i>Schistosoma mattheei</i>	485
PAGE, A. M. and LAGNADO, J. R. Effects of phenothiazine neuroleptic drugs on the microtubular-membrane complex in bloodstream forms of <i>Trypanosoma brucei</i>	493
BURNS, A. J., HOWARD, C. V., ALLEN, J. M., VAN VELSEN, D. and MCKERR, G. Stereological estimation of gap junction surface area per neuron in the developing nervous system of the invertebrate <i>Mesocestoides corti</i>	505
KEATING, C. D., HOLDEN-DYE, L., THORNDYKE, M. C., WILLIAMS, R. G., MALLET, A. and WALKER, R. J. The FMRFamide-like neuropeptide AF2 is present in the parasitic nematode <i>Haemonchus contortus</i>	515
MARTINEZ, A. M. B. and DE SOUZA, W. A quick-frozen, freeze-fracture and deep-etched study of the cuticle of adult forms of <i>Strongyloides venezuelensis</i> (Nematoda)	523
SAUL, A. Computer model of the maintenance and selection of genetic heterogeneity in polygamous helminths	531
ANDERSON, R. M., MAY, R. M. and GUPTA, S. Genetic heterogeneity in helminths – a reply	537

PART 5 DECEMBER 1995

NODEN, B. H., KENT, M. D. and BEIER, J. C. The impact of variations in temperature on early <i>Plasmodium falciparum</i> development in <i>Anopheles stephensi</i>	539
POIRRIEZ, J., DEI-CAS, E., DUJARDIN, L. and LANDAU, I. The blood-stages of <i>Plasmodium georgesi</i> , <i>P. gonderi</i> and <i>P. petersi</i> : course of untreated infection in their natural hosts and additional morphological distinctive features	547
HOGG, J. C. and HURD, H. <i>Plasmodium yoelii nigeriensis</i> : the effect of high and low intensity of infection upon the egg production and bloodmeal size of <i>Anopheles stephensi</i> during three gonotrophic cycles	555
BARBER, J. S., HOLMDAHL, O. J. M., OWEN, M. R., GUY, F., UGGLA, A. and TREES, A. J. Characterization of the first European isolate of <i>Neospora caninum</i> (Dubey, Carpenter, Speer, Topper and UgglA)	563
LEIPPE, M., SIEVERTSEN, H. J., TANNICH, E. and HORSTMANN, R. D. Spontaneous release of cysteine proteinases but not of pore-forming peptides by viable <i>Entamoeba histolytica</i>	569
DALTON, J. P., HOLA-JAMRISKA, L. and BRINDLEY, P. J. Asparaginyl endopeptidase activity in adult <i>Schistosoma mansoni</i>	575
TAIBI, A., GUEVARA-ESPINOZA, A., SCH NECK, R., YAHIAOUI, B. and OUASSI, A. Improved specificity of <i>Trypanosoma cruzi</i> identification by polymerase chain reaction using an oligonucleotide derived from the amino-terminal sequence of a Tc24 protein	581
ROBERTS, H. C., STERNBERG, J. M. and CHAPPELL, L. H. <i>Hymenolepis diminuta</i> and <i>H. microstoma</i> : uptake of cyclosporin A and drug binding to parasite cyclophilins	591
SAJID, M. and ISAAC, R. E. Identification and properties of a neuropeptide-degrading endopeptidase (neprilysin) of <i>Ascaris suum</i> muscle	599
MORGAN, J. A. T. and BLAIR, D. Nuclear rDNA ITS sequence variation in the trematode genus <i>Echinostoma</i> : an aid to establishing relationships within the 37-collar-spine group	609
BOHAN, D. A. and HOMINICK, W. M. Examination of the <i>Steinernema feltiae</i> (Site 76 strain) infection interaction with the <i>Galleria mellonella</i> host, using an infection model	617
HAY, D. B. and FENLON, J. S. A modified binomial model that describes the infection dynamics of the entomopathogenic nematode <i>Steinernema feltiae</i> (Steinernematidae; Nematoda)	627
QUINNELL, R. J., GRAFEN, A. and WOOLHOUSE, M. E. J. Changes in parasite aggregation with age: a discrete infection model	635
BOOTH, M. and BUNDY, D. A. P. Estimating the number of multiple-species geohelminth infections in human communities	645

Parasitology

Back volumes. Vols. 1-71: Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 72 onwards: quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

Copying. This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$11.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031-1820/95 \$11.00 + .10.

Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions.

ISI Tear Sheet Service. 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

Claims for missing issues can only be considered if made immediately after receipt of the subsequent issue.

Advertising. Details of advertising in *Parasitology* may be obtained from the publisher.

© Cambridge University Press 1995

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge

Parasitology

CONTENTS

	PAGE
Noden, B. H., Kent, M. D. and Beier, J. C. The impact of variations in temperature on early <i>Plasmodium falciparum</i> development in <i>Anopheles stephensi</i>	539
Poirriez, J., Dei-Cas, E., Dujardin, L. and Landau, I. The blood-stages of <i>Plasmodium georgesii</i> , <i>P. gonderi</i> and <i>P. petersi</i> : course of untreated infection in their natural hosts and additional morphological distinctive features	547
Hogg, J. C. and Hurd, H. <i>Plasmodium yoelii nigeriensis</i> : the effect of high and low intensity of infection upon the egg production and bloodmeal size of <i>Anopheles stephensi</i> during three gonotrophic cycles	555
Barber, J. S., Holmdahl, O. J. M., Owen, M. R., Guy, F., Uggla, A. and Trees, A. J. Characterization of the first European isolate of <i>Neospora caninum</i> (Dubey, Carpenter, Speer, Topper and Uggla)	563
Leippe, M., Sievertsen, H. J., Tannich, E. and Horstmann, R. D. Spontaneous release of cysteine proteinases but not of pore-forming peptides by viable <i>Entamoeba histolytica</i>	569
Dalton, J. P., Hola-Jamriska, L. and Brindley, P. J. Asparaginyl endopeptidase activity in adult <i>Schistosoma mansoni</i>	575
Taibi, A., Guevara-Espinoza, A., Schöneck, R., Yahiaoui, B. and Ouassi, A. Improved specificity of <i>Trypanosoma cruzi</i> identification by polymerase chain reaction using an oligonucleotide derived from the amino-terminal sequence of a Tc24 protein	581
Roberts, H. C., Sternberg, J. M. and Chappell, L. H. <i>Hymenolepis diminuta</i> and <i>H. microstoma</i> : uptake of cyclosporin A and drug binding to parasite cyclophilins	591
Sajid, M. and Isaac, R. E. Identification and properties of a neuropeptide-degrading endopeptidase (neprilysin) of <i>Ascaris suum</i> muscle	599
Morgan, J. A. T. and Blair, D. Nuclear rDNA ITS sequence variation in the trematode genus <i>Echinostoma</i> : an aid to establishing relationships within the 37-collar-spine group	609
Bohan, D. A. and Hominick, W. M. Examination of the <i>Steinernema feltiae</i> (Site 76 strain) infection interaction with the <i>Galleria mellonella</i> host, using an infection model	617
Hay, D. B. and Fenlon, J. S. A modified binomial model that describes the infection dynamics of the entomopathogenic nematode <i>Steinernema feltiae</i> (Steinernematidae; Nematoda)	627
Quinnell, R. J., Grafen, A. and Woolhouse, M. E. J. Changes in parasite aggregation with age: a discrete infection model	635
Booth, M. and Bundy, D. A. P. Estimating the number of multiple-species geohelminth infections in human communities	645

CAMBRIDGE
UNIVERSITY PRESS



0031-1820(199512)111:5;1-U