

VOL. VIII.—1894.

THE
JOURNAL OF LARYNGOLOGY,
RHINOLOGY AND OTOTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE AND EAR.

PUBLISHED MONTHLY.

London:

F. J. REBMAN, 11, ADAM STREET, STRAND.

AMERICAN AGENTS:

THE F. A. DAVIS COMPANY, 1914-16, CHERRY STREET, PHILADELPHIA, PA.

ENTERED AT STATIONERS' HALL

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE *and* NORRIS WOLFENDEN.

EDITED BY

R. NORRIS WOLFENDEN, M.D. *Cantab.*

JOHN MACINTYRE, M.B. *Glasgow.*

DUNDAS GRANT, M.A., M.D., F.R.C.S. *Eng.*

WITH THE ASSISTANCE OF

DR. SANDFORD (*Cork*), DR. MILLIGAN (*Manchester*),

AND WITH THE CO-OPERATION OF

DRS. BARON (*Bristol*), R. BOTEY (*Barcelona*),

CARTAZ (*Paris*), BRYSON DELAVAN (*New York*),

DRAISPUL (*St. Petersburg*), GRAZZI (*Florence*), GUYE (*Amsterdam*),

HICGUET (*Brussels*), MIDDLEMASS HUNT (*Liverpool*),

VALERIUS IDELSON (*Berne*), JOAL (*Paris*), A. B. KELLY (*Glasgow*),

KARWOWSKI (*Warsaw*), LACOCARRET (*Toulouse*), LAKE (*London*),

LICHTWITZ (*Bordeaux*), JOHN N. MACKENZIE (*Baltimore*),

G. W. MAJOR (*Montreal*), PROF. MASSEI (*Naples*),

MEYJES (*Amsterdam*), E. MEYER (*Berlin*), MICHAEL (*Hamburg*),

HOLGER MYGIND (*Copenhagen*), W. PORTER (*St. Louis*),

ROBERTSON (*Newcastle*), SAJOUS (*Philadelphia*), SENDZIAK (*Warsaw*),

SOTA (*Seville*), AND ST. CLAIR THOMSON (*London*).

CONTENTS.

British Medical Association Meeting—

SECTION OF LARYNGOLOGY AND OTOTOLOGY—	PAGE
New Antral Drainage Tube. Dr. MILLIGAN.	607
Better Appreciation of Rinne's Test. Dr. DUNDAS GRANT.	608
Deaf-Mutism. Dr. LOVE.	614
Case of Fibrinous Rhinitis. Dr. MURDOCH.	619
Excision of the Malleus. Dr. BARR.	623
Excision of the Ossicula. Dr. MILLIGAN.	625
Examination of the Larynx and Removal of Growths in Unmanageable Children. Dr. SCANES SPICER.	630
Treatment of Acute Laryngeal Stenosis. Dr. NORTHRUP.	631
Intubation in Chronic Stenosis. Dr. O'DWYER.	644
Laryngeal Paralysis in Chronic Nervous Disease. Dr. PERMEWAN.	652
Turbinal Varix. Mr. WYATT WINGRAVE.	654
Coryza Caseosa. Dr. McBRIDE.	657
Typhoid Fever communicated by the Breath. Dr. WATSON WILLIAMS.	661
The Surgery of Chronic Empyema of the Antrum. Dr. SCANES SPICER.	666
Chronic Suppuration in the Ethmoidal Sinus. Mr. CHARTERS SYMONDS.	668
Diagnosis and Treatment of Empyema of the Nasal Accessory Sinuses. Dr. GREVILLE MACDONALD.	677

International Medical Congress of Rome—

On the Operation for Adenoid Vegetations. Dr. CHIARI.	685
---	-----

Review—

Text-Book of the Diseases of the Ear and Adjacent Organs, by POLITZER. Translated by Dr. DODD and Edited by Sir WILLIAM DALBY.	692
---	-----

Letter to the Editors—

Treatment of Multiple Papillomata in Children. Dr. ROSENBERG.	696
---	-----

GUIDE TO ADVERTISEMENTS.

	PAGE
Allen & Hanburys	iv., v.
Bullock & Co.	x.
Burroughs, Wellcome & Co.	vi., viii
Central London Throat Hospital	xv.
Godfrey & Cooke	x.
Houdé	xiv.
Ingram & Royle	ix.
Lambert Pharmacal Co.	ii.
Rebman	x.


Respiratory Therapeutics

PINOL.

PINOL is the pure essence, or volatile oil, distilled from the needles of the Pinus Pumilio, growing amid the perpetual snow which covers the peaks of the Alps. It is distinguished from the common pine oils by superior medicinal and sanitarian properties, and by its exquisitely delicate fragrance. The drug is largely employed in affections of the respiratory tract including nasal catarrh, pharyngitis, quinsy, aphonia, asthma, pertussis, chronic bronchitis, and phthisis. For purposes of inhalation, Pinol may be used by means of either the Pinol Steam Atomiser or the "Pinol-Eucalyptia" Dry Inhaler. The latter consists of a glass tube something like a cigar in shape filled with absorbent pine-wood chips. One end of the tube forms a glass mouth-piece, and at the other end is a piece of



wire gauze. The Pinol is dropped into the wide end of the tube until the absorbent chips are saturated, and the Inhaler is then ready for use. By taking deep inspirations, the air drawn through the Inhaler is fully charged with the vapour of the Pinol. This mode of inhalation possesses special advantages over steam inhalations:—1. The Inhaler may be used at any time without danger of catching cold. 2. It is extremely portable, and may be conveniently carried in the vest pocket ready for immediate use.



Pinol supplied to the Medical Profession by all Chemists, in $\frac{1}{2}$ oz. and 1 oz. bottles, at 1s. 3d. and 2s. each. "Pinol-Eucalyptia" Dry Inhalers, with a small sample bottle each of Pinol and Eucalyptia, 1s. 2d. each.

TEREBENE.

Terebene has been found of most decided utility in the treatment of many bronchial troubles. Pure Terebene possesses the same stimulating expectorant properties as a large group of terebinthins; it is, however, much more suitable for inhalation purposes than the latter, as all the resinous material has been eliminated in the process of manufacture. The drug tends to liquefy the sputum and facilitate expectoration; these qualities are enhanced by its inherent antiseptic properties when employed as an inhalant in the treatment of chronic pulmonary affections, as it exerts its antiseptic influence at the seat of infection. Terebene is more generally employed as an inhalant. If the vapour is to be inhaled dry, the Terebene may be used with a B., W. & Co. "Pinol-Eucalyptia" Dry Inhaler or Menthol Pocket Inhaler.

Terebene supplied to the Medical Profession by all Chemists, in 1 oz., 2 oz., 8 oz. and 16 oz. bottles, at 9d., 1s., 2s., and 3s. each.

BURROUGHS, WELLCOME & Co.,
SNOW HILL BUILDINGS, LONDON, E.C.

Telegraphic Address: "BURCOME, LONDON."