

THE JOURNAL OF DAIRY RESEARCH

EDITED BY

C. C. THIEL
B.Sc., Ph.D.

The National Institute for Research in Dairying,
Shinfield, Reading

and

J. A. B. SMITH,
C.B.E., Ph.D., D.Sc., F.R.I.C.

The Hannah Dairy Research Institute,
Kirkhill, Ayr

ASSISTED IN THE
SELECTION OF PAPERS FOR PUBLICATION

BY

PROF. L. F. L. CLEGG (Canada)

DR. D. P. CUTHBERTSON, C.B.E., F.R.S.E. (Aberdeen)

DR F. H. DODD (Reading)

DR H. P. DONALD, F.R.S.E. (Edinburgh)

PROF. P. J. J. FOURIE (South Africa)

DR T. GIBSON (Edinburgh)

SIR JOHN HAMMOND, C.B.E., F.R.S. (Cambridge)

MR G. LOFTUS HILLS (Australia)

DR J. O. IRWIN (London)

DR S. J. ROWLAND (Reading)

DR K. C. SEN (India)

DR R. WAITE (Ayr)

DR J. C. D. WHITE (Ayr)

DR H. R. WHITEHEAD, F.R.S.N.Z.
(New Zealand)

VOLUME 27

CAMBRIDGE
THE UNIVERSITY PRESS

1960

Secretary

H. F. BURGESS, M.B.E.

Editorial Assistant

M. HARVEY, A.C.I.S.

*Printed in Great Britain at the University Press, Cambridge
(Brooke Crutchley, University Printer)*

and published by the Cambridge University Press

Bentley House, 200 Euston Road, London, N.W.1

American Branch: 32 East 57th Street, New York 22, N.Y.

Agents in Canada: The Macmillan Company of Canada Limited

CONTENTS

No. 1 (February 1960)

ORIGINAL ARTICLES:	PAGE
Methods for investigating the bacteria in young Cheddar cheese: inhibition of starter streptococci with bacteriophage and α -bromopropionic acid. P. S. ROBERTSON	1
The colloidal phosphate of milk. II. Influence of citrate. G. T. PYNE and T. C. A. MCGANN	9
A quantitative evaluation of some factors affecting the non-fatty solids of cow's milk. W. H. ALEXANDER and F. B. LEECH	19
Identification of lactobacilli from Cheddar cheese by chromatography. G. C. CHEESEMAN	33
Production of acetone and acetaldehyde by lactic streptococci. R. J. HARVEY	41
Strontium-90 from fallout in the diet and milk of a dairy herd. G. W. COX, A. MORGAN and R. S. TAYLER	47
Chemical changes in dried skim-milk during storage. E. L. RICHARDS and M. R. CHANDRASEKHARA	59
The use of turbimetric methods for testing homogenized milk. J. D. S. GOULDEN	67
A note on the availability of the calcium of milk submitted to ultra-high-temperature sterilization with or without subsequent in-bottle sterilization. KATHLEEN M. HENRY and JOYCE TOOTHILL	77
Studies on the manufacture of sweet cream starter butter. I. Effect of cream-holding temperature. F. H. McDOWALL, J. A. SINGLETON and B. S. LE HERON	81
Studies on the manufacture of sweet cream starter butter. II. Effect of variation in proportion of starter added to cream. F. H. McDOWALL, J. A. SINGLETON and B. S. LE HERON	91
Restricted and <i>ad lib.</i> feeding of liquid skim-milk, with and without the addition of formalin, to fattening pigs. K. G. MITCHELL and P. H. SEDGWICK	103
The effect of udder infections on the lactation yield of milk and milk solids. J. O'DONOVAN, F. H. DODD and F. K. NEAVE	115
REVIEWS OF THE PROGRESS OF DAIRY SCIENCE: Section C. Dairy Chemistry. The chemistry of butter and butterfat. E. G. PONT	121

No. 2 (June 1960)

ORIGINAL ARTICLES:	PAGE
Incorporation of [1- ¹⁴ C] and [3- ¹⁴ C] butyrate into milk constituents by the perfused cow's udder. MONIQUE LAURYSENS, R. VERBEKE, G. PEETERS and M.-THÉRÈSE REINARDS	151
Phage resistance in pure strains of cheese starter streptococci. P. S. ROBERTSON	161
Studies on the manufacture of sweet cream starter butter. III. Effect of age of starter cultures at time of inoculation. F. H. McDOWALL, J. A. SINGLETON and B. S. LE HERON	165
The use of ultrafiltration and dialysis in isolating the aqueous phase of milk and in determining the partition of milk constituents between the aqueous and disperse phases. D. T. DAVIES and J. C. D. WHITE	171
Bulk feeds for milk production. I. The influence of level of concentrate feeding in addition to silage and hay on milk yield and milk composition. W. HOLMES, G. W. ARNOLD and A. L. PROVAN	191
Fishy flavour in dairy products. I. General studies on fishy butterfat. E. G. PONT, D. A. FORSS, E. A. DUNSTONE and L. F. GUNNIS	205
Fishy flavour in dairy products. II. The volatile compounds associated with fishy flavour in butterfat. D. A. FORSS, E. A. DUNSTONE and W. STARK	211
The growth of aerobic spore-forming bacilli in sterilized milk. CONSTANCE HIGGINBOTTOM and MARGARET M. TAYLOR	221
Certain non-biological properties of sterilized milk in relation to the treatment of the milk and the temperature of heating. CONSTANCE HIGGINBOTTOM and MARGARET M. TAYLOR	235
The oxidation-reduction potential of sterilized milk. CONSTANCE HIGGINBOTTOM and MARGARET M. TAYLOR	245
The alcohol test applied to sterilized milk. CONSTANCE HIGGINBOTTOM and MARGARET M. TAYLOR	259
Lactobacilli in raw milk and in Cheddar cheese. K. D. PERRY and M. ELISABETH SHARPE	267
Lactobacilli in milk used for commercial cheesemaking. M. ELISABETH SHARPE and A. T. R. MATTICK	277
The genus <i>Leuconostoc</i> and its nomenclature. ELLEN I. GARVIE	283
Variations in the rate of milk secretion in milking intervals of 2-24 hours. GILLIAN M. ELLIOTT, F. H. DODD and P. J. BRUMBY	293
REVIEWS OF THE PROGRESS OF DAIRY SCIENCE: Section D. Nutritive value of milk and milk products. Part 1, W. A. MCGILLIVRAY. Part 2, J. W. G. PORTER	309

No. 3 (October 1960)

ORIGINAL ARTICLES :	PAGE
Some volatile compounds in New Zealand Cheddar cheese and their possible significance in flavour formation. III. Time of first appearance of volatile carbonyl compounds during ripening. R. J. HARVEY and J. R. L. WALKER	335
The distribution of bacteria in New Zealand Cheddar cheese. C. G. RAMMELL	341
Microscopic observation of the effect of some reagents on the physical state of casein. N. KING	353
Genetical aspects of maximum rate of flow during milking. H. P. DONALD	361
Fishy flavour in dairy products. III. The volatile compounds associated with fishy flavour in washed cream. D. A. FORSS, E. A. DUNSTONE and W. STARK	373
The volatile compounds associated with tallowy and painty flavours in butterfat. D. A. FORSS, E. A. DUNSTONE and W. STARK	381
The effect of various sampling intervals on the estimation of lactation milk yield and composition. L. K. O'CONNOR and S. LIPTON.	389
Measurements of non-ionic iodine in the milk of dairy cows following oral administration of labelled sodium iodide. A. MORGAN	399
The colloidal phosphate of milk. III. Nature of its association with casein. T. C. A. MCGANN and G. T. PYNE	403
The effect of feed supplements on the yield and composition of milk from cows grazing good pasture. M. E. CASTLE, A. D. DRYSDALE and J. N. WATSON	419
The effect of the plane of energy nutrition of the cow during the late winter-feeding period on the changes in the solids-not-fat content of milk during the spring-grazing period. J. A. F. ROOK, C. LINE and S. J. ROWLAND	427
REVIEWS OF THE PROGRESS OF DAIRY SCIENCE: Section E. Diseases of dairy cattle. P. S. BLACKBURN	435

DIRECTIONS TO CONTRIBUTORS

GENERAL. The onus of preparing a paper in a form suitable for publication in the *Journal of Dairy Research* lies in the first place with the author. In their own interests authors are strongly advised to follow these directions carefully and to consult a current issue for guidance on details of layout and use of headings.

Typescripts may be sent to the Editors at any time, and submission of a paper will be held to imply that it reports unpublished original work which is not under consideration for publication elsewhere.

FORM OF PAPERS. Papers should be typed with double spacing, and the title followed by the names and initials of the authors, women supplying one Christian name. The name and postal address of the laboratory must be stated.

Papers should be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. Only with some exceptional types of material will headings different from (c), (d) and (e) be necessary.

The spelling adopted is that of the *Shorter Oxford English Dictionary*. Underlining should be used only to indicate italics. Every effort should be made to avoid the use of footnotes. Proper nouns, including trade names, should be given a capital initial letter.

TABLES. Each table should be numbered and should have a heading that enables its contents to be understood without reference to the text. Tables must be typed on separate sheets and their approximate positions indicated in the text.

ILLUSTRATIONS. Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in blue or grey, folded down the centre with the drawing on one half and the other acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend; (c) the figures and lettering, which is intended to appear on the finished block, in the correct position relative to the drawing underneath. For each paper there should also be a separate typed sheet listing figure and plate numbers

with their legends, and the approximate position of illustrations should be indicated in the text.

As a rule the photographs and diagrams should be about twice the size of the finished block and not larger over-all than the sheets on which the paper itself is typed. For general guidance in preparing diagrams, it is suggested that for a figure measuring 9 in. \times 6 in. all lines, axes and curves, should have a thickness of 0.4 mm, thus ———. Graph symbols in order of preference should be \circ , \bullet , \triangle , \blacktriangle , \square , \blacksquare , \times , $+$, and for a 9 in. \times 6 in. graph the open circles should be $\frac{1}{8}$ in. in diameter. The open triangles should be large enough to contain circles of $\frac{3}{8}$ in. diameter and the open squares circles of $\frac{1}{8}$ in. diameter. The crosses should have lines $\frac{1}{8}$ in. long. The block symbols should be slightly smaller than the corresponding open symbols. Scale marks on the axes should be on the inner side of each axis and should be $\frac{1}{8}$ in. long.

REFERENCES. In the text references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Where there are more than two authors all the surnames should be quoted at the first mention, but in subsequent citations only the first surname should be given thus, Brown *et al.* (1901). If there are six or more names, use *et al.* in first instance. Also, if the combinations of names are similar, repeat names each time, e.g. Brown, Smith & Allen (1954); Brown, Allen & Smith (1954).

References should be listed alphabetically at the end of the paper, titles of journals being abbreviated as in the *World List of Scientific Periodicals*. Authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). *J. Dairy Res.* 18, 158. References to books should include name of author, year of publication, title, town of publication and name of publisher in that order, thus, Arnold, T. B. (1900). *Dairying*. London: Brown and Chester.

It is the duty of the author to check all references and to ensure that the correct abbreviations are used.

SYMBOLS AND ABBREVIATIONS. The symbols and abbreviations used are those of British Standard 1991: Part 1: 1954, *Letter Symbols, Signs and Abbreviations*.

DESCRIPTIONS OF SOLUTIONS. Normality and molarity should be indicated thus: N-HCl, 0.1 M-NaH₂PO₄. The term '%' means g/100 g solution. For ml/100 ml solution write '% (v/v)' and for g/100 ml solution write '% (w/v)'.

REPRINTS. Order forms giving quotations for reprints are sent to authors with their proofs.

CONTENTS OF VOL. 27, No. 3

ORIGINAL ARTICLES	PAGE
Some volatile compounds in New Zealand Cheddar cheese and their possible significance in flavour formation. III. Time of first appearance of volatile carbonyl compounds during ripening. R. J. HARVEY and J. R. L. WALKER	335
The distribution of bacteria in New Zealand Cheddar cheese. C. G. RAMMELL	341
Microscopic observation of the effect of some reagents on the physical state of casein. N. KING	353
Genetical aspects of maximum rate of flow during milking. H. P. DONALD	361
Fishy flavour in dairy products. III. The volatile compounds associated with fishy flavour in washed cream. D. A. FORSS, E. A. DUNSTONE and W. STARK	373
The volatile compounds associated with tallowy and painty flavours in butterfat. D. A. FORSS, E. A. DUNSTONE and W. STARK	381
The effect of various sampling intervals on the estimation of lactation milk yield and composition. L. K. O'CONNOR and S. LIPTON	389
Measurements of non-ionic iodine in the milk of dairy cows following oral administration of labelled sodium iodide. A. MORGAN	399
The colloidal phosphate of milk. III. Nature of its association with casein. T. C. A. MCGANN and G. T. PYNE	403
The effect of feed supplements on the yield and composition of milk from cows grazing good pasture. M. E. CASTLE, A. D. DRYSDALE and J. N. WATSON	419
The effect of the plane of energy nutrition of the cow during the late winter-feeding period on the changes in the solids-not-fat content of milk during the spring-grazing period. J. A. F. ROOK, C. LINE and S. J. ROWLAND	427
REVIEWS OF THE PROGRESS OF DAIRY SCIENCE. Section E. Diseases of dairy cattle. P. S. BLACKBURN	435

*Printed in Great Britain at the University Press, Cambridge
(Brooke Crutchley, University Printer)*