
JOURNALS

CNS Spectrums

Editor-in-Chief

Stephen M. Stahl, University of California San Diego, School of Medicine, USA

CNS Spectrums aims to be the premier journal covering all aspects of clinical neurosciences, neurotherapeutics and neuropsychopharmacology, particularly those pertinent to the clinician and clinical investigator. The journal, now bimonthly, features focused, in-depth, illustrated, readable reviews, commentaries, and original research articles. New therapeutics of all types in psychiatry, mental health, and neurology are emphasized, especially first in studies on humans and proof of concept studies. Subject coverage spans the full spectrum of neuropsychiatry, focusing on translational issues and those crossing traditional boundaries between neurology and psychiatry.



CNS Spectrums

is available online at: http://journals.cambridge.org/cns

To subscribe contact Customer Services

in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions_newyork@cambridge.org

Free email alerts

Keep up-to-date with new material – sign up at journals.cambridge.org/cns-alerts

For more information please visit: http://journals.cambridge.org/cns



INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

Cognitive-hehavioural therapy in medication-treated adults

CONTENTS

FDITORIAL

Updating the research domain criteria: the utility of a motor dimension Bernard JA & Mittal VA ORIGINAL ARTICLES Daily electronic self-monitoring in bipolar disorder using	2685	with attention-deficit/hyperactivity disorder and co-morbid psychopathology: a randomized controlled trial using multi-level analysis Young S, Khondoker M, Emilsson B, Sigurdsson JF, Philipp-Wiegmann F, Baldursson G, Olafsdottir H & Gudjonsson G	2793
smartphones – the MONARCA I trial: a randomized, placebo-controlled, single-blind, parallel group trial Faurholt-Jepsen M, Frost M, Ritz C, Christensen EM, Jacoby AS, Mikkelsen RL, Knorr U, Bardram JE, Vinberg M & Kessing LV	2691	Identifying neuroanatomical signatures of anorexia nervosa: a multivariate machine learning approach Lavagnino L, Amianto F, Mwangi B, D'Agata F, Spalatro A, Zunta-Soares GB, Abbate Daga G, Mortara P, Fassino S &	2193
Bullying victimization in childhood predicts inflammation and obesity at mid-life: a five-decade birth cohort study Takizawa R, Danese A, Maughan B & Arseneault L	2705	Soares JC Pituitary volume and clinical trajectory in young relatives at risk for schizophrenia	2805
Predictors of treatment dropout in self-guided web-based interventions for depression: an 'individual patient data' meta-analysis		Shah JL, Tandon N, Howard ER, Mermon D, Miewald JM, Montrose DM & Keshavan MS	2813
Karyotaki E, Kleiboer A, Smit F, Turner DT, Pastor AM, Andersson G, Berger T, Botella C, Breton JM, Carlbring P, Christensen H, de Graaf E, Griffiths K, Donker T, Farrer L, Huibers MJH, Lenndin J, Mackinnon A, Meyer B, Moritz S, Riper H, Spek V, Vernmark K & Cuijpers P	2717	A population-based study of the risk of schizophrenia and bipolar disorder associated with parent-child separation during development Paksarian D, Eaton WW, Mortensen PB, Merikangas KR & Pedersen CB	2825
Childhood sexual and physical abuse: age at exposure modulates impact on functional outcome in early psychosis patients Alameda L, Ferrari C, Baumann PS, Gholam-Rezaee M, Do KQ & Conus P	2727	Motivational interviewing and interaction skills training for parents of young adults with recent-onset schizophrenia and co-occurring cannabis use: 15-month follow-up Smeerdijk M, Keet R, van Raaij B, Koeter M, Linszen D, de Haan L & Schippers G	2839
Smaller hippocampal volume as a vulnerability factor for the persistence of post-traumatic stress disorder van Rooij SJH, Kennis M, Sjouwerman R, van den Heuvel MP, Kahn RS & Geuze E	2737	Psychotic experiences and PTSD: exploring associations in a population survey Alsawy S, Wood L, Taylor PJ & Morrison AP	2849
Cost-effectiveness of the Mental Health and Development model for schizophrenia-spectrum and bipolar disorders in rural Kenya de Menil V, Knapp M, McDaid D, Raja S, Kingori J, Waruguru M, Wood SK, Mannarath S & Lund C	2747	No progression of the alterations in the cortical thickness of individuals with schizophrenia-spectrum disorder: a three-year longitudinal magnetic resonance imaging study of first-episode patients Roiz-Santiáñez R, Ortiz-García de la Foz V, Ayesa-Arriola R, Tordesillas-Gutiérrez D, Jorge R, Varela-Gómez N, Suárez-Pinilla P, Córdova-Palomera A, Navasa-Melado JM & Crespo-Facorro B	2861
Diagnostic change 10 years after a first episode of psychosis Heslin M, Lomas B, Lappin JM, Donoghue K, Reininghaus U, Onyejiaka A, Croudace T, Jones PB, Murray RM, Fearon P, Dazzan P, Morgan C & Doody GA	2757	Cognitive performance during the first year of treatment in first-episode schizophrenia: a case-control study Olivier MR, Killian S, Chiliza B, Asmal L, Schoeman R, Oosthuizen PP, Kidd M & Emsley R	2873
Severity of depressive symptoms as a predictor of mortality: the English longitudinal study of ageing White J, Zaninotto P, Walters K, Kivimäki M, Demakakos P, Shankar A, Kumari M, Gallacher J & Batty GD	2771	Longitudinal trajectories of post-traumatic stress disorder symptoms among adolescents after the Wenchuan earthquake in China Fan F, Long K, Zhou Y, Zheng Y & Liu X	2885
Parental history of psychiatric diagnoses and unipolar depression: a Danish National Register-based cohort study Musliner KL, Trabjerg BB, Waltoft BL, Laursen TM, Mortensen PB, Zondi BD & Munk Oleon T.	2781	Neighborhood as a predictor of non-aggressive, but not aggressive, antisocial behaviors in adulthood Burt SA Klump KL Kashy DA Gorman-Smith D & Neiderhiser JM	2897



