

Index

- action, 17, 33, 117, 129, 157–158, 203,
205–206, 208, 244, 271–272, 291–293,
375
- Adler–Bell–Jackiw anomaly, 242, 402
- analytic continuation, 41–43, 50, 74–76, 89,
153, 177, 215
- anomalous dimension, 59, 142
- antiparticle, 10, 19, 29, 50, 167
- asymptotic freedom, 135–136, 139–145
- axial anomaly, 213–214, 242
- axial gauge, 65–69, 92, 101, 103, 143, 147,
152–156
- axial symmetry, 213
- axial-vector current, 254, 277–278, 280, 282
- bag constant, 164–165, 321, 396–397
- Bardeen–Cooper–Schrieffer (BCS) theory,
123, 166
- baryogenesis, 402–408
- beta function, 58–59, 81, 139, 142–145
- Bjorken model, 318–324, 355
- blackbody radiation, 1, 6, 68–70
- Boltzmann equation, *see also* Vlasov
equation, 190–192, 324
- Bose–Einstein condensation, 19–23, 31–32,
50, 118
- Bose–Einstein distribution, 4, 18–19, 22, 42,
45, 75–76
- bounce solution, 291–294, 299
- boundary condition
antiperiodic (fermions), 28–29, 375
periodic (bosons), 15, 17, 27, 160, 375
spatial, 7, 207, 291, 404
- Brillouin zone, 206
- Cabibbo–Kobayashi–Maskawa matrix, 364
- Chandrasekhar limit, 380–382
- charge symmetry energy, 385
- charmonium, 345–349
- chemical equilibrium, 164, 326–327, 356, 384
- chiral perturbation theory, 240–247
- chiral symmetry, 196, 213–216, 237, 241–242,
254, 256, 261–264
- coarse graining, 296, 299–303
- collective excitations, 7, 8, 101–107, 156, 193,
390–392
- color–flavor locking, 172
- color superconductivity, 166–174
- color symmetry, 136–137
- commutation relations
bosons, 4, 25, 90–91
charges, 254
fermions, 6, 25, 204
- completeness, 3, 30, 45
- compressibility, 224, 232, 237
- condensate, 50, 221–222, 266–267, 271,
273–274, 284–286, 362, 366, 383, 385
- conductivity
electrical, 113–115
thermal, 109–115, 298, 309, 313
- confinement, 135–138, 157, 160, 201–202,
321, 345
- connected diagram, 37–38, 40–41, 49
- conserved current, 19–20, 24–25, 108–112,
124, 137
- contour integral, 41–42, 50, 75–76
- correlation length, 128, 294, 300, 304–306,
309, 396–397
- correlations, 46, 154, 224
- Coulomb field, 94, 123, 201, 219, 236
- Coulomb gauge, 92, 101, 103, 143, 147, 156,
168, 182
- covariant gauge, 69–73, 92, 101, 103–104,
138–145, 147, 154

- critical point, 128, 216, 234–235, 376
critical sized bubble or droplet, 294–295, 297, 299, 305–306, 396
critical temperature
 Bose–Einstein condensation, 19–23
 chiral, 213–216, 268, 274, 277
 deconfinement, 201, 206–207, 210–216, 321–324, 396–397
 electroweak, 368, 373–374, 376
 nuclear liquid–gas, 234–235, 237
 symmetry restoration, 121–122, 127, 132, 268, 274, 277, 361, 368, 373–374, 376
cutoff, 43, 45, 55, 57–58, 61, 63, 125–126, 227, 229–231, 333–334, 337–338, 366, 371, 405–406
- Debye–Hückel formula, 78
deconfinement, 135–136, 172–174, 196, 201–202, 206–212, 215, 321–324
density matrix, 2, 325
Dey–Eletsky–Ioffe mixing, 262, 287
diagrammatic rules
 QCD, 140
 QED, 71
 scalar field theory, 37
 Yukawa interaction, 49–50
dielectric function, 92–93, 153
diffusion constant, 110–114, 194
dilepton production, 330–331, 339–345
dimensional reduction, 374–377
dimensional regularization, 60–61
dimensional transmutation, 60
Dirac matrices, 24
dispersion relation, 8, 101–107, 156, 248–251, 344–345, 390–392
divergence
 infrared, 45–47, 77–80, 149–151
 ultraviolet, 43–45, 55–57, 80–81, 146, 160–163, 366
- early universe, 394–408
effective mass, 102, 106, 119, 123, 128, 131, 177–178, 222–224, 228, 232, 266, 367, 383
eigenstate, 3–4, 5, 45, 85, 87, 364
electric field
 QCD, 152, 154
 QED, 65–66, 90–94, 100
electromagnetic radiation rate, *see* dilepton production, photon production
energy–momentum tensor, 107–110, 112, 318
ensemble
 average, 2, 34, 38–39, 84–86, 124, 221
 canonical, 2, 420–421
 grand canonical, 2–3, 85, 325, 417–418
 microcanonical, 1, 418–420
Euclidean space, 42–43, 78–79, 125, 142, 157, 160, 340
exchange diagram, 49, 76, 127, 146, 165, 228–231
external field, 4, 84–86, 90–92, 94, 160
- false vacuum, 290
Fermi–Dirac distribution, 6, 29, 50, 75–76, 222, 234
Feynman gauge, 70, 74, 155–156
field strength tensor, 64–65, 136–137
flavor, 141–145
fluid dynamics, 107–110, 300–301, 309, 318–320
form factor, 227, 229–232, 357
freezeout temperature, 322, 327–328
Friedel oscillations, 96, 346
- gap equation, 167–170
gauge fixing, 69–70, 72, 131–132, 138, 143, 182, 193, 366–367
gauge symmetry
 SU(N), 136–138, 202–203, 361–362
 U(1), 65, 68, 72, 77, 82, 117–118, 130, 196–202, 361–362
gauge transformation, 69, 72, 132, 137–138, 203–204, 362, 404
Gauss’s law, 66–67, 94, 200
ghosts, 68–70, 103, 138, 140, 146, 367
Glashow–Weinberg–Salam model, 361–365
global symmetry, 19, 24, 117–118
glueball, 206, 211
gluons, 135–138, 146–147, 152, 321–322, 396
Goldstone boson, 120, 123, 125, 131, 273, 275–276, 278
Goldstone’s Theorem, 123–125, 128, 131, 134, 266, 270, 278
Grassmann variables, 26
Green’s functions, 26, 57–59, 86, 88, 101, 116, 277
- hard thermal loops, 177–193, 335–338, 340, 402–403
Hartree approximation, 227–229
heavy ion collisions, 317–356
Higgs boson, 363–364, 368, 371–374, 376–377
Higgs model, 130–133
high temperature expansion, 121, 126, 366, 368, 421–423
Hugenholtz–Van Hove Theorem, 237
hydrodynamics, *see* fluid dynamics
hyperons, 382–388

- ideal gas
 - bosons, 6–10, 17–19, 146, 325
 - fermions, 6–10, 29, 146, 163–164, 223–224, 325
- imaginary time, 15, 25, 27–28, 42, 45, 89, 160, 179–182, 202, 208, 215, 255, 266, 290
- improved actions, 208
- infrared freedom, 60
- infrared problems, 45–47, 77–80, 161–163, 177–179
- instabilities, 117–119, 126, 165, 235, 298, 307, 381, 405
- instanton, 156–161, 167, 174, 402
- irreducible part, 40–41, 127, 139

- J/ψ suppression, 345–350

- kinetic theory, 189–193, 324–325, 332, 339, 351–356, 397
- Kubo formulae, 107–114

- Lamb shift, 95, 228–231
- Landau damping, 181, 185, 189
- Landau gauge, 70, 104, 144, 148, 168
- Landau theory, 23, 122
- large- N expansion, 271–277
- lattice
 - Hamiltonian, 198–199, 204–205
 - link, 196–197
 - plaquette, 197–198
 - site, 196–197
- lattice gauge theory, 31, 33, 195–216, 374–377
- leading log summation, 60
- Lehmann representation, 87–90
- linear response, 84–86, 100–101, 110, 114–116, 152–156, 189–190
- link variables, 196–198, 202–203

- Maxwell construction, 235
- mean field approximation, 118–123, 125–133, 221–227, 232–234, 267–268, 365–369, 383–385
- mean free path, 248, 325–327
- metastable phase, 165, 235, 398
- Minkowski space, 41–42, 52, 341
- mixed phase, 234–235, 322–324, 356, 397–401

- neutrino emissivity
 - pair annihilation, 388–390
 - plasma decay, 388, 390–392
 - Urca process, 388–389, 392–394
- neutrons, 163, 221, 394
- neutron star, 382–388
- Noether's theorem, 19, 24
- nuclear force, 220
- nucleation
 - black hole, 313–315
 - classical, 294–296
 - dynamical prefactor, 297–298, 309–312
 - quantum, 290–294
 - statistical prefactor, 297, 306–309
 - thermal, 296–313, 396–401
- nucleosynthesis, 394–396
- nucleus–nucleus collisions, 317–356

- $O(N)$ symmetry, 265–266, 270–271
- operator product expansion, 255–256
- optical potential, 226, 237, 248–249
- optical theorem, 249
- order parameter, 213
- orthogonality, 3

- Pauli exclusion principle, 5, 26, 136, 163–164, 382
- phase transition
 - Bose–Einstein condensation, 22–23
 - deconfinement, 136, 172–174, 321–324, 396–401
 - Higgs model, 130–133
 - nuclear liquid–gas, 172, 233–237
 - symmetry restoration, 121–123, 128, 132–133
 - electroweak, 368, 373–374, 376–377, 402–408
- photon production, 329–339
- pion, *see also* chiral perturbation theory, Goldstone boson, sigma model
 - gas, 10, 245–247
 - in nuclear matter, 237
- pion decay constant, *see also* sigma model
 - vacuum, 244
 - finite temperature, 277–284
- plasma oscillations, 100–104, 156
- plasmon, *see* ring diagrams
- Polyakov loop, 208–210, 212
- propagator, *see also* self-energy
 - advanced, retarded, 88–89
 - electron, 105–107
 - fermion, 48, 51
 - gluon, 140, 152–156
 - photon, 71–74, 92, 101–104
 - quark, 140, 166
 - scalar boson, 35, 37–39, 86–89, 101, 129, 179
 - W and Z bosons, 366–367

- quark
 - condensate, 213, 244, 285
 - masses, 141, 143–145, 365
 - quantum numbers, 141, 364–365
- quark–antiquark free energy, 154–155, 200–201, 208–211, 345–348
- rapidity, 319
- real time, 42, 51–53, 84–86
- renormalization, 43–45, 55–57, 76, 80, 125–127, 142–145, 148–149, 227–231, 342
- renormalization group, 57–59, 81–82, 93, 96, 99, 139, 141–145, 211
- R -gauge, 131–132, 366–367
- ring diagrams, 46–47, 77–80, 147, 371–373
- scattering amplitude, 248–252
- Schwinger–Dyson equations, 97–98, 129, 160–163, 167, 169–170
- Schwinger terms, 259
- screening
 - in QCD, 147, 152–156, 183, 345–348
 - in QED, 78, 90–100, 181
- self-energy
 - electron, 105
 - fermion, 51
 - from experimental data, 248–254
 - gluon, 153–155, 169, 182–183
 - Higgs boson, 371–372
 - photon, 71–74, 92–93, 95, 102–104, 180–181, 330, 390–392
 - pion, 269, 281
 - quark, 144
 - rho meson, 250–253, 340–343
 - scalar boson, 39–44, 127–129, 269, 408–410
 - W and Z bosons, 371–372
- sigma model
 - linear, 265–270
 - nonlinear, 270–277
- spectral density, 87–90, 112–113, 188–189, 255–258, 260–264, 278, 281, 336–337, 348
- sphaleron, 402–407
- speed of sound, 8, 224, 235, 321
- spontaneous symmetry breaking (and restoration), *see also* sigma model, 117–133, 361–363, 368, 373–374, 377
- staggered fermions, 204–205
- statistical model, 324–328
- strange quark matter, 163–166
- strangeness production, 350–356
- string tension, 201, 211–212, 345
- subtraction point, 44, 80–82, 142–144, 148–151
- summation formulae, 18, 29, 42, 50
- superconductivity, *see* color superconductivity
- supercooling, 397–400
- superfluid, 123, 388
- surface free energy, 305–306
- tadpole diagram, 180
- Thomas–Fermi approximation, 100
- Tolman–Oppenheimer–Volkoff equation, 380, 386
- topological charge, 158
- tree approximation, 228, 363–364
- U -gauge, 362, 365–366
- $U(1)_A$ symmetry, *see* axial symmetry
- Urca process, 388–389, 392–393
- vacuum polarization, 93–95, 139
- Van der Waals gas or liquid, 233
- vector current, 254
- vector meson dominance, 250, 252, 343
- vertex, 35, 49–50, 71, 97–98, 127, 140, 228–231
- viscosity
 - bulk, 109–110, 112–113, 309, 312–313, 396
 - shear, 109–110, 112–114, 194, 309, 312–313, 396
- Vlasov equation, 190–193
- Walecka model, 220–226
- Ward identity, 98, 141, 185–187, 230, 259–260
- Weinberg sum rules
 - vacuum, 254–257
 - finite-temperature, 257–264, 322
- white dwarf star, 380–382
- Wilson fermion, 205–206
- Wilson line, 208
- Wong’s equations, 191
- zero-point energy, 4, 6, 10, 19, 22, 29, 44, 76, 118–119, 125, 133, 227–231
- $Z(N)$ symmetry, 209–210, 213